

HIGH PURITY LABORATORY CHEMICALS PVT. LTD.

Chemistry Beyond Chemicals








Being the most trusted brand in chemical industry's we are committed to provide stringent quality products with great customer satisfaction.

We proudly announce that our manufacturing facility is WHO-GMP and CE certified and accredited with

- ISO 9001:2015
- ISO 14001:2015
- ISO 45001:2018

Presently, we are marketing over 4,500 Products.

JOURNEY



Established in 2009, High Purity Laboratory Chemicals Private Limited (HPLC), under the pioneering leadership of Mr. S. K. Aggarwal, an extremely visionary second generation entrepreneur having 49 Years of experience in Lab Chemical Product Development, Marketing & Administration, HPLC has emerged as one of the leading and most-trusted brand producing and distributing high quality Organic and Inorganic Laboratory Fine Chemicals.

MISSION & VISION

HPLC was founded with an aim to meet life science research needs at a global level through effective collaborative work and finding path-breaking scientific solutions. We encourage, accelerate and promote scientific research by providing high-quality, reliable and sustainable products that are used for the R&D, QC and production requirements of several Industries & Institutions.







HPLC

caters to the needs of varied industries

- > PHARMACEUTICALS
- PAINTS & PIGMENTS
- > DYES & INTERMEDIATES
- COSMETICS & PERFUMERY
- DAIRY PRODUCTS
- MINERALS & METALS
- AGROCHEMICALS
- **>** FOODS
- **HOSPITALS**
- > EDUCATIONAL INSTITUTES
- > R&D ESTABLISHMENTS
- > TESTING LABORATORIES
- GOVERNMENT INSTITUTES & UNIVERSITIES



HPLC Solvent Production Unit

Our manufacturing facility includes sophisticated machineries and equipment for distillation and purification of different kind of solvents. We primarily focus on procuring high grade raw materials for manufacturing in order to match up with highest global standards.

- Our existing capacity of solvents is more than 2,50,000 liters but we can increase it as per the growing demand of our pivotal clients.
- The facility is designed to utilize over 7000 Liters distillation units with the batch volumes varying from few liters to 1600 Liters.
- Our facility has a state-of-the- art distillation equipment range from 1600 Liters to 20 Liters including both SS and glass.









HPLC Solvent Production Unit



230L

600L

1600L

200L

100L

50L

20L

HPLC Solid Production Unit

Our manufacturing facility consist of research engineering, product manufacturing, testing laboratory and In-house R&D department that has always enabled us to keep ahead of our competitors in the market.

We create awareness among the employees and take appropriate measures for safety of the environment and minimize potential risk and impact.

Equipment capacity

- S. S. Evaporating pan 1000L
- S. S. Evaporating pan 750L
- S. S. Jacketed crystalline pan 500L
- Glasslined jacketed evaporating pan 500L
- Glasslined jacketed evaporating pan 50L
- S. S. Evaporating pan 50L
- S. S. 316 High pressure autoclave 10L
- S. S. 316 Nutsche filter 250L
- S. S. 316 Nutsche filter 130L
- S. S. Centrifuge Basket size dia 24,18, 10
- Steam heated tray dryer 12 tray
- Steam heated tray dryer 24 tray
- Steam / Electric heated tray dryer 48 tray
- S. S. Vibrator / Shifter
- S. S. Micropulvariser













At HPLC, before all other things, our customer comes first. Customer satisfaction is more than our daily mantra — it is the reason for everything we do.

Being a quality driven organization, we are committed to deliver only quality range of products to our valued clients. We have a well-defined quality management system, where in our quality monitors keep an active check on the whole manufacturing process. It is why we combine our excellent industry expertise with a commitment to create the best and thus strive for superior economic performance through improved productivity and high quality ingredients.

Our quality control department is equipped with state-of-the-art and latest testing instruments

- High Performance Liquid Chromatography (HPLC) instrument
 - Coulometric Karl Fischer Instrument <
 - Gas Chromatograph (GC) <
 - **UV Spectrophotometer** <
 - Atomic Absorption Spectrophotometer <

and many more ...









Certifications

HPLC an ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 certified company in accordance with the quality management system, a quality manual and inspection documents define the process and activities of our organization. We periodically monitor our services and performance to constantly improve and update ourselves. We are committed to manufacture products as per International Standards for total customer satisfaction, achieved by our dedicated team work.

GMP is a system for ensuring that products are consistently produced and controlled according to quality standards. It is designed to minimize the risks involved in any pharmaceutical production that cannot be eliminated through testing the final product

CE marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC, it also demonstrates the fact that the product is fit for its intended purpose.







Laboratory Reagents & Extra Pure (LR & EP)

These Consist of wide range of organic and inorganic reagents in preparative chemistry and other related industries. Careful control ensures that a consistently high defined quality is maintained throughout.



Electronic Grade (EL)

These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.



Analytical Reagents (AR)

These Chemicals are usefulin sophisticated analyticalinstruments and research work, where high purity is essential. The trace impurities in these products are restricted to the lowest possible limits for the utmost precision in laboratory work.



Microbiology

Products have been specially purified and tested for their microbiological applications



Purified

Purified commercial products used in many chemical laboratories.



Buffers

Buffers are provided in capsule form, powder form as well as solution form to work in varying pH ranges in chemicals. We also offer wide range of Biological Buffers



Highly Process Liquid Chromatography (HPLC) & Spectroscopy Grade Solvents:

An extensive range of highly characteristic HPLC solvents are produced and tested as per the latest techniques to assure interference-free HPLC separation and detection. Key parameters such as UV absorbance, transmittance, non volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.



Biochemical

These are high purity chemicals specially manufactured and tested for Biochemical research. As required heavy metal content is carefully monitored and reduced to minimum possible levels. Our range includes amino acid and their derivatives, carbohydrates and their derivatives, enzymes, enzymes substrates etc.



Diagnostic Reagents

Buffers are provided in capsule form, powder form as well as solution form to work in varying pH ranges in chemicals. We also offer wide range of Biological Buffers



AAS (Atomic Absorption Standard) Solution

These standard solutions are used as reference standards for calibration of the instruments in Atomic Absorption Spectroscopic Analysis.



Indicator Powder, Buffer, Solution & Paper

Various types of indicators such as absorption indicator, metal ion indicators, redox indicators of high purity are provided as powder as well as ready to use liquid forms for analytical purpose. Paper indicators are produced using "Whatman" filter papers. pH papers cover both narrow and wide range from 1 - 14.



ICP (Inductively Coupled Plasma)

These standard solutions are used as reference standards for calibration of the instruments in Inductively Coupled Plasma Analysis.



Dried

Products containing highly reduced water content for anhydrous reactions, synthesis and arsay studies.



Tech / Pract

General, Commercial grade for synthesis and routine applications.



GC

For Gas Chromatography applications and suited for use in GC instrument.



ScintillationIdeal for scintillation studies



Disinfectants & Cleaning Solutions

Teepol, Superlab and Lysol




Nanotechnology Products

Top-quality nanomaterials for research and production purposes. Our nanomaterials find applications in a wide range of industries, including inks, paints, polymers, and more.



Gradient Grade Solvents (GG)

Gradient grade solvents are used in highperformance liquid chromatography (HPLC) for chromatographical separation.GG solvents are suitable for UPLC & UHPLC. This can be used in many different industries, including pharmaceuticals, analytical chemistry, and photography etc. Some applications of gradient grade solvents include:




 Alternative to reversed-phase liquid chromatography


• UV and fluorescence detection





Solvent are carefully analysed to limit of UV absorption. All our HPLC solvent are packed under Nitrogen for its better resistance and bottles are sealed with teflon liner to prevent contamination. Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.








HPLC In Our Range

Code	Product Name
HP0001	Acetic Acid for HPLC & Spectroscopy
HP0002	Acetone for HPLC & Spectroscopy
HP0004	Acetonitrile for HPLC & Spectroscopy
HP0003	Acetonitrile for Praparative (HPLC)Transmittance
HP0005	Acetonitrile Gradient Grade for HPLC
HP0009	Ammonium Acetate for HPLC
HP0051	Benzene HPLC
HP0053	tert-Butanol for HPLC & Spectroscopy
HP0072	Carbon Tetra Chloride for HPLC & Spectroscopy
HP0075	Chloroform for HPLC & Spectroscopy
HP0080	Citric Acid Monohydrate for HPLC & Spectroscopy
HP0076	Cyclohexane for HPLC & Spectroscopy
HP0101	Dichloro Methane for HPLC & Spectroscopy
HP0103	N,N-Dimethyl Formamide for HPLC & Spectroscopy
HP0104	Dimethyl Sulphoxide for HPLC & Spectroscoy
HP0126	Ethyl Acetate for HPLC & Spectroscopy
HP0176	n-Heptane for HPLC & Spectroscopy
HP0179	n-Hexane for HPLC & Spectroscopy
HP0178	Hexane for HPLC & Spectroscopy
HP0190	Iso-Octane for HPLC & Spectroscopy
HP0201	Methanol for HPLC
HP0202	Methanol for Spectroscopy
HP0208	Methyl Acetate for HPLC
HP0226	Potassium Bromide for IR Spectroscopy
HP0225	di-Potassium Hydrogen Ortho Phosphate for HPLC & S
HP0227	1-Propanol for HPLC & Spectroscopy









Spectroscopy

1-Propanol for HPLC & Spectroscopy

2-Propanol for HPLC & Spectroscopy

Sodium Acetate Anhydrous for HPLC & Spectroscopy

Sodium Chloride for HPLC & Spectroscopy

HP0260 Sodium Dihyrogen Ortho Phosphate Dihydrate for HPLC
HP0262 Sodium Hydrogen Carbonate for HPLC & Spectroscopy

HP0263 di-Sodium Hydrogen Ortho Phosphate Dihydrate for HPLC & Spectroscopy

HP0301 Tetrachloroethylene for Spectroscopy
HP0302 Tetrahydrofuran For HPLC & Spectroscopy

HP0303 Toluene for HPLC & Spectroscopy

HP03034 Trichloroethylene for Spectroscopy

HP0351 Water for HPLC & Spectroscopy

HP0228

HP0250

HP0255

PRODUCT PACKAGING



















PKG. TYPE:

- GB-Glass Bottle
- PB Plastic Bottle
- PD- Plastic Drum
- AMP- Ampoules

- BP BlaackPaper
- PE PP Bottle
- SS- Stainless Steel
- KIT-Kit

- PR- Plastic Round Cane
- Consistent in quality packing material
- Custom development of packing available Flexibility in packaging types

PRODUCT PACKAGING

























- Available in over 100 different packing options
 Custom development of packing available UN Approved packing for Air & Sea

WAREHOUSE

The consolidated manpower in our manufacturing unit is comprising of skilled and dedicated workforce, qualified & experienced chemical engineers.

We regularly keep upgrading our facility to keep abreast with latest international trend and manufacture best quality of products.

We create awareness among the employees and take appropriate measures for safety of the environment and minimize potential risk and impact.

All the products are packed with ultimate care to ensure safe delivery of goods to the desired destination under the supervision of our delivery managers.













	RESEARCH & LABOR					S	
	СН	EMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	A						
030001	Acacia	9000-01-5	РВ	500 gm	617	13012000	5%
	(Gum acacia; gum arabic)		РВ	5 kg	5090		
	Confirms to IP		PD	25 kg	POR		
012001	Acacia (Enzyme Free) AR	9000-01-5	PB	500 gm	831	13012000	5%
	(Gum acacia; gum arabic)						
	Heat inactivated under nitrogen emulsifying agent for Olive Oil in serum						
	lipase determination inhibits cleavage of lower fatty acid esters						
030004	Acenaphthene 96% Pract.	83-32-9	GB	100 gm	405	29029090	18%
	(1,8-Ethylenenaphthalene)		GB	500 gm	1620		
	C ₁₂ H ₁₀ M.W.: 154.21						
030005	Acenaphthene 98% for Synthesis	83-32-9	GB	100 gm	468	29029090	18%
	(1,8-Ethylenenaphthalene)		GB	500 gm	1701		
	C ₁₂ H ₁₀ M.W.: 154.21						
BF0011	ACES Buffer 99%	7365-82-4	GB	25 gm	1990	29241900	18%
	(N-(2-acetamido)-2-amino ethane sulphonic acid)		GB	100 gm	7695		
	C ₄ H ₁₀ N ₂ O ₄ S M.W.: 182.20			-			
030008	Acetamide 99% for Synthesis	60-35-5	PB	250 gm	603	29241900	18%
	(Acetic acid amide)		РВ	500 gm	945		
	CH ₃ .CONH ₂ M.W.: 59.07						
N-(2-Ace	tamido)-2-Aminoethanesulphonic Acid See ACES Buffer						
2-Acetan	nido-3-Mercaptopropionic Acid See N-Acetyl-L-Cysteine						
030009	Acetanilide Tech	103-84-4	PB	250 gm	495	29242910	18%
	(N-Phenylacetamide)		РВ	500 gm			
	C ₆ H ₅ .NH.CO.CH ₃ M.W. : 135.16						
030010	Acetanilide 98.5% for Synthesis	103-84-4	PB	250 gm	675	29242910	18%
	(N-Phenylacetamide)		РВ	500 gm			
	C ₆ H ₅ .NH.CO.CH ₃ M.W.: 135.16			· ·			
BF0026	Acetate Buffer Solution		PB	500 ml	297	38220090	12%
	pH: 4.6 ± 0.2						
Acetic Ac	cid Benzyl Ester See Benzyl Acetate						
027010	Acetic Acid Glacial 99.5% for Synthesis	64-19-7	GB	500 ml	306	29152100	18%
	(Ethanoic acid)		GB	2.5 L			
	CH ₃ .COOH M.W.: 60.05		PR	25 Lit			
010010	Acetic Acid Glacial 99.8-100.5% AR/ACS & P Test	64-19-7	GB	500 ml		29152100	18%
	(Ethanoic acid)		GB	2.5 L			
	Meet Analytical Specification of BP, USP, Ph, Eur.		PR	25 Lit			
	CH ₃ .COOH M.W.: 60.05		• • •		. ••		
010015	Acetic Acid Glacial (Aldehyde Free) 99.8% AR	64-19-7	GB	500 ml	441	29152100	18%
3.3010	(Ethanoic acid)	07 10 7	GB	2.5 L			. 5 /0
1	Specially suitable for use in determination of total cholesterol		95	2.0 L	1002		
1	Openiary surrance for use in determination of total Gloresteror						

	RESEARCH & LABOR	EMISTRY BEY			Control of the	.5	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	in blood plasma by MacIntyre and Ralston's method.						
	CH ₃ .COOH M.W.: 60.05						
EL0001	Acetic Acid Glacial 99.9% EL Grade	64-19-7	GB	500 ml	680	29152100	18%
	(Ethanoic acid)		GB	2.5 L	2592		
	CH ₃ .COOH M.W.: 60.05						
HP0001	Acetic Acid 99.8% for HPLC & Spectroscopy	64-19-7	GB	1 L	945	29152100	18%
	(Ethanoic acid)		GB	2.5 L	1980		
	CH3.COOH M.W.: 60.05						
DRY000	Acetic Acid Glacial (Specially Dried) 99.8% AR	64-19-7	GB	500 ml	702	29152100	18%
	(Ethanoic acid)						
	CH ₃ .COOH M.W.: 60.05						
SOL005	Acetic Acid 3% Solution		РВ	500 ml	142	38220090	12%
SOL006	Acetic Acid 5% Solution		PB	500 ml	144	38220090	12%
SOL007	Acetic Acid 10% Solution		PB	500 ml	153	38220090	12%
SOL002	Acetic Acid 30% Extra Pure	64-19-7	РВ	1 L	306	38220090	12%
	(Methane carboxylic acid solution, Methylformic acid solution)		PR	25 Lit	POR		
	CH ₃ .COOH M.W.: 60.05						
SOL001	Acetic Acid 50% Solution	64-19-7	PB	1 L	333	38220090	12%
	(Methane carboxylic acid solution, Methylformic acid solution)						
	CH ₃ .COOH M.W.: 60.05						
SOL003	Acetic Acid 60% Extra Pure	64-19-7	PB	1 L	351	38220090	12%
	(Methane carboxylic acid solution, Methylformic acid solution)		PR	25 Lit	POR		
	CH ₃ .COOH M.W.: 60.05						
SOL004	Acetic Acid 80% Extra Pure	64-19-7	PB	1 L	540	38220090	12%
	(Methane carboxylic acid solution, Methylformic acid solution)		PR	25 Lit	POR		
	CH ₃ .COOH M.W.: 60.05						
VMS021	Acetic Acid 0.1 mol/l (0.1N) Solution		AMP	3 amp	297	38220090	12%
			AMP	6 amp	540		
VMS024	Acetic Acid 1 mol/l (1N) Solution		AMP	3 amp	342	38220090	12%
			AMP	6 amp	621		
VMS025	Acetic Acid 1 mol/l (1N) Solution		РВ	1 L	756	38220090	12%
VMS022	Acetic Acid 0.1 mol/l (0.1N) Standardized Solution		РВ	1 L	756	38220090	12%
VMS001	Acetic Acid (2N) Solution		РВ	500 ml	297	38220090	12%
VMS026	Acetic Acid 2 mol/l (2N) Standardized Solution		РВ	1 L	585	38220090	12%
US0005	Acetic Acid 2N Solution TS		PB	500 ml	421	38220090	12%
VMS023	Acetic Acid 0.5mol/I (0.5N) Standardized Solution		PB	1 L	657	38220090	12%
VMS002	Acetic Acid (5N) Solution		РВ	500 ml	360	38220090	12%
US0003	Acetic Acid-Ammoium Acetate Buffer TS		РВ	500 ml	882	38220090	12%
Acid Iso	Propyl Ester See Iso-Propyl Acetate						
030015	Aceto Acetanilide Tech.	102-01-2	РВ	500 gm	972	29242920	18%

RESEARCH & LABORATORY CHEMICALS

	СН	EMISTRY BEY	OND C	HEMIC	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(AAA; Acetoacetamidobenzene; Acetoacetanilide)						
	C ₁₀ H ₁₁ NO ₂ M.W.: 177.20						
Acetoace	etic Ester Ethyl See Ethyl Acetoacetate						
Acetoace	etic Ester Methyl See Methyl Acetoacetate						
Aceto Ac	etic Ethyl Ester See Ethyl Acetoacetate						
Aceto Ac	etic Methyl Ester See Methyl Acetoacetate						
Aceto Ca	rmine See Carmine Aceto Staining Solution						
027020	Acetone 99% for Synthesis	67-64-1	GB	500 m	333	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)		GB	2.5 L	. 1188		
	(CH ₃) ₂ CO M.W.: 58.08		PR	25 Lit	POR		
			PD	200 L	POR		
010020	Acetone 99.5% AR/ACS	67-64-1	GB	500 m	378	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)		GB	2.5 L	1350		
	(CH ₃) ₂ CO M.W.: 58.08		PR	25 Lit	POR		
GC0005	Acetone 99.9% GC Grade	67-64-1	GB	250 m	549	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)		GB	1 L	1593		
	(CH ₃) ₂ CO M.W.: 58.08						
EL0002	Acetone 99.8% EL Grade	67-64-1	GB	2.5 L	. 1890	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)						
	(CH ₃) ₂ CO M.W.: 58.08						
HP0002	Acetone 99.8% for HPLC & Spectroscopy	67-64-1	GB	1 L	. 846	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)		GB	2.5 L	1620		
	(CH ₃) ₂ CO M.W.: 58.08						
PR0010	Acetone 99.8% for Pesticide Residue Trace Analysis	67-64-1	GB	1 L	1530	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)						
	(CH ₃) ₂ CO M.W.: 58.08						
MB0002	Acetone 99.8% for Molecular Biology	67-64-1	GB	100 m	370	29141100	18%
	(2-Propanone; Propanone; Dimethyl Ketone)		GB	250 m	558		
	(CH ₃) ₂ CO M.W.: 58.08						
DRY001	Acetone (Specially Dried) 99.5% AR	67-64-1	GB	500 m	621	29141100	18%
	(2-propanone; Propanone; Dimethyl Ketone)						
	(CH ₃) ₂ CO M.W.: 58.08						
SOL008	Acetone Alcohol Decolourizer 50% Solution		РВ	500 m	252	38220090	12%
US0010	Acetone Buffer TS		PB	500 m	250	38220090	12%
Acetone	Dimethyl Acetal See 2,2-Dimethoxy Propane						
027030	Acetonitrile 99% for Synthesis	75-05-8	GB	500 m	765	29269000	18%
	(Methyl cyanide)		GB	2.5 L			
	CH ₃ .CN M.W.: 41.05		PR	25 Lit			
			PD	200 L			
010025	Acetonitrile 99.5% AR/ACS	75-05-8	GB	500 m		29269000	18%
	(Methyl cyanide)		GB	2.5 L			

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX				
	CH ₃ .CN M.W.: 41.05		PR	25 Lit	POR						
GC0010	Acetonitrile 99.9% GC	75-05-8	GB	1 L	4194	29269000	18%				
	(Methyl cyanide)										
	CH ₃ .CN M.W.: 41.05										
HP0003	Acetonitrile 99.8% for Preparative (HPLC)	75-05-8	GB	2.5 L	4320	29269000	18%				
	(Methyl cyanide)										
	CH ₃ .CN M.W.: 41.05										
HP0004	Acetonitrile 99.9% for HPLC & Spectroscopy	75-05-8	GB	1 L	1944	29269000	18%				
	(Methyl cyanide)		GB	2.5 L	4050						
	CH ₃ .CN M.W.: 41.05										
PR0013	Acetonitrile 99.9% for Pesticide Residue Trace Analysis	75-05-8	GB	1 L	4806	29269000	18%				
	(Methyl cyanide)										
	CH ₃ .CN M.W.: 41.05										
HP0005	Acetonitrile 99.9% for HPLC Gradient Grade	75-05-8	GB	1 L	2070	29269000	18%				
	(Methyl cyanide)		GB	2.5 L	4230						
	CH ₃ .CN M.W.: 41.05										
GP0005	Acetonitrile 99.9% for HPLC Gradient Premium Grade	75-05-8	new GB	2.5 L	7200	29269000	18%				
	(Methyl cyanide)		GB	4 L	10800						
	CH ₃ .CN M.W.: 41.05										
LC0005	Acetonitrile 99.9% for LC-MS	75-05-8	new GB	1 L	9000	29269000	18%				
	(Methyl cyanide)		GB	2.5 L	18000						
	CH ₃ .CN M.W.: 41.05		GB	4 L	23400						
MB0003	Acetonitrile 99.9% for Molecular Biology	75-05-8	GB	100 ml	702	29269000	18%				
	(Methyl cyanide)		GB	250 ml	1260						
	CH ₃ .CN M.W.: 41.05										
MB0021	Acetonitrile with 0.1% Acetic Acid for LCMS		GB	2.5 L	18000	29269000	18%				
MB0022	Acetonitrile with 0.1% Formic Acid for LCMS		GB	2.5 L	21006	29269000	18%				
MB0023	Acetonitrile with 0.1% Trifluoroacetic Acid for LCMS		GB	2.5 L	21006	29269000	18%				
HP0006	Acetonitrile/Water 50:50 (w/w) for HPLC		GB	2.5 L	4590	29269000	18%				
STS005	Aceto Orcein Solution (La cour)		GB	100 ml	675	38220090	12%				
	(Orcein acetic solution)										
027040	Acetophenone 99% for Synthesis	98-86-2	GB	500 ml	828	29143910	18%				
	(Phenyl methyl ketone)		GB	2.5 L	3330						
	C ₆ H ₅ .CO.CH ₃ M.W. : 120.15		PR	25 Lit	POR						
010028	Acetophenone 99% AR	98-86-2	GB	500 ml		29143910	18%				
	(Phenyl methyl ketone)										
	C ₆ H ₅ .CO.CH ₃ M.W.: 120.15										
027050	Acetyl Acetone 98% for Synthesis	123-54-6	GB	250 ml	900	29141990	18%				
-	(2,4-Pentanedione)	22.2.0	GB	500 ml			- 7				
	CH ₃ .CO.CH ₂ .CO.CH ₃ M.W.: 100.12		GB	2.5 L							

	СН	EMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
010030	Acetyl Acetone 99.5% AR	123-54-6	GB	100 ml	540	29141990	18%
	(2,4-Pentanedione)		GB	250 ml	1191		
	CH ₃ .CO.CH ₂ .CO.CH ₃ M.W.: 100.12		GB	500 ml	2091		
030017	p-Acetyl Anisole 99% for Synthesis	100-06-1	GB	100 gm	612	29209000	18%
	(4-methoxy acetophenone)		GB	500 gm	2592		
	C ₉ H ₁₀ O ₂ M.W.: 150.17						
027052	Acetyl Chloride 98% for Synthesis	75-36-5	GB	500 ml	864	29159010	18%
	(Ethanoyl chloride; Acyl chloride)						
	C ₂ H ₃ CIO M.W.: 78.50						
012004	Acetyl Choline Chloride 99% AR	60-31-1	GB	10 gm	3393	29379090	18%
	(2-(Acetyloxy)-N,N,N-trimethylethanaminium; Acecoline; ACH)		GB	25 gm	7794		
	C7H16CINO2 M.W.: 181.66						
012002 *	Acetyl Choline Iodide 99% AR	2260-50-6	GB	5 gm	2880	29239000	18%
	C ₇ H ₁₆ INO ₂ M.W.: 273.12		GB	25 gm	10080		
030019	N-Acetyl-L-Cysteine 98% for Biochemistry	616-91-1	GB	10 gm	513	29309099	18%
	(2-acetamido-3-mercapto propionic acid; LNAC; NAC)		GB	25 gm	950		
	$C_6H_9NO_3S$ M.W.: 163.19		GB	100 gm	3789		
012003 *	S-Acetyl Thiocholine Iodide 98.5% AR	1866-15-5	GB	1 gm	2196	29309099	18%
	(Substrate for Acetylcholin esterase)		GB	5 gm	8802		
	C ₇ H ₁₆ INOS M.W.: 289.17						
1,2,4-Aci	d See 1-Amino-2-Naphthol-4-Sulphonic Acid						
SOL009	Acid Alcohol		РВ	125 ml	295	38220090	12%
SOL010	Acid Fast Decolourizer		РВ	125 ml	252	38220090	12%
Acid Fuc	hsin See Fuchsin Acid						
SOL011	Acid Mixture		GB	125 ml	126	38220090	12%
	(Phosphoric Sulphuric)						
SOL012	Acid Molybdate Solution		GB	500 ml	250	38220090	12%
	For determination of Phosphate						
Acid Red	I 66 See Biebrich Scarlet (W.S.)						
Acid Red	87 See Eosine Yellow Indicator						
STA002	Acridine Orange 87% (C.I. 46005)	10127-02-3	GB	5 gm	1404	32041391	18%
	(Basic Orange 14; Euchrysine; N,N,N',N'-Tetra		GB	10 gm	2331		
	methylacridine-3,6-diamine)		GB	25 gm	5418		
	C ₁₇ H ₁₉ N ₃ .1/ ₂ ZnCl ₂ .HCl M.W.: 369.94						
STA005	Acriflavine 98.5% for Biochemistry (C.I. 46000)	8048-52-0	GB	5 gm	590	29339900	18%
	(Acriflavine Hydrochloride)		GB	25 gm	2295		
	C ₁₄ H ₁₄ Cl N ₃ M.W. : 259.7			-			
030020	Acrylamide 98.5% for Synthesis	79-06-1	РВ	500 gm	594	29241900	18%
	(Prop-2-enamide; Acrylic acid; Ethylenecarboxamide;		PD	25 kg	POR		
	Propenoic acid; Propenamide)			- 9			
	C₃H₅NO M.W.: 71.08						

CAS NO PKS TYPE PACKING PRICE ISN TAX		RESEARCH & LABORAT					.5	
Pipop 2-enamide Aprille acid. Ethylenecarboxamide, Propensic acid. Propensition Fig. 2, 25 gm 394 29211900 18%	CODE						HSN	TAX
Cyt-ly-No M.W.: 71.08	030022	Acrylamide 99.9% for Electrophoresis	79-06-1	GB	25 gm	216	29241900	18%
MB0004 Acrylamide 3x Cryst. 99.9% for Molecular Biology		(Prop-2-enamide; Acrylic acid; Ethylenecarboxamide; Propenoic acid; Propenamide)		GB	100 gm	594		
Proper details Proper Propension Pro		C ₃ H ₅ NO M.W.: 71.08						
C_H-NO M.W.: 71.08	MB0004	Acrylamide 3x Cryst. 99.9% for Molecular Biology	79-06-1	GB	25 gm	394	29241900	18%
PB		(Prop-2-enamide; Acrylic acid; Ethylenecarboxamide; Propenoic acid; Propenamide)		GB	100 gm	1035		
PB		C ₃ H ₅ NO M.W.: 71.08		GB	500 gm	4500		
EL0005 Acrylamide 99.5% for Electrophoresis 3x Crystallised 79.06-1 GB 100 gm 1825 29241900 18% (Low Conductance-SuScien) (Prop-2-ensamide: Anylia acid: Ethylenecarboxamide: Propenoic acid: Propenamide) C,H ₂ NO M.W.: 71.08 79.06-1 GB 25 gm 270 29241900 18% (Prop-2-ensamide: Anylia acid: Ethylenecarboxamide: Propenoic acid: Propenamide) GB 100 gm 918 100 gm 919 120 gm 120 g				РВ	1 kg	7821		
				РВ	5 kg	POR		
(Prop-2-enamide: Acrylic acid: Ethylenecarboxamide: Propensic acid: Propenside Acrylic acid: Ethylenecarboxamide: Propensic acid: Propensic Acrylic Acid Solomid Acid Ethylenecarboxylic Acid Solomid Acrylic Acid Solomid Acid Ethylenecarboxylic Acid Solomid Acid Ethylenecarboxylic Acid Solomid A	EL0005	Acrylamide 99.5% for Electrophoresis 3x Crystallised	79-06-1	GB	100 gm	1825	29241900	18%
C_H_NO M.W.:71.08 C_H_NNO M.W.:71.08 C_H_NO M.W.:71.08 C_H		(Low Conductance<5uS/cm)		GB	500 gm	5281		
12005 Acrylamide for Electrophoresis 99.9% AR 3x Crystallised 79-06-1 GB 25 gm 270 29241900 18% (Prap-2-anamide; Acrylic acid; Ethylenecarboxamide; Prapenoic acid; Prapenamide) GB 100 gm 918		(Prop-2-enamide; Acrylic acid; Ethylenecarboxamide; Propenoic acid; Propenamide)						
Propension Pro		C ₃ H ₅ NO M.W.: 71.08						
C ₂ H ₃ NO M.W.:71.08	012005	Acrylamide for Electrophoresis 99.9% AR 3x Crystallised	79-06-1	GB	25 gm	270	29241900	18%
SOL913 Acrylamide 40% Solution in water for Molecular Biology		(Prop-2-enamide; Acrylic acid; Ethylenecarboxamide; Propenoic acid; Propenamide)		GB	100 gm	918		
For Molecular Biology GB 500 ml 4797		C ₃ H ₅ NO M.W.: 71.08		GB	500 gm	3834		
Dis-Acrylamide AR See N,N'-Methylene-Bis-Acrylamide AR	SOL913	Acrylamide 40% Solution in water		GB	250 ml	2493	38220090	12%
2027070 Acrylic Acid 99% for Synthesis 79-10-7 GB 500 ml 910 29161100 18% (Propenoic Acid Ethylenecarboxylic Acid) GB 2.5 L 4091		for Molecular Biology		GB	500 ml	4797		
CPropencic Acid Ethylenecarboxylic Acid) CytlqOg M.W.: 72.06 CytlqOg M.W.: 53.06 CytlqOg M.W.: 25.06 CytlqOg M.W.: 281.35 C	bis-Acryl	amide AR See N,N'-Methylene-Bis-Acrylamide AR						
C2H4,02 M.W.: 72.06	027070	Acrylic Acid 99% for Synthesis	79-10-7	GB	500 ml	910	29161100	18%
107-13-1 GB		(Propenoic Acid Ethylenecarboxylic Acid)		GB	2.5 L	4091		
(Vinyl cyanide; Acrylic acid nitrile) CH ₂ CH.CN M.W.: 53.06 012007 Actidione 98% AR (Cycloheximide; Naramycin A; 3-{2-(3,5-Dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide) C _{1g} H _{2g} NO ₄ M.W.: 281.35 Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025 Adenine 98.5% for Biochemistry (6-Aminopurine) meets analytical specification of BP, USP C ₃ H ₅ N ₅ , M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry (Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] C ₅ H ₅ N ₅ , ½ H ₂ SO ₄ M.W.: 184.2 COE005 * Adenosine 98.5% for Biochemistry (C-Adenosine) GB 5 m 396 29349900 18% (C)-Adenosine) GB 5 m 396 29349900 18%		C ₃ H ₄ O ₂ M.W.: 72.06						
CH ₂ .CH.CN M.W.: 53.06 012007 Actidione 98% AR (Cycloheximide; Naramycin A; 3-[2-(3,5-Dimethyl-2- oxocyclohexyl)-2-hydroxyethyl] glutarimide) C ₁₅ H ₂₃ NO ₄ M.W.: 281.35 Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025 Adenine 98.5% for Biochemistry (6-Aminopurine) meets analytical specification of BP, USP C ₂ H ₂ N ₃ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry (321-30-2 (38 10 gm 774 (39 29335990 18% (39 25 gm 1098 (39 25 gm 1710 (30 25 gm 1710 (30 25 gm 1710 (30 25 gm 1710 (31 321-30-2 (31 321-30-2 (32 321-30-2 (33 321-30-2 (34 321-30-2 (35 321-30-2 (36 32 5 gm 1710 (37 321-30-2 (37 321-30-2 (38 10 gm 5796 (39 396 2934990) 18% (39 396 2934990) 18% (39 396 2934990) 18% (49 39 396 2934990) 18% (59 39 396 2934990) 18% (60 39 396 29 394990) 18% (60 39 39 39 39 39 39 39 39 39 39 39 39 39	027080	Acrylonitrile (Stabilised) 99% for Synthesis	107-13-1	GB	500 ml	693	29261000	18%
Ol2007 Actidione 98% AR		(Vinyl cyanide; Acrylic acid nitrile)		GB	2.5 L	3195		
(Cycloheximide; Naramycin A; 3-[2-(3,5-Dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide) C ₁₅ H ₂₂ NO ₄ M.W.: 281.35 Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025 Adenine 98.5% for Biochemistry 73-24-5 GB 5 gm 342 29335990 18% (6-Aminopurine) GB 10 gm 774 meets analytical specification of BP, USP GB 25 gm 1098 C ₅ H ₅ N ₅ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry 321-30-2 GB 10 gm 648 29335990 18% (Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] GB 25 gm 1710 C ₅ H ₅ N ₅ ½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 Adenosine 98.5% for Biochemistry 58-61-7 GB 5 gm 396 29349900 18% (D-Adenosine)		CH ₂ .CH.CN M.W.: 53.06						
oxocyclohexyl)-2-hydroxyethyl] glutarimide) C15H23NO4 M.W.: 281.35 Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025 Adenine 98.5% for Biochemistry (6-Aminopurine) 73-24-5 GB 5 gm 342 29335990 18% (6-Aminopurine) GB 10 gm 774 meets analytical specification of BP, USP GB 25 gm 1098 C5H5Ns, M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate (Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] GB 25 gm 1710 C5H5Ns,'½ H2SO4 M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) 58-61-7 GB 5 gm 396 29349900 18%	012007	Actidione 98% AR	66-81-9	GB	1 gm	3492	29419090	18%
C ₁₆ H ₂₃ NO ₄ M.W.: 281.35 Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025 Adenine 98.5% for Biochemistry (6-Aminopurine) GB 10 gm 774 GB 25 gm 1098 C ₅ H ₅ N ₅ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry 321-30-2 GB 10 gm 648 29335990 18% (Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] GB 25 gm 1710 C ₅ H ₅ N ₅ N ₅ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 *Adenosine 98.5% for Biochemistry 58-61-7 GB 5 gm 396 29349900 18% (D-Adenosine)		(Cycloheximide; Naramycin A; 3-[2-(3,5-Dimethyl-2-		GB	5 gm	16992		
Activated Charcoal See Charcoal Activated Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025		oxocyclohexyl)-2-hydroxyethyl] glutarimide)						
Adam's Catalyst See Platinum (IV) Oxide Hydrate 030025		C ₁₅ H ₂₃ NO ₄ M.W.: 281.35						
030025 Adenine 98.5% for Biochemistry (6-Aminopurine) 73-24-5 GB 5 gm 342 29335990 18% (6-Aminopurine) meets analytical specification of BP, USP C ₅ H ₅ N ₅ M.W.: 135.13 GB 25 gm 1098 1098 25 gm 1098	Activated	d Charcoal See Charcoal Activated						
(6-Aminopurine) meets analytical specification of BP, USP C ₅ H ₅ N ₅ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry [Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 COE005 *Adenosine 98.5% for Biochemistry (D-Adenosine) GB 10 gm 774 GB 25 gm 1098 CSB 25 gm 1098 GB 10 gm 648 29335990 18% GB 100 gm 5796 COE005 *Adenosine 98.5% for Biochemistry (D-Adenosine) GB 25 gm 1692	Adam's (Catalyst See Platinum (IV) Oxide Hydrate						
meets analytical specification of BP, USP C ₅ H ₅ N ₅ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry [Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) GB 25 gm 1098 25 gm 1098 25 gm 1710 GB 5 gm 396 29349900 18% 6B 25 gm 1692	030025	Adenine 98.5% for Biochemistry	73-24-5	GB	5 gm	342	29335990	18%
C ₅ H ₅ N ₅ M.W.: 135.13 Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry		(6-Aminopurine)		GB	_	774		
Adenine Hemisulphate See Adenine Sulphate 030026 Adenine Sulphate 98% for Biochemistry 321-30-2 GB 10 gm 648 29335990 18% [Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] GB 25 gm 1710 C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) 58-61-7 GB 5 gm 396 29349900 18%		meets analytical specification of BP, USP		GB	25 gm	1098		
030026 Adenine Sulphate 98% for Biochemistry 321-30-2 GB 10 gm 648 29335990 18% [Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] GB 25 gm 1710 C5H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) 58-61-7 GB 5 gm 396 29349900 18%		C ₅ H ₅ N ₅ M.W.: 135.13						
[Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) GB 25 gm 1710 GB 25 gm 396 29349900 18%	Adenine	Hemisulphate See Adenine Sulphate						
[Adenine hemisulphate; 1H-Purin-6-Amine; Sulfate (2:1)] C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry (D-Adenosine) GB 25 gm 1710 GB 25 gm 396 29349900 18%			321-30-2	GB	10 gm	648	29335990	18%
C ₅ H ₅ N ₅ .½ H ₂ SO ₄ M.W.: 184.2 GB 100 gm 5796 COE005 * Adenosine 98.5% for Biochemistry 58-61-7 GB 5 gm 396 29349900 18% (D-Adenosine) GB 25 gm 1692					_			
COE005 * Adenosine 98.5% for Biochemistry 58-61-7 GB 5 gm 396 29349900 18% (D-Adenosine) GB 25 gm 1692					•			
(D-Adenosine) GB 25 gm 1692	COE005		58-61-7				29349900	18%
· · · · · ·	- = 3 • •				•			
A COLUMN A COLUMN A CALL COM		C ₁₀ H ₁₃ N ₅ O ₄ M.W.: 267.24		OD.	-0 giii	. 302		

	CHE	MISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
COE006*	Adenosine-5-Diphosphate Mono Potassium Salt	72696-48-1	GB	250 mgm	450	29349900	18%
	Dihydrate 95%		GB	1 gm	1602		
	$C_{10}H_{14}N_5O_{10}P_2K.H_2O$ M.W.: 501.32						
COE007*	Adenosine-5-Diphosphate Disodium Salt	16178-48-6	GB	500 mgm	891	29349900	18%
	(ADP-Na2) 96% for Biochemistry		GB	1 gm	1593		
	$C_{10}H_{13}N_5O_{10}P_2Na_2$ M.W.: 471.16		GB	5 gm	6993		
COE010*	Adenosine-5-Triphoshate Disodium Salt	987-65-5	GB	1 gm	342	29349900	18%
	(ATP-Na2) 98% for Biochemistry		GB	5 gm	1197		
	$C_{10}H_{14}N_5Na_2O_{13}P_3$ M.W.: 551.15						
030050	Adipic Acid 99% Pure	124-04-9	РВ	500 gm	745	29171200	18%
	(Hexanedioic acid)		РВ	5 kg	5157		
	(CH ₂ .CH ₂ .COOH) ₂ M.W.: 146.14		PD	25 kg	POR		
030055	Adonitol for Biochemistry	488-81-3	GB	5 gm	2196	29054900	18%
	(Adonite; ribitol)						
	C ₅ H ₁₂ O ₅ M.W.: 152.15						
Adrenaliı	ne Bitartrate AR See Adrenaline Hydrogen Tartrate AR						
012010	Adrenaline Hydrogen Tartrate 99% AR	51-42-3	GB	1 gm	1980	29379000	18%
	(Adrenaline bitartrate; Adrenaline acid tartrate; Epinephrine bitartrate)		GB	5 gm	8910		
	C9H13NO3.C4H6O6 M.W.: 333.3						
Aerosol (OT See Dioctyl Sodium Sulphosuccinate						
030058	Aerosil 200		РВ	100 gm	630	28112200	18%
	(Fumed silica gel)		РВ	250 gm	1260		
030059	Aesculin for Biochemistry	531-75-9	GB	5 gm	2007	29389090	18%
	(6,7-Dihydroxycoumarin 6-glucoside; Esculin; Aesculinum;						
	Esculetin-6-ß-D-glucopyranoside)						
	$C_{15}H_{16}O_9 + H_2O$ M.W.: 340.28(Anhy.)						
030069	Agar Agar Powder for Bacteriology	9002-18-0	РВ	100 gm	1350	13023100	18%
	(Agar, Gum agar)		РВ	250 gm	2547		
	$(C_{12}H_{18}O_9)n$		РВ	500 gm	4689		
			PD	25 kg	POR		
030071	Agar Agar Powder Purified	9002-18-0	РВ	500 gm	4896	13023100	18%
030066	Agar Agar Shredded for Bacteriology	9002-18-0	РВ	500 gm	5994	13023100	18%
030073	Agar Agar Powder Ultrapure	9002-18-0	PB	500 gm	11800	13023100	18%
AGAROS	ES STANDARD ELECTROPHORESIS						
Low Elec	ctroendomosis						
ALE002	Agarose Low EEO	9012-36-6	GB	10 gm	648	13021915	18%
			GB	25 gm	1494		
Medium	Electroendomosis						
AME002	Agarose Medium EEO	9012-36-6	GB	10 gm	693	13021915	18%
	<u>-</u>			- 5			



CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	ctroendomosis						
	Agarose High EEO	9012-36-6	GB	10 gm	846	13021915	18%
			GB	25 gm	1890		
High Gel	Strength						
(for puls	ed field technique)						
AHGS02	Agarose	9012-36-6	GB	10 gm	3600	13021915	18%
Low Mel	ting Agarose						
ALM002	Agarose L M	9012-36-6	GB	5 gm	2592	13021915	18%
			GB	10 gm	4995		
	ting / High Resolation						
ALM006	Agarose Novagel G Q T	9012-36-6	GB	5 gm	3600	13021915	18%
Super Lo							
ASL004	Agarose S L M	9012-36-6	GB	5 gm	4500	13021915	18%
			GB	10 gm	7200		
High Res							
AHR008	Agarose Molecular Screening-8		GB	5 gm		13021915	18%
	resolution of DNA fragments 1000 bp		GB	10 gm			
030080	β-Alanine 99% for Biochemistry	107-95-9	GB	25 gm		29224920	18%
	(3-Aminopropionic acid)		GB	100 gm			
	NH ₂ .CH ₂ .COOH M.W.: 89.09		GB	500 gm			
22225	DI Alexine 00% for Dischargistre	200 70 7	PB	1 kg		00004005	400/
030085	DL-Alanine 99% for Biochemistry	302-72-7	GB	25 gm		29224985	18%
	(DL-2-Aminocaproic acid) CH ₃ CH(NH ₂)COOH M.W.: 89.09		GB	100 gm			
030086	L-Alanine 99% for Biochemistry	56-41-7	PB GB	1 kg		29224985	18%
030000	(L-2-Aminopropionic acid)	30-41-7	GB	25 gm 100 gm		29224903	10 /0
	CH ₃ CH(NH ₂)COOH M.W.: 89.09		GB	500 gm			
	01301(W12)00011 M 00.00		PB	1 kg			
012020	Alar (B-9) 99% AR	1596-84-5	GB	1 gm		29280090	18%
	(Succinic acid 2, 2-dimethyl hydrazine; Daminozide)		GB	5 gm			
	C ₆ H ₁₂ N ₂ O ₃ M.W.: 160.17			3			
STS007	Albert's Stain Solution A		PB	125 ml	234	38220090	12%
			РВ	500 ml	640		
STS008	Albert's Stain Solution B		GB	125 ml	234	38220090	12%
			GB	500 ml	640		
Albumin	Bovine (Powder) See Bovine Albumin Fraction V						
Albumin	Egg Flakes See Egg Albumin Flakes						
Albumin	Egg Powder See Bovine Albumin Fraction V						
KIT011	Albert Metachromatic Stain Kit		KIT	Kit	342	38220090	12%
STA003	Alcian Blue 8 GX 50% for Microscopy (C.I. 74240)	33864-99-2	GB	5 gm	2142	32041911	18%
	(Alcian Blue; Ingrain Blue 1)		GB	10 gm	4095		

	RESEARCH & LABOR	MISTRY BEY			- Company ()		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ M.W. : 1298.86		GB	25 gm	8190		
STS009	Alcian Blue Solution for Microscopy		GB	100 ml	846	38220090	12%
	(Clear, permanent stain for mucin)						
030090	Alginic Acid	9005-32-7	PB	500 gm	3420	39131090	18%
	(Algin)		РВ	5 kg	31896		
	$(C_6H_8O_6)n$ M.W.: (176.13)n						
Alginic A	cid Sodium Salt See Sodium Alginate						
027085	Aliquat 336	5137-55-3	GB	100 ml	1080	29239000	18%
	(Tri-Octyl Methyl Ammonium chloride)		GB	250 ml	1998		
	C ₂₅ H ₅₄ NCI M. W.: 404.17		GB	1 L	7542		
STA008	Alizarin (pH indicator) AR (C.I. 58000)	72-48-0	GB	25 gm	693	29146990	18%
	(1,2-Dihydroxyanthraquinone, Mordant Red 11)		GB	100 gm	2394		
	pH range 5.8-7.2						
	CO.C ₆ H ₄ .CO.C ₆ H ₂ (OH) ₂ M.W.: 240.22						
STA006	Alizarin Complexone 95%	3952-78-1	GB	1 gm	846	29225090	18%
	(3,4-Dihydroxy-2-anthraquinonyl)methyliminodiacetic acid dihydrate;		GB	5 gm	3895		
	3,4-Dihydroxyanthraquinon-2-yl-methylimino-diacetic acid; Alizarin						
	Fluorine Blue; Alizarin-3-methylamine-N,N-diacetic acid; 3-amino						
	methylalizarin-N,N'-diacetic acid Alizarin-3-methyliminodiacetic acid)						
	C ₁₉ H ₁₅ NO ₈ .2H ₂ O M.W. : 421.36						
Alizarine	-3-Methylamine-N,N-Diacetic Acid Dihydrate See Alizarin Comp	lexone					
STA007	Alizarin Red S (pH indicator) 70% (C.I. 58005)	130-22-3	GB	25 gm	693	32041213	18%
	(Alizarin sulphonic acid sodium salt; Sodium Alizarine Sulphonate)		GB	100 gm	2097		
	C ₁₄ H ₆ Na ₂ O ₇ S M.W.: 342.3						
STA009	Alizarin Red S AR (C.I. 58005)	130-22-3	GB	25 gm	810	32041213	18%
	(Alizarin sulphonic acid sodium salt; Sodium Alizarine Sulphonate)		GB	100 gm	2691		
	C ₁₄ H ₆ Na ₂ O ₇ S M.W.: 342.3			-			
STS011	Alizarin Red 0.1% w/v Solution		PB	50 ml	196	38220090	12%
	(Alizarin alcohol solution)						
STS012	Alizarin Red S 1% w/v Solution Aqueous		PB	100 ml	216	38220090	12%
US3105	Alizarin Red S TS		РВ	50 ml	270	38220090	12%
KIT010	Alizarin Testing Kit		KIT	200 Test		38220090	12%
	(For the detection of Acidity and Heat stability of milk)						,
STA011	Alkali Blue 6B (pH Indicator) (C.I. 42750)	30586-13-1	GB	5 gm	594	32041979	18%
017.011	(Acid blue-110)	00000 10 1	GB	25 gm		02011010	1070
	pH range 11.5-13.0		0 5	20 giii	2700		
	C ₃₂ H ₂₈ N ₃ NaO ₄ S M.W.: 573.65						
STS013	Alkali Blue Solution Indicator		РВ	1 L	1251	38220090	12%
3.3010	For Neutralization and Saponification number		10	, ,	1201	33220000	12/0
STS04.4	·		nn.	2501	420	38330000	100/
STS014	Alkali Blue 0.1% Solution in Alcohol		PB	250 ml	439	38220090	12%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
STS016	Alkaline Pyrogallol Solution		GB	125 ml	603	38220090	129
Alkyl Din	ethyl Benzyl Ammonium Chloride See Benzalkonium Chloride						
030094	Allantoin Fine Powder 99-101%	97-59-6	PB	100 gm	513	29332100	189
	(Glyoxylic acid diureide)		РВ	1 kg	3996		
	$C_4H_6N_4O_3 \ M.W.: 158.12$		РВ	5 kg	18000		
030101	Alloxan Monohydrate 98.5%	2244-11-3	GB	25 gm	873	29335990	189
	(2,4,5,6(1H,3H)-Pyrimidinetetrone; 2,4,5,6-Tetraoxypyrimidine; 5,6-Dioxyuracil)						
	$C_4H_2N_2O_4.H_2O\ M.W.: 160.08$						
Alloy Acc	ording to Devarda's See Devardas Alloy Powder						
Alloy Acc	ording to Wood's See Wood's Metal AR						
Alpha Be	nzoin Oxime AR See α-Benzoin Oxime AR						
Alum Am	monium See Aluminium Ammonium Sulphate 12 Hydrate						
Alum Pot	assium See Aluminium Potassium Sulphate Dodecahydrate						
AAS005	Aluminium AAS Solution		PE	100 ml	1800	38220090	129
	1000 ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
CP006	Aluminium ICP Standard Solution		PE	100 ml	4680	38220090	12
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7920		
CP007	Aluminium ICP Standard Solution		PE	100 ml	13500	38220090	12'
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	40500		
CP004	Aluminium ICP Standard Solution		PE	100 ml	4680	38220090	12
	1000 ppm TRISTAR Single Element in HCl		GB	500 ml	7920		
CP005	Aluminium ICP Standard Solution		PE	100 ml		38220090	12
	10000 ppm TRISTAR Single Element in HCl		GB	500 ml	40500	0022000	
SS0100	Aluminium 10 mg/L Standard Solution		PE	250 ml		38220090	12'
030110	Aluminium Metal Fine Powder 99%	7429-90-5	PB	250 gm		76032000	189
30110	Al At. W.: 26.98	1423-30-3	PB	500 gm	1090	70032000	10
030111	Aluminium Foil (Roll) 98% Tech.	7429-90-5	PB	100 gm		76071190	189
30111	Al At. W. : 26.98	7423-30-3	7.5	100 giii	403	70071130	10
12025		7429-90-5	PB	100 am	603	76071190	18
712023	Aluminium Foil (Roll) 99% AR	1429-30-3	гь	100 gm	003	70071190	10
30112	Al At. W.: 26.98	7429-90-5	DD.	250 am	702	76071100	10
30112	Aluminium Foil 99%	7429-90-5	PB	250 gm		76071190	18
	(0.15mm Thickness Sheets)		РВ	500 gm	1096		
40000	Al At. W. : 26.98	7400 00 5		050	4000	70074400	40
12026	Aluminium Foil 99.8% AR	7429-90-5	PB	250 gm		76071190	18
	(0.15mm Thickness Sheets)		РВ	500 gm	3492		
	Al At. W.: 26.98				*	000000000000000000000000000000000000000	
30113	Aluminium Ammonium Sulphate 12 Hydrate 99%	7784-26-1	PB	500 gm		28333010	18
	(Ammonium alum)		PB	5 kg	2340		
	AINH ₄ (SO ₄) ₂ .12H ₂ O M.W.: 453.32		PD	50 kg	POR		

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Ammonium alum)		PD	50 kg	POR		
	AINH ₄ (SO ₄) ₂ .12H ₂ O M.W.: 453.32						
030114	Aluminium Chloride Anhydrous 98% for Synthesis	7446-70-0	GB	500 gm	630	28273200	18%
	(Aluminium Trichloride Anhydrous)						
	AICI ₃ M.W.: 133.34						
930114	Aluminium Chloride Hexahydrate 97%	7784-13-6	GB	500 gm	558	28273200	18%
	(Aluminium Trichloride Hexahydrate)						
	meets analytical specification of Ph. Eur., BP, USP						
	AICI ₃ .6H ₂ O M.W.: 241.43						
012028	Aluminium Chloride Hexahydrate 99% AR	7784-13-6	GB	500 gm	3400	28273200	18%
	(Aluminium Trichloride Hexahydrate)						
	AICI ₃ .6H ₂ O M.W.: 241.43						
030115	Aluminium Fluoride 97%	7784-18-1	РВ	500 gm	912	28261200	18%
	AIF ₃ + H ₂ O M.W.: 83.98+H ₂ O		PD	25 kg	POR		
030116	Aluminium Hydroxide Gel 47%	21645-51-2	PD	250 gm	297	28183000	18%
	(Alhydrogel)		PD	500 gm	495		
	Al(OH) ₃ M.W.: 78.00		PD	10 kg	POR		
Aluminiu	um Iso Propoxide See Aluminium-tri-iso-Propoxide						
030117	Aluminium Nitrate Nonahydrate 98% Crystals	7784-27-2	GB	500 gm	450	28342990	18%
	(Aluminium(III) Nitrate; Nitric acid aluminum salt)		PB	5 kg	3150		
	Al(NO ₃) ₃ .9H ₂ O M.W.: 375.14		PD	50 kg	POR		
012029	Aluminium Nitrate Nonahydrate 98.5% AR/ACS	7784-27-2	GB	500 gm	900	28342990	18%
	(Aluminium(III) Nitrate; Nitric acid aluminum salt)						
	Al(NO ₃) ₃ .9H ₂ O M.W.: 375.14						
030118	Aluminium Oxide G with Binder for TLC	1344-28-1	PB	500 gm	741	28182090	18%
	Al ₂ O ₃ M.W.: 101.96		PD	25 kg	POR		
030119	Aluminium Oxide Acidic 90%		PB	500 gm	891	28182090	18%
	(Brockmann Grade I, II)		PB	5 kg	6300		
	$(100-300 \text{ mesh}) \text{ (pH value } 4.0 \pm 0.5)$		PD	25 kg	POR		
030120	Aluminium Oxide Basic 90%	1344-28-1	РВ	500 gm	540	28182090	18%
	(100-300 mesh) pH value 9.5 ± 0.5		PB	5 kg	4320		
	Al ₂ O ₃ M.W.: 101.96		PD	25 kg	POR		
			PD	25 kg	POR		
030121	Aluminium Oxide Neutral		PB	500 gm	591	28182090	18%
	pH value 6.5 - 7.5		РВ	5 kg	4770		
			PD	25 kg	POR		
030123	Aluminium Phosphate 98%	7784-30-7	РВ	500 gm	1071	28352990	18%
	AIO ₄ P M.W.: 121.95						
030122	Aluminium Potassium Sulphate	7784-24-9	РВ	500 gm	288	28333030	18%
	Dodecahydrate 99% Purified		РВ	2.5 kg	1170		
	(Potash alum; Potassium aluminium sulphate dodecahydrate)		PD	50 kg	POR		

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	AIK (SO ₄) ₂ .12H ₂ O M.W. : 474.38						
012033	Aluminium Potassium Sulphate	7784-24-9	РВ	500 gm	360	28333030	18%
	Dodecahydrate 99.5% AR		РВ	2.5 kg	1395		
	(Potash alum; Potassium aluminium sulphate dodecahydrate)						
	AIK (SO ₄) ₂ .12H ₂ O M.W. : 474.38						
030124	Aluminium-tri-iso-Propoxide 97% for Synthesis	555-31-7	РВ	500 gm	1143	29051990	18%
	(Aluminium iso propylate)						
	C ₉ H ₂₁ AlO ₃ M.W.: 204.25						
Aluminiu	ım Silicate Hydrate See Bentonite Powder						
030125	Aluminium Sulphate Hexadecahydrate 98%	16828-11-8	PB	500 gm	291	28332210	18%
	Al ₂ (SO ₄) ₃ .16H ₂ O M.W.: 630.38		PD	50 kg	POR		
012035	Aluminium Sulphate Hexadecahydrate 99.5% AR/ACS	16828-11-8	РВ	500 gm	342	28332210	18%
	Al ₂ (SO ₄) ₃ .16H ₂ O M.W. : 630.38		PD	50 kg	POR		
012040	Aluminon AR/ACS	569-58-4	GB	10 gm	792	29189900	18%
	(Tri-ammonium aurine tricarboxylate; ATA; Ammonium aurintricarboxylate)		GB	25 gm	1791		
	$C_{22}H_{23}N_3O_9$ M.W.: 473.44						
REA005	Aluminon Reagent		РВ	125 ml	144	28142000	18%
			РВ	500 ml	441		
STA010	Amaranth 85% (C.I.16185)	915-67-3	GB	25 gm	178	32041293	18%
	(Acid Red 27; Azorubin S)		GB	100 gm	693		
	$C_{20}H_{11}N_2O_{10}S_3Na_3 M.W.: 604.50$		РВ	1 kg	4590		
SOL914	Amaranth Solution		РВ	100 ml	207	38220090	12%
			РВ	500 ml	621		
030141	Amberlite IR 120® (H+ Foam)	39389-20-3	РВ	500 gm	756	39140090	18%
	(Equivalent to Rohm & Haas)						
030128	Amberlite IR 120® (H+ Foam)		PB	250 gm	3600	39140010	18%
	strongly acidic cation exchange resin		РВ	1 kg			
	(Product of Rohm & Haas)			J			
030142	Amberlite IR 120® (Na+ Standard Grade)	9002-23-7	PB	500 gm	720	39140090	18%
	Particle size 20-50 mesh. Form strongly						
	acidic cation exchange resin						
	(Equivalent to Rohm & Haas)						
930142	Amberlite IR 120® (Na+ Standard Grade)	9002-23-7	PB	250 gm	3600	39140090	18%
	Particle size 20-50 mesh. Form strongly	3332 23 .	PB	1 kg			.070
	acidic cation exchange resin			9			
	(Product of Rohm & Haas)						
030143	Amberlite IRA 400® (CI Standard Grade)	9002-24-8	PB	500 gm	1071	39140090	18%
200170	Particle size 20-50 mesh. Strong basic chloride	3002 Z+0	. 5	000 giii	10.1	30170000	.070
	form anion exchange resin						
	(Equivalent to Rohm & Haas)						
030131	Amberlite IRA 402 (CI)	52439-77-7	PB	250 gm	00-0	39140010	18%

	CHEM	1ISTRY BEY	OND C	HEMIC	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	strongly basic anion exchange resin		РВ	1 kg	POR		
	(Product of Rohm & Haas)						
030144	Amberlite IRA 410® (CI Standard Grade)	9002-26-0	РВ	500 gm	1098	39140010	18%
	Particle size 20-50 mesh. Form strongly basic						
	anion exchange resin						
	(Equivalent to Rohm & Haas)						
030145	Amberlite IRC 50® (Standard Grade)		PB	500 gm	700	39140090	18%
	Particle size 20-50 mesh. Weakly cationic resin						
	(Equivalent to Rohm & Haas)						
STA012	Amido Black 10 B 50% (C.I. 20470)	1064-48	GB	25 gm	207	32041218	18%
	(Naphthalene Black 12B; Acid Black 1)		GB	100 gm	702		
	$C_{22}H_{14}N_6O_9S_2Na_2$ M.W.: 616.50						
Amido S	Sulphonic Acid See Sulphamic Acid						
030146	p-Amino Acetanilide Tech.	122-80-5	PB	500 gm	1440	29242990	18%
	(N-Acetyl-p-phenylenediamine; N-(4-Aminophenyl)acetamide)						
	C ₈ H ₁₀ N ₂ O M.W.: 150.18						
030148	p-Amino Acetanilide 98% Pure	122-80-5	РВ	100 gm	504	29242990	18%
	(N-Acetyl-p-phenylenediamine; N-(4-Aminophenyl)acetamide)		РВ	500 gm			
	C ₈ H ₁₀ N ₂ O M.W.: 150.18			_			
Amino A	Acetic Acid See Glycine						
030156	m-Amino Acetophenone 97% for Synthesis	99-03-6	GB	100 gm	1449	29223900	18%
	(3-Acetylaniline)		GB	500 gm	4995		
	C ₈ H ₉ NO M.W. : 135.16			_			
030158	Amino Acid Kit (24 items)		PB	Set	6300	38220090	12%
	(each tube contain 1 gm except 3-(3,4 Dihydroxy Phenyl)-						
	DL-Alanine and L-Hydroxy Proline which contain 0.1 gm)						
	DL-Alanine, DL-2-Amino-n-butyric Acid, DL-Aspartic Acid, L-Arginine						
	Monohydrochloride, L-Cystine, L-Cysteine Monohydrochloride,						
	L-Glutamic Acid, Glycine, L-Histidine Mono hydrochloride, DL-Iso-						
	Leucine, DL-Nor-Leucine, L-Leucine,L-Lysine Monohydrochloride,						
	DL-Methionine, L-Ornithine Monohydrochloride, DL-Phenyl Alanine,						
	L-Proline, DL-Serine, DL-Threonine, DL-Tryptophan, L-Tyrosine, DL-Valine.						
4-Amino	Anisole See p-Anisidine						
012045	p-Amino Antipyrine 99% AR	83-07-8	РВ	25 gm	1494	29331100	18%
J. 20-70	(Ampyrone; 4-amino phenazone)	30-01-0	РВ	100 gm		_5501100	10/0
	C ₁₁ H ₁₃ N ₃ O M.W.: 203.24		1.5	roo giii	0004		
	Benzene Sulphonic Acid See Sulphanilic Acid						
n_Amin -							
	·	150 40 0	DD	100	700	20224000	400/
p-Amino 030160	p-Amino Benzoic Acid Pract.	150-13-0	PB	100 gm		29224990	18%
•	·	150-13-0	PB PB	100 gm 500 gm		29224990	18%

	CHEN	MISTRY BEY	OND CI	TEIVIICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(PABA; Vitamin Bx; Vitamin H1)		РВ	500 gm	2808		
	NH ₂ C ₆ H ₄ COOH M.W.: 137.14						
030162	p-Amino Butyric Acid 98% for Synthesis	56-12-2	GB	100 gm	999	29224990	18%
	(4-Aminobutanoic acid; GABA; γ-Aminobutyric		GB	500 gm	3195		
	acid; Piperidic acid; Piperidinic acid)						
	C ₄ H ₉ NO ₂ M.W.: 103.12						
012046	p-Amino Butyric Acid 99% for Biochemistry AR	56-12-2	GB	10 gm	369	29224990	18%
	(4-Aminobutanoic acid; GABA; γ-Aminobutyric acid;		GB	25 gm	900		
	Piperidic acid; Piperidinic acid)		GB	100 gm	2700		
	C ₄ H ₉ NO ₂ M.W.: 103.12						
027090	N-(2-AMINOETHYL) ETHANOLAMINE 98% For Synthesis	11-41-1	GB	500 ml	1143	29221990	18%
	(N-(2-Hydroxyethyl)ethylenediamine; 2-(2-Aminoethylamino)ethanol)		GB	2.5 L	5193		
	C ₄ H ₁₂ N ₂ O M.W. 104.15						
2-Amino	o-2-Deoxy-D-Glucose Hydrochloride See D-(+)-Glucosamine Hydro	chloride					
4-Amino	o-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One AR See p-Amino Antipy	rine AR					
2-Amino	Ethanol Mono See Ethanolamine Mono						
1-Amino	o-4-Fluorobenzene See p-Fluoro Aniline						
L-α-Ami	no Glutaric Acid See L-Glutamic acid						
4-Amino	o-3-Hydroxy Naphthalene 1-Sulphonic Acid See 1-Amino-2- Napht	hol-4-Sulphonic A	cid				
4-Amino	o-2-Hydroxy Pyrimidine See Cytosine						
	Methylalizarin N,N'-Diacetic Acid See Alizarin Complexone						
	-2-Methylpropane See tert-Butylamine						
030164	1-Amino-2-Naphthol-4-Sulphonic Acid 95%	116-63-2	GB	25 gm	612	29222130	18%
	(4-Amino-3-hydroxy-1-napththalenesulphonic acid)		GB	100 gm			
	NH ₂ C ₁₀ H ₅ (OH)SO ₃ H M.W.: 239.25						
012048	1-Amino-2-Naphthol-4-Sulphonic Acid 98% AR	116-63-2	GB	25 gm	612	29222130	18%
012040	(4-Amino-3-hydroxy-1-napththalenesulfonic acid)	110 00 2	GB	100 gm		LOLLE 100	1070
	For determination of Phosphates & Silicate		OB	100 giii	1000		
	NH ₂ C ₁₀ H ₅ (OH)SO ₃ H M.W.: 239.25						
	NT 12010115(OT 1)30311 W.W 203.23						
4 Amina	Dhonorous Cos n Amino Antinumino						
	Phenazone See p-Amino Antipyrine	05.55.0		400	504	00000000	400/
4-Amino 030168	o-Amino Phenol 95% Pract.	95-55-6	PB	100 gm		29222990	18%
	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline)	95-55-6	PB PB	100 gm 250 gm		29222990	18%
030168	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ .C ₆ H ₄ .OH M.W.: 109.13		РВ	250 gm	1242		
	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ -C ₆ H ₄ .OH M.W.: 109.13 m-Amino Phenol 99% for Synthesis	95-55-6 591-27-5	PB GB	250 gm	1242 819	29222990	18%
030168	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ .C ₆ H ₄ .OH M.W.: 109.13 m-Amino Phenol 99% for Synthesis (3-Amino phenol; 3-Hydroxyaniline)		РВ	250 gm	1242 819		
030168	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ -C ₆ H ₄ .OH M.W.: 109.13 m-Amino Phenol 99% for Synthesis		PB GB	250 gm	1242 819		
030168	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ .C ₆ H ₄ .OH M.W.: 109.13 m-Amino Phenol 99% for Synthesis (3-Amino phenol; 3-Hydroxyaniline)		PB GB	250 gm	1242 819 1818		
030168	o-Amino Phenol 95% Pract. (2-Amino phenol; 2-Hydroxyaniline) NH ₂ .C ₆ H ₄ .OH M.W.: 109.13 m-Amino Phenol 99% for Synthesis (3-Amino phenol; 3-Hydroxyaniline) C ₆ H ₇ NO M.W.: 109.13	591-27-5	PB GB GB	250 gm 100 gm 250 gm	1242 819 1818 612	29222912	18%

0005	DOODUGT DECORPTION	0.10.110	DVO TVDT	DAOKINA	DDIAF	HOM	T.4.
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TA
(L)-2-Am	ino Propionic Acid See L-Alanine						
030173	o-Amino Pyridine 98% for Synthesis	504-29-0	GB	100 gm		29333990	189
	(2-Amino pyridine; 2-Pyridinamine, 2-Pyridylamine)		РВ	1 kg	5895		
	N.CH.CH.CH.C.NH ₂ M.W.: 94.12						
990031	p-Amino Pyridine 98% for Synthesis	504-24-5	GB	10 gm	468	29339900	18%
	(4-Pyridylamine)		GB	100 gm	4590		
	C ₅ H ₆ N ₂ M.W.: 94.11						
990070	5-Aminotetrazole Monohydrate 98% for Biochemistry	15454-54-3	GB	25 gm	1080	29339900	18%
	CH ₃ N ₅ · H ₂ O M.W.: 103.08		GB	100 gm	3060		
o-Amino	Toluene See o-Toluidine						
p-Amino	Toluene See p-Toluidine						
N-Amino	Urea Hydrochloride See Semicarbazide Hydrochloride						
US0020	Ammonia Alcohol TS		РВ	500 ml	225	28142000	18%
SOL015	Ammonia Abt. 10 % w/v Solution	1336-21-6	РВ	500 ml	135	28142000	18%
	NH ₄ OH M.W.: 35.05						
SOL016	Ammonia Abt. 25% w/v Solution	1336-21-6	РВ	500 ml	225	28142000	18%
	(Ammonium Hydroxide)		РВ	2.5 L	648		
	(sp.gr. 0.91)		PR	25 Lit	POR		
	NH ₄ OH M.W.: 35.05		РВ	5 L	927		
SOL017	Ammonia Abt. 25% w/v Solution AR/ACS	1336-21-6	РВ	500 ml	243	28142000	18%
	(Ammonium Hydroxide)		РВ	2.5 L	693		
	NH ₄ OH M.W.: 35.05		РВ	5 L	1026		
	(sp.gr. 0.91)						
VMS028	Ammonia 0.1mol/l (0.1N) Standardized Solution		РВ	1 L	666	28142000	18%
VMS029	Ammonia 0.1mol/l (0.1N)		РВ	1 L	450	28142000	18%
VMS003	Ammonia 0.1 mol/l Solution		РВ	500 ml	306	28142000	18%
VMS004	Ammonia 0.5 mol/l Solution		РВ	500 ml	306	28142000	18%
VMS005	Ammonia 1 mol/l Solution		РВ	500 ml	306	28142000	18%
VMS030	Ammonia 1mol/I (1N)		PB	1 L	423	28142000	18%
VMS006	Ammonia 3 mol/l Solution		PB	500 ml	306	28142000	18%
VMS007	Ammonia 6 mol/l Solution		PB	500 ml	306	28142000	18%
	Ammonia (5N) Solution		PB	500 ml		28142000	18%
US0023	Ammonia TS		PB	500 ml		28142000	18%
BF0028	Ammonia Buffer Solution		PB	500 ml		28142000	18%
BF0029	Ammonia Buffer Solution		PB	500 ml		28142000	18%
5020	for Hardness of Water Determination		PB	2.5 L	1125	_017E000	10 /
US0025			PB	500 ml		28142000	18%
	Ammonium 10 mg/l Standard Solution						
SS0150	Ammonium 10 mg/L Standard Solution	004.04.0	PE	250 ml		38220090	12%
030175	Ammonium Acetate (Crystals) 96% Pure	631-61-8	PB	500 gm	396	29152990	18%

	CHEN	ISTRY BEY	CIND CI	ILIVIICA			
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TA
	CH ₃ COONH ₄ M.W.: 77.08		PD	50 kg	POR		
12055	Ammonium Acetate (Crystals) 98% AR/ACS	631-61-8	РВ	500 gm	540	29152990	189
	(Acetic Acid Ammonium Salt)		PD	50 kg	POR		
	CH ₃ COONH ₄ M.W.: 77.08						
MB0005	Ammonium Acetate 99% for Molecular Biology	631-61-8	GB	100 gm	360	29152990	189
	(Acetic Acid Ammonium Salt)		GB	500 gm	1080		
	CH ₃ COONH ₄ M.W.: 77.08						
HP0009	Ammonium Acetate 99% for HPLC	631-61-8	GB	250 gm	990	29152990	189
	(Acetic Acid Ammonium Salt)						
	CH ₃ COONH ₄ M.W.:77.08						
MB0006	Ammonium Acetate 5 M Solution for Molecular Biology	631-61-8	PE	250 ml	1791	29152990	18%
	CH ₃ COONH ₄ M.W.: 77.08		GB	500 ml	3393		
US0030	Ammonium Acetate 10% TS		РВ	500 ml	252	38220090	129
EL0000	Ammonium Adipate 99% EL Grade	3385-41-9	PB	500 gm	1080	29171200	18%
	(Adipic acid ammounium salt; Hexanedioic acid ammonium salt)			-			
	C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20						
012056	Ammonium Adipate 99.5% AR	3385-41-9	PB	500 gm	954	29171200	18%
012030				Ū			
	(Adipic acid ammounium salt; Hexanedioic acid ammonium salt)						
	(Adipic acid ammounium salt; Hexanedioic acid ammonium salt) C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20 ium Aluminium Sulphate (Ammonium Alum) See Aluminium Amm	nonium Sulphate					
	C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20	nonium Sulphate	PB	500 gm	1413	29163110	18%
Ammon	C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20 ium Aluminium Sulphate (Ammonium Alum) See Aluminium Amm ium Amido Sulphonate See Ammonium Sulphamate		PB	500 gm	1413	29163110	18%
Ammon	C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20 ium Aluminium Sulphate (Ammonium Alum) See Aluminium Amm ium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified		PB	500 gm	1413	29163110	18%
Ammon 030176	C ₆ H ₁₆ N ₂ O ₄ M.W.: 180.20 ium Aluminium Sulphate (Ammonium Alum) See Aluminium Amm ium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt)		PB	500 gm	1413	29163110	18%
Ammon 030176 Ammon	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16		PB	500 gm	1413	29163110	18%
Ammon 030176 Ammon Ammon	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate		PB	500 gm		29163110	18%
Ammon 030176 Ammon Ammon	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate	1863-63-4					
Ammon 030176 Ammon Ammon	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure	1863-63-4	PB	500 gm	912		
Ammon 030176 Ammon 030177	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder)	1863-63-4	PB PB	500 gm 2.5 kg	912 3891 POR		18%
Ammon 030176 Ammon	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04	1863-63-4	PB PB PD	500 gm 2.5 kg 50 kg	912 3891 POR	28261990	18%
Ammon 030176 Ammon 030177	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Ammonium Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR	1863-63-4	PB PB PD	500 gm 2.5 kg 50 kg	912 3891 POR	28261990	
Ammon 030176 Ammon 030177 012057	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder)	1863-63-4	PB PB PD	500 gm 2.5 kg 50 kg	912 3891 POR	28261990	18%
Ammon 030176 Ammon 030177 012057	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₃ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04	1863-63-4	PB PB PD	500 gm 2.5 kg 50 kg	912 3891 POR	28261990 28261990	18%
Ammon Ammon 030177 012057	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate	1863-63-4 1341-49-7 1341-49-7	PB PB PD PB	500 gm 2.5 kg 50 kg 500 gm	912 3891 POR 1170	28261990 28261990	18%
Ammon Ammon 030177 012057	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate Ammonium Bromide 99% Purified	1863-63-4 1341-49-7 1341-49-7	PB PB PB	500 gm 2.5 kg 50 kg 500 gm	912 3891 POR 1170	28261990 28261990	189
Ammon 030176 Ammon 030177 012057 Ammon 030178	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₃ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate Ammonium Bromide 99% Purified (Hydrobromic Acid Monoammoniate)	1863-63-4 1341-49-7 1341-49-7	PB PB PB	500 gm 2.5 kg 50 kg 500 gm	912 3891 POR 1170 1440 POR	28261990 28261990	189
Ammon 030176 Ammon 030177 012057 Ammon 030178	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate Ammonium Bromide 99% Purified (Hydrobromic Acid Monoammoniate) NH ₄ Br M.W.: 97.94	1863-63-4 1341-49-7 1341-49-7	PB PB PB	500 gm 2.5 kg 50 kg 500 gm 500 gm	912 3891 POR 1170 1440 POR	28261990 28261990 28275990	189
Ammon 030176 Ammon 030177 012057 Ammon 030178	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate Ammonium Bromide 99% Purified (Hydrobromic Acid Monoammoniate) NH ₄ Br M.W.: 97.94 Ammonium Bromide 99.5% AR/ACS	1863-63-4 1341-49-7 1341-49-7	PB PB PB	500 gm 2.5 kg 50 kg 500 gm 500 gm	912 3891 POR 1170 1440 POR	28261990 28261990 28275990	189
Ammon 030176 Ammon 030177 012057	ium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammium Amido Sulphonate See Ammonium Sulphamate Ammonium Benzoate 98% Purified (Benzoic acid ammonium salt) C ₆ H ₅ COONH ₄ M.W.: 139.16 ium Bicarbonate See Ammonium Hydrogen Carbonate ium Bichromate See Ammonium Dichromate Ammonium Bifluoride 98% Pure (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 Ammonium Bifluoride 98.5% AR (Ammonium hydrogen difluoride; Etching powder) NH ₄ F.HF M.W.: 57.04 ium Bismuth Citrate See Bismuth Ammonium Citrate Ammonium Bromide 99% Purified (Hydrobromic Acid Monoammoniate) NH ₄ Br M.W.: 97.94 Ammonium Bromide 99.5% AR/ACS (Hydrobromic Acid Monoammoniate)	1863-63-4 1341-49-7 1341-49-7	PB PB PB	500 gm 2.5 kg 50 kg 500 gm 500 gm	912 3891 POR 1170 1440 POR	28261990 28261990 28275990 28275990	18%

	RESEARCH & LABORA	TORY	CHE	MIC	AL	S	
		ISTRY BEY			Dec (1)		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	NH ₄ HCO ₃ + NH ₂ COONH ₄		PD	50 kg	POR		
012059	Ammonium Carbonate 31% AR/ACS	506-87-6	РВ	500 gm	594	28369990	18%
	(Hartshorn salt)						
	NH ₄ HCO ₃ + NH ₂ COONH ₄						
US0036	Ammonium Carbonate TS		PB	500 ml	270	38220090	12%
RR0011	Ammonium Ceric Nitrate 98%	16774-21-3	GB	25 gm	405	28461090	18%
	(Ammonium cerium (IV) nitrate; Ceric ammonium nitrate)		GB	100 gm	999		
	(NH ₄) ₂ [Ce(NO ₃) ₆] M.W.: 548.23						
RR0012	Ammonium Ceric Nitrate 99% AR	16774-21-3	GB	100 gm	1395	28461090	18%
	(Ammonium cerium (IV) nitrate; Ceric ammonium nitrate)						
	(NH ₄) ₂ [Ce(NO ₃) ₆] M.W.: 548.23						
RR0013	Ammonium Ceric Nitrate N/20 Solution		GB	500 ml	495	38220090	12%
	Normality 0.05 ± 0.0005						
RR0014	Ammonium Ceric Sulphate Dihydrate 98%	10378-47-9	GB	100 gm	1494	28461090	18%
	(Ammonium cerium (IV) sulphate dihydrate; Ceric ammonium sulphate)		GB	500 gm	5994		
	$(NH_4)_A[Ce(SO_4)_4].2H_2O\ M.W.: 632.53$						
RR0015	Ammonium Ceric Sulphate Dihydrate 99% AR	10378-47-9	GB	100 gm	1791	28461090	18%
	(Ammonium cerium (IV) sulphate dihydrate; Ceric ammonium sulphate)		GB	500 gm	6498		
	$(NH_4)_4[Ce(SO_4)_4].2H_2O\ M.W.: 632.53$						
RR0016	Ammonium Cerous Sulphate	21995-38-0	GB	25 gm	900	28461090	18%
	(Ammonium Cerium (III) Sulphate)						
	CeH ₄ NO ₈ S ₂ .4H ₂ O M.W.: 422.29						
US0042	Ammonium Chloride-Ammonium Hydroxide TS		РВ	500 ml	396	38220090	12%
030180	Ammonium Chloride 99% Purified	12125-02-9	РВ	500 gm	302	28271000	18%
	(Salmiac)		РВ	1 kg	540		
	NH ₄ CI M.W.: 53.49		PB	5 kg	2291		
			PD	50 kg	POR		
012060	Ammonium Chloride 99.8% AR	12125-02-9	РВ	500 gm	471	28271000	18%
	(Salmiac)		PB	5 kg	4095		
	meets analytical specification of IP, BP, USP, Ph.Eur.		PD	50 kg	POR		
	NH ₄ CI M.W.: 53.49						
MB0016	Ammonium Chloride 99.5% for Molecular Biology	12125-02-9	GB	500 gm	900	28271000	18%
	(Salmiac)						
	NH ₄ Cl M.W.: 53.49						
US0040	Ammonium Chloride TS		РВ	500 ml	297	38220090	12%
VMS033	Ammonium Chloride 5M Ultrapure		РВ	500 ml	2898	38220090	12%
	Solution for Molecular Biology		РВ	1 L	5490		
			PB	2.5 L	7992		
030181	Ammonium Chloro Platinate	16919-58-7	GB	1 gm	10431	28439019	18%
	Abt. (Pt) 44%						
İ	(NH ₄) ₂ Pt Cl ₆ M.W.: 443.87						

CODE	PRODUCT DESCRIPTION	C40.40	DVC TVDE	DACKING	DDIOE	ЦСИ	TAX
CODE	PRODUCT DESCRIPTION di-Ammonium Citrate 98% Purified	CAS NO	PKG. TYPE	PACKING 500 am	PRICE	HSN	<i>TAX</i>
030182		3012-65-5	GB	500 gm		29181590	18%
	C ₆ H ₁₄ N ₂ O ₇ M.W.: 226.19		PD	25 kg	POR		
			PD	50 kg	POR		
030183	tri-Ammonium Citrate 97% Purified	3458-72-8	PB	500 gm		29181590	18%
	(Citric acid triammonium salt)		PD	25 kg	POR		
	$(NH_4)_3C_6H_5O_7$ M.W.: 243.22						
012062	tri-Ammonium Citrate 98.5% AR	3458-72-8	РВ	500 gm		29181590	18%
	(Citric acid triammonium salt)		PD	25 kg	POR		
	$(NH_4)_3C_6H_5O_7$ M.W.: 243.22						
030184	Ammonium Dichromate Crystals 99%	7789-09-5	РВ	500 gm	981	28415090	18%
	(Ammonium bichromate)		РВ	5 kg	8496		
	$(NH_4)_2Cr_2O_7$ M.W.: 252.06		PD	50 kg	POR		
012063	Ammonium Dichromate 99.5% AR	7789-09-5	PB	500 gm	1098	28415090	18%
	(Ammonium bichromate)						
	$(NH_4)_2Cr_2O_7$ M.W.: 252.06						
030185	Ammonium Dihydrogen Ortho Phosphate 98% Pure	7722-76-1	РВ	500 gm	585	28352200	18%
	(Ammonium phosphate monobasic; Ammonium Acid Phosphate)		PD	5 kg	5004		
	NH ₄ H ₂ PO ₄ M.W.: 115.03		PD	50 kg	POR		
012064	Ammonium Dihydrogen Ortho Phosphate 99% AR	7722-76-1	РВ	500 gm	639	28352200	18%
	(Ammonium phosphate monobasic; Ammonium Acid Phosphate)		PD	5 kg	5400		
	NH ₄ H ₂ PO ₄ M.W.: 115.03		PD	50 kg	POR		
HP0014	Ammonium Dihydrogen Ortho Phosphate 99% for HPLC	7722-76-1	new GB	500 gm	1260	28352200	18%
	(Ammonium phosphate monobasic; Ammonium Acid Phosphate)						
	NH ₄ H ₂ PO ₄ M.W.: 115.03						
030186	Ammonium Ferric Citrate Brown 20.5-22.5%	1185-57-5	РВ	500 gm	720	29181550	18%
	(Ammonium iron (II) citrate; Ferric ammonium citrate)		PD	25 kg	POR		
	C ₆ H ₁₀ FeNO ₈ M.W.: 279.99						
030188	Ammonium Ferric Sulphate Dodecahydrate 98%	7783-83-7	GB	500 gm	378	28333020	18%
	(Iron alum ; Ammonium iron (III) sulphate dodecahydrate)		PD	50 kg	POR		
	NH ₄ Fe(SO ₄) ₂ .12H ₂ O M.W. : 482.18						
012065	Ammonium Ferric Sulphate Dodecahydrate 99% AR	7783-83-7	GB	500 gm	504	28333020	18%
	(Iron alum ; Ammonium iron (III) sulphate dodecahydrate)						
	NH ₄ Fe(SO ₄) ₂ .12H ₂ O M.W.: 482.18						
VMS013	Ammonium Ferric Sulphate (0.1 N) Solution		PB	500 ml	306	38220090	12%
	Ammonium Ferric Sulphate (0.2M) Solution		PB	500 ml	306	38220090	12%
US0050	Ammonium Ferric Sulphate Solution TS		PB	500 ml	171	38220090	12%
SOL921	Ammonium Ferric Sulphate 8% w/v Solution for Chloride		PB	100 ml	279	38220090	12%
	(Volhard's Indicator)						
030189	Ammonium Ferrous Sulphate Hexahydrate Crystals 98.5%	7783-85-9	PB	500 gm	270	28332990	18%
.555.50	(Ammonium iron (II) sulphate hexahydrate;	7,0000	PB	1 kg	459		. 5 /0
	Diammonium iron(II) sulphate, Mohr's salt)		PB	5 kg	1989		

	RESEARCH & LABOR	MISTRY BEY					
	CHI	MISTRI BET	ONDC	TEIVITCA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(NH ₄) ₂ SO ₄ FeSO ₄ .6H ₂ O M.W.: 392.13		PD	50 kg	POR		
012066	Ammonium Ferrous Sulphate Hexahydrate 99% AR	7783-85-9	РВ	500 gm	387	28332990	18%
	(Ammonium iron (II) sulphate hexahydrate;		РВ	5 kg	2700		
	Diammonium iron(II) sulphate, Mohr's salt)		PD	50 kg	POR		
	(NH ₄) ₂ SO ₄ FeSO ₄ .6H ₂ O M.W.: 392.13						
SOL923	Ammonium Ferrous Sulphate Solution 0.1N		РВ	500 ml	180	38220090	12%
AMP003	Ammonium Ferrous Sulphate 0.1 mol/l Solution		AMP	6 Amp	540	38220090	12%
030190	Ammonium Fluoride 95% Purified	12125-01-8	РВ	500 gm	1191	28261990	18%
	NH ₄ F M.W.: 37.04		PD	50 kg	POR		
012067	Ammonium Fluoride 98% AR	12125-01-8	РВ	250 gm	1494	28261990	18%
	for decomposition of silicate & to determine		РВ	500 gm	2592		
	rare earth compounds		РВ	1 kg	4797		
SOL022	Ammonium Fluoride 40% Solution in Water	12125-01-8	РВ	500 ml	504	28261990	18%
	NH ₄ F M.W.: 37.04		РВ	1 L	1017		
			РВ	2.5 L	2295		
030191	Ammonium Formate 97% Pure	540-69-2	PB	250 gm	351	29151290	18%
	(Formic acid ammonium salt)		РВ	500 gm	594		
	H.COONH ₄ M.W.: 63.06		PD	50 kg			
012068	Ammonium Formate 98% AR	540-69-2	РВ	500 gm		29151290	18%
	(Formic acid ammonium salt)						
	H.COONH ₄ M.W.: 63.06						
Ammoniu	um Hepta Molybdate See Ammonium Molybdate Tetrahydrate						
di-Ammo	onium Hexa Nitro Citrate (IV) See Ammonium Ceric Nitrate						
di-Ammo	onium Hexa Nitro Citrate (IV) N/20 Solution See Ammonium Cer	ric Nitrate N/20 Soluti	on				
030192	Ammonium Hydrogen Carbonate 98.5% Purified	1066-33-7	РВ	500 gm	280	28369990	18%
	(Ammonium bicarbonate)		РВ	1 kg	495		
	NH₄HCO₃ M.W.:79.06		РВ	5 kg	1692		
			PD	50 kg	POR		
012069	Ammonium Hydrogen Carbonate 99% AR	1066-33-7	PB	500 gm	414	28369990	18%
	(Ammonium bicarbonate)		PD	50 kg	POR		
	NH ₄ HCO ₃ M.W.: 79.06			· ·			
Ammoniı	um Hydrogen Difluoride See Ammonium Bifluoride						
030193	di-Ammonium Hydrogen Ortho Phosphate	7783-28-0	PB	500 gm	630	28352990	18%
	Anhydrous 97% Purified		PB	5 kg			
	(Ammonium phosphate dibasic; Ammonium hydrogen phosphate)		PD	50 kg			
	(NH ₄) ₂ HPO ₄ M.W.: 132.06			00 Ng	. •		
012070	di-Ammonium Hydrogen Ortho Phosphate	7783-28-0	PB	500 gm	702	28352990	18%
312070	Anhydrous 98% AR	1103-20-0	PD	500 gm	POR	20002330	10 /0
	•		טא	эй кд	FUR		
	(Ammonium phosphate dibasic; Ammonium hydrogen phosphate)						
LIBOOTS	(NH ₄) ₂ HPO ₄ M.W.: 132.06	7700.00.0		500	46-6	00050000	4001
HP0016	di-Ammonium Hydrogen Ortho Phosphate	7783-28-0	new GB	500 gm	1350	28352990	18%

	RESEARCH & LABORAT	ORY STRY BEY				.S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Anhydrous for HPLC						
	(Ammonium phosphate dibasic; Ammonium hydrogen phosphate)						
	(NH ₄) ₂ HPO ₄ M.W.: 132.06						
US0090	di-Ammonium Hydrogen Ortho Phosphate TS		РВ	500 ml	360	38220090	12%
Ammoni	um Hydroxide See Ammonia Solution						
030194	Ammonium Iodide 99%	12027-06-4	GB	25 gm	2286	28276090	18%
	NH ₄ I M.W.: 144.94		GB	100 gm	4563		
			РВ	5 kg	POR		
012071	Ammonium Iodide 99.5% AR	12027-06-4	GB	50 gm	3438	28276090	18%
	NH ₄ I M.W.: 144.94		GB	250 gm	14994		
Ammoni	um Iron (II) Sulphate See Ammonium Ferrous Sulphate						
	onium Iron (II) Sulphate-6-Hydrate See Ammonium Ferrous Sulphate						
Ammoni	um Iron (III) Citrate See Ammonium Ferric Citrate						
	um Iron (III) Sulphate See Ammonium Ferric Sulphate						
Ammoni	um Meta Vanadate See Ammonium-m-Vanadate						
030195	Ammonium Molybdate Tetrahydrate 98% (Cold Soluble)	12054-85-2	РВ	100 gm	1494	28417090	18%
	(Ammonium heptamolybdate tetrahydrate;		РВ	500 gm			
	Molybdic acid ammonium salt tetrahydrate)		РВ	1 kg	11997		
	(NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O M.W.: 1235.9			9			
012072	Ammonium Molybdate Tetrahydrate 99% AR	12054-85-2	PB	100 gm	1791	28417090	18%
	(Ammonium heptamolybdate tetrahydrate;	.2001.00.2	PB	500 gm			.070
	Molybdic acid ammonium salt tetrahydrate)		PB	1 kg	12996		
	(NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O M.W.: 1235.9			9	.2000		
012073	Ammonium Molybdate Tetrahydrate 99% AR (Hot soluble)	12054-85-2	PB	100 gm	1890	28417090	18%
012070	(Ammonium heptamolybdate tetrahydrate;	12004-00-2	PB	500 gm	7560	20417030	10 /0
	Molybdic acid ammonium salt tetrahydrate)		PB	1 kg	14400		
	For steel industry		1.5	1 1/9	14400		
	(NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O M.W.: 1235.9						
Ammoni	um Mono Vanadate See Ammonium-m-Vanadate						
	onium Nickel (II) Sulphate Hexahydrate See Ammonium Nickel Sulpha	ato					
030196	Ammonium Nickel Sulphate Hexahydrate 98.5%	7785-20-8	PB	250 gm	1170	28429090	18%
030190	(di-Ammonium nickel (II) sulphate hexahydrate;	7703-20-0	РВ	500 gm		20429090	10 /0
			PD	_	POR		
	Nickel ammonium sulphate) (NH ₄) ₂ . Ni(SO ₄) ₂ .6H ₂ O M.W. : 394.97		PU	25 kg	PUR		
040074		7705 00 0	DD.	500 mm	2402	20420000	400/
012074	Ammonium Nickel Sulphate Hexahydrate 99% AR	7785-20-8	РВ	500 gm	2493	28429090	18%
	(di-Ammonium nickel (II) sulphate hexahydrate;						
	Nickel ammonium sulphate)						
	(NH ₄) ₂ . Ni(SO ₄) ₂ .6H ₂ O M.W.: 394.97						
030198	Ammonium Oxalate Monohydrate 99% Purified	6009-70-7	РВ	500 gm		29171190	18%
	(Ammonium ethanedioate; Oxalic acid diammonium salt)		РВ	5 kg			
	(COONH ₄) ₂ H ₂ O M.W.: 142.11		PD	50 kg	POR		

www.hplcindia.com

	CHI	EMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
012076	Ammonium Oxalate Monohydrate 99.5% AR	6009-70-7	PB	500 gm	565	29171190	18%
	(Ammonium ethanedioate; Oxalic acid diammonium salt)		PD	50 kg	POR		
	(COONH ₄) ₂ H ₂ O M.W.: 142.11						
US0070	Ammonium Oxalate 0.5N TS		PB	500 ml	252	38220090	12%
030199	Ammonium Para Tungstate 98%	11120-25-5	РВ	100 gm	2952	28418090	18%
	$(NH_4)_{10}H_2W_{12}O_{42}.XH_2O M.W.: 3060.46 (Anhy.)$		РВ	500 gm	12060		
030200	Ammonium Pentaborate Tetrahydrate 99%	12007-89-5	PB	500 gm	691	28402090	18%
	(NH ₄)B ₅ O ₈ 4H ₂ O M.W. : 272.14		PD	50 kg	POR		
012077	Ammonium Pentaborate Tetrahydrate 99.5% AR	12007-89-5	РВ	500 gm	943	28402090	18%
	(NH ₄)B ₅ O ₈ 4H ₂ O M.W. : 272.14						
VMS036	Ammonium Perchlorate 1M Solution in Water		GB	100 ml	882	38220090	12%
			GB	500 ml	1989		
			GB	1 L	2691		
Ammoni	um Peroxidisulphate See Ammonium Persulphate						
030201	Ammonium Persulphate 98% Purified	7727-54-0	РВ	500 gm	405	28334000	18%
	(Ammonium peroxodisulfate)		РВ	5 kg	3798		
	(NH ₄) ₂ S ₂ O ₈ M.W.: 228.19		PD	50 kg	POR		
012078	Ammonium Persulphate 98% AR	7727-54-0	РВ	500 gm	468	28334000	18%
	(Ammonium peroxodisulfate)		PD	50 kg	POR		
	(NH ₄) ₂ S ₂ O ₈ M.W. : 228.19						
Ammoni	um Phosphate Dibasic See di-Ammonium Hydrogen Ortho Ph	osphate					
	um Phosphate Mono basic See Ammonium Dihydrogen Ortho						
SOL014	Ammonium Potassium Oxalate Solution	-	PB	125 ml	126	38220090	12%
STA015	Ammonium Purpurate (C.I. 56085)	3051-09-0	GB	5 gm	396	29335990	18%
	dye content Abt. 70%		GB	25 gm	1341		
	(5,5-Nitrilodibarbituric acid mono ammonium salt; murexide)						
	C ₈ H ₄ N ₅ O ₆ .NH ₄ M.W. : 284.19						
012079	Ammonium Purpurate 85% AR/ACS	3051-09-0	GB	5 gm	495	29335990	18%
	(5,5-Nitrilodibarbituric acid mono ammonium salt; murexide)		GB	25 gm	1791		
	C ₈ H ₄ N ₅ O ₆ .NH ₄ M.W. : 284.19						
Ammoni	um Pyrochromate See Ammonium Dichromate						
REA010	Ammonium Reagent No.1		PB	500 ml	306	28142000	18%
REA011	Ammonium Reagent No.2		PB	500 ml	306	28142000	18%
912080	Ammonium Reineckate Monohydrate	13573-16-5	GB	25 gm		28429090	18%
	[Ammonium Tetrarhodanatodiamminechromate(III);			9			- /-
	Ammonium Tetrathiocyanatodiamminechromate(III);						
	Ammonium Tetrathiocyanodiammonochromate; Reinecke Salt]						
	NH ₄ [Cr(NH ₃) ₂ (SCN) ₄]H ₂ O M.W.: 354.44						
012080	Ammonium Reineckate Monohydrate 96% AR	13573-16-5	GB	10 gm	3195	28429090	18%
	[Ammonium Tetrarhodanatodiamminechromate(III);	13373 10 0	GB	25 gm		20.20000	. 5 70
	Ammonium Tetrathiocyanatodiamminechromate(III);		42	_0 9///	2.00		
I	Tammoman Todaniooyanatoalamiiniooniomate(III),						

	СНЕМ						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Ammonium Tetrathiocyanodiammonochromate; Reinecke Salt]						
	$NH_4[Cr(NH_3)_2(SCN)_4]H_2O\ M.W.: 354.44$						
030202	Ammonium Succinate 99%	2226-88-2	РВ	500 gm	7497	29171990	18%
	C ₄ N ₂ O ₄ H ₁₂ M.W.: 152.15						
030203	Ammonium Sulphamate 98%	7773-06-0	PB	500 gm	423	28429090	18%
	(Ammonium amido sulphonate; Ammate		PB	5 kg	3996		
	Ammonium Amidosulphate)		PD	25 kg	POR		
	NH ₄ SO ₃ NH ₂ M.W.: 114.12						
012081	Ammonium Sulphamate 99% AR	7773-06-0	РВ	100 gm	315	28429090	18%
	(Ammonium amido sulphonate; Ammate		РВ	500 gm	1260		
	Ammonium Amidosulphate)						
	NH ₄ SO ₃ NH ₂ M.W.: 114.12						
030204	Ammonium Sulphate 99% Purified	7783-20-2	PB	500 gm	306	29332990	18%
	(Diammonium Sulphate; Mascagnite)		РВ	5 kg	2241		
	(NH ₄) ₂ SO ₄ M.W.: 132.13		PD	50 kg	POR		
012082	Ammonium Sulphate 99.5% AR/ACS	7783-20-2	РВ	500 gm	405	29332990	18%
	(Diammonium Sulphate; Mascagnite)		РВ	5 kg	2898		
	(NH ₄) ₂ SO ₄ M.W.: 132.13		PD	50 kg	POR		
MB0017	Ammonium Sulphate 99.5%	7783-20-2	GB	250 gm	990	29332990	18%
	for Molecular Biology		GB	500 gm	1800		
	(Diammonium Sulphate; Mascagnite)						
	(NH ₄) ₂ SO ₄ M.W.: 132.13						
MB0018	Ammonium Sulphate 3.2 M Solution for Molecular Biology		PE	250 ml	3744	38220090	12%
			GB	500 ml	6993		
VMS038	Ammonium Sulphate 0.5M (1N) Standardized Solution		PB	1 L	1071	38220090	12%
SOL021	Ammonium Sulphide Yellow 10% Solution in H2O	12135-76-1	GB	500 ml		38220090	12%
	$(NH_4)_2S.XH_2O$						
SOL020	Ammonium Sulphide Yellow 20% Solution in H2O	12135-76-1	GB	500 ml	315	38220090	12%
	(NH ₄) ₂ S.XH ₂ O	.2.00.10	-	000	0.0	00000	,,
Ammonii	um Sulpho Cyanate See Ammonium Thiocyanate						
030206	Ammonium-(+)-Tartrate 98% Purified	3164-29-2	PB	500 gm	2430	29181390	18%
030200	[L-(+)-Tartaric acid diammonium salt; Diammonium tartrate;	3104-23-2	ru	300 giii	2430	23101330	10 /0
	Ammonium tartarate dibasic]						
	(CHOH.COONH ₄) ₂ M.W.: 184.15						
012083		3164-29-2	РВ	500 am	2060	29181390	18%
012003	Ammonium-(+)-Tartrate 99% AR	3104-29-2	PB	500 gm	3000	29101390	1070
	[L-(+)-Tartaric acid diammonium salt; Diammonium tartrate;						
	Ammonium tartarate dibasic]						
00000=	(CHOH.COONH ₄) ₂ M.W.:184.15	4700.05 1	AP	500	000	00400000	4001
030207	Ammonium Thiocyanate Crystals 98% Purified	1762-95-4	GB	500 gm		28429090	18%
	(Ammonium rhodanide)		PB	5 kg			
	Suitable for Silver Recovery		PD	50 kg	POR		

		MISTRY BEY	OND C	HEITHICA	(LO		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	NH ₄ SCN M.W.: 76.12						
012084	Ammonium Thiocyanate 99% AR	1762-95-4	GB	500 gm	801	28429090	18%
	(Ammonium rhodanide)						
	NH ₄ SCN M.W.: 76.12						
VMS041	Ammonium Thiocyanate 1M (1N) Standardized Solution		РВ	1 L	990	38220090	12%
VMS040	Ammonium Thiocyanate 0.1 mol/l (0.1N) Solution		РВ	1 L	990	38220090	12%
VMS016	Ammonium Thiocyanate (0.1 N) Solution		РВ	500 ml	450	38220090	12%
VMS018	Ammonium Thiocyanate (7.5M) Solution		РВ	500 ml	450	38220090	12%
US0115	Ammonium Thiocyanate TS		РВ	500 ml	297	38220090	12%
AMP005	Ammonium Thiosulphate N/10 Solution		AMP	6 AMP	540	38220090	12%
	(0.1 mol/l Citrisol)						
030209	Ammonium-m-Vanadate 98%	7803-55-6	РВ	100 gm	1188	28419000	18%
	[Ammonium vanadate(V)]		РВ	500 gm	5508		
	NH ₄ VO ₃ M.W.: 116.98						
012085	Ammonium-m-Vanadate 99% AR	7803-55-6	РВ	100 gm	1350	28419000	18%
	(Ammonium vanadate(V))		РВ	500 gm	5940		
	NH ₄ VO ₃ M.W.: 116.98						
US0130	Ammonium-m-Vanadate TS		РВ	500 ml	900	38220090	12%
Ampyror	ne AR See p-Amino Antipyrine AR						
Amyl Ac	etate (Iso) See Iso Amyl Acetate						
iso-Amy	I Acetate See Iso-Amyl Acetate						
α-Amyla	se See Diastase						
928120	Amyl Alcohol for Milk Testing	123-51-3	GB	500 ml	630	29051500	18%
			GB	2.5 L	2250		
027100	n-Amyl Alcohol	71-41-0	GB	500 ml	1197	29054290	18%
	(n-Pentanol)		GB	2.5 L	4491		
	C5H12O M. W.: 88.15						
010645	n-Amyl Alcohol AR	71-41-0	GB	500 ml	1692	29054290	18%
	(n-Pentanol)		GB	2.5 L	5796		
	C5H12O M. W.: 88.15						
030251*	Amylopectin From Potato Starch	9037-22-3	GB	1 gm	8991	39139090	18%
STS015	Andrade's Indicator Solution		РВ	125 ml	171	38220090	12%
027108	trans-Anethole 98% for Synthesis	4180-23-8	GB	500 ml	2574	29093090	18%
	(Anethole;1-methoxy-4-(1-propenyl)benzene)						
	C ₁₀ H ₁₂ O M.W.: 148.20						
Aneurine	e Hydrochloride See Thiamine Hydrochloride						
027120	Aniline 99% for Synthesis	62-53-3	GB	500 ml	603	29214110	18%
	(Aminobenzene; Aminophen; Aniline oil;		GB	2.5 L	2700		
	(esezerre, eserrer., ee.,						
	Benzenamine; Benzene,amino; Phenylamine)		PR	25 Lit	POR		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX **STA018** Aniline Blue 60% for Microscopy (C.I. 42780) 28983-56-4 GB 25 gm 846 32041251 18% GB (water blue; acid blue 93; aniline blue; Cotton blue; Poirriers blue) 100 gm 2520 Water soluble pH range 9.4-14.0 $C_{37}H_{27}N_3Na_2O_9S_3$ M.W.: 799.8 STS017 **Aniline Blue Alcohol Staining Solution** РΒ 125 ml **450** 38220090 12% (Solvent Blue 3 ;Opal Blue; spirit Blue) (Stain for Cellulose) **Aniline Blue Aqueous Staining Solution** РΒ 12% **STS018** 125 ml **360** 38220090 (Stain for Algae & Fungi) STS021 **Aniline Blue-Orange (Mallory)** РΒ **882** 38220090 12% 100 ml Connective tissue stain for collagen STS022 **Aniline Blue-Orange G Acetic** GB 100 ml **828** 38220090 12% (for Azan stain) Connective tissue stain for collagen STS019 Aniline Blue (pH Indicator) Solution PR 125 ml **540** 38220090 12% STS020 Aniline Blue 2.5% Solution in 2% Acetic acid 250 ml PΒ 693 38220090 12% 030259 **Aniline Sulphate 99% for Synthesis** 542-16-5 PB 250 gm 729 29214190 18% $(C_6H_5NH_2)_2H_2SO_4$ M.W.: 284.33 PΒ 500 gm 1449 PΠ POR 25 kg Anion Exchange Resins See Amberlite Resins 027130 Anisaldehyde 99% Purified 123-11-5 GB 100 ml 666 29124910 18% (p-Anisaldehyde; 4-Methoxybenzaldehyde, Aubépine) GB 250 ml 1314 GB CH₃OC₆H₄CHO M.W.: 136.15 500 ml 4590 027140 o-Anisidine 98% for Synthesis 90-04-0 GR 500 ml 1368 29222990 18% (2-Aminoanisole, 2-Methoxyaniline) C7H9NO M.W.: 123.16 030264 * p-Anisidine 98% for Synthesis 104-94-9 **711** 29222220 GB 250 gm 18% GB (4-Aminoanisole, 4-Methoxyaniline) 500 gm 1341 C7H9NO M.W.: 123.16 100-66-3 18% 027150 **Anisole 99% for Synthesis** GB 500 ml **837** 29093019 (Methoxybenzene; Methoxybenzene, Methyl phenyl ether) GB 2.5 L 3996 CH₃OC₆H₅ M.W.: 108.14 030270 **Anthraquinone 98% for Synthesis** 84-65-1 РΒ **1395** 29146100 18% 500 gm (9,10-Anthraquinone) C₆H₄COC₆H₄CO M.W.: 208.22 030271 Anthraquinone-2-Sulphonic acid Sodium Salt 153277-35-1 GB 25 gm **396** 29146990 18% GB 1494 Monohydrate 97% 100 gm C₁₄H₇NaO₅S.H₂O M.W.: 328.27 030272 **Anthrone 96% for Synthesis** 90-44-8 GB 10 gm **378** 29143990 18%

25 gm

745

GB

[9(10H)-Anthracenone)]

			OND C				
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₆ H ₄ .CO.C ₆ H ₄ .CH ₂ M.W.: 194.23						
012150	Anthrone 98% AR/ACS	90-44-8	GB	10 gm	405	29143990	189
	[9(10H)-Anthracenone)]		GB	25 gm	846		
	C ₆ H ₄ .CO.C ₆ H ₄ .CH ₂ M.W.: 194.23						
AAS006	Antimony AAS Solution		PE	100 ml	1701	38220090	12%
	1000 ppm Single Element in HCL		PE	250 ml	2007		
			GB	500 ml	3006		
ICP008	Antimony ICP Standard Solution		PE	100 ml	6300	38220090	129
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	12600		
ICP911	Antimony ICP Standard Solution		PE	100 ml	6300	38220090	12%
	1000 ppm TRISTAR Single Element in HCI		GB	500 ml	12600		
ICP913	Antimony ICP Standard Solution		PE	100 ml	18900	38220090	129
	10000 ppm TRISTAR Single Element in HCl		GB	500 ml	55800		
ICP009	Antimony ICP Standard Solution		PE	100 ml	18900	38220090	129
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	55800		
SS0200	Antimony 100 mg/L Standard Solution		PE	250 ml	1710	38220090	12%
030268	Antimony Metal Lumps 99.5%	7440-36-0	PB	100 gm	2097	81101000	18%
	Sb At. W.: 121.75		РВ	500 gm	8892		
030277	Antimony Metal Powder 99%	7440-36-0	РВ	500 gm	8991	81101000	18%
	Sb At. W.: 121.75						
012153	Antimony Metal Powder 99.99% AR	7440-36-0	РВ	10 gm	2691	81101000	18%
	Sb At. W.: 121.75		PB	25 gm	5391		
Antimon	y (III) Chloride See Antimony Trichloride						
	y (III) Oxide See Antimony Trioxide						
	y Potassium Oxide (+) Tartrate See Antimony Potassium-(+)-Tart	rate					
030278	Antimony Potassium-(+)-Tartrate 98.5%	28300-74-5	PB	250 gm	6345	29181390	18%
	(Potassium antimony tartrate; Potassium antimony (III) oxide tartrate)		РВ	500 gm	11421		
	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W. : 324.92		PD	50 kg	POR		
040455	Antimony Potassium-(+)-Tartrate 99.5% AR		DD.				
U12155		28300-74-5	70	100 4111	30/8	29181390	18%
012155	(Potassium antimony tartrate: Potassium antimony (III) oxide tartrate)	28300-74-5	PB PB	100 gm 500 am		29181390	18%
U12155	(Potassium antimony tartrate; Potassium antimony (III) oxide tartrate) C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92	28300-74-5	РВ	500 gm	12312	29181390	18%
	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92		РВ	500 gm	12312		
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95%	28300-74-5 1345-04-6		ŭ	12312	29181390	
	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide)		РВ	500 gm	12312		
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68	1345-04-6	PB GB	500 gm	12312	28309010	18%
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68 Antimony Trichloride 98.5% Purified		РВ	500 gm 500 gm	12312		18%
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68 Antimony Trichloride 98.5% Purified (Antimony (III) chloride)	1345-04-6	GB GB	500 gm 500 gm 100 gm 250 gm	12312 12852 3780 7452	28309010	18%
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68 Antimony Trichloride 98.5% Purified	1345-04-6	GB GB GB	500 gm 500 gm 100 gm 250 gm 500 gm	12312 12852 3780 7452 13428	28309010	18%
030279	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68 Antimony Trichloride 98.5% Purified (Antimony (III) chloride) SbCl ₃ M.W.: 228.11	1345-04-6 10025-91-9	GB GB GB GB PD	500 gm 500 gm 100 gm 250 gm 500 gm 25 kg	12312 12852 3780 7452 13428 POR	28309010	18%
	C ₄ H ₄ O ₇ KSb1/2H ₂ O M.W.: 324.92 Antimony (III) Sulphide 95% (Antimony sulphide black; Antimony Trisulphide) Sb ₂ S ₃ M.W.: 339.68 Antimony Trichloride 98.5% Purified (Antimony (III) chloride)	1345-04-6	GB GB GB	500 gm 500 gm 100 gm 250 gm 500 gm	12312 12852 3780 7452 13428 POR	28309010	18% 18% 18%

	RESEARCH & LABORAT	TORY STRY BEY				S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US0150	Antimony Trichloride 20% TS	CAS NO	GB	125 ml		38220090	12%
030130	Antimony Trioxide 99% Pure	1309-64-4	PB	500 gm		28258000	18%
030204	(Antimony (III) oxide)	1303-04-4	PB	300 gm		20230000	10 /0
	Sb ₂ O ₃ M.W.: 291.50		PD	50 kg			
012157	Antimony Trioxide AR	1309-64-4	PB	500 gm		28258000	18%
012101	(Antimony (III) oxide)	1000 01 1	. 5	ooo giii	10.10	20200000	1070
	Sb ₂ O ₃ M.W.: 291.50						
012161	D-(-)-Arabinose AR	10323-20-3	GB	5 gm	396	29400000	18%
	used for Biochemical research	10020 20 0	GB	10 gm		20.0000	.070
	C ₅ H ₁₀ O ₅ M.W.: 150.13		GB	25 gm			
030290	L-(+)-Arabinose for Biochemistry	5328-37-0	GB	10 gm		29400000	18%
	C ₅ H ₁₀ O ₅ M.W.: 150.13		GB	25 gm			
030292	L-Arginine 98% for Biochemistry	74-79-3	GB	25 gm		29225090	18%
	[(S)-2-Amino-5-quanidinopentanoic acid]		GB	100 gm			
	C ₆ H ₁₄ N ₄ O ₂ M.W.: 174.20			· ·			
030293	L-Arginine Monohydrochloride 98.5% for Biochemistry	1119-34-2	GB	25 gm	342	29225090	18%
	{S-(+)-2-Amino-5-[(aminoiminomethyl)amino]pentanoic acid monohydrochloride}		GB	100 gm	891		
	C ₆ H ₁₄ N ₄ O ₂ HCI M.W.: 210.67			-			
012166	Arsenazo I AR	520-10-5	GB	5 gm	2997	29319090	18%
	(Neothorone)						
	$C_{16}H_{10}N_2O_{11}S_2AsNa_3 \ M.W.: 614.28$						
012167	Arsenazo III AR	62337-00-2	GB	5 gm	35910	29319090	18%
	C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₄ S ₂ 4H ₂ O M.W.: 892.4						
AAS008	Arsenic AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in HCl		PE	250 ml	2250		
			GB	500 ml	3780		
ICP010	Arsenic ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7560		
ICP011	Arsenic ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	45000		
SS0225	Arsenic Standard 1 mg/L Solution		PE	250 ml	1602	38220090	12%
di-Arsen	ic Trioxide See Arsenic Trioxide						
030299	Arsenic Trioxide 95% Pract.	1327-53-3	РВ	500 gm	522	28112920	18%
	(Arsenic(III) oxide; Arsenous acid; Diarsenic trioxide)		PD	50 kg	POR		
	As ₂ O ₃ M.W.: 197.84						
Arsenou	s Oxide See Arsenic Trioxide						
030305	Asbestos for Gooch Crucibles	1332-21-4	РВ	100 gm	441	25249099	5%
			РВ	500 gm	1971		
930305	Asbestos Powder		РВ	500 gm	1620	25249099	18%
012177	Ascarite II AR	81133-20-2	GB	100 gm	30600	28151110	18%
	(Cadium hudravida acatad ailicata)		CD	250 ~~	64000		

250 gm **61002**

GB

(Sodium hydroxide- coated silicate)

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
	СН	EMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
030308	L-Ascorbic Acid 99% for Biochemistry	50-81-7	РВ	100 gm	324	29362700	18%
	(Vitamin C; L-Threoascorbic acid; Antiscorbutic factor)		PB	500 gm	1197		
	C ₆ H ₈ O ₆ M.W.: 176.13		РВ	5 kg	POR		
			PD	25 kg	POR		
012200	L-Ascorbic Acid 99.7% for Biochemistry AR	50-81-7	РВ	100 gm	342	29362700	18%
	(Vitamin C; L-Threoascorbic acid; Antiscorbutic factor)		РВ	500 gm	1242		
	C ₆ H ₈ O ₆ M.W.: 176.13		РВ	5 kg	POR		
030311	DL-Asparagine Monohydrate 99%	3130-87-8	GB	25 gm	2700	29241900	18%
	C ₄ H ₈ N ₂ O ₃ .H ₂ O M.W.: 150.13						
030312	L-Asparagine Monohydrate 98.5% for Biochemistry	5794-13-8	РВ	25 gm	360	29241900	18%
	[(S)-2-Aminosuccinic acid 4-amide, (S)-(+)-2-Amino		РВ	100 gm	1080		
	succinamic acid; L-Aspartic acid 4-amide]		РВ	1 kg	8640		
	C ₄ H ₈ N ₂ O ₃ .H ₂ O M.W.: 150.13						
030313	DL-Aspartic Acid 99% for Biochemistry	617-45-8	РВ	25 gm	252	29224990	18%
	[(±)-2-Aminosuccinic acid]		РВ	100 gm	891		
	C ₄ H ₇ NO ₄ M.W. 133.10		PB	1 kg	4995		
030314	L-Aspartic Acid Pure 99% for Biochemistry	56-84-8	PB	25 gm	149	29224990	18%
	[(S)-(+)-Aminosuccinic acid; (S)-Aminobutanedioic acid]		PB	100 gm	396		
	C ₄ H ₇ NO ₄ M.W. 133.10		PB	1 kg	3501		
030315	Aspirin 99%	50-78-2	PB	250 gm	630	30049062	12%
	(Acetyl salicylic acid)						
	C ₉ H ₈ O ₄ M.W.: 180.16						
030320	Atropine Sulphate Monohydrate 99-101%	5908-99-6	GB	5 gm	1818	29399900	18%
	[a-(Hydroxymethyl)benzeneacetic acid 8-methyl-		GB	10 gm	3330		
	8-azabicyclo[3.2.1]oct-3-yl ester; Tropine tropate]						
	(C ₁₇ H ₂₃ NO ₃) ₂ .H ₂ SO ₄ .H ₂ O M.W.: 694.84						
STA020	Auramine for Microscopy (C.I. 41000)	2465-27-2	GB	25 gm	216	32041321	18%
	(Auramine-O; Basic Yellow 2)		GB	100 gm	513		
	C ₁₇ H ₂₁ N ₃ .HCl M.W.: 303.84		GB	1 kg	3591		
Aurine S	ee Rosolic Acid						
Aurin Tri	carboxylic Acid Ammonium Salt See Aluminon						
012250	Azomethine-H 95% Mono Sodium Salt Hydrate AR	206752-32-1	GB	1 gm	693	29252990	18%
	(4-Hydroxy-5-(2-hydroxybenzylideneamino)-naphthalene-2; 7-disulfonic		GB	5 gm	3096		
	acid monosodium salt hydrate; 4-Hydroxy-5- (salicylideneamino) -2,		GB	25 gm	11700		
	7-naphthalenedisulfonic acid monosodium salt)		GB	100 gm	POR		
	(Reagent for the determination of boron)						
	$C_{17}H_{12}NO_8S_2Na.XH_2O$ M.W.: 445.40 (Anhy)						
Azo Viole	et See Magneson I						
STA028	Azur A for Microscopy (C.I.52005)	531-53-3	GB	10 gm	540	32041310	18%
	C ₁₄ H ₁₄ CIN ₃ S M.W. : 291.80		GB	25 gm	846		
STA029	Azur B 80% for Microscopy (C.I.52010)	531-55-5	GB	5 gm	423	32041310	18%

	RESEARCH & LAE	BORATORY	CHE	MIC	AL	S	
		CHEMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₅ H ₁₆ CIN ₃ S M.W.: 305.83		GB	25 gm	945		
STA023	Azur II for Microscopy (C.I. 52005)	37247-10-2	GB	10 gm	421	32041310	18%
	$C_{31}H_{34}Cl_2N_6S_2$ M.W. : 625.68		GB	25 gm	846		
STA024	Azur II (Eosine) for Microscopy	53092-85-6	GB	25 gm	468	32041310	18%
	(Azure II Eosinate)						
	В						
(B-9) See	e Alar (B-9)						
030400 *	Bacitracin from Bacillus licheniformis	1405-87-4	GB	1 vail	1600	29420090	18%
	50,000 Units per vial						
	$C_{66}H_{103}N_{17}O_{16}S$ M.W.: 1422.72						
SOL034	Baker's Softening Fluid		РВ	125 ml	306	38220090	12%
	for Soffening of animal structures						
030405	Balsam Canada Synthetic	8007-47-4	GB	500 gm	3420	13012000	5%
	(Canada Balsam)						
030411	Barbituric Acid 99% for Synthesis	67-52-7	GB	25 gm	297	29335200	18%
	(2,4,6-trihydroxy pyrimidine; Malonylurea)		GB	100 gm	873		
	C ₄ H ₄ N ₂ O ₃ M.W.: 128.09		GB	500 gm	3591		
012301	Barbituric Acid 99.5% AR	67-52-7	GB	25 gm	594	29335200	18%
	(2,4,6-trihydroxy pyrimidine; Malonylurea)		GB	100 gm	1494		
	C ₄ H ₄ N ₂ O ₃ M.W.: 128.09						
REA020	Barfoed's Reagent		РВ	125 ml	360	38220090	12%
AAS011	Barium AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP012	Barium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7920		
ICP915	Barium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HCI		GB	500 ml	7920		
ICP013	Barium ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	10890		
ICP916	Barium ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000 ppm TRISTAR Single Element in HCl		GB	500 ml	10890		
SS0300	Barium 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
030416	Barium Acetate 98% Purified	543-80-6	PB	500 gm	702	29152990	18%
	(CH ₃ .COO) ₂ Ba M.W.: 255.43						
012309	Barium Acetate 99% AR/ACS	543-80-6	РВ	500 gm	855	29152990	18%
	(CH ₃ .COO) ₂ Ba M.W.: 255.43						
030417	Barium Bromide Dihydrate 99%	7791-28-8	РВ	500 gm	1620	28275990	18%
	(Barium Dibromide)						
	BaBr ₂ .2H ₂ O M.W.: 333.17						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
030418	Barium Carbonate 99-101% Purified	513-77-9	РВ	500 gm	531	28366000	18%
	(Barium monocarbonate; Carbonic acid barium salt)		РВ	5 kg	3996		
	BaCO ₃ M.W.: 197.34		PD	50 kg	POR		
012311	Barium Carbonate 99% AR/ACS	513-77-9	РВ	500 gm	945	28366000	18%
	(Barium monocarbonate; Carbonic acid barium salt)						
	BaCO ₃ M.W.: 197.34						
012314	Barium Chloranilate 99% AR/ACS	13435-46-6	GB	25 gm	1980	28273990	18%
	(Chloranilic Acid Barium Salt)						
	BaC ₆ Cl ₂ O ₄ M.W.: 344.31						
030419	Barium Chloride Dihydrate Crystals 99-% Pure	10326-27-9	РВ	500 gm	360	28273990	18%
	(Barium Dichloride)		РВ	5 kg	2790		
	BaCl ₂ .2H ₂ O M.W.: 244.27		PD	50 kg	POR		
012315	Barium Chloride Dihydrate 99% AR/ACS	10326-27-9	PB	500 gm	405	28273990	18%
	(Barium Dichloride)						
	BaCl ₂ .2H ₂ O M.W.: 244.27						
AMP006	Barium Chloride 0.05mol/l Solution		AMP	6 amp	603	38220090	12%
VMS065	Barium Chloride 0.05M (0.1N) Standardized Solution		РВ	1 L	900	38220090	12%
VMS066	Barium Chloride 0.1M (0.2N) Standardized Solution		РВ	1 L	990	38220090	12%
SOL026	Barium Chloride 10% w/w Solution		РВ	500 ml	180	38220090	12%
US0250	Barium Chloride 1N TS		PB	500 ml	306	38220090	12%
030420	Barium Chromate 98% Purified	10294-40-3	PB	500 gm	1395	28415090	18%
	BaCrO ₄ M.W.: 253.32						
012316	Barium Chromate 99% AR	10294-40-3	РВ	100 gm	495	28415090	18%
	BaCrO ₄ M.W.: 253.32		РВ	500 gm	1692		
Barium [Dioxide See Barium Peroxide						
012318	Barium Diphenylamine Sulphonate 98%	6211-24-1	GB	5 gm	306	29214490	18%
	Redox indicator AR		GB	25 gm	999		
	(4-(Phenylamino)benzenesulfonic acid barium						
	salt; Diphenylamine-4-sulfonic acid barium salt)						
	$C_{24}H_{20}BaN_2O_6S_2$ M.W.: 633.9						
012320	Barium Fluoride 99.99% AR	7787-32-8	PB	25 gm	4905	28261990	18%
	BaF ₂ M.W.: 175.34						
030421	Barium Hydroxide Octahydrate 97% Purified	12230-71-6	РВ	500 gm	441	28164000	18%
	(Barium Hydrate)		РВ	5 kg	3880		
	Ba(OH) ₂ .8H ₂ O M.W.: 315.47		PD	50 kg	POR		
012321	Barium Hydroxide Octahydrate 98% AR	12230-71-6	РВ	500 gm	1593	28164000	18%
	(Barium Hydrate)						
	Ba(OH) ₂ .8H ₂ O M.W.: 315.47						
VMS060	Barium Hydroxide 0.3M Solution		РВ	500 ml	378	38220090	12%
VMS061	Barium Hydroxide 0.05M (0.1N) Solution		PB	500 ml	405	38220090	12%
VIVICOUT							

		MISTRY BEY	OI VD C	TE TO THE			
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Ba(IO ₃) ₂ .H ₂ O M.W.: 505.15						
030422	Barium Nitrate 99% Purified	10022-31-8	PB	500 gm	513	28342930	18%
	(Barium dinitrate; Nitric acid barium salt; Nitrobarite; Barium (II) Nitrate)		РВ	5 kg	4392		
	Ba(NO ₃) ₂ M.W.: 261.34		PD	50 kg	POR		
012322	Barium Nitrate 99.5% AR/ACS	10022-31-8	PB	500 gm	612	28342930	18%
	(Barium dinitrate; Nitric acid barium salt; Nitrobarite; Barium (II) Nitrate)						
	Ba(NO ₃) ₂ M.W.: 261.34						
EL0011	Barium Nitrate 99.5% EL Grade	10022-31-8	PB	5 kg	6903	28342930	18%
	(Barium dinitrate; Nitric acid barium salt; Nitrobarite; Barium (II) Nitrate)						
	Ba(NO ₃) ₂ M.W.: 261.34						
US0270	Barium Nitrate 0.25N TS		РВ	500 ml	252	38220090	12%
930422	Barium Oxalate 58%	516-02-9	GB	250 gm	549	29171190	18%
	BaC ₂ O ₄ M.W.: 225.35						
012323	Barium Perchlorate Anhydrous 98% AR	13465-95-7	GB	250 gm	9000	28299010	18%
	(Barium diperchlorate; Perchloric acid barium salt)						
	Ba(CIO ₄) ₂ M.W.: 336.23						
030423	Barium Perchlorate Trihydrate 99%	10294-39-0	GB	250 gm	8550	28299010	18%
	Ba(CIO ₄) ₂ .3H ₂ O M.W.: 390.29						
VMS067	Barium Perchlorate 0.005M Solution (Aqueous)		PB	1 L	1404	38220090	12%
VMS068	Barium Perchlorate 0.005M Solution (Alcoholic)		PB	1 L	1890	38220090	12%
VMS069	Barium Perchlorate 0.005M Solution in 2-Propanol		PB	1 L	2007	38220090	12%
030426	Barium Peroxide 90%	1304-29-6	PB	500 gm	950	28164000	18%
	(Barium Dioxide)						
	BaO ₂ M.W.: 169.34						
030427	Barium Sulphate Precipitated 95%	7727-43-7	РВ	500 gm	295	28332700	18%
	(Baryte)		PD	50 kg	POR		
	BaSO ₄ M.W.: 233.39						
012324	Barium Sulphate Precipitated 97.5% AR	7727-43-7	РВ	500 gm	576	28332700	18%
	(Baryte)						
	BaSO ₄ M.W.: 233.39						
REA026	Barritt Reagent A		РВ	100 ml	270	38220090	12%
REA027	Barritt Reagent B		РВ	100 ml	126	38220090	12%
Basic Br	own 1 See Bismark Brown Y for Microscopy						
Basic Br	own 4 See Bismark Brown R for Microscopy						
Basic Fu	chsin See Fuchsin Basic						
012325	Bathocuproin 99% AR	4733-39-5	GB	100 mgm	2448	29339900	18%
	(2,9-Dimethyl-4,7-Diphenyl-1,10-Phenanthroline)			,			
	C ₂₆ H ₂₀ N ₂ M.W.: 360.46						
012327	Bathophenanthroline 99.5% AR	1662-01-7	GB	100 mgm	1791	29339900	18%
	(4,7-Diphenyl-1,10-phenanthroline, Bphen)		GB	250 mgm			
	(Reagent for Colorimetric determination of Iron)		GB	1 gm			

www.hplcindia.com

	G	HEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₂₄ H ₁₆ N ₂ M.W.: 332.41						
REA028	Bayer's Reagent		GB	125 ml	207	38220090	12%
CMB012	Beef Extract Paste for Bacteriology		GB	500 gm	846	35040010	18%
CMB011	Beef Extract Powder for Bacteriology		РВ	500 gm	1089	35040010	18%
030451	Bees Wax White for Histology	8012-89-3	РВ	500 gm	972	15219010	18%
030450	Bees Wax Yellow for Histology	8012-89-3	PB	500 gm	810	15219010	18%
REA030	Benedict's Reagent Qualitative	63126-89-6	PB	500 ml	291	38220090	12%
	for detection of Sugar in Urine		РВ	5 L	1395		
			PR	25 Lit	POR		
REA033	Benedict's Reagent Quantitative		РВ	500 ml	421	38220090	12%
030455	Bentonite Powder	1302-78-9	РВ	500 gm	198	25081090	5%
	(Aluminium Silicate Hydrate)		PD	25 kg	POR		
	(pH range 9.0-10.5 (2% suspension)						
	Al ₂ O ₃ .4(SiO ₂).H ₂ O M.W.: 360.31						
027200	Benzaldehyde 98.5% for Synthesis	100-52-7	GB	500 ml	666	29122100	18%
	(Artificial almond oil; Benzene Carbaldehyde;		GB	2.5 L	2997		
	Benzenecarbonal; Benzoic Aldehyde; Phenylmethana)		PR	25 Lit	POR		
	C ₇ H ₆ O M.W.: 106.12						
010050	Benzaldehyde 99% AR	100-52-7	GB	500 ml	855	29122100	18%
	(Artificial almond oil; Benzene Carbaldehyde;		GB	2.5 L	3591		
	Benzenecarbonal; Benzoic Aldehyde; Phenylmethana)						
	C ₇ H ₆ O M.W.: 106.12						
027210	Benzalkonium Chloride 50% Solution	63449-41-2	GB	500 ml	561	34029099	18%
	(Alkyl dimethyl benzyl ammonium chloride)		РВ	5 L	4293		
	$C_6H_5CH_2N$ (CH ₃) ₂ RCI (R=C ₈ H ₁₇ to C ₁₈ H ₃₇)		PR	25 Lit	POR		
030458	Benzamide 98.5% for Synthesis	55-21-0	PB	500 gm	1494	29242990	18%
	(Benzoic acid amide)			_			
	C ₆ H ₅ CO.NH ₂ M.W.: 121.14						
030459	Benzanilide 99% for Synthesis	93-98-1	PB	100 gm	855	29242990	18%
	(N-Benzoylaniline; N-Phenylbenzamide)		РВ	500 gm	3195		
	C ₆ H ₅ .CO.NH.C ₆ H ₅ M.W. : 197.24			_			
027220	Benzene 99% for Synthesis	71-43-2	GB	500 ml	306	29022000	18%
	(Benzol; Phenyl hydride)		GB	2.5 L	1206		
	C ₆ H ₆ M.W. : 78.11		PR	25 Lit			
			PD	200 L			
010060	Benzene 99.7% AR	71-43-2	GB	500 ml		29022000	18%
	(Benzol; Phenyl hydride)		GB	2.5 L			
	C ₆ H ₆ M.W.: 78.11						
GC0100	Benzene 99.9% GC Grade	71-43-2	GB	250 ml	432	29022000	18%
	(Benzol; Phenyl hydride)	2	GB	1 L			. 3 70
	0.11.4111.70.44						

 $C_6H_6\ M.W.:78.11$

PRODUCT DESCRIPTION	MISTRY BEY	OND C	HEMICA	NIS.		
PRODUCT DESCRIPTION				120		
THOUGHT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
enzene 99.7% EL Grade	71-43-2	GB	1 L	1107	29022000	18%
enzol; Phenyl hydride)						
H ₆ M.W.: 78.11						
enzene 99.8% for HPLC & Spectroscopy	71-43-2	GB	1 L	990	29022000	18%
enzol; Phenyl hydride)						
H ₆ M.W.: 78.11						
enzene 99.7% Scintillation Grade	71-43-2	GB	500 ml	405	29022000	18%
enzol; Phenyl hydride)						
H ₆ M.W.: 78.11						
enzene Specially Dried 99.7% AR	71-43-2	GB	1 L	1080	29022000	18%
enzol; Phenyl hydride)						
H ₆ M.W.: 78.11						
oronic Acid See Phenyl Boronic Acid						
arbaldehyde See Benzaldehyde						
e Diol See Hydroquinone						
ethaneamine See Benzylamine						
enzene Sulphonic Acid 99% for Synthesis	98-11-3	GB	500 gm	2205	29041010	18%
.H ₆ O ₃ S M.W. : 158.18						
enzene Sulphonyl Chloride 99%	98-09-9	GB	500 ml	1089	29041090	18%
.H ₅ CIO ₂ S M.W. : 176.62						
netriol See Pyrogallol						
um Chloride See Hyamine 1622						
um Chloride Solution 0.004M See Hyamine 1622 Solution 0.0	004 M					
enzil 98% for Synthesis	134-81-6	РВ	250 gm	1290	29143990	18%
ibenzoyl; Diphenylethanedione)		РВ	1 kg	4995		
H ₅ .CO.CO.C ₆ H ₅ M.W. : 210.23						
enzimidazole 98% for Synthesis	51-17-2	GB	25 gm	297	29339900	18%
,3-Benzodiazole; BZI)		GB	100 gm	792		
_. H ₄ .N:CH.NH M.W.: 118.13						
azolethiol See 2-Mercapto Benzothiozole AR						
avone See α-Naphthoflavone						
·	65-85-0	PB	500 gm	540	29163110	18%
		РВ	_			
			-			
			ŭ			
	65-85-0	PB	500 am	801	29163110	18%
	30 00 0		-			. 5 / 0
		10	o ng	U-701		
	enzene 99.8% for HPLC & Spectroscopy enzol; Phenyl hydride) H ₆ M.W.: 78.11 enzene 99.7% Scintillation Grade enzol; Phenyl hydride) H ₆ M.W.: 78.11 enzene Specially Dried 99.7% AR enzol; Phenyl hydride) H ₆ M.W.: 78.11 eronic Acid See Phenyl Boronic Acid erbaldehyde See Benzaldehyde er Diol See Hydroquinone enthaneamine See Benzylamine enzene Sulphonic Acid 99% for Synthesis H ₆ O ₃ S M.W.: 158.18 enzene Sulphonyl Chloride 99% H ₅ ClO ₂ S M.W.: 176.62 enetriol See Pyrogallol eum Chloride See Hyamine 1622 eum Chloride Solution 0.004M See Hyamine 1622 Solution 0.0 enzil 98% for Synthesis ebenzoyl; Diphenylethanedione) H ₅ CO.CO.C ₆ H ₅ M.W.: 210.23 enzimidazole 98% for Synthesis 3-Benzodiazole; BZI) H ₄ .N.CH.NH M.W.: 118.13 ezolethiol See 2-Mercapto Benzothiozole AR	anzol: Phenyl hydride) H ₅ M.W.: 78.11 Inzene 99.7% Scintillation Grade 71-43-2 anzol: Phenyl hydride) H ₆ M.W.: 78.11 Inzene Specially Dried 99.7% AR 71-43-2 anzol: Phenyl hydride) H ₆ M.W.: 78.11 Inzene Specially Dried 99.7% AR 71-43-2 anzol: Phenyl hydride) H ₆ M.W.: 78.11 Inzenic Acid See Phenyl Boronic Acid rbaldehyde See Benzaldehyde Inzene Sulphonic Acid 99% for Synthesis Inzene Sulphonic Acid 99% for Synthesis Inzene Sulphonyl Chloride 99% H ₆ Clo ₂ S M.W.: 158.18 Inzene Sulphonyl Chloride 99% Interiol See Pyrogallol Interiol See Pyrogallol Interiol See Hyamine 1622 Interiol See Hyamine 1623 Interiol See Anzel See Interiol See Hyamine 1622 Solution 0.004 M Interiol See Anzel See Interiol See Interiol See Interiol See Hyamine 1622 Solution 0.004 M Interiol See In	enzene 99.8% for HPLC & Spectroscopy 71.43-2 GB 80.00 Phenyl hydride) High M.W.: 78.11 80.00 Phenyl Boronic Acid 80	Secretary 1988 1 1 1 1 1 1 1 1 1	### Process of the Company of the Co	### Proof of the Company of the Comp

	RESEARCH & LABORA	STRY BEY			Control or		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Benzoic	Acid Ethyl Ester See Ethyl Benzoate						
030471	Benzoin 98% for Synthesis	119-53-9	PB	100 gm	423	29144000	18%
	(a-Hydroxy-a-phenylacetophenone, a-Hydroxybenzy		РВ	250 gm	747		
	phenyl ketone, 2-Hydroxy-2-phenylacetophenone)						
	C ₆ H ₅ CH(OH)COC ₆ H ₅ M.W.: 212.25						
012340 *	α-Benzoin Oxime 98.5% AR	441-38-3	GB	25 gm	513	29280090	18%
	(Cupron; alpha-Benzoin oxime)		GB	100 gm	1557		
	C ₆ H ₅ CH(OH).C.(NOH)C ₆ H ₅ M.W.: 227.26						
SOL037	α-Benzoin Oxime Solution		GB	100 ml	405	38220090	12%
	(Reagent for Cu,Mo,W)						
027223	Benzonitrile 99% for Synthesis	100-47-0	GB	500 ml	2520	29269000	18%
	(Phenyl cyanide)						
	C ₇ H ₅ N M.W.: 103.12						
030473	Benzophenone 99% Purified	119-61-9	PB	500 gm	720	29143930	18%
	(Diphenyl ketone)			-			
	C ₆ H ₅ .CO.C ₆ H ₅ M.W. : 182.22						
1H-Benz	othiazolethiol See 2-Mercapto Benzothiazole						
	otriazole See 1,2,3-Benzotriazole						
	azole See 1,2,3-Benzotriazole						
030476	1,2,3, Benzotriazole 99% for Synthesis	95-14-7	PB	100 gm	441	29339900	18%
	(1H-benzotriazole; benzotriazole)		PB	1 kg			
	C ₆ H ₅ N ₃ M.W.: 119.13		PD	10 kg			
025873	Benzotrichloride 99% for Synthesis	98-07-7	GB	500 ml		29036930	18%
020010	(tri-Chloromethyl benzene; a,a,a-Trichlorotoluene)	00 01 1	02	000 1111		2000000	1070
	C ₇ H ₅ Cl ₃ M.W.: 195.48						
027222	Benzoyl Chloride 99% for Synthesis	98-88-4	GB	500 ml	810	29163200	18%
021222	(Benzoic acid chloride; Benzenecarbonyl chloride; alpha-Chloroenzaldehyde)	30-00-4	GB	2.5 L		29103200	10 /0
	C ₆ H ₅ COCI M.W.: 140.57		PR	2.5 Lit			
020490 *		94-36-0	PB	500 gm		29163200	18%
030489 *	(with 25% Water)	94-30-0		ŭ		29103200	10%
			PD	25 kg	POR		
	(Dibenzoyl peroxide)						
007005	(C ₆ H ₅ .CO) ₂ O ₂ M.W.: 242.23	440.44.4	0.0	5001	504	00452040	400/
027225	Benzyl Acetate 99% for Synthesis	140-11-4	GB	500 ml	561	29153910	18%
	(Acetic acid benzyl ester)						
	CH ₃ COOCH ₂ C ₆ H ₅ M.W.: 150.17	1011.00 =				2222	400/
030491	N,6-Benzyl Adenine 99%	1214-39-7	GB	1 gm		29335990	18%
	(6-benzyl aminopurine)		GB	5 gm			
	C ₁₂ H ₁₁ N ₅ M.W.: 225.26		GB	25 gm			
			GB	500 gm			
027235	Benzyl Alcohol 99% for Synthesis	100-51-6	GB	500 ml		29062100	18%
	(Benzenemethanol)		GB	2.5 L	2991		

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS									
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX			
	C ₆ H ₅ CH ₂ OH M.W.: 108.14		PR	25 Lit	POR					
010070	Benzyl Alcohol 99% AR/ACS	100-51-6	GB	250 ml	522	29062100	18%			
	(Benzenemethanol)		GB	500 ml	936					
	C ₆ H ₅ CH ₂ OH M.W.: 108.14		GB	2.5 L	3690					
027230	Benzylamine 99% for Synthesis	100-46-9	GB	500 ml	1098	29214190	18%			
	(Benzene methaneamine; amino toluene)		GB	2.5 L	5094					
	C ₇ H ₉ N M.W. : 107.16									
6-Benzyl	Aminopurine See N,6 - Benzyl Adenine									
Benzyl B	Benzene See Diphenyl Methane									
027240	Benzyl Benzoate 98%	120-51-4	GB	500 ml	837	29163120	18%			
	(Benzoic acid benzyl ester)		GB	2.5 L	3790					
	C ₁₄ H ₁₂ O ₂ M.W.: 212.25									
027241	Benzyl Bromide 98% for Synthesis	100-39-0	GB	250 ml	1890	29039990	18%			
	(α-Bromo toluene)		GB	500 ml	3420					
	C ₇ H ₇ Br M.W. : 171.04									
027242	Benzyl Chloride 99% for Synthesis	100-44-7	GB	500 ml	540	29039940	18%			
	(α-Chloro toluene; Benzenecarbonyl chloride; Benzoic acid chloride)		GB	2.5 L	2043					
	C ₇ H ₇ CI M.W.: 126.59									
027246	Benzyl Cyanide 98% for Synthesis	140-29-4	GB	500 ml	1090	29269000	18%			
	(Phenyl acetonitrile; α-Tolunitrile)		GB	2.5 L	4689					
	C ₆ H ₅ CH ₂ CN M.W.: 117.15									
012346	S-Benzyl Thiuronium Chloride 98% AR	538-28-3	GB	25 gm	291	29309070	18%			
	(S-Benzylisothiourea hydrochloride)		GB	100 gm	1071					
	Regeant for Cobalt and Nickel		GB	500 gm	4275					
	C ₈ H ₁₀ N ₂ S.HCl M.W. : 202.70			· ·						
030493	Benzyl Tributyl Ammonium Chloride 98% for Synthesis	23616-79-7	GB	100 gm	603	29239000	18%			
	(Benzyltri-n-butylammonium chloride; BTBAC)		GB	500 gm	2440					
	C ₁₉ H ₃₄ N.Cl M.W.: 311.94			· ·						
030495	Benzyl Triethyl Ammonium Chloride 98%	56-37-1	PB	100 gm	252	29239000	18%			
	(N,N,N'-Triethylbenzenemethanaminium chloride, BTEAC)		РВ	500 gm	693					
	C ₁₃ H ₂₂ CIN M.W.: 227.78		PD	25 kg	POR					
030496	Benzyl Trimethyl Ammonium Chloride 98%	56-93-9	PB	500 gm		29239000	18%			
	(Trimethylbenzylammonium chloride; BTMAC)			· ·						
	C ₁₀ H ₁₆ NCI M.W.: 185.70									
STA030	Berberine Hydrochloride 95% (C.I. 75160)	633-65-8	GB	10 gm	3600	29399900	18%			
	(Berberine chloride form; Natural yellow 18)			. J						
	C ₂₀ H ₁₈ NO ₄ .Cl M.W.: 371.82									
030500	Berberine Sulphate 99%	6190-33-6	GB	1 gm	9900	29399900	18%			
	C ₄₀ H ₃₆ N ₂ O ₁₂ S M.W. : 768.79	2.22.23		. g	,•		•			
ICP014	Beryllium ICP Standard Solution		PE	50 ml	4500	38220090	12%			
	1000 ppm TRISTAR Single Element in HNO3		PE	100 ml	7200		,0			

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE HSN Butylated Hydroxy Anisole

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
BHA See	Butylated Hydroxy Anisole						
BHT See	Butylated Hydroxy Toluene						
Biacetyl	See Diacetyl						
REA034	Bial's Reagent		GB	125 ml	162	38220090	12%
STS023	Bicarbonate Indicator Solution		РВ	125 ml	297	38220090	12%
BF0041	BICINE Buffer 99%	150-25-4	GB	25 gm	693	29225090	18%
	[N,N-bis(2-hydroxyethyl) glycine]		GB	100 gm	1998		
	C ₆ H ₁₃ NO ₄ M.W.: 163.18						
STA031	Biebrich Scarlet (W.S.) Abt 50% (C.I. 26905)	4196-99-0	GB	25 gm	990	32041213	18%
	(Acid Red 66)		GB	100 gm	3294		
	C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ M.W.: 556.48						
STS025	Biebrich Scarlet Acetic Solution		GB	100 ml	549	38220090	12%
	(for connective tissue plasma stain)						
030497	Bile Salt 65% for Bacteriology		GB	100 gm	1710	38220090	12%
	(Bile acids sodium salt; Cholic acid-Deoxycholic acid)		GB	500 gm	7659		
012348 *	Bilirubin 96% AR	635-65-4	GB	100 mgm	1395	29339900	18%
	(Hematoidin, Haematoidin)		GB	1 gm	12195		
	$C_{33}H_{36}N_4O_6$ M.W.: 584.67						
Bilirubin	Determination Reagent A See Diazo Reagent A						
Bilirubin	Determination Reagent B See Diazo Reagent B						
030502 *	D-Biotin 99% for Biochemistry	58-85-5	GB	100 mgm	108	29362950	18%
	(Vitamin-H; Vitamin B7)		GB	1 gm	846		
	$C_{10}H_{16}N_2O_3S$ M.W.: 244.31		GB	10 gm	7992		
030505	Biphenyl 99% for Synthesis	92-52-4	РВ	100 gm	297	29029090	18%
	(Diphenyl; phenylbenzene; 1,1'-biphenyl; 1,1'-dipheny)		РВ	1 kg	2394		
	(C ₆ H ₅) ₂ M.W.: 154.21						
012349	2,2-Bipyridyl 99.5% AR	366-18-7	GB	5 gm	673	29333990	18%
	(α,α-bipyridyl; 2,2'-Bipyridine, 2,2'-Dipyridine, 2,2'-Dipyridyl)		GB	25 gm	2745		
	(C ₅ H ₄ N) ₂ M.W.: 156.19						
REA039	Bipyridyl Reagent		GB	100 ml	603	38220090	12%
	(Reagent for Molybdenum)						
012350	2,2'-Biquinoline 99% AR	119-91-5	GB	1 gm	1296	29334900	18%
	(2,2'-Diquinolyl; 2,2'-Biquinolyl)		GB	5 gm	5994		
	C ₁₈ H ₁₂ N ₂ M.W.: 256.31						
030507	N-N,Bis-(2-Chloro Ethylamine Hydrochloride)	821-48-7	GB	100 gm	666	29225090	18%
	98% for Synthesis		GB	500 gm	2196		
	C ₄ H ₉ Cl ₂ N.HCl M.W.: 178.49						

N,N-BIS (2-Bis) (Carboxylmethyl) Amino (Ethyl) Glycine See Diethylene Triamine Penta Acetic Acid

N,N-Bis (2-hydroxyethyl) Glycine See BICINE Buffer

CODE

4,4'-Bis (Dimethylamino) Benzophenonimide Hydrochloride) See Auramine

1,2-Bis (Dimethylamino) Ethane See N,N,N',N'-Tetramethyl Ethylenediamine

	RESEARCH & LAB	ORATORY	CHE	EMIC	AL	S	
		CHEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Bis(2-eth	ylhexyl) Phthalate See Dioctyl Phthalate						
2-Bis(2-H	lydroxyethyl) Amine See Diethanolamine						
STA035	Bismark Brown R 40% for Microscopy (C.I. 21010)	5421-66-9	GB	25 gm	223	32041392	18%
	(Basic brown 4; vesuvine)		GB	100 gm	576		
	C ₂₁ H ₂₆ Cl ₂ N ₈ M.W. : 461.40		РВ	1 kg	4491		
STA036	Bismark Brown Y 50% for Microscopy (C.I. 21000)	10114-58-6	GB	25 gm	198	32041392	18%
	(Basic brown 1; Basic Brown G; Vesuvine)		GB	100 gm	531		
	C ₁₈ H ₂₀ Cl ₂ N ₈ M.W. : 419.32		РВ	1 kg	3996		
AAS012	Bismuth AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP015	Bismuth ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7920		
SS0350	Bismuth 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
030510	Bismuth Metal Granulated 99%	7440-69-9	РВ	100 gm	1233	81060010	18%
	Bi At. W.: 208.98		РВ	500 gm	5769		
025839	Bismuth Metal Lump 99.5%	7440-69-9	PB	100 gm	1233	81060010	18%
	Bi At. W. : 208.98			ŭ			
012357	Bismuth Metal Powder 99.9% AR	7440-69-9	PB	100 gm	1926	81060010	18%
	Bi At. W.: 208.98			_			
012360	Bismuth Ammonium Citrate 43-46% AR	31886-41-6	PB	100 gm	3294	29181590	18%
	(Ammonium Bismuth Citrate; Citric acid ammonium bismuth salt)			_			
	C ₂₄ H ₂₀ Bi ₄ O ₂₈ 6NH ₃ .10H ₂ O M.W. : 1874.70						
Bismuth	Carbonate (Basic) See Bismuth OxyCarbonate						
	Chloride See Bismuth Trichloride						
Bismuth	Chloride Oxide See Bismuth Oxychloride						
030511	Bismuth Citrate 98%	813-93-4	PB	100 gm	2070	29181590	18%
	(Bismuth (III) citrate)		PB	500 gm			
	BiC ₆ H ₅ O ₇ M.W.: 398.08			_			
Bismuth	Nitrate Basic See Bismuth Subnitrate						
030512	Bismuth Nitrate Pentahydrate 98%	10035-06-0	GB	100 gm	2907	28342990	18%
	(Bismuth (III) nitrate; Bismuth trinitrate pentahydrate)		GB	500 gm			
	Bi(NO ₃) ₃ .5H ₂ O M.W. : 485.07			ŭ			
012361	Bismuth Nitrate Pentahydrate 98% AR	10035-06-0	GB	100 gm	3204	28342990	18%
	(Bismuth (III) nitrate; Bismuth trinitrate pentahydrate)		GB	500 gm			
	Bi(NO ₃) ₃ .5H ₂ O M.W. : 485.07						
030513	Bismuth Oxide 99%	1304-76-3	GB	100 gm	3312	28259090	18%
	(Bismuth (III) Oxide; Dibismuth trioxide)		GB	500 gm			
	Bi ₂ O ₃ M.W.: 465.96			g	*		
030514	Bismuth Oxycarbonate 80%	5892-10-4	РВ	100 gm	3861	28369990	18%
300017	=	0002 10-4		100 9111	2201		10/0

	RESEARCH & LABORA	ATORY MISTRY BEY			and the second second	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(BiO) ₂ CO ₃ M.W.: 510.01						
030515	Bismuth Oxychloride 79%	7787-59-9	PB	100 gm	3240	28274900	18%
	(Bismuth (III) Oxychloride; Bismuth(III) chloride oxide;		РВ	500 gm			
	Bismuthyl(III) chloride; Chlorobismuth oxide)			ŭ			
	BiClO M.W.: 260.43						
Bismuth	Oxynitrate See Bismuth Subnitrate						
030516	Bismuth Phosphate 98%	10049-01-1	РВ	100 gm	3708	28352990	18%
	(Bismuth (III) phosphate)		РВ	500 gm	10980		
	BiPO ₄ M.W.: 303.95			-			
Bismuth	Subcarbonate See Bismuth Oxycarbonate						
030517	Bismuth Subnitrate 79%	10361-46-3	GB	100 gm	2997	28342990	18%
	(Bismuth oxynitrate)		GB	500 gm			
	BiNO ₄ M.W.: 286.98			-			
012362	Bismuth Subnitrate 71% AR	10361-46-3	GB	100 gm	3492	28342990	18%
	(Bismuth oxynitrate)		GB	500 gm	13995		
	BiNO ₄ M.W.: 286.98			· ·			
030518	Bismuth Sulphate 90%	7787-68-0	GB	100 gm	3196	28332990	18%
	(Bismuth trisulfate; Dibismuth trisulfate)		GB	250 gm	7992		
	Bi ₂ (SO ₄) ₃ M.W. : 706.18		GB	500 gm			
030519	Bismuth Trichloride 92%	7787-60-2	GB	100 gm		28273990	18%
	(Bismuth (III) Chloride; Trichlorobismuth)		GB	500 gm	27990		
	BiCl ₃ M.W.: 315.34						
030526	Bisphenol A 97%	80-05-7	РВ	500 gm	765	29071190	18%
	(2,2-Di(4-hydroxy phenyl) propane; 2,2-Bis(4-hydroxyphenyl) propane;						
	4,4'-Isopropylidenediphenol)						
	C ₁₅ H ₁₆ O ₂ M.W.: 228.29						
1,4-Bis (5-Phenyl Oxazol -2-yl) Benzene See POPOP						
012370	Biuret 96% AR	108-19-0	GB	25 gm	1197	29141990	18%
	(Allophanic acid amide, Carbamoylurea)		GB	100 gm	4194		
	C ₂ H ₅ N ₃ O ₂ M.W.: 103.08						
REA037	Biuret Reagent		РВ	125 ml	270	38220090	12%
	for Analysis of Protein in serum or plasma						
030530	Bleaching Powder	7778-54-3	GB	500 gm	297	28281010	18%
	(Calcium hypochlorite)						
	About 33% Chlorine available						
	Ca(CIO) ₂ M.W.: 142.98						
012373	Blue Tetrazolium 95% for Microscopy AR	1871-22-3	GB	1 gm	1791	29339900	18%
	(Blue tetrazolium chloride)		GB	5 gm			
	C ₄₀ H ₃₂ N ₈ O ₂ Cl ₂ M.W. : 727.66			J			
US0300	Blue Tetrazolium TS		GB	25 ml	2500	38220090	12%
030532	Borax Decahydrate 99%	1303-96-4	PB	500 gm		28401900	18%

	RESEARCH & LABO	RATORY	CHE	MIC	AL	S	
		HEMISTRY BEY			Contract to the contract of th		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(di-Sodium tetraborate decahydrate)		РВ	5 kg	2691		
	Na ₂ B ₄ O ₇ .10H ₂ O M.W.: 381.36		PD	50 kg	POR		
12375	Borax Decahydrate 99.5% AR/ACS	1303-96-4	РВ	500 gm	572	28401900	18%
	(di-Sodium tetraborate decahydrate)		PB	5 kg	4590		
	Na ₂ B ₄ O ₇ .10H ₂ O M.W.: 381.36						
STS026	Borax Carmine Alcoholic Solution		GB	125 ml	248	38220090	12%
STS027	Borax Carmine Aqueous Solution		GB	125 ml	219	38220090	12%
30533	Boric Acid Crystals 99.5%	10043-35-3	РВ	500 gm	603	28100020	18%
	(Boron trihydroxide; Orthoboric acid)		РВ	5 kg	5175		
	H ₃ BO ₃ M.W.: 61.83		PD	50 kg	POR		
30534	Boric Acid Powder 99.5%	10043-35-3	РВ	500 gm	693	28100020	18%
	(Orthoboric Acid)		РВ	1 kg	1215		
	H₃BO₃ M.W.: 61.83		РВ	5 kg	4995		
12376	Boric Acid Crystals 99.5% AR	10043-35-3	PB	500 gm	855	28100020	18%
	(Boron trihydroxide; Orthoboric acid)		РВ	5 kg	6021		
	H ₃ BO ₃ M.W.: 61.83						
12378	Boric Acid Powder 99.5% AR	10043-35-3	РВ	500 gm	774	28100020	18%
	(Orthoboric Acid)		РВ	5 kg	5490		
	H ₃ BO ₃ M.W.: 61.83						
/IB0031	Boric Acid 99.5% for Molecular Biology	10043-35-3	GB	250 gm	900	28100020	18%
	(Orthoboric Acid)		GB	500 gm	1620		
	H ₃ BO ₃ M.W.: 61.83						
SOL029	Boric Acid Saturated Solution		РВ	500 ml	270	38220090	12%
SOL041	Boric Acid 4% Solution (Aqueous)		РВ	100 ml	180	38220090	12%
Boric An	hydride See di-Boron Trioxide						
AS013	Boron AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in H ₂ O		PE	250 ml	2250		
			GB	500 ml	3780		
CP019	Boron ICP Standard Solution		PE	100 ml	7020	38220090	12%
	1000 ppm TRISTAR Single Element in H2O		GB	500 ml	10890		
30535	Boron Carbide 98%	12069-32-8	GB	25 gm	1494	28499010	18%
	(Carbon tetraboride)		GB	100 gm	4410		
	CB ₄ M.W.: 55.26						
30535	Boron Nitride 98%	10043-11-5	GB	50 gm	4491	28500020	18%
	BN M.W.: 24.82		GB	500 gm	39492		
30536	Boron Tribromide	10294-33-4	GB	100 gm	8190	28129000	18%
	(Tribromoboron)						
	•						

Boron Tribromide Solution 1M

(Boron trifluoride ethyl ether complex)

027250 • Boron Trifluoride Etherate 48-50%

Bbr₃ M.W.: 250.52

VMS079

100 ml

250 ml

500 ml

5193 38220090

1296 29420090

2295

12%

18%

GB

GB

GB

109-63-7

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
0052	BF ₃ C ₄ H ₁₀ O M.W.: 141.93	CAO NO	GB	2.5 L	10494	11011	17.0
030536	di-Boron Trioxide Anhydrous 97%	1303-86-2	GB	250 gm		28100010	18%
	(Boron trioxide; boric anhydride; Boric oxide)		GB	500 gm	4698		
	B ₂ O ₃ M.W.: 69.62			· ·			
12380	di-Boron Trioxide Anhydrous 98% AR	1303-86-2	GB	250 gm	7497	28100010	18%
	(Boron trioxide; boric anhydride; Boric oxide)		РВ	1 kg	19989		
	for dissolution of Silicates & Fluorides			_			
	B ₂ O ₃ M.W.: 69.62						
REA040	Borsche's Reagent		РВ	125 ml	153	38220090	12%
	For detection of Ketones						
DS225	Bouin's Fluid		GB	100 ml	153	38220090	12%
	(Bouin's Picro Formal Fixing Solution)		GB	500 ml	594		
Bouin's F	Picro Formal Fixing Solution See Bouin's Fluid						
30540 *	Bovine Albumin Fraction V 97%	9048-46-8	GB	5 gm	1089	35029000	18%
			GB	10 gm	1791		
			GB	100 gm	14990		
30541 *	Bovine Albumin Protease Free 98%	9048-46-8	GB	5 gm	1089	35029000	18%
			GB	10 gm	1791		
			GB	100 gm	14940		
REA043	Brady's Reagent		GB	125 ml	207	38220090	12%
30601	Brij 35 Solid	9002-92-0	РВ	500 gm	1490	34021300	18%
	(Polyoxyethylene lauryl ether)						
OL035	Brij 35 (30% Solution)	9002-92-0	GB	500 ml	1098	34021300	18%
TA038	Brilliant Blue G-250 for Electrophoresis (C.I. 42655)	6104-58-1	GB	5 gm	675	32041252	18%
	(Coomassie Brilliant Blue G 250)		GB	25 gm	2493		
	$C_{47}H_{48}N_3O_7S_2Na\ M.W.:854.03$						
STS028	Brilliant Blue G-250 Solution		GB	125 ml	900	38220090	12%
	(Staining Protein in Polyacrylamide & agarose gels for Electrophoresis)						
STA037	Brilliant Blue R-250 for Electrophoresis (C.I. 42660)	6104-59-2	GB	5 gm	585	32041252	18%
	(Coomassie Brilliant Blue R 250)		GB	25 gm	2205		
	C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ M.W.: 825.99						
TS029	Brilliant Blue R-250 Solution		GB	125 ml	810	38220090	12%
	(Staining Protein in Polyacrylamide & agarose gels for Electrophoresis)						
TA039	Brilliant Cresyl Blue Indicator 45% (C.I. 51010)	81029-05-2	GB	5 gm	873	32041359	18%
	(Brilliant Blue C)		GB	25 gm	3330		
	$C_{17}H_{20}$ CIN ₃ O. ½ZnCl ₂ M.W. : 386.0						
TS030	Brilliant Cresyl Blue Alcoholic Solution		РВ	125 ml	360	38220090	12%
							400/
TS031	Brilliant Cresyl Blue Aqueous Solution		GB	125 ml	162	38220090	12%
STS031 STA042	Brilliant Cresyl Blue Aqueous Solution Brilliant Green Indicator 95% for Microscopy (C.I. 42040)	633-03-4	GB GB	125 ml 25 gm		38220090	12%

Emerald Green, Ethyl Green, Malachite Green G, Solid Green JO)

1 kg

6490


РΒ

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₂₇ H ₃₄ N ₂ O ₄ S M.W.: 482.65						
STS930	Brilliant Green Solution		РВ	125 ml	117	38220090	12%
	(Stain for Plant Cytoplasm, & pH indicator)						
STA045	Brilliant Yellow Indicator 70% (C.I. 24890)	3051-11-4	GB	25 gm	385	29270090	18%
	(Direct Yellow 4)						
	pH range 6.4-9.4						
	$C_{26}H_{18}N_4Na_2O_8S_2$ M.W.: 624.56						
PH0007	Brilliant Yellow Paper (10 bks)		РВ	200 lvs	378	38220090	12%
SOL040	Bristol's Solution		GB	125 ml	252	38220090	12%
	(Culture of Algae)						
SS0375	Bromate 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
SS0400	Bromide 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
US0326	Bromate Bromide 0.1N TS Solution		РВ	500 ml	405	38220090	12%
VMS072	Bromide Bromate 0.05M (0.1N) Solution		РВ	500 ml	369	38220090	12%
VMS071	Bromide Bromate 0.025M (0.05N) Solution		РВ	500 ml	360	38220090	12%
SOL043	Brominated Hydrochloric Acid Solution		GB	125 ml	306	38220090	12%
027270	Bromine Water		GB	500 ml	504	38220090	12%
AMP079	Bromine 99%	7726-95-6	AMP	5 x 20 ml	2430	28013020	18%
	Br ₂ M.W.: 159.82						
027271	Bromine 99% for Synthesis	7726-95-6	GB	250 ml	2602	28013020	18%
	Br ₂ M.W.: 159.82						
AMP080	Bromine 99.5% AR	7726-95-6	AMP	5 x 20 ml	1800	28013020	18%
	Br ₂ M.W.: 159.82						
010080	Bromine 99.5% AR	7726-95-6	GB	250 ml	2970	28013020	18%
	Br ₂ M.W.: 159.82						
VMS075	Bromine (0.1 N) Solution		GB	500 ml	450	38220090	12%
US0330	Bromine Sodium Acetate TS		GB	125 ml	360	38220090	12%
030607	p-Bromo Acetanilide 98% for Synthesis	103-88-8	GB	25 gm	603	29242990	18%
	(4-bromoacetanilide; N-acetyl-4-bromoaniline)		GB	100 gm	1440		
	C ₈ H ₈ BrNO M.W.: 214.07		GB	500 gm	6291		
030609	Bromo Acetic Acid 98% for Synthesis	79-08-3	GB	100 gm	801	29159090	18%
	(Bromoethanoic acid; a-Bromoacetic acid; Monobromoacetic acid;		GB	500 gm	3402		
	Carboxymethyl bromide)						
	C ₂ H ₃ BrO ₂ M.W. : 138.95						
030610	p-Bromo Acetophenone 98% for Synthesis	99-90-1	GB	25 gm	540	29147090	18%
	(4-Bromo acetophenone;1-acetyl-4-bromobenzene)		GB	100 gm	1494		
	C ₈ H ₇ BrO M.W.: 199.05						
030611	1-Bromo Adamantane 97% for Synthesis	768-90-1	GB	25 gm	2970	29039990	18%
	C ₁₀ H ₁₅ Br M.W.: 215.14		GB	100 gm	8550		
030613	o-Bromo Aniline 97% for Synthesis	615-36-1	GB	25 gm	2502	29214190	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(2-Bromoaniline)		GB	100 gm	8505		
	C ₆ H ₆ BrN M.W.: 172.02			3			
030615	p-Bromo Aniline 98% for Synthesis	106-40-1	GB	25 gm	603	29214190	18%
	(4-Bromoaniline)		GB	100 gm	1593		
	C ₆ H ₆ BrN M.W.: 172.02		GB	500 gm	5790		
030616	p-Bromo Anisole 98% for Synthesis	104-92-7	GB	100 ml	1593	29093019	18%
	(4-Bromoanisole; 1-bromo-4-methoxy benzene)		GB	500 ml	6490		
	C ₇ H ₇ BrO M.W. : 187.04						
030618	o-Bromo Benzaldehyde 98% for Synthesis	6630-33-7	GB	25 gm	2507	29130090	18%
	(2-Bromobenzaldehyde)		GB	100 gm	7020		
	C ₇ H ₅ BrO M.W. : 185.03						
030619	p-Bromo Benzaldehyde 99% for Synthesis	1122-91-4	GB	25 gm	1710	29130090	18%
	(4-Bromobenzaldehyde)		GB	100 gm	6291		
	C ₇ H ₅ BrO M.W. : 185.02			-			
027290	Bromo Benzene 98% for Synthesis	108-86-1	GB	250 ml	1290	29039990	18%
	(Phenyl bromide)		GB	500 ml	2390		
	C ₆ H ₅ Br M.W. : 157.01						
010084	Bromo Benzene 99% AR	108-86-1	GB	250 ml	1494	29039990	18%
	(Phenyl bromide)						
	C ₆ H ₅ Br M.W.: 157.01						
030621	o-Bromo Benzoic Acid 98% for Synthesis	88-65-3	GB	100 gm	1143	29163990	18%
	C ₇ H ₅ BrO ₂ M.W.: 201.02		GB	500 gm	4491		
030622	m-Bromo Benzoic Acid 98% for Synthesis	585-76-2	GB	5 gm	720	29163990	18%
	(3-Bromo benzoic acid)		GB	25 gm	2808		
	C ₇ H ₅ BrO ₂ M.W.: 201.02		GB	100 gm	8505		
030623	p-Bromo Benzoic Acid 98% for Synthesis	586-76-5	GB	10 gm	277	29163990	18%
	(4-Bromo benzoic acid; p-Bromobenzene carboxylic acid)		GB	50 gm	1197		
	C ₇ H ₅ BrO ₂ M.W.: 201.02						
030624	m-Bromo Benzonitrile 98% for Synthesis	6952-59-6	GB	25 gm	2178	29269000	18%
	(3-Bromo benzonitrile)		GB	100 gm	6741		
	C ₇ H ₄ BrN M.W. : 182.03						
030625	p-Bromo Benzonitrile 98% for Synthesis	623-00-7	GB	25 gm	1548	29269000	18%
	(4-Bromo benzonitrile)		GB	100 gm	5310		
	C ₇ H ₄ BrN M.W.: 182.03						
1-Bromo	Butane See n-Butyl Bromide						
STA048	Bromo Cresol Green Indicator AR	76-60-8	GB	5 gm	891	32049000	18%
	(pH range 3.8-5.4)		GB	25 gm	3798		
	$C_{21}H_{14}Br_4O_5S$ M.W.: 698.02						
US0360	Bromo Cresol Green Methyl Red TS		РВ	125 ml	162	38220090	12%
STS033	Bromo Cresol Green Solution		РВ	125 ml	126	38220090	12%
US0358	Bromo Cresol Green TS		РВ	125 ml	153	38220090	12%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX STA049 **Bromo Cresol Green Sodium Salt AR** 62625-32-5 GB 801 29089990 18% 5 gm (3',3,5',5-Tetrabromo-m-cresolsulfonphthalein sodium salt) GR 25 gm 3240 $C_{21}H_{13}Br_4NaO_5S$ M.W.: 720.02 STS034 **Bromo Cresol Green Sodium Salt 0.04% Solution** PΒ 125 ml **189** 38220090 12% **Bromo Cresol Purple Indicator AR** GB STA051 115-40-2 5 gm **351** 29349900 18% GB (pH range 5.2-6.8) 25 gm 1242 (5,5'-Dibromo-o-cresolsulphonphthalein) $C_{21}H_{16}O_5Br_2S$ M.W.: 540.24 PΒ 125 ml **117** 38220090 12% **Bromo Ethane 99% for Synthesis** 74-96-4 GB 29033920 18% 250 ml 1197 (Ethyl bromide) GB 500 ml 1998 C₂H₅Br M.W.: 108.97 **Bromoform 99% Special Grade** 75-25-2 GB 250 ml 6498 29039990 18% (Tribromomethane) CHBr₃ M.W.: 252.73 17357-14-1 GR 100 mgm **2439** 29339900 18% C₁₀H₈BrNO₂ M.W.: 254.09 1-Bromo Naphthalene 95% Pract. 90-11-9 GB 100 ml **1791** 29039990 18% (a-Bromonaphthalene; a-Naphthyl bromide; 1-Naphthyl bromide) GB 250 ml 4491 C₁₀H₇Br M.W.: 207.07 GR 500 ml 7497 2-Bromo Naphthalene 97% for Synthesis 2070 29033990 580-13-2 GR 18% 5 gm C₁₀H₇Br M.W.: 207.07 GB 25 gm 7200 1-Bromo-4-Nitro Benzene 99% for Synthesis 586-78-7 GB 990 29042090 18% 10 gm C₆H₄BrNO₂ M.W.: 202.01 GB 100 gm 5400 p-Bromo Phenol 99% for Synthesis 106-41-2 GB **630** 29081900 18% 25 gm (4-Bromo phenol) GR 100 gm 1890 C₆H₅BrO M.W.: 173.02 GB 500 gm 7470 115-39-9 **297** 29349900 GB 5 gm 18% GB



	СНЕМ	STRI BET					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
STS038	Bromo Phenol Blue-Xylene Cyanol Dye Solution		GB	5 ml	5391	38220090	12%
930740	p-Bromo Phenyl Acetonitrile 98%	16532-79-9	GB	25 gm	2070	29269000	18%
	C ₈ H ₆ BrN M.W.: 196.04		GB	100 gm	7200		
1-Bromo	Propane See n-Propyl Bromide						
2-Bromo	Propane See Iso-Propyl Bromide						
STA054	Bromo Pyrogallol Red AR	16574-43-9	GB	1 gm	684	29349900	18%
Ì	(5',5"-Dibromopyrogallolsulfonephthalein)		GB	5 gm	2997		
	$C_{19}H_{10}Br_2O_8S$ M.W.: 558.15						
930773	5-Bromo Salicylaldehyde 98%	1761-61-1	GB	25 gm	1530	29124999	18%
	C ₇ H ₅ BrO ₂ M.W.: 201.02		GB	100 gm	3600		
030641 *	N-Bromo Succinimide 98% for Synthesis	128-08-5	GB	100 gm	414	29299090	18%
	(NBS)		GB	500 gm	1899		
	(CH ₂ .CO) ₂ NBr M.W.: 177.99						
STA055	Bromo Thymol Blue (pH Indicator) AR	76-59-5	GB	5 gm	396	29349900	18%
	(3',3-Dibromothymolsulfonphthalein)		GB	25 gm	1494		
	(pH range 5.8-7.6)						
	$C_{27}H_{28}Br_2O_5S$ M.W.: 624.40						
US0384	Bromo Thymol Blue TS		РВ	125 ml	279	38220090	12%
STA056	Bromo Thymol Blue Sodium Salt (W.S.)	34722-90-2	GB	10 gm	540	29147090	18%
	(3',3"-Dibromothymolsulfonephthalein sodium salt)						
	(pH range 6.0-7.6)						
	$C_{27}H_{27}Br_2NaO_5S$ M.W.: 646.37						
PH0011	Bromo Thymol Blue Paper (10 bks)		РВ	200 lvs	324	38220090	12%
	pH indicator						
STS039	Bromo Thymol Blue Solution		РВ	125 ml	207	38220090	12%
030643	p-Bromo Toluene 98% for Synthesis	106-38-7	GB	100 gm	1242	29033920	18%
	(4-Bromotoluene; 1-bromo-4-methyl benzene; 4-Bromo-1-methylbenzene;		GB	500 gm	4995		
	4-methylbromobenzene; p-Methylphenyl bromide; 4-Methyl-1-bromobenzene)						
	C ₇ H ₇ Br M.W.: 171.03						
012389	5-Bromo Uracil 97% AR	51-20-7	GB	1 gm	495	29335990	18%
	(5-Bromo-2,4-dihydroxypyrimidine)		GB	5 gm	1791		
	$C_4H_3BrN_2O_2$ M.W.: 190.99						
012390	Brucine 99% AR	357-57-3	GB	10 gm	990	29339900	18%
	(10,11-Dimethoxystrychnine)		GB	25 gm	2295		
	$C_{23}H_{26}N_2O_4$ M.W.: 394.47						
SOL045	Brucine Solution		PB	100 ml	648	38220090	12%
	(Reagent for nitrate & bismuth)						
012391	Brucine Sulphate Heptahydrate 99% AR	5787-00-8	GB	25 gm	1989	29339900	18%
	(Dimethoxy strychnin)			-			
	(C ₂₃ H ₂₆ N ₂ O ₄) ₂ H ₂ SO ₄ .7H ₂ O M.W.: 1013.12						
REA045	Brucke's Reagent		GB	100 ml	1200	38220090	12%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(for proteins)						
BF0070	Buffer Kit		KIT	Kit	1053	38220090	12%
	contains 10 cP of pH 4.0,7.0,9.0,10.0 ± 0.02 each						
BF0071	Buffer Powder pH 4.0		РВ	10 ср	405	38220090	12%
			РВ	50 ср	900		
			PB	100 ср	1503		
BF0073	Buffer Powder pH 6.4		РВ	10 ср	405	38220090	12%
BF0074	Buffer Powder pH 6.8		РВ	10 ср	405	38220090	12%
BF0072	Buffer Powder pH 7.0		РВ	10 ср		38220090	12%
			PB	50 cp			
			PB	100 ср			
BF0078	Buffer Powder pH 7.2		PB	10 cp			12%
BF0086	Buffer Powder pH 9.0		PB	10 cp		38220090	12%
BF0088	Buffer Powder pH 9.2		РВ	10 cp		38220090	12%
			PB	50 cp			
			РВ	100 ср			
BF0095	Buffer Powder pH 10.0		PB	10 ср		38220090	12%
BF0098	Buffer Solution pH 1.0		РВ	500 ml		38220090	12%
BF0100	Buffer Solution pH 2.0 (Citrate)		PB	500 ml		38220090	12%
BF0102	Buffer Solution pH 3.0 (Acetate)		РВ	500 ml		38220090	12%
BF0103	Buffer Solution pH 3.0 (Citrate)		PB	500 ml		38220090	12%
BF0111	Buffer Solution pH 4.0 (Phthalate)		PB	500 ml			12%
BF9113	Buffer Solution pH 4.0 (Citrisol)		AMP	3 amp		38220090	12%
DE0444	Portfor Colorfor and A.O. (Colores and all Port)		AMP	6 amp			400/
BF9114	т т т т т т т т т т т т т т т т т т т		PB	500 ml		38220090	12%
BF0104 BF0105	Buffer Solution pH 5.0 (Acetate) Buffer Solution pH 5.0 (Citrate)		PB PB	500 ml	297	38220090 38220090	12% 12%
BF0105	Buffer Solution pH 5.5 (Acetate)		РВ	500 ml		38220090	12%
BF0114	. , ,		PB	500 ml		38220090	12%
BF0108	Buffer Solution pH 6.0 (Acetate) Buffer Solution pH 6.0 (Citrate)		РВ	500 ml		38220090	12%
BF0108	Buffer Solution pH 6.4 (Saline Phosphate)		РВ	500 ml		38220090	12%
BF0116	Buffer Solution pH 6.8 (Phosphate)		PB	500 ml		38220090	12%
BF9117	Buffer Solution pH 6.85 (Phosphate)		PB	500 ml		38220090	12%
BF0112	Buffer Solution pH 7.0 (Phosphate)		PB	500 ml		38220090	12%
	Buffer Solution pH 7.0 (Citrisol)		AMP	3 amp		38220090	12%
2. 5110	Sanot Golddon pri 7.9 (Gidison)		AMP	6 amp			14/0
BF9115	Buffer Solution pH 7.0 (Colour coded -Yellow)		PB	500 ml		38220090	12%
BF0117	· · · · · · · · · · · · · · · · · · ·		PB	500 ml		38220090	12%
BF9118	Buffer Solution pH 7.5 (Phosphate)		PB	500 ml		38220090	12%
BF0118	Buffer Solution pH 7.6 (Citrol Phosphate)		PB	500 ml		38220090	12%

	RESEARCH & LABORA	TORY	CHE	МІС	AL	S	
		IISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
BF0119	Buffer Solution pH 8.0 (Borate)		РВ	500 ml	297	38220090	12%
BF0113	Buffer Solution pH 9.0 (Borate)		РВ	500 ml	297	38220090	12%
BF9215	Buffer Solution pH 9.0 (Citrisol)		AMP	3 amp	297	38220090	12%
			AMP	6 amp	342		
BF0122	Buffer Solution pH 9.2 (Borate)		РВ	500 ml	297	38220090	12%
BF0125	Buffer Solution pH 10.0		РВ	500 ml	297	38220090	12%
BF0126	Buffer Solution pH 10.0 (Colour coded -Blue)		РВ	500 ml	297	38220090	12%
BF0127	Buffer Solution pH 11.0		РВ	500 ml	297	38220090	12%
BF0128	Buffer Solution pH 12.0		РВ	500 ml	297	38220090	12%
2,3-Buta	nedione See Diacetyl						
2,3-Buta	nedione Dioxime See Dimethyl Glyoxime						
2,3-Buta	nedione Oxime See Diacetyl Monoxime						
012400	1-Butane Sulphonic Acid Sodium Salt Anhydrous 99% AR	2386-54-1	GB	5 gm	540	29041090	18%
	(Sodium-1-butane sulphonate Anhydrous)		GB	25 gm	1098		
	C ₄ H ₉ NaO ₃ S M.W.: 160.17						
1-Butano	ol See n-Butanol						
Butan-1-	ol See n-Butanol						
Butan-2-	ol See 2-Butanol						
Butan-2-	one See Ethyl Methyl Ketone						
027310	n-Butanol 98% for Synthesis	71-36-3	GB	500 ml	333	29051300	18%
	(1-butanol; n-butyl alcohol; Butan-1-ol)		GB	2.5 L	1305		
	(CH ₃).(CH ₂) ₃ OH M.W.: 74.12		PR	25 Lit	POR		
010090	n-Butanol 99.5% AR	71-36-3	GB	500 ml	396	29051300	18%
	(1-butanol; n-butyl alcohol; Butan-1-ol)		GB	2.5 L	1530		
	(CH ₃).(CH ₂) ₃ OH M.W.: 74.12						
GC0110	n-Butanol 99.5% GC grade	71-36-3	GB	250 ml	540	29051300	18%
	(1-butanol; n-butyl alcohol; Butan-1-ol)		GB	1 L	1530		
	(CH ₃).(CH ₂) ₃ OH M.W.: 74.12						
027320	2-Butanol 98% for Synthesis	78-92-2	GB	500 ml	504	29051490	18%
	(sec-butyl alcohol; butan-2-ol)		GB	2.5 L	2097		
	CH ₃ .CH ₂ .CH(OH).CH ₃ M.W.: 74.12		PR	25 Lit	POR		
010100	2-Butanol 99.5% AR	78-92-2	GB	500 ml	585	29051490	18%
	(sec-Butyl alcohol; butan-2-ol)		GB	2.5 L	2340		
	CH ₃ .CH ₂ .CH(OH).CH ₃ M.W.: 74.12						
027325	tert-Butanol 98% for Synthesis	75-65-0	GB	500 ml	405	29051490	18%
	(tert-Butyl alcohol; 2-methylpropan-2-ol)		GB	2.5 L	1602		
	(CH ₃) ₃ .COH M.W.: 74.12		PR	25 Lit	POR		
010110	tert-Butanol 99.5% AR	75-65-0	GB	500 ml		29051490	18%
	(tert-Butyl alcohol; 2-methylpropan-2-ol)		GB	2.5 L	2007		
	(CH ₃) ₃ .COH M.W.: 74.12						
HP0053	tert-Butanol 99.5% for HPLC & Spectroscopy	75-65-0	GB	1 L	2520	29051490	18%
J	and the same of th						

	RESEARCH & LABOR	IEMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(tert-Butyl alcohol; 2-methylpropan-2-ol)						
	(CH ₃) ₃ .COH M.W.: 74.12						
Butanon	ne See Ethyl Methyl Ketone						
2-Butoxy	y Ethanol See Ethylene Glycol Mono Butyl Ether						
027330	n-Butyl Acetate 98% for Synthesis	123-86-4	GB	500 ml	450	29153990	18%
	(Butyl acetate; n-Butyl ester of acetic acid; Butyl ethanoate)		GB	2.5 L	1800		
	C ₆ H ₁₂ O ₂ M.W.: 116.16		PR	25 Lit	POR		
010120	n-Butyl Acetate 99% AR	123-86-4	GB	500 ml	540	29153990	18%
	(Butyl acetate; n-Butyl ester of acetic acid; Butyl ethanoate)		GB	2.5 L	2160		
	C ₆ H ₁₂ O ₂ M.W.: 116.16						
027332	tert-Butyl Acetate 99% for Synthesis	540-88-5	GB	500 ml	1143	29153990	18%
	(TBAc; acetic acid tert-butyl ester; t-butyl acetate)		GB	2.5 L	4392		
	C ₆ H ₁₂ O ₂ M.W.: 116.16						
027335	Butyl Acrylate Monomer 99%	141-32-2	GB	500 ml	1089	29161210	18%
	(Acrylic acid butyl ester)		GB	2.5 L	4689		
	C ₇ H ₁₂ O ₂ M.W. : 128.17						
lso-Buty	/I Alcohol See Iso-Butanol						
n-Butyl A	Alcohol See n-Butanol						
sec-Buty	yl Alcohol See 2-Butanol						
tert-Buty	yl Alcohol See tert-Butanol						
Butyl Ca	arbitol See Diethylene Glycol Mono Butyl Ether						
Butyl Gl	ycol See Ethylene Glycol Mono Butyl Ether						
027337	n-Butylamine 98% for Synthesis	109-73-9	GB	500 ml	540	29211990	18%
	(1-Butanamine; 1-Aminobutane)		GB	0.51		23211330	, .
	C ₄ H ₁₁ N M.W.: 73.14			2.5 L	2205	29211990	.0,0
010125	D ()			2.5 L	2205	23211330	.0,0
	n-Butylamine 99% AR	109-73-9	GB	2.5 L 500 ml		29211990	18%
	(1-Butanamine; 1-Aminobutane)	109-73-9	GB				
		109-73-9	GB				
027340	(1-Butanamine; 1-Aminobutane)	109-73-9 75-64-9	GB GB		648		
027340	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14			500 ml	648 720	29211990	18%
027340	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis		GB	500 ml	648 720	29211990	18%
	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane)		GB	500 ml	720 2808	29211990	18%
	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14	75-64-9	GB GB	500 ml 500 ml 2.5 L	720 2808	29211990 29211990	18%
	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR	75-64-9	GB GB	500 ml 500 ml 2.5 L	720 2808	29211990 29211990	18%
010117	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane)	75-64-9	GB GB	500 ml 500 ml 2.5 L	720 2808 900	29211990 29211990 29211990	18%
010117	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14	75-64-9 75-64-9	GB GB	500 ml 500 ml 2.5 L	720 2808 900	29211990 29211990 29211990	18%
010117	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 Butylated Hydroxy Anisole (BHA) 98%	75-64-9 75-64-9	GB GB GB	500 ml 500 ml 2.5 L 500 ml	720 2808 900	29211990 29211990 29211990	18%
010117	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 Butylated Hydroxy Anisole (BHA) 98% (2-tert-butyl-4-methoxy phenol; B.H.A.)	75-64-9 75-64-9	GB GB GB	500 ml 500 ml 2.5 L 500 ml	720 2808 900	29211990 29211990 29211990	18%
010117	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 Butylated Hydroxy Anisole (BHA) 98% (2-tert-butyl-4-methoxy phenol; B.H.A.) meets analytical specifications of BP, Ph. Eur.	75-64-9 75-64-9	GB GB GB	500 ml 500 ml 2.5 L 500 ml	720 2808 900 954 3294	29211990 29211990 29211990	18%
027340 010117 030645	(1-Butanamine; 1-Aminobutane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 98% for Synthesis (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 tert-Butylamine 99.5% AR (2-amino-2-methyl propane) C ₄ H ₁₁ N M.W.: 73.14 Butylated Hydroxy Anisole (BHA) 98% (2-tert-butyl-4-methoxy phenol; B.H.A.) meets analytical specifications of BP, Ph. Eur. C ₁₁ H ₁₆ O ₂ M.W.: 180.25	75-64-9 75-64-9 25013-16-5	GB GB PB	500 ml 500 ml 2.5 L 500 ml 100 gm 500 gm	720 2808 900 954 3294	29211990 29211990 29211990 29095090	18% 18% 18%

	CH	IEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
027345	n-Butyl Bromide 98% for Synthesis	109-65-9	GB	250 ml	1107	29033920	18%
	CH3.CH2.CH2.CH2.Br M. W.: 137.02		GB	500 ml	1800		
			new GB	2.5 L	7200		
030648	p-tert-Butyl Catechol 97%	98-29-3	GB	500 gm	1197	29072990	18%
	(4-tert-butyl pyrocatechol; 1, 2 Benzenediol)						
	C ₁₀ H ₁₄ O ₂ M.W.: 166.22						
027343	n-Butyl Chloride 98%	109-69-3	GB	500 ml	774	29031990	18%
	(1-Chlorobutane)		GB	2.5 L	3492		
	C ₄ H ₉ Cl M.W.: 92.58		PR	25 Lit	POR		
010123	n-Butyl Chloride 99% AR	109-69-3	GB	500 ml	1350	29031990	18%
	(1-Chlorobutane)		GB	2.5 L	4500		
	C ₄ H ₉ Cl M.W.: 92.58						
Butyl Ce	ellosolve See Ethylene Glycol Mono Butyl Ether						
Butyl Di	gol See Diethylene Glycol Mono Butyl Ether						
030650	tert-Butyl Hydroquinone (TBHQ) 97%	1948-33-0	РВ	250 gm	1197	29072990	18%
	C ₁₀ H ₁₄ O ₂ M.W.: 166.22		РВ	2.5 kg	10791		
			РВ	10 kg	POR		
030652	Butyl-p-Hydroxy Benzoate 99%	94-26-8	РВ	500 gm	1845	29183090	18%
	(Butyl Paraben)						
	C ₁₁ H ₁₄ O ₃ M.W.: 194.23						
027346	n-Butyl lodide 98%	542-69-8	new GB	100 ml	6498	29034490	18%
	(1-iodobutane)		GB	250 ml	14994		
	H4H9I M. W.: 184.02						
027348	tert-Butyl Methyl Ether 99% for Synthesis	1634-04-4	GB	500 ml	432	29091900	18%
	(MTBE; Methyl tert-butyl ether)		GB	2.5 L	1791		
	C ₅ H ₁₂ O M.W.: 88.15						
010128	tert-Butyl Methyl Ether 99.5% AR	1634-04-4	GB	500 ml	513	29091900	18%
	(MTBE; Methyl tert-butyl ether)		GB	2.5 L	2394		
	C ₅ H ₁₂ O M.W.: 88.15						
iso-Buty	Methyl Ketone See Iso-Butyl Methyl Ketone						
n-Butyl l	Phthalate See Di-n-Butyl Phthalate						
n-Butyl l	Phosphate See Tri-n-Butyl Phosphate						
027350	n-Butyl Stearate 50% for Synthesis	123-95-5	GB	500 ml	378	29157090	18%
	(Stearic acid butyl ester)		GB	2.5 L	1494		
	C ₂₂ H ₄₄ O ₂ M.W.: 340.59						
iso-Buty	ric Acid See Iso-Butyric Acid for Synthesis						
027353	n-Butyric Acid 99% for Synthesis	107-92-6	GB	500 ml	718	29156010	18%
	(n-Butanoic Acid, Ethylacetic Acid; Butyric Acid)		GB	2.5 L	2898		
	C ₄ H ₈ O ₂ M.W.: 88.11						
010130	n-Butyric Acid 99.5% AR	107-92-6	GB	500 ml	891	29156010	18%
	(n-Butanoic Acid, Ethylacetic Acid; Butyric Acid)						

	CHE	CHEMISTRY BEYOND CHEMICALS						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX	
	C ₄ H ₈ O ₂ M.W.: 88.11							
Butyric A	Acid Ethyl Ester See Ethyl Butyrate							
	С							
Cacodyli	c Acid Sodium Salt See Sodium Cacodylate							
AAS021	Cadmium AAS Solution		PE	100 ml	1800	38220090	12%	
	1000ppm Single Element in HNO ₃		PE	250 ml	2250			
			GB	500 ml	3780			
ICP025	Cadmium ICP Standard Solution		PE	100 ml	4680	38220090	12%	
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7830			
ICP024	Cadmium ICP Standard Solution		PE	100 ml	13500	38220090	12%	
	10000 ppm TRISTAR Single Element in HNO3		PE	500 ml	40500			
SS0450	Cadmium 25 mg /L Standard Solution		PE	250 ml	1602	38220090	12%	
012500	Cadmium Metal Granular 99% AR	7440-43-9	РВ	100 gm	549	81072000	18%	
	Cd At. W.: 112.41		РВ	500 gm	2493			
030691	Cadmium Acetate Dihydrate 98%	5743-04-4	РВ	100 gm	522	29152990	18%	
	(CH ₃ COO) ₂ Cd.2H ₂ O M.W. : 266.53		РВ	250 gm	945			
			РВ	500 gm	1593			
012501	Cadmium Acetate Dihydrate 99% AR	5743-04-4	РВ	100 gm	711	29152990	18%	
	(CH ₃ COO) ₂ Cd.2H ₂ O M.W. : 266.53		РВ	250 gm	1548			
			РВ	500 gm	2790			
030693	Cadmium Carbonate 62-66%	513-78-0	РВ	100 gm	640	28369990	18%	
	(Otavite)		РВ	500 gm	2970			
	CdCO ₃ M.W.: 172.42							
030694	Cadmium Chloride Dried Anhydrous 95%	10108-64-2	GB	100 gm	2493	28273990	18%	
	CdCl ₂ M.W.: 183.32		GB	500 gm	9990			
030695	Cadmium Chloride Monohydrate 98%	35658-65-2	GB	100 gm	594	28273990	18%	
	(Cadmium dichloride; Dichlorocadmium)		GB	500 gm	2691			
	CdCl ₂ .H ₂ O M.W.: 201.32							
012502	Cadmium Chloride Monohydrate 99% AR	35658-65-2	GB	100 gm	918	28273990	18%	
	(Cadmium dichloride; Dichlorocadmium)		GB	500 gm	4095			
	CdCl ₂ .H ₂ O M.W.: 201.32							
030696	Cadmium Iodide 99%	7790-80-9	GB	100 gm	3090	28276090	18%	
	(Cadmium diiodide)		GB	500 gm	14994			
	Cdl ₂ M.W.: 366.21							
SOL047	Cadmium Iodine Solution		GB	125 ml	900	38220090	12%	
030697	Cadmium Nitrate Tetrahydrate 99% Purified	10022-68-1	GB	100 gm	522	28342990	18%	
	(Cadmium Nitrate-4-Hydrate; Nitric acid cadmium salt tetrahydrate)		GB	250 gm	1090			
	Cd(NO ₃) ₂ . 4H ₂ O M.W. : 308.48		GB	500 gm	2091			
			PD	25 kg	POR			
012503	Cadmium Nitrate Tetrahydrate 99% AR/ACS	10022-68-1	GB	100 gm	522	28342990	18%	
	(Cadmium Nitrate-4-Hydrate; Nitric acid cadmium salt tetrahydrate)		GB	500 gm	2340			

	RESEARCH & LABO	CHEMISTRY BEY			Committee or	.S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Cd(NO ₃) ₂ . 4H ₂ O M.W. : 308.48						
030698	Cadmium Oxalate Trihydrate 99%		PB	100 gm	684	29171190	18%
	Cd(COO) ₂ .3H ₂ O M.W.: 254.00		PB	500 gm	2988		
030699	Cadmium Oxide 99.5%	1306-19-0	PB	100 gm	640	28259020	18%
	CdO M.W.: 128.41		PB	500 gm	2790		
012504	Cadmium Oxide 99.7% AR	1306-19-0	PB	250 gm	1490	28259020	18%
	CdO M.W.: 128.41						
030700	Cadmium Phosphate 98%		РВ	100 gm	630	28352990	18%
	Cd ₃ (PO ₄) ₂ M.W.: 527.18		PB	500 gm	2502		
030701	Cadmium Succinate 98%	141-00-4	PB	100 gm	1791	29171990	18%
	C ₄ H ₄ CdO ₄ M.W. : 228.48		PB	500 gm	7191		
030712	Cadmium Sulphate 99%	7790-84-3	PB	100 gm	621	28332990	18%
	3CdSO ₄ .8H ₂ O M.W.: 769.52		PB	500 gm	2291		
012505	Cadmium Sulphate 99.99% AR	7790-84-3	PB	100 gm	675	28332990	18%
	3CdSO ₄ .8H ₂ O M.W.: 769.52		PB	500 gm	3051		
Caesium	See Cesium						
030719	Caffeic Acid 98%	331-39-5	GB	1 gm	3060	29182990	18%
	(3,4-dihydroxycinnamic acid)		GB	5 gm	POR		
	C ₉ H ₈ O ₄ M.W.: 180.16						
030721	Caffeine Anhydrous 98% Pure	58-08-2	PB	100 gm	900	29393000	18%
	(1,3,7-trimethylxanthine; Coffeinum)		РВ	250 gm	1710		
	$C_8H_{10}N_4O_2$ M.W.: 194.19		РВ	500 gm	3006		
012520	Caffeine Anhydrous 99% AR	58-08-2	РВ	100 gm	1107	29393000	18%
	(1,3,7-trimethylxanthine; Coffeinum)		РВ	250 gm	2502		
	C ₈ H ₁₀ N ₄ O ₂ M.W.: 194.19						
030725	Calamine 98% Purified	8011-96-9	PB	500 gm	810	28399090	18%
			PD	25 kg	POR		
Calcein I	ndicator See Fluorescein Complexone						
AAS022	Calcium AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP029	Calcium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	6820		
ICP030	Calcium ICP Standard Solution		PE	100 ml	7002	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	11530		
ICP031	Calcium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HCI		GB	500 ml	7920		
ICP032	Calcium ICP Standard Solution		PE	100 ml	13500	38220090	12%
	10000 ppm TRISTAR Single Element in HCl		GB	500 ml	45000		
SS0500	Calcium 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%

	CHEMIST		0110	ILI-IIO	120		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
030727	Calcium Metal 98.5%	7440-70-2	GB	100 gm	540	28051200	18%
	Ca At. W.: 40.08		GB	500 gm	1602		
			РВ	5 kg	POR		
030730	Calcium Acetate 95% for Soil Test	114460-21-8	РВ	500 gm	630	29152910	18%
	C ₄ H ₆ CaO ₄ . XH ₂ O M.W.: 158.17		PD	25 kg	POR		
012525	Calcium Acetate 99% AR/ACS for Soil Test	114460-21-8	РВ	500 gm	1305	29152910	18%
	C ₄ H ₆ CaO ₄ . XH ₂ O M.W.: 158.17						
030731	Calcium Carbide 75%	75-20-7	GB	100 gm	198	28491000	18%
	CaC ₂ M.W.: 64.10		GB	250 gm	396		
030732	Calcium Carbonate Precipitated 98.5%	471-34-1	РВ	500 gm	261	28365000	18%
	(Carbonic acid calcium salt)		РВ	5 kg	1791		
	meets analytical specification of FCC, IP,BP, Ph.Eur.		PD	50 kg	POR		
	CaCO ₃ M.W.: 100.09						
012526	Calcium Carbonate Precipitated 99.5% AR	471-34-1	РВ	500 gm	333	28365000	18%
	(Carbonic acid calcium salt)						
	CaCO ₃ M.W.: 100.09						
030733	Calcium Chloride Fused 90%	10043-52-4	РВ	500 gm	261	28272000	18%
	CaCl ₂ M.W.: 110.99		РВ	5 kg	1593		
			PD	25 kg	POR		
			PD	50 kg	POR		
030734	Calcium Chloride Dihydrate 98%	10035-04-8	РВ	500 gm	351	28272000	18%
	CaCl ₂ .2H ₂ O M.W.: 147.02		РВ	5 kg	2091		
			PD	50 kg	POR		
012527	Calcium Chloride Dihydrate 99% AR	10035-04-8	РВ	500 gm	639	28272000	18%
	CaCl ₂ .2H ₂ O M.W.: 147.02						
US0500	Calcium Chloride 1N TS		РВ	500 ml	450	38220090	12%
VMS100	Calcium Chloride 0.005M (0.01N) Standardized Solution		РВ	1 L	1080	38220090	12%
VMS101	Calcium Chloride 0.01M (0.02N) Standardized Solution		РВ	1 L	1080	38220090	12%
VMS102	Calcium Chloride 0.02M (0.04N) Standardized Solution		РВ	1 L	900	38220090	12%
VMS103	Calcium Chloride 0.05M (0.1N) Standardized Solution		РВ	1 L	900	38220090	12%
VMS104	Calcium Chloride 0.1M Standardized Solution		РВ	1 L	900	38220090	12%
VMS105	Calcium Chloride 1M Solution		РВ	500 ml	360	38220090	12%
VMS106	Calcium Chloride 1M Standardized Solution		РВ	500 ml	630	38220090	12%
030735	Calcium Citrate Tetrahydrate 99% Pure	5785-44-4	РВ	500 gm	792	29181590	18%
	(Tricalcium dicitrate tetrahydrate)						
	$(C_6H_5O_7)_2Ca_3.4H_2O\ M.W.: 570.50$						
tri- Calcii	um Dicitrate Tetrahydrate Extrapure See Calcium Citrate Tetrahydrate						
030736	Calcium Fluoride 97% Purified	7789-75-5	РВ	500 gm	1125	28261990	18%
İ	(Fluorite; Fluorspar)		PD	25 kg	POR		
	CaF ₂ M.W.: 78.08						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
030737	Calcium Formate 98%	544-17-2	РВ	500 gm	561	29151290	18%
	(Formic acid calcium salt)						
	C ₂ H ₂ CaO ₄ M.W.: 130.12						
030738	Calcium Gluconate Monohydrate 99%	18016-24-5	РВ	500 gm	592	29181610	18%
	C ₁₂ H ₂₂ CaO ₁₄ H ₂ O M.W. : 448.39		PD	50 kg	POR		
030740	Calcium Hardness Indicator Powder		GB	25 gm	108	38220090	12%
	for water analysis						
030739	Calcium Hydride 95%	7789-78-8	GB	100 gm	2963	28500010	18%
	CaH ₂ M.W.: 42.10						
Calcium	Hydrogen Ortho Phosphate See di-Calcium Phosphate Anhydr	ous					
Calcium	Hydrogen Phosphate See di-Calcium Phosphate Dihydrate						
030741	Calcium Hydroxide 90% Pure	1305-62-0	РВ	500 gm	288	28259040	18%
	Ca(OH) ₂ M.W.: 74.09		РВ	5 kg	2250		
			PD	50 kg	POR		
012528	Calcium Hydroxide 96% AR	1305-62-0	РВ	500 gm	639	28259040	18%
	Ca(OH) ₂ M.W.: 74.09						
Calcium	Hypochlorite See Bleaching Powder						
030742	Calcium Lactate 98% for Soil Test	5743-47-5	РВ	250 gm	491	29181120	18%
	$C_6H_{10}CaO_6.5(H_2O)$ M.W.: 308.30		РВ	1 kg	1740		
030743	Calcium Nitrate Tetrahydrate 98%	13477-34-4	РВ	500 gm	291	28342990	18%
	Ca(NO ₃) ₂ 4H ₂ O M.W.: 236.15		РВ	5 kg	2340		
			PD	50 kg	POR		
012529	Calcium Nitrate Tetrahydrate 99% AR	13477-34-4	РВ	500 gm	441	28342990	18%
	Ca(NO ₃) ₂ 4H ₂ O M.W. : 236.15						
030744	Calcium Oxalate Monohydrate 98%	5794-28-5	РВ	500 gm	1782	29171190	18%
	CaC ₂ O ₄ .H ₂ O M.W.: 146.12						
030745	Calcium Oxide 95% (Selected Lump)	1305-78-8	GB	500 gm	306	28259090	18%
	(Lime; Quicklime)		РВ	5 kg	2430		
	CaO M.W.: 56.08		PD	50 kg	POR		
012533	Calcium Oxide (Lumps) 97.5% AR	1305-78-8	GB	500 gm	360	28259090	18%
	(Lime; Quicklime)						
	CaO M.W.: 56.08						
030746	Calcium Oxide Anhydrous Powder 96%	1305-78-8	РВ	500 gm	288	28259040	18%
	CaO M.W.: 56.08		РВ	5 kg	2304		
			PD	50 kg	POR		
030747	Calcium-D-Pantothenate 98% for Biochemistry	137-08-6	GB	10 gm	216	29362400	18%
	[D(+) pantothenic acid calcium salt; vitamin B5]		GB	25 gm	441		
	$(C_9H_{16}NO_5)_2Ca$ M.W.: 476.54		GB	100 gm	1350		
			GB	500 gm	4500		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 030748 di-Calcium Phosphate Anhydrous 98.5% 7757-93-9 РΒ 500 gm **702** 28352610 18% PD (Calcium hydrogen phosphate; Calcium phosphate dibasic) 50 kg POR CaHPO₄ M.W.: 136.06 030749 di-Calcium Phosphate Dihydrate 98% 7789-77-7 PB 500 gm **603** 28352610 18% PD POR (Calcium hydrogen phosphate dihydrate; 50 kg Dibasic Calcium Phosphate Dihydrate) CaHPO₄.2H₂O M.W.: 172.10 7758-87-4 500 gm 030750 tri-Calcium Phosphate 90% PB **639** 28352690 18% РΒ 5841 (Calcium phosphate tri-basic) 5 kg 50 kg Ca₃(PO₄)₂ M.W.: 310.18 PD POR 030751 Calcium Phosphinate 98% Pure 7789-79-9 РΒ **3996** 28351090 18% 500 gm (Calcium hypo phosphite) H₄CaO₄P₂ M.W.: 170.06 PΒ 030752 **Calcium Propionate Monohydrate 98%** 4075-81-4 **738** 29155000 18% 500 gm (Propionic acid calcium salt) PD 25 kg POR C₆H₁₀CaO₄ M.W.: 186.22 030753 Calcium-D-Saccharate Tetrahydrate 98% 5793-89-5 PΒ 500 gm **6237** 29181990 18% (D-glucaric acid calcium salt; calcium D-glucarate) C₆H₈CaO₈.4H₂O M.W.: 320.27 030754 **Calcium Stearate Pure** 1592-23-0 РΒ **711** 29157090 18% 500 gm PΒ (Stearic acid calcium salt) 5 kg 4991 $C_{36}H_{70}CaO_4$ M.W.: 607.04 ΡD 25 kg POR 030755 Calcium Sulphate Anhydrous 97% 7778-18-9 PB 500 gm 468 28332990 18% CaSO₄ M.W.: 136.14 РΒ 4190 5 kg PD 25 kg POR 030756 Calcium Sulphate Dihydrate 98% 10101-41-4 PB 500 gm **311** 28332990 18% CaSO₄.2H₂O M.W.: 172.17 PD POR 25 kg 50 kg PD POR 012530 Calcium Sulphate Dihydrate 99% AR/ACS 10101-41-4 PB **441** 28332990 18% 500 gm CaSO₄.2H₂O M.W.: 172.17 US0550 Calcium Sulphate TS PB 500 ml **225** 38220090 12% 030757 Calcium Tungstate 99.5% 7790-75-2 PB **4797** 28418090 18% 100 gm CaO₄W M.W.: 287.93 РΒ 500 gm 19080 Calcon See Solochrome Dark Blue Calcon Carboxylic Acid 60% AR STA058 3737-95-9 GB 5 gm **340** 29270090 18% $C_{21}H_{14}N_2O_7S$ M.W.: 438.41 GB 25 gm 1090 STA059 3147-14-6 **225** 29270090 Calmagite Indicator 60% AR GB 1 gm 18% GB (Claver II; 1-(1-Hydroxy-4-methyl-2-phenylazo)-2-napthol-4-sulfonic acid; 891 5 gm 3-Hydroxy-4-(2-hydroxy-5-methylphenylazo)naphthalene-1-sulfonic acid) $C_{17}H_{14}N_2O_5S$ M.W.: 358.37

PB

100 ml

369 38220090

12%

Calmagite 0.1% w/v Aqueous Indicator Solution

STS042

	RESEARCH & LABORA	TORY STRY BEY			_	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(For Water Hardness)						
Calomel	See Mercurous Chloride						
	See Calmagite Indicator AR						
030760	Camphor MAR 97%	76-22-2	PB	100 gm	646	29142921	18%
	(DL-camphor)		PB	500 gm			
	micro analytical reagent			J			
	C ₁₀ H ₁₆ O M.W.: 152.24						
Canada	Balsam See Balsam Canada						
027400	n-Capric Acid 98.5% for Synthesis	334-48-5	GB	500 ml	1215	29159090	18%
	(n-decanoic acid)		GB	2.5 L	5490		
	CH ₃ (CH ₂) ₈ COOH M.W.: 172.27						
027410	n-Caprylic Acid 97.5%	124-07-2	GB	500 ml	1449	29159020	18%
	(n-octanoic acid)		GB	2.5 L	6597		
	CH ₃ (CH ₂) ₆ COOH M.W.: 144.21						
030763	Caprylic Acid Sodium Salt 99%	1984-06-1	GB	250 gm	1593	29159090	18%
	(Octanoic acid sodium salt; sodium caprylate; Sodium octanoate)		GB	1 kg	4797		
	C ₈ H ₁₅ NaO ₂ M.W.:166.20						
n-Capryl	Alcohol See 1-Octanol						
BF0251	CAPS 99%	1135-40-6	GB	25 gm	1593	29213090	18%
	[3-(cyclohexylamino)-1-propane sulphonic acid]		GB	100 gm	5994		
	C ₉ H ₁₉ NO ₃ S M.W.: 221.32						
BF0255	CAPSO 97%	73463-39-5	GB	25 gm	1647	29225090	18%
	[3-(cyclohexylamino)-2-hydroxy-1-propanesulphonic acid]		GB	100 gm	5292		
	$C_9H_{19}NO_4S$ M.W.: 237.32						
KIT037	Capsule Stain Kit		KIT	Kit	441	38220090	12%
N-(Carba	amoylmethyl)-2-Aminoethane Sulphonic Acid See ACES Buffer						
STA060	Carbol Fuchsin Powder for Microscopy	4197-24-4	GB	25 gm	405	32049000	18%
	(Ziehl Neelsen)		GB	100 gm	1191		
	C ₂₁ H ₂₁ N ₃ .HCl M.W.: 351.87						
STS048	Carbol Fuchsin Solution for Microscopy		PB	125 ml	207	38220090	12%
	according to Ziehl Neelsen		РВ	500 ml	711		
STS049	Carbol Fuchsin Strong Staining Solution		РВ	125 ml	225	38220090	12%
	according to Ziehl Neelsen		РВ	500 ml	741		
STS050	Carbol Gentian Violet Stain		PB	125 ml	250	38220090	12%
	(Gram's stain an alternative to Gentain violet)						
STS052	Carbol Methylene Blue Stain		РВ	125 ml	295	38220090	12%
	(Bacterial stain)						
Carbolic	Acid See Phenol						
STS051	Carbol Xylene for Microscopy		PB	500 ml	342	38220090	12%
	Content: Abt. 25% Phenol						

	RESEARCH & LABORA				Control (control	S	
	CHEN	MISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
SS0525	Carbon 4000mg /L Standard Solution		PE	250 ml	1620	38220090	12%
027420	Carbon Tetra Chloride 99.5% for Synthesis	56-23-5	GB	500 ml	2097	29031400	18%
	(Tetra chloro methane)		GB	2.5 L	9594		
	CCI ₄ M.W.: 153.82						
010131	Carbon Tetra Chloride 99.9% AR	56-23-5	GB	500 ml	2295	29031400	18%
	(Tetra chloro methane)		GB	2.5 L	10197		
	CCI ₄ M.W.: 153.82						
HP0072	Carbon Tetra Chloride 99.8% for HPLC & Spectroscopy	56-23-5	GB	1 L	4392	29031400	18%
	(Tetra chloro methane)						
	CCI ₄ M.W.: 153.82						
030769	Carbopol 934	9003-01-4	РВ	500 gm	3195	39069090	18%
	(Carboxy polymethylene 934; carboxy vinyl polymer 934; Carbomer 934)						
030770	Carbopol 940	9003-01-4	РВ	500 gm	2997	39069090	18%
	(Carboxy polymethylene 940; carboxy vinyl polymer 940; Carbomer 940)						
030772	Carboxy Methyl Cellulose Sodium Salt High Viscosity	9004-32-4	PB	500 gm	1170	39123100	18%
	(CMC sodium salt)						
	(500-800 cPs)						
030773	Carboxy Methyl Cellulose Sodium Salt Low Viscosity		РВ	500 gm	900	39123100	18%
	(CMC sodium salt)						
	(200-300 cPs)						
Carmello	se Sodium See Carboxy Methyl Cellulose Sodium Salt						
STS055	Carmine Aceto Staining Solution		GB	100 ml	1593	38220090	12%
	for Microscopical Staining		GB	250 ml	3393		
STA065	Carmine Stains 50% for Microscopy (C.I. 75470)	1390-65-4	GB	5 gm	801	32030090	18%
	(Neutral Red 4)		GB	25 gm	3600		
STS054	Carmine Solution (Zorkin)		GB	100 ml	1197	38220090	12%
	(Reagent for Boric acid)						
STS057	Carmine Best's Solution		GB	100 ml	990	38220090	12%
STA067	Carminic Acid 95% for Microscopy AR	1260-17-9	GB	1 gm	3492	32030090	18%
	(Cochineal; Natural Red 4)		GB	5 gm	10980		
	C ₂₂ H ₂₀ O ₁₃ M.W.: 492.4						
030777 *	L-Carnitine 98% for Biochemistry	541-15-1	GB	5 gm	792	29349900	18%
	(Vitamin BT)		GB	25 gm	2097		
	C ₇ H ₁₅ NO ₃ M.W.: 161.20						
SOL056	Carnoy's Fluid Solution		GB	100 ml	387	38220090	12%
	Fixative for Tissue used in Chromosome Studies						_
030780	Carrageenan Sodium Salt	9000-07-1	GB	100 gm	918	13023900	18%
	(gelatin; vegetable irish moss)		GB	250 gm	1854		
030783	Casein (Alkali Soluble)	9000-71-9	РВ	500 gm	1800	35011000	18%
030784	Casein from Bovine Milk	9000-71-9	РВ	500 gm	1944	35011000	18%

	RESEARCH & LABOR	ATORY MISTRY BEY				S	
0005						HOM	TAV
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Fat free low in vitamins)						
030785	Casein from Bovine Milk		РВ	500 gm		35011000	18%
	Purified powder for Protein Rich		РВ	1 kg			
027430	Castor Oil	8001-79-4	РВ	500 ml		15153090	12%
			PB	2.5 L	2196		
	I See Pyrocatechol						
	xchange Resins See Amberlite Resins						
	Potash Flakes See Potassium Hydroxide Flakes						
	Soda Flakes See Sodium Hydroxide Flakes						
	ee trans-1,2 Diamino Cyclohexane-N,N,N',N'-Tetra Acetic Acid						
027440	Cedar Wood Oil for Microscopy	8000-27-9	GB	25 ml		33012916	18%
			GB	100 ml			
			GB	500 ml			
027442	Cedar Wood Oil Natural		GB	100 ml	2592	33012916	18%
030787	Celite 545 Filter Aid	61790-53-2	РВ	1 kg	1197	38029019	18%
	(Diatomaceous earth; flux-calcined)		PB	5 kg	4194		
012550	Celite 545 AR	61790-53-2	РВ	500 gm	1170	38029019	18%
	(Diatomaceous earth; flux-calcined)						
030797	D-Cellobiose Extra Pure for Biochemistry	528-50-7	GB	5 gm	1242	29400000	18%
	(ß-D-Gic-(14)-D-Gic, 4-O-ß-D-Glucopyranosyl-D-glucose)		GB	25 gm	4995		
	C ₁₂ H ₂₂ O ₁₁ M.W.: 342.30						
Cellosol	ve See Ethylene Glycol Mono Ethyl Ether						
027460	Cellosolve Acetate 99%	111-15-9	GB	500 ml	504	29153990	18%
	(2-ethoxy ethyl acetate; ethylene glycol monoethyl ether acetate)		GB	2.5 L	2043		
	CH ₃ .COO.CH ₂ .CH ₂ .OC ₂ H ₅ M.W.: 132.16						
ENZ016	* Cellulase for Biochemistry	9012-54-8	GB	1 gm	7965	35079099	18%
	Activity — 20000 CMC U/gm		GB	5 gm	27891		
030805	Cellulose Powder Pract.	9004-34-6	РВ	500 gm	495	39129090	18%
	$(C_6H_{10}O_5)n$						
030806	Cellulose Powder	9004-34-6	РВ	500 gm	585	39129090	18%
	for Column Chromatography						
	$(C_6H_{10}O_5)n$						
030807	Cellulose Microcrystalline	9004-34-6	РВ	500 gm	1089	39129090	18%
	for thin layer Chromatography						
	$(C_6H_{10}O_5)n$						
030812	Cellulose Acetate	9004-35-7	PB	500 gm	2295	39121110	18%
	(Acetyl cellulose)						
030813	Cellulose Acetate Phthalate	9004-38-0	PB	100 gm	1017	39129090	18%
			РВ	500 gm	4050		
Cellulos	e Nitrate See Nitro Cellulose						
030820	Ceresin Wax White	8001-75-0	PB	500 gm	747	27129090	18%

	RESEARCH & LABORA	MISTRY BEY			Control or		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Ceric Am	monium Nitrate See Ammonium Ceric Nitrate						
Ceric Am	nmonium Sulphate See Ammonium Ceric Sulphate						
RR0101	Ceric Hydroxide 99.9% AR	12014-56-1	GB	50 gm	4005	28461090	18%
	Ce(OH) ₄ M.W.: 208.15		GB	100 gm	5040		
RR0102	Ceric Oxide 99.9% AR	1306-38-3	РВ	100 gm	1395	28461010	18%
	(Cerium (IV) oxide; ceria)						
	CeO ₂ M.W.: 172.12						
RR0105	Ceric Sulphate Tetrahydrate 99% AR	10294-42-5	GB	100 gm	2691	28461090	18%
	(Cerium (IV) sulphate tetrahydrate)						
	Ce(SO ₄) ₂ .4H ₂ O M.W.: 404.30						
RR0107	Ceric Sulphate N/10 Solution		PB	500 ml	693	38220090	12%
Cerium (IV) See Ceric						
AAS020	Cerium AAS Solution		PE	250 ml	1800	38220090	12%
	1000 ppm Single Element in HNO ₃						
ICP033	Cerium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7920		
ICP034	Cerium ICP Standard Solution		PE	100 ml	13500	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	45000		
RR0153	Cerium (III) Carbonate Hydrate AR	54451-25-1	GB	100 gm	5859	28461090	18%
	(Cerous carbonate-hydrate)						
	Ce ₂ (CO ₃) ₃ .XH ₂ O M.W. : 460.27						
RR0154	Cerium (III) Carbonate Hydrate 99.9% AR	54451-25-1	GB	100 gm	POR	28461090	18%
	Ce ₂ (CO ₃) ₃ .XH ₂ O M.W. : 460.27						
RR0155	Cerium (III) Chloride Heptahydrate 98%	18618-55-8	GB	100 gm	3996	28461090	18%
	(Cerous chloride heptahydrate)						
	CeCl ₃ .7H ₂ O M.W.: 372.58						
RR0157	Cerium (III) Fluoride 99.9% AR	7758-88-5	GB	25 gm	3663	28461090	18%
	(Cerous fluoride)		GB	100 gm	10989		
	CeF ₃ M.W.: 197.12						
RR0158	Cerium (III) Nitrate Hexahydrate 99%	10294-41-4	GB	100 gm	1791	28461090	18%
	(Cerous nitrate hexahydrate)						
	Ce(NO ₃) ₃ . 6H ₂ O M.W. : 434.23						
RR0159	Cerium (III) Oxalate Nonahydrate 99%	6003-86-7	GB	100 gm	12591	28461090	18%
	Ce ₂ (C ₂ O ₄) ₃ .9H ₂ O M.W.: 706.25						
RR0163	Cerium (III) Sulphate Hydrate 99%	13550-47-5	GB	50 gm	6901	28461090	18%
	Ce ₂ (SO ₄) ₃ .XH ₂ O M.W. : 568.42 (Anhy.)			-			
RR0164	Cerium (III) Sulphate Hydrate 99.99% AR	13550-47-5	GB	25 gm	13149	28461090	18%
	Ce2(SO4)3.XH2O M.W.: 568.42 (Anhy.)		GB	100 gm	39591		
VMS115	Cerium (IV) Sulphate 0.05M (0.05N) Standardized Solution		РВ	1L		38220090	12%
	Cerium (IV) Sulphate 0.1 mol/l Solution		PB	1 L		38220090	12%

CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Cerous S	See Cerium (III)						
AAS019	Cesium AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP036	Cesium ICP Standard Solution		PE	100 ml	4050	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		PE	500 ml	7020		
ICP035	Cesium ICP Standard Solution		PE	100 ml	7650	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	15840		
012553	Cesium Acetate 99.9% AR	3396-11-0	GB	25 gm	8100	28469090	18%
	CH ₃ COOCs M.W.: 191.96						
012554	Cesium Bromide 99.99% AR	7787-69-1	GB	10 gm	2502	28469090	18%
	CsBr M.W.: 212.81		GB	50 gm	6300		
012556	Cesium Carbonate 99% AR	534-17-8	GB	25 gm	2016	28369990	18%
	Cs ₂ CO ₃ M.W.: 325.82		GB	100 gm	7191		
012557	Cesium Chloride 99.5% AR	7647-17-8	GB	25 gm	3717	28273990	18%
	CsCl M.W.: 168.36		GB	100 gm	14283		
012559	Cesium Flouride 99.9% AR	13400-13-0	GB	25 gm	3591	28269000	18%
	(Caesium flouride)		GB	100 gm			
	CsF M.W.: 151.90						
012560	Cesium Hydroxide Monohydrate 99.5% AR	35103-79-8	GB	10 gm	4590	28469090	18%
	CsOH.H ₂ O M.W.: 167.93		GB	50 gm			
030825	Cesium Iodide 99.9% Ultra Pure	7789-17-5	GB	10 gm	3441	28276090	18%
	(Caesium iodide)		GB	50 gm	12492		
	Csl M.W.: 259.81						
012561	Cesium Nitrate 99% AR	7789-18-6	GB	10 gm	2997	28342990	18%
	(Nitric acid caesium salt)		GB	50 gm	8991		
	CsNO ₃ M.W.: 194.91						
012563	Cesium Sulphate 99.5% AR	10294-54-9	GB	10 gm	1395	28332990	18%
	Cs ₂ SO ₄ M.W.: 361.87		GB	50 gm	5994		
030830	Cetostearyl Alcohol 90% AR	8005-44-5	РВ	500 gm	819	29051700	18%
	C ₃₄ H ₇₂ O ₂ M.W.: 512.94						
030835	Cetrimide 96-101%	1119-97-7	РВ	100 gm	576	29239000	18%
	(Tetradecyltrimethyl Ammonium Bromide)		РВ	500 gm	2493		
	C ₁₇ H ₃₈ BrN M.W.: 336.41		PD	25 kg	POR		
030838	Cetyl Alcohol 95% Pure	36653-82-4	РВ	500 gm	873	29051700	18%
	(1-hexadecanol; Alcohol cetylicus; Palmityl alcoho)		PD	25 kg	POR		
	C ₁₆ H ₃₄ O M.W. : 242.45						
030845	Cetyl Pyridinium Bromide Monohydrate 95%	140-72-7	РВ	250 gm	3438	29333990	18%
	(N-hexadecyl pyridinium bromide)			-			
	C ₂₁ H ₃₈ NBr.H ₂ O M.W. : 402.46						
030846	Cetyl Pyridinium Chloride Monohydrate 99%	6004-24-6	PB	100 gm	693	29333990	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX (1-Hexadecylpyridinium chloride; Hexadecylpyridinium chloride) РΒ 500 gm 3096 C21H38NCI.H2O M.W.: 358.01 PB POR 1 kg Cetyl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Ammonium Bromide 030850 N-Cetyl-N,N,N-Trimethyl Ammonium Bromide 98% 57-09-0 PB **495** 29239000 18% 100 gm РΒ 2097 (Cetyl trimethyl ammonium bromide; CTAB 1-Hexadecyl) 500 gm trimethylammonium bromide; Trimethylhexacecylammonium bromide; PD POR 25 kg Cetrimonium Bromide) C₁₉H₄₂BrN M.W.: 364.45 012565 N-Cetyl-N,N,N-Trimethyl Ammonium Bromide 99% AR РΒ 57-09-0 100 gm **576** 29239000 18% РΒ 500 gm 2394 (Cetyl trimethyl ammonium bromide; CTAB 1-Hexadecyl) trimethylammonium bromide; Trimethylhexacecylammonium bromide; Cetrimonium Bromide) C₁₉H₄₂BrN M.W.: 364.45 7440-44-0 PΒ 030853 **Charcoal Activated 540** 38021000 18% 500 gm (Activated Charcoal; Activated Carbon) PΒ 5 kg 4491 (Acid Washed) PD 25 kg POR C M.W.: 12.01 **Charcoal Activated** 7440-44-0 PΒ 500 gm **513** 38021000 18% 030855 PB 3690 (Activated Charcoal; Activated Carbon) 5 kg (decolourizing Powder) PD 25 kg POR C M.W.: 12.01 012570 **Charcoal Activated AR** 7440-44-0 PΒ 100 gm 390 38021000 18% (Activated Charcoal; Activated Carbon) PΒ 250 gm 792 PΒ Phosphorous Free for soil test 500 gm 1290 C M.W.: 12.01 PR 5 kg 11664 030857 **Charcoal Activated Granular** 7440-44-0 РΒ **471** 38021000 18% 500 gm (Activated Charcoal; Activated Carbon) PΒ 5 kg 3790 Abt. 2.0-5.0mm C M.W.: 12.01 030860 **Chitin Flakes** 1398-61-4 РΒ 100 gm **315** 39139090 18% PΒ content: Abt. 6% of Nitrogen 500 gm 1296 $(C_8H_{13}NO_5)n$ 030861 **Chitin Powder Pract** 1398-61-4 PΒ **2520** 39139090 18% 100 gm content: Abt. 6 % of Nitrogen PΒ 500 gm 5004 030865 **Chloramine T 95%** 7080-50-4 РΒ 500 gm **1800** 29350090 18% (N-chloro-p-toluenesulphonamide sodium salt) РΒ 1 kg 3204 C7H7CINNaO2S.3H2O M.W.: 281.69 VMS125 Chloramine T (0.1 M) Solution PΒ 500 ml **603** 38220090 12% 030866 p-Chloranil 95% for Synthesis 118-75-2 GB **1242** 29147090 18% 250 gm (Tetrachloro-1,4-benzoquinone) GB 500 gm 2250 C₆Cl₄O₂ M.W.: 245.88

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
012575	Chloranillic Acid 99% AR	87-88-7	GB	25 gm	2493	29147990	18%
	(2,5-Dichloro-3,6-dihydroxy-p-benzoquinone;						
	2,5-Dichloro-3,6-dihydroxy-2,5-cyclohexadiene-1,4-dione)						
	for determination of Ca, Sr, Zr						
	$C_6H_2Cl_2O_4$ M.W.: 208.99						
Chloranil	lic Acid Barium Salt See Barium Chloranilate						
SS0540	Chloride 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
PH0016	Chlorine Test Papers		РВ	200 lvs	342	38220090	12%
REA050 •	Chlorine Test Reagent		GB	100 ml	315	38220090	12%
030868	p-Chloro Acetanilide 98%	539-03-7	GB	25 gm	675	29242990	18%
	C ₈ H ₈ CINO M.W.: 169.61		GB	100 gm	2097		
030869	Chloro Acetic Acid Mono 99% Pure	79-11-8	GB	500 gm	450	29154010	18%
Ì	(Mono chloro acetic acid)						
	C ₂ H ₃ CIO ₂ M.W. : 94.50						
012580	Chloro Acetic Acid Mono 99.5% AR	79-11-8	GB	500 gm	594	29154010	18%
	(Mono chloro acetic acid)						
	C ₂ H ₃ CIO ₂ M.W.: 94.50						
030870	Chloro Acetonitrile 98% for Synthesis	107-14-2	GB	100 gm	2695	29269000	18%
	C ₂ H ₂ CIN M.W.: 75.50		GB	500 gm	10980		
027465	Chloro Acetyl Chloride 98% for Synthesis	79-04-9	GB	500 ml	1494	29159090	18%
	(Chloracetic chloride; Chloroacetic acid chloride)		GB	2.5 L	6741		
	C ₂ H ₂ Cl ₂ O M.W. : 112.94						
027471	o-Chloro Aniline 98% for Synthesis	95-51-2	GB	500 ml	891	29214290	18%
	(2-chloroaniline; 2-Chlorobenzenamine)		GB	2.5 L	4293		
	C ₆ H ₆ CIN M.W.: 127.6						
027470	m-Chloro Aniline 98% for Synthesis	108-42-9	GB	500 ml	1593	29214290	18%
	(3-chloroaniline;3-Chlorobenzenamine)		GB	2.5 L	7290		
	Cl.C ₆ H ₄ .NH ₂ M.W.: 127.6						
030872	p-Chloro Aniline 98% for Synthesis	106-47-8	GB	500 gm	1270	29214211	18%
	(4-chloroaniline; 4-Chlorobenzenamine)						
	Cl.C ₆ H ₄ .NH ₂ M.W.: 127.6						
SOL052	tetra-Chloro Auric Acid Solution		GB	25 ml	10557	38220090	12%
	(Gold (III) chloride hydrate; tetrachloroauric (III) acid)						
030875 *	Chloroauric Acid 24-25%	16961-25-4	GB	1 gm	9000	28433000	18%
	(Gold chloride)						
	HAuCl ₄ .3H ₂ O M.W.: 393.83						
030876 *	Chloroauric Acid 49%	16961-25-4	GB	1 gm	14994	28433000	18%
	(Gold chloride)						
	HAuCl ₄ .3H ₂ O M.W.: 393.83						
027473	o-Chloro Benzaldehyde 98% for Synthesis	89-98-5	GB	100 ml	693	29130010	18%
1	(2-chloro benzaldehyde)		GB	500 ml	2295		



RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX C₇H₅CIO M.W.: 140.57 027472 m-Chloro Benzaldehyde 97% for Synthesis 587-04-2 GB **1863** 29130090 18% 100 gm GB 500 gm 7560 (3-chloro benzaldehyde) C7H5CIO M.W.: 140.57 030880 p-Chloro Benzaldehyde 98% for Synthesis 104-88-1 GB **693** 29130090 18% 100 gm GB (4-chloro benzaldehyde) 500 gm 3090 C₇H₅CIO M.W.: 140.57 027475 Chloro Benzene Mono 99% for Synthesis 108-90-7 GB 500 ml **531** 29039110 18% GB (Monochlorobenzene) 2.5 L 1990 C₆H₅CI M.W.: 112.56 010140 Chloro Benzene Mono 99.5% AR 108-90-7 GB 500 ml 640 29039110 18% GB 2.5 L 2291 (Monochlorobenzene) C₆H₅CI M.W.: 112.56 SS0560 Chloro Benzene 100 mg/L Standard Solution PE 250 ml **1602** 38220090 12% 030885 o-Chloro Benzoic Acid 98% for Synthesis 118-91-2 PΒ 500 gm **1490** 29163990 18% (2-chlorobenzoic acid; OCBA) C₇H₅CIO₂ M.W.: 156.57 p-Chloro Benzoic Acid 99% for Synthesis 74-11-3 PΒ 100 gm **423** 29163990 18% (4-chlorobenzoic acid; PCBA) PΒ 1890 500 gm C₇H₅.CIO₂ M.W.: 156.57 030888 * p-Chloro Benzonitrile 98% for Synthesis 623-03-0 GB 25 gm 1080 29269000 18% C7H4CIN M.W.: 137.57 GR 100 gm 3060 927480 o-Chloro Benzoyl Chloride 98% for Synthesis 609-65-4 GB 250 ml 3006 29163990 18% C7H4Cl2O M.W.: 175.02 GB 500 ml 5733 p-Chloro Benzyl Chloride 98% for Synthesis 027476 104-83-6 GR 100 gm **1080** 29034490 18% C7H6Cl2 M.W.: 161.03 GB 500 gm 3690 027477 o-Chloro Benzyl Cyanide 98% for Synthesis 2856-63-5 GB 100 ml 3096 29269000 18% (2-chlorobenzyl cyanide) C₈H₆CIN M.W.: 151.60 m-Chloro Benzyl Cyanide 98% for Synthesis 1529-41-5 GB 027478 100 ml 2700 29269000 18% (3-chlorobenzyl cyanide) C₈H₆CIN M.W.: 151.60 027479 p-Chloro Benzyl Cyanide 97% for Synthesis 140-53-4 GB 100 ml **1080** 29269000 18% GB 500 ml 4302 (4-chlorobenzyl cyanide) C₈H₆CIN M.W.: 151.60 p-Chloro-m-Cresol 98% 59-50-7 PΒ **2592** 38089990 18% 030890 500 gm (4-chloro-m-cresol; 4-chloro-3-methyl phenol; PCMC) PB 5 kg 23994 C7H7CIO M.W.: 142.59 1-Chloro-2,4-Dinitro Benzene 98% 500 gm 030898 97-00-7 GB **891** 29049020 18% (2,4-dinitrochlorobenzene) C₆H₃CIN₂O₄ M.W.: 202.55

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 012585 1-Chloro-2,4-Dinitro Benzene 99% AR 97-00-7 GB 25 gm 243 29049020 18% GB (2.4-dinitrochlorobenzene) 100 gm 792 for determination of Nicotinic Acid, Nicotinamide C₆H₃CIN₂O₄ M.W.: 202.55 GB SOL053 1-Chloro-2,4-Dinitro Benzene Solution 100 ml **291** 38220090 12% (test for mercaptens) 1-Chloro-2,3-Epoxy Propane See Epichlorohydrin o-Chloro Ethyl Morpholine Hydrochloride 97% 3647-69-6 **1809** 29333919 18% GB 100 gm C₆H₁₂CINO.HCI M.W.: 186.08 GB 500 gm 9000 027485 o-Chloro Ethyl Phosphonic Acid Solution 39% 16672-87-0 GR 100 ml 900 29310042 18% GB 250 ml 1800 (Ethephon) C₂H₆CIO₃P M.W.: 144.49 027490 **Chloroform 99% for Synthesis** 67-66-3 GB 500 ml **369** 29031300 18% GR 2.5 L 1152 (Trichloromethane) CHCl₃ M.W.: 119.38 PR 25 Lit POR PD 200 L POR 010150 Chloroform 99% AR 67-66-3 GB 500 ml **405** 29031300 18% GB 2.5 L (Trichloromethane) 1350 CHCl₃ M.W.: 119.38 PR 25 Lit POR GC0180 Chloroform 99.5% GC Grade 67-66-3 GB 250 ml **450** 29031300 18% (Trichloromethane) GB 1 L 1350 CHCl₃ M.W.: 119.38 Chloroform 99% for HPLC & Spectroscopy HP0075 67-66-3 GB 11 **810** 29031300 18% GB 2.5 L 1602 (Trichloromethane) stabilized with ethanol CHCl₃ M.W.: 119.38 DRY015 Chloroform (Specially Dried) 99% AR 67-66-3 GR **693** 29031300 18% 500 ml (Trichloromethane) CHCI₃ M.W.: 119.38 MB0040 Chloroform 99% for Molecular Biology 67-66-3 GB 500 ml **2700** 29031300 18% (Trichloromethane) suitable for Nucleic acid purification CHCl₃ M.W.: 119.38 **Chloroform 99% for Pesticide Residue Trace Analysis** 67-66-3 GB 1 L **3690** 29031300 18% (Trichloromethane) CHCl₃ M.W.: 119.38 030907 Chlorogenic Acid Hemihydrate 95% for Synthesis 327-97-9 GB 100 mgm **504** 29181900 18% $C_{16}H_{18}O_9$. ½ H_2O M.W.: 363.32 PΒ 3942 1 gm SOL952 Chlorohexidine gluconate 20% Solution in water PΒ 500 ml **1107** 38220090 12% PΒ for Lab use only 5 L 9000 2-Chloro-5-Hydroxy Toluene See p-Chloro-m-Cresol

	RESEARCH & LABOR	EMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
4-Chloro	-Meta Cresol See p-Chloro-m-Cresol						
tri-Chlor	o Methyl Benzene See Benzotrichloride						
930906	1-Chloro Methyl Naphthalene 95% for Synthesis	86-52-2	GB	100 gm	2520	29036990	18%
	C ₁₁ H ₉ CI M.W.: 176.64						
030915	1-Chloro-2-Nitro Benzene 99% for Synthesis	88-73-3	GB	500 gm	640	29049040	18%
	(o-chloronitrobenzene; ONCB)						
	C ₆ H ₄ CINO ₂ M.W.: 157.56						
030916	1-Chloro-3-Nitro Benzene 98% for Synthesis	121-73-3	GB	250 gm	540	29042090	18%
	(m-Chloronitrobenzene)		GB	500 gm	891		
	C ₆ H ₄ CINO ₂ M.W.: 157.56						
030917	1-Chloro-4-Nitro Benzene 99% for Synthesis	100-00-5	GB	500 gm	495	29049050	18%
	(p-chloronitrobenzene; PNCB)						
	C ₆ H ₄ CINO ₂ M.W.: 157.56						
027500	o-Chloro Phenol 99.5% for Synthesis	95-57-8	GB	500 ml	1090	29081900	18%
	(2-chlorophenol; 2-Hydroxychlorobenzene;		GB	2.5 L	4690		
	1-Chloro-2-hydroxybenzene)						
	CI.C ₆ H ₄ .OH M.W.: 128.56						
030920	p-Chloro Phenol 99.5% for Synthesis	106-48-9	GB	500 gm	1040	29081900	18%
	(4-chlorophenol; 4-Hydroxychlorobenzene;						
	1-Chloro-4-hydroxybenzene)						
	Cl.C ₆ H ₄ .OH M.W.: 128.56						
STA070	Chloro Phenol Red (pH Indicator) AR	4430-20-0	GB	5 gm	558	29349900	18%
	(3',3'-dichlorophenol sulfonaphthalein)		GB	25 gm	2295		
	pH range 4.8-6.7						
	C ₁₉ H ₁₂ Cl ₂ O ₅ S M.W.: 423.28						
STS060	Chloro Phenol Red Indicator Solution		PB	125 ml	142	38220090	12%
930922	p-Chloro Phenyl Boronic Acid 97% for Synthesis	1679-18-1	GB	5 gm	1890	29319090	18%
	C ₆ H ₆ BClO ₂ M.W.: 156.37		GB	25 gm	7470		
			GB	100 gm	22500		
Chloro F	Platinic Acid See Platinic Chloride						
SOL054	Chloro Platinic Acid 5% Solution in H2O AR		GB	5 ml	3600	38220090	12%
	(Hexa chloro platinic (IV) acid hydrate)		GB	25 ml	12600		
027505	o-Chloro Propionic Acid 92%	598-78-7	GB	100 ml	1440	29155000	18%
	C ₃ H ₅ ClO ₂ M.W.: 108.52						
030925 *		128-09-6	PB	100 gm	693	29299090	18%
	(1-Chloro-2,5-pyrrolidinedione; Succinochlorimide; NCS)		РВ	500 gm			
	C ₄ H ₄ CINO ₂ M.W.: 133.53			ū			
930940	p-Chloro Thiophenol 98%	106-54-7	GB	100 gm	4500	29309099	18%
	C ₆ H ₅ CIS M.W.: 144.62		GB	500 gm			
1-Chloro	p-p-Toluene Sulfonamide Sodium Salt See Chloramine T						
030929	p-Chloro-m-Xylenol 99%	88-04-0	PB	100 gm	1/10/	29081900	18%
	Psio in Agionol 00/0	00-04-0	, ,	100 gill	1707	20001000	10/

	CH	HEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(4-chloro-3,5-xylenol; 4-chloro-3,5-dimethyl phenol)		РВ	500 gm	4492		
	C ₈ H ₉ CIO M.W. : 156.61						
REA054	Chloro Zinc lodide Solution		GB	100 ml	1260	38220090	12%
	(Schulteze's Reagent)						
030934	Cholesterol 95% Purified	57-88-5	GB	25 gm	2394	29061310	18%
	(3ß-Hydroxy-5-cholestene, 5-Cholesten-3ß-o)		GB	100 gm	8991		
	Emulsifying agent		GB	500 gm	40995		
	C ₂₇ H ₄₆ O M.W.: 386.66						
012590	Cholesterol AR	57-88-5	GB	5 gm	693	29061310	18%
	(3ß-Hydroxy-5-cholestene, 5-Cholesten-3ß-o)		GB	25 gm	2691		
	$C_{27}H_{46}O$ M.W.: 386.66		GB	100 gm	10980		
ENZ023*	Cholestrol Oxidase from Microorganism	9028-76-6	GB	250 units	7443	35079099	18%
	Lyophilized powder, activity 17-24 U/mg						
SOL055	Cholesterol 0.1% Stock Standard Solution		GB	125 ml	207	38220090	12%
030939	Choline Chloride 99% Extra Pure	67-48-1	GB	100 gm	423	29231000	18%
	[(2-Hydroxyethyl)trimethylammonium chloride]		GB	500 gm	1494		
	C ₅ H ₁₄ CINO M.W.: 139.63		PD	25 kg	POR		
030940	Choline Chloride for Feed experiments		PB	2.5 kg	1206	29231000	18%
AAS925	Chromate AAS Solution		PE	250 ml	1800	38220090	12%
	1000 ppm Single Element IN H ₂ O						
SS0575	Chromate 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
Chromic	Acid See Chromium Trioxide						
Chromic	Chloride See Chromium (III) Chloride						
Chromic	Oxide Green See Chromium (III) Oxide Green						
AAS023	Chromium AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP040	Chromium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7920		
ICP042	Chromium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HCl		GB	500 ml	7920		
ICP043	Chromium ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000 ppm TRISTAR Single Element in HCI		GB	500 ml	11700		
ICP041	Chromium ICP Standard Solution		PE	100 ml	18000	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	50400		
012600	Chromium Metal Powder 99.9% AR	7440-47	РВ	100 gm	1206	81122100	18%
	Cr At. W.: 52.00		РВ	500 gm	4890		
012601	Chromium Metal Powder AR	7440-47-3	РВ	500 gm	4680	81122100	18%
	325 mesh (45 micron)			-			
	Cr At. W.: 52.00						
030944	Chromium (III) Acetate Tech. 98%	1066-30-4	PB	250 gm	594	29152990	18%

	RESEARCH & LABORA	ATORY MISTRY BEY			Control of the Control	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Chromic acid)						
	Cr(CH ₃ COO) ₃ M.W.: 229.13						
030946	Chromium (III) Chloride Tech.	10060-12-5	PB	500 gm	900	28273990	18%
	CrCl ₃ .6H ₂ O			ŭ			
030947	Chromium (III) Chloride Hexahydrate 96%	10060-12-5	PB	500 gm	1116	28273990	18%
	(Chromium trichloride hexahydrate; Hexaaquachromium(III) chloride)			-			
	CrCl ₃ .6H ₂ O M.W.: 266.45						
030949	Chromium (III) Hydroxide Tech. 98%	41646-40-6	PB	250 gm	1503	28274900	18%
	Cr(OH) ₃ 3H ₂ O M.W.: 157.02			-			
030951	Chromium (III) Nitrate Tech. 95%	7789-02-8	GB	250 gm	504	28342990	18%
	Cr(NO ₃) ₃ ,9H ₂ O M.W.: 400.15			· ·			
030952	Chromium (III) Nitrate Nonahydrate 99%	7789-02-8	GB	500 gm	1098	28342990	18%
	(Chromic Nitrate Nonahydrate; Nitric Acid Chromium Salt Nonahydrate)						
	Cr(NO ₃) ₃ .9H ₂ O M.W.: 400.15						
030953	Chromium (III) Oxide Green 99%	1308-38-9	PB	500 gm	1620	28199000	18%
	(Chromic oxide green extra pure; Chromia)			222 3			
	Cr ₂ O ₃ M.W. : 151.99						
Chromiu	ım (VI) Oxide See Chromium Trioxide						
030954	Chromium (III) Potassium Sulphate Dodecahydrate	7788-99-0	PB	500 gm	954	28332990	18%
	Pract 98%	7700 00 0		000 g	•	20002000	1070
	(Potassium chromium(III) sulfate dodecahydrate; Chrome alum)						
	CrK(SO ₄) ₂ ,12H ₂ O M.W.: 499.41						
030955	Chromium (III) Potassium Sulphate Dodecahydrate 99%	7788-99-0	PB	500 gm	1098	28332990	18%
000000	(Potassium chromium(III) sulfate dodecahydrate; Chrome alum)	7700-33-0	15	300 giii	1030	20002000	1070
	CrK(SO ₄) ₂ .12H ₂ O M.W.: 499.41						
030958	Chromium (III) Sulphate Tech.	39380-78-4	PB	500 gm	306	28332290	18%
030956	Cr ₄ (SO ₄) ₅ (OH) ₂ M.W.: 722.3	39360-76-4	PD	500 giii 50 kg		20332290	10 70
020050	Chromium (III) Sulphate Basic	20200 70 4				20222200	100/
030959		39380-78-4	РВ	500 gm	4/1	28332290	18%
	(Chromosal B) Cr ₄ (SO ₄) ₅ (OH) ₂ M.W.: 722.3						
020000		4222.02.0	O.D.	F00	4040	20404000	400/
030960	Chromium Trioxide Purified 98% for Synthesis	1333-82-0	GB	500 gm		28191000	18%
	(Chromium (VI) oxide; chromic acid; Chromic anhydride)		GB	1 kg			
	CrO ₃ M.W.: 99.99		PB	5 kg			
040000	0	4000.00.0	PD	50 kg		00404000	400/
012602	Chromium Trioxide 99% AR	1333-82-0	GB	500 gm	1305	28191000	18%
	(Chromium (VI) oxide; chromic acid; Chromic anhydride)						
	CrO ₃ M.W.: 99.99						
STA073	Chromotrope 2R 75% for Microscopy (C.I. 16570)	4197-07-3	GB	10 gm		32041213	18%
	(2-(Phenylazo)chromotropic acid disodium salt ;acid red 29)		GB	25 gm	891		
	C ₁₆ H ₁₀ N ₂ Na ₂ O ₈ S ₂ M.W.: 468.37						
030965	Chromotopic Acid Disodium Salt Dihydrate 98%	5808-22-0	GB	25 gm	882	29082027	18%

	CHE	MISTRY BEY	OI TO C				
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TA
	(1,8-Dihydroxynaphthalene-3,6-disulfonic acid disodium salt;						
	4,5-Dihydroxynaphthalene-2, 7-disulfonic acid disodium salt)						
	$C_{10}H_6Na_2O_8S_2.2H_2O$ M.W.: 400.30						
012610	Chromotropic Acid Disodium Salt Dihydrate 98.5% AR	5808-22-0	GB	10 gm	945	29082027	189
	(1,8-Dihydroxynaphthalene-3,6-disulfonic acid disodium salt;		GB	25 gm	1890		
	4,5-Dihydroxynaphthalene-2, 7-disulfonic acid disodium salt)						
	C ₁₀ H ₆ Na ₂ O ₈ S ₂ .2H ₂ O M.W.: 400.30						
REA052	Chromotropic Acid Reagent		GB	125 ml	504	38220090	129
US0590	Chromotropic Acid TS		GB	125 ml	504	38220090	12%
STA075	Chrysodine R 65% for Microscopy (C.I. 11320)	4438-16-8	GB	25 gm	190	32041310	18%
	(Basic orange 1)		GB	100 gm	594		
	$C_{13}H_{15}N_4CI\ M.W.: 262.74$						
STA076	Chrysodine Y 90% for Microscopy (C.I. 11270)	532-82-1	GB	25 gm	190	32041310	18%
	(Basic orange 2)		GB	100 gm	594		
	$C_{12}H_{12}N_4$.HCI M.W.: 248.72						
027520	Cinnamaldehyde 98% for Synthesis	104-55-2	GB	500 ml	1341	29122910	18%
	(Cinnamic aldehyde; trans-3-phenyl-2-propenal; 3-Phenylprop-2-enal)		GB	2.5 L	6390		
	C ₆ H ₅ .CH:CH.CHO M.W.: 132.16						
030968	Cinnamic Acid 99% for Synthesis	140-10-3	РВ	250 gm	1053	29163910	18%
	(3-phenylacrylic acid; trans-3-Phenylacrylic acid)		РВ	500 gm	1998		
	C ₆ H ₅ .CH.CH.COOH M.W.: 148.16						
012615	Cinnamic Acid 99.5% AR	140-10-3	РВ	250 gm	1395	29163910	18%
	(3-phenylacrylic acid; trans-3-Phenylacrylic acid)						
	C ₆ H ₅ .CH.CH.COOH M.W.: 148.16						
Cinnami	c Aldehyde See Cinnamaldehyde						
027530 *	Citral 96%	5392-40-5	GB	100 ml	630	29121990	18%
	(3,7-dimethyl-2,6-octadienal)		GB	500 ml	2970		
	Mixture of cis + trans						
	C ₁₀ H ₁₆ O M.W.: 152.24						
030970 •	Citric Acid Anhydrous 99%	77-92-9	РВ	500 gm	333	29181400	18%
	(2-Hydroxy-1,2,3-propanetricarboxylic acid anhydrous)		РВ	5 kg	2340		
	C(OH)(COOH)(CH ₂ COOH) ₂ M.W.: 192.13		PD	25 kg	POR		
			PD	50 kg	POR		
012620 •	Citric Acid Anhydrous 99.5% AR	77-92-9	РВ	500 gm	405	29181400	18%
	(2-Hydroxy-1,2,3-propanetricarboxylic acid anhydrous)		РВ	5 kg	2700		
	C(OH)(COOH)(CH ₂ COOH) ₂ M.W.: 192.13		PD	25 kg			
030971 •	Citric Acid Monohydrate 99%	5949-29-1	PB	500 gm		29181400	18%
	(2-Hydroxy-1,2,3-propanetricarboxylic acid monohydrate)		PB	5 kg			
	C(OH)(COOH)(CH ₂ .COOH) ₂ .H ₂ O M.W.: 210.14		PD	50 kg	POR		
012621 •	Citric Acid Monohydrate 99.5% AR	5949-29-1	PB	500 gm		29181400	18%
712021	(2-Hydroxy-1,2,3-propanetricarboxylic acid monohydrate)	33 1 3-23-1		Joo giii	750	_0 10 1700	10/0

	CHEN	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	meets analytical specification of IP, B.P.,U.S.P., N.F., E.P.						
	C(OH)(COOH)(CH ₂ .COOH) ₂ .H ₂ O M.W.: 210.14						
HP0080 •	Citric Acid Monohydrate 99.7% for HPLC & Spectroscopy	5949-29-1	PB	500 gm	1290	29181400	18%
	(2-Hydroxy-1,2,3-propanetricarboxylic acid monohydrate)			v			
	C(OH)(COOH)(CH ₂ .COOH) ₂ .H ₂ O M.W. : 210.14						
SOL061	Citric Acid 10% Solution (Aqueous)		PB	1 L	360	38220090	12%
SOL062	Citric Acid 50% Solution (Aqueous)		PB	1 L	441	38220090	12%
SOL060	Citric Acid Solution		PB	500 ml	342	38220090	12%
027560	Clove Oil (Abt. 85% eugenol) for Microscopy	8000-34-8	GB	100 ml	1270	33012928	18%
	(Eugenia spp., Oil of cloves)		GB	500 ml	4791		
AAS024	Cobalt AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in HCl		PE	250 ml			
	•		GB	500 ml	3780		
ICP051	Cobalt ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO3		GB	500 ml	7650		
ICP046	Cobalt ICP Standard Solution		PE	100 ml	18000	38220090	12%
	10000 ppm TRISTAR Single Element in HNO3		GB	500 ml	50400		
030975	Cobalt Metal Powder 99.5%	7440-48-4	PB	100 gm		81052010	18%
	Co At. W. : 58.93		PB	250 gm			
012627	Cobalt Metal Powder 99.9% AR	7440-48-4	GB	100 gm		81052010	18%
	Co At. W. : 58.93			· ·			
Cobalt (I	I & III) Compound See Cobaltous Compound						
030978	Cobaltous Acetate Tetrahydrate 98.5%	6147-53-1	РВ	100 gm	1701	29152990	18%
	(Cobalt II acetate tetrahydrate)		РВ	250 gm	3492		
	C ₄ H ₆ CoO ₄ .4(H ₂ O) M.W.: 249.08		РВ	500 gm	6489		
	7 0 7 (2)		PD	25 kg			
012630	Cobaltous Acetate Tetrahydrate 99-102% AR/ACS	6147-53-1	PB	100 gm		29152990	18%
	(Cobalt II acetate tetrahydrate)		РВ	250 gm			
	C ₄ H ₆ CoO ₄ .4(H ₂ O) M.W.: 249.08			ŭ			
030979	Cobaltous Borate 99%		PB	100 gm	6300	28402090	18%
	B ₄ CoO ₇ .10H ₂ O M.W.: 394.10			· ·			
PH0018	Cobalt Chloride Paper		PB	200 lvs	351	38220090	12%
030980	Cobaltous Carbonate 45-50%	12602-23-2	GB	100 gm		28369990	18%
	(Cobalt (II) carbonate; Cobalt carbonate Hydroxide)		GB	250 gm			
	CoCO ₃ M.W.: 118.94		GB	500 gm			
030981	Cobaltous Chloride Hexahydrate 98%	7791-13-1	GB	100 gm		28273990	18%
	(Cobalt (II) chloride hexahydrate)		GB	500 gm			
	CoCl ₂ .6H ₂ O M.W.: 237.93		PD	25 kg			
012631	Cobaltous Chloride Hexahydrate 99% AR	7791-13-1	GB	100 gm		28273990	18%
	(Cobalt (II) chloride hexahydrate)		GB	500 gm			
	CoCl ₂ .6H ₂ O M.W.: 237.93						

CHEMISTRY BEYOND CHEMICALS

							77
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
VMS150	Cobaltous Chloride (0.5 M) Solution		PB	500 ml	450	38220090	12%
US0620	Cobaltous Chloride TS		РВ	125 ml	225	38220090	12%
030984	Cobaltous Nitrate Hexahydrate 97%	10026-22-9	GB	100 gm	1089	28342990	18%
	(Cobalt (II) nitrate hexahydrate; Nitric acid cobalt(II) sal)		GB	500 gm	4392		
	Co(NO ₃) ₂ .6H ₂ O M.W.: 291.03		PD	25 kg	POR		
012632	Cobaltous Nitrate Hexahydrate 99% AR/ACS	10026-22-9	GB	100 gm	2241	28342990	18%
	(Cobalt (II) nitrate hexahydrate; Nitric acid cobalt(II) salt)		GB	500 gm	9000		
	Co(NO ₃) ₂ .6H ₂ O M.W.: 291.03						
030983	Cobaltous Oxalate Dihydrate 99%	5965-38-8	РВ	100 gm	3906	29171190	18%
	CoC ₂ O ₄ .2H ₂ O M.W.: 182.98		РВ	500 gm	15300		
030985	Cobalt (II & III) Oxide 70%	1308-06-1	РВ	100 gm	3861	28220010	18%
	(Cobaltous oxide)		РВ	500 gm	15489		
	Co ₃ O ₄ M.W. : 240.80						
012633	Cobalt (II & III) Oxide 71% AR	1308-06-1	GB	100 gm	4240	28220010	18%
	(Cobaltous oxide)		GB	500 gm	17217		
	Co ₃ O ₄ M.W. : 240.80						
030986	Cobalt Phosphate Octahydrate 98%	10294-50-5	РВ	250 gm	6120	28352990	18%
	Co ₃ (PO ₄) ₂ .8H ₂ O M.W.: 510.87						
030987	Cobaltous Sulphate Heptahydrate 98%	10026-24-1	РВ	100 gm	918	28332990	18%
	(Cobalt (II) sulphate heptahydrate)		РВ	500 gm	4194		
	CoSO ₄ .7H ₂ O M.W.: 281.10		PD	25 kg	POR		
012634	Cobaltous Sulphate Heptahydrate 99% AR	10026-24-1	РВ	100 gm	1467	28332990	18%
	(Cobalt (II) sulphate heptahydrate)		РВ	250 gm	3195		
	CoSO ₄ .7H ₂ O M.W.: 281.10		РВ	500 gm	6093		
Cocktail'	s For Scintillation						
SG0101	Cocktails 'O' Scintillation Grade		GB	1 L	918	38220090	12%
	(Contents per Litre 6 gm PPO & 0.2gm POPOP in toluene)		GB	2.5 L	1845		
SG0103	Cocktails 'T' Scintillation Grade		GB	1 L	873	38220090	12%
	(Contents per Litre 5gm PPO, 0.15gm POPOP in toluene & Triton X100)		GB	2.5 L	1791		
SG0104	Cocktails 'W' Scintillation Grade		GB	1 L	2034	38220090	12%
	(Contents per Litre 10 gm PPO,0.25 gm		GB	2.5 L	4698		
	POPOP & 100 gm Naphthalene in 1,4-Dioxan)						
030998	Cocobetaine 27%	68411-97-2	GB	500 gm	2340	34021900	18%
030999	Cocodiethanolamide 85%	68603-42-9	GB	500 gm	1600	34021300	18%
031000	Cocomonoethanolamide 90%	68140-00-1	РВ	500 gm	1303	34021200	18%
031008	Colchicine 98%	64-86-8	GB	1 gm	2592	29399900	18%
	[(S)-N-(5,6,7,9-Tetrahydro-1,2,3,10-tetra methoxy-9-		GB	10 gm	23990		
	oxobenzo[a]heptalen-7-yl)acetamide]			J			
	used in plant cell culture test						
	C ₂₂ H ₂₆ NO ₆ M.W. : 399.44						
027569	Collodion 4%	9004-70-0	GB	500 ml	855	39122011	18%

	RESEARCH & LABOR	RATORY HEMISTRY BEY			Control of the	S	
	CI	TEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	4-8% in ethanol/diethyl ether						
027570	Collodion Flexible		GB	500 ml	1647	39122011	18%
	(Nitrocellulose)						
STA078	Congo Red Indicator (C.I. 22120)	573-58-0	GB	25 gm	306	32041421	18%
	(Congo Red 4B; Cosmos Red; Cotton Red B;		GB	100 gm	871		
	Cotton Red C; Direct Red 28; Direct Red R; Direct Red Y)		PB	1 kg	POR		
	pH range 3.0-5.2						
	$C_{32}H_{22}N_6Na_2O_6S_2$ M.W.: 696.68						
PH0021	Congo Red Paper (10 bks)		РВ	200 lvs	324	38220090	12%
STS065	Congo Red 0.1 % Solution in H2O		РВ	125 ml	189	38220090	12%
	pH range 3.0-5.2						
US0630	Congo Red TS		РВ	125 ml	297	38220090	12%
Coomas	sie Brilliant Blue G 250 See Brilliant Blue G 250						
Coomas	sie Brilliant Blue R 250 See Brilliant Blue R 250						
Copper ((I) Compound See Cuprous Compound						
AAS025	Copper AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP061	Copper ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO3		GB	500 ml	7650		
ICP062	Copper ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000ppm TRISTAR Single Element in HNO3		GB	500 ml	11700		
SS0590	Copper 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
031012	Copper Metal Powder Electrolytic 99.5%	7440-50-8	PB	500 gm	3789	74061000	18%
	Cu At. W.: 63.55		PD	25 kg	POR		
012640	Copper Metal Powder Fine 99.7% AR	7440-50-8	PB	250 gm	2259	74061000	18%
	Cu At. W.: 63.55		РВ	500 gm	4095		
031013	Copper Metal Turnings 99.5%	7440-50-8	РВ	100 gm	801	74061000	18%
	Cu At. W.: 63.55		РВ	500 gm	2997		
031015	Copper Foil Tech. 96%	7440-50-8	РВ	100 gm	1206	74101100	18%
	Cu At. W.: 63.55						
031016	Copper Foil 0.025 - 0.1 mm Thickness 99%	7440-50-8	PB	500 gm	4791	74101100	18%
012641	Copper Foil 0.1 mm Approx. 99.7% AR	7440-50-8	PB	500 gm	5094	74101100	18%
031020	Copper (II) Acetate Monohydrate 98%	6046-93-1	РВ	250 gm	1044	29152990	18%
	(Cupric acetate monohydrate)		РВ	500 gm	1791		
	(CH ₃ COO) ₂ Cu.H ₂ O M.W.: 199.65		PD	50 kg	POR		
012642	Copper (II) Acetate Monohydrate 99% AR	6046-93-1	РВ	250 gm	2592	29152990	18%
	(Cupric acetate monohydrate)						
	(CH ₃ COO) ₂ Cu.H ₂ O M.W. : 199.65						
US0700	Copper Acetate TS		РВ	500 ml	342	38220090	12%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX US0701 **Copper Acetate TS Strong** PR 500 ml **504** 38220090 12% 500 gm 031021 Copper (II) Carbonate 54-57% 12069-69-1 PΒ 2016 28369990 18% РΒ 50 kg POR (Copper (II) hydroxide carbonate) CuCO₃. Cu(OH)₂ M.W.: 221.12 012644 Copper (II) Chloride Anhydrous 98% AR 7447-39-4 PΒ **2520** 28274190 18% 500 gm (Cupric chloride anhydrous) CuCl₂ M.W.: 134.45 031022 Copper (II) Chloride Dihydrate Cryst. 98% 10125-13-0 PΒ 500 gm **1791** 28273990 18% PD (Cupric chloride dihydrate) 50 kg POR CuCl₂.2H₂O M.W.: 170.48 012643 Copper (II) Chloride Dihydrate 99% AR 10125-13-0 РΒ 2043 28273990 18% 500 gm (Cupric chloride dihydrate) CuCl₂.2H₂O M.W.: 170.48 **Copper Chloride 0.3M Solution** VMS168 PB 500 ml **702** 38220090 12% US0716 **Copper Citrate Alkaline TS** РΒ 500 ml **504** 38220090 12% US0715 **Copper Citrate TS** PR 500 ml 540 38220090 12% 031023 Copper (II) Citrate Hemipentahydrate 99% 10402-15-0 PR **2097** 29181590 18% 500 gm C₆H₄Cu₂O₇.2½H₂O M.W.: 360.19 Copper (II) Hydroxide Carbonate See Copper (II) Carbonate Copper (I) lodide 99% 7681-65-4 GB 100 gm **2440** 28276090 18% Cul M.W.: 190.45 GB 500 gm 9792 US0730 **Copper Iodide TS** GB 125 ml **630** 38220090 12% 031027 Copper (II) Nitrate Trihydrate 99% 10031-43-3 GB 250 gm **792** 28342990 18% GB 1440 (Cupric nitrate trihydrate) 500 gm Cu(NO₃)₂.3H₂O M.W.: 241.60 PD 50 kg POR 012645 Copper (II) Nitrate Trihydrate 99.5% AR/ACS 10031-43-3 GB 500 gm **1593** 28342990 18% (Cupric nitrate trihydrate) Cu(NO₃)₂.3H₂O M.W.: 241.60 VMS175 Copper Nitrate (0.1 N) Solution GB 500 ml 405 38220090 12% 031030 РΒ **Copper Oxalate 98%** 814-91-5 250 gm **2520** 29171190 18% (Cupricoxalate; Copper (II) oxalate) CuC2O4 M.W.: 151.56 Copper (II) Oxide Powder 97% **1080** 28255000 18% 031031 1317-38-0 PΒ 100 gm (Cupric oxide powder) PΒ 250 gm 2610 CuO M.W.: 79.55 PΒ 500 gm 4341 012646 Copper (II) Oxide Powder 99% AR/ACS 1317-38-0 PΒ 100 gm **1791** 28255000 18% PB 500 gm 6966 (Cupric oxide powder) CuO M.W.: 79.55 Copper (II) Oxide 99.9% AR 012648 1317-38-0 GB 25 gm 9180 28255000 18% (Cupric oxide powder)

CuO M.W.: 79.55

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
012649	Copper Oxide Wire 55% AR	1317-38-0	GB	100 gm	5094	28255000	18%
	CuO M.W.: 79.55						
031033	Copper (II) Sulphate Anhydrous 98%	7758-98-7	РВ	500 gm	2190	28332500	18%
	(Cupric sulphate anhydrous)		PD	25 kg	POR		
	CuSO ₄ M.W.: 159.60						
031034	Copper (II) Sulphate Pentahydrate 99%	7758-99-8	РВ	500 gm	801	28332500	18%
	(Cupric sulphate pentahydrate)		PB	1 kg	1395		
	CuSO ₄ .5H ₂ O M.W.: 249.68		PB	5 kg	6930		
			PD	50 kg	POR		
012650	Copper (II) Sulphate Pentahydrate 99.5% AR/ACS	7758-99-8	РВ	500 gm	900	28332500	18%
	(Cupric sulphate pentahydrate)		РВ	5 kg	8010		
	CuSO ₄ .5H ₂ O M.W.: 249.68						
US0740	Copper Sulphate 0.5N TS		РВ	500 ml	396	38220090	12%
VMS178	Copper (II) Sulphate 0.1M (0.1N) Standardized Solution		РВ	1 L	1386	38220090	12%
VMS179	Copper (II) Sulphate 0.1mol/I Solution		PB	1 L	396	38220090	12%
STA079	Cotton Blue for Microscopy (C.I. 42780)	28983-56-4	GB	25 gm	792	32041251	18%
	(Acid blue 93; aniline blue)		GB	100 gm	2790		
	water soluble						
	pH range 9.4-14.0						
	$C_{37}H_{27}N_3Na_2O_9S_3$ M.W.: 799.80						
STS067	Cotton Blue Solution		РВ	100 ml	504	38220090	12%
031040	Coumarin 99% for Synthesis	91-64-5	GB	250 gm	1791	29322100	18%
	(2H-1-benzopyran-2-one; 1,2-Benzopyrone; 2H-Chromen-2-one)		GB	500 gm	3096		
	C ₉ H ₆ O ₂ M.W.: 146.15						
Cream of	f Tartar See L-(+)-Potassium Hydrogen Tartrate						
031042	Creatine Monohydrate 98%	6020-87-7	PB	25 gm	513	29252990	18%
	for biochemical research		РВ	100 gm	1548		
	(N-Amidinosarcosine, Creatine)		РВ	1 kg	10242		
	C ₄ H ₉ N ₃ O ₂ .H ₂ O M.W.: 149.15						
031044	Creatinine 99% Pure	60-27-5	GB	25 gm	792	29332990	18%
	(2-amino-1-methyl-2-imidazolin-4-one;2-Imino-1-methy		GB	100 gm	2781		
	limidazolidin-4-one;2-Imino-N-methylhydantoin)		GB	1 kg	21960		
	C ₄ H ₇ N ₃ O M.W.: 113.12						
012660	Creatinine 99.5% AR	60-27-5	GB	10 gm	471	29332990	18%
	(2-amino-1-methyl-2-imidazolin-4-one; 2-Imino-1-		GB	25 gm	941		
	methylimidazolidin-4-one; 2-Imino-N-methylhydantoin)		GB	100 gm	3600		
	meets analytical specification of USP-NF		РВ	1 kg	24930		
	C ₄ H ₇ N ₃ O M.W.: 113.12						
SOL057	Creatinine 0.1mg/100 ml Standard Solution		РВ	125 ml	135	38220090	12%
027575	Cresol Mixed Isomers	1319-77-3	GB	500 ml	1242	29071190	18%
	(Cresylic acid)		GB	2.5 L	5490		

	RESEARCH & LABOR	HEMISTRY BEY				_3	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	CH ₃ C ₆ H ₄ OH M.W.: 108.14						
027577	m-Cresol 98% for Synthesis	108-39-4	GB	500 ml	2196	29071290	18%
	(3-Methylphenol)		GB	2.5 L	9891		
	C ₇ H ₈ O M.W.: 108.14						
010160	m-Cresol 99% AR	108-39-4	GB	500 ml	2390	29071290	18%
	(3-Methylphenol)						
	C ₇ H ₈ O M.W.: 108.14						
STA085	m-Cresol Purple (pH Indicator) AR	2303-01-7	GB	1 gm	351	29349900	18%
	Acid base indicator		GB	5 gm	1391		
	C ₂₁ H ₁₈ O ₅ S M.W.: 382.43						
STS068	m-Cresol Purple Solution		РВ	125 ml	243	38220090	12%
027576	o-Cresol 99% for Synthesis	95-48-7	GB	500 ml	873	29071290	18%
	(2-Methylphenol)		GB	2.5 L	3789		
	C ₇ H ₈ O M.W. : 108.14						
STA082	o-Cresolphthaleine (pH Indicator)	596-27-0	GB	5 gm	252	29332990	18%
	C ₂₂ H ₁₈ O ₄ M.W.: 346.39		GB	25 gm			
STS069	o-Cresolphthaleine (pH Indicator) Solution		GB	100 ml		38220090	12%
STA083	o-Cresolphthaleine Complexone	2411-89	GB	1 gm		29322990	18%
	(Phthalein purple; Metal phthalein; o-Cresolphthalexon;		GB	5 gm			
	o-Cresolphthalein-3',3"-bis-methyleneiminodiacetic acid;			· ·			
	Xylenylphthalein-bisiminodiacetic acid)						
	C ₃₂ H ₃₂ N ₂ O ₁₂ M.W.: 636.62						
031050	p-Cresol 98% for Synthesis	106-44-5	GB	500 gm	1191	29071210	18%
	(4-Methylphenol)			· ·			
	CH ₃ .C ₆ H ₄ .OH M.W.: 108.14						
STA088	Cresol Red (pH Indicator) AR	1733-12-6	GB	5 gm	270	29349900	18%
	(o-Cresolsulfonphthalein)		GB	25 gm			
	C ₂₁ H ₁₈ O ₅ S M.W.: 382.44			· ·			
STS070	Cresol Red Indicator Solution		PB	125 ml	216	38220090	12%
STA089	Cresol Red Sodium Salt 95%	62625-29-0	GB	5 gm		32041421	18%
	C ₂₁ H ₁₇ NaO ₅ S M.W. : 404.41		GB	25 gm			
US0650	Cresol Red Thymol Blue TS		PB	125 ml		38220090	12%
	Acid See Cresol mixed Isomers			•			,.
027580	Creosote from Beechwood Tar	8021-39-4	GB	250 ml	4509	38070010	18%
021000	(Beechwood creosote)	302.00		200		000.00.0	.070
012663	Crotonic Acid	107-93-7	GB	100 gm	900	29161990	18%
	(β-Methylacrylic acid, 2- Butenoic acid;trans-2-Butenoic acid)	107 00 7	GB	250 gm			. 5 /0
	$C_6H_6O_2$ M.W.: 86.09		PB	250 gm			
031055 -	15-Crown-5-Ether 98% for Synthesis	33100-27-5	GB	5 gm		29329900	18%
001000	C ₁₀ H ₂₀ O ₅ M.W.: 220.27	33100-27-3	GB	25 gm		20020000	10 /0
	V101 120 V5 181.888 ∠∠V.∠1	17455-13-9	UD	zo ym	J034		

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(1,4,7,10,13,16-Hexaoxacyclooctadecane)		GB	25 gm	999		
	$C_{12}H_{24}O_6$ M.W.: 264.32		GB	100 gm	2997		
031062	Cryolite Powder 97%	15096-52-3	PB	500 gm	594	28263000	18%
	(Sodium hexafluoro aluminate)		РВ	2.5 kg	2493		
	Na ₃ AIF ₆ M.W.: 209.94						
STA091	Crystal Violet 90% for Microscopy (C.I. 42555)	548-62-9	GB	25 gm	642	32041349	18%
	(Gentian Violet; Basic Violet 3; Methyl Violet 10B;		GB	100 gm	2196		
	Hexamethylpararosaniline chloride)		РВ	1 kg	17991		
	C ₂₅ H ₃₀ CIN ₃ M.W.: 407.99						
STS075	Crystal Violet Staining Solution		PB	125 ml	243	38220090	12%
	microbiological stain						
US0680	Crystal Violet TS		РВ	125 ml	270	38220090	12%
STS076	Crystal Violet 1% w/v in Glacial Acetic Acid		РВ	100 ml	297	38220090	12%
	(For Non-Aqueous Titration)						
FDS333	C.S.F. Diluting Fluid		РВ	125 ml	180	38220090	12%
Cupric C	compounds See Copper (II) Compounds						
Cupron S	See α-Benzoin Oxime						
Cuproin	AR See 2,2'-Biquinoline AR						
031070	Cuprous Chloride 96%	7758-89-6	РВ	500 gm	1692	28273940	18%
	(Copper (I) chloride)		РВ	1 kg	3096		
	CuCl M.W.: 99.00						
012670	Cuprous Chloride 97% AR/ACS	7758-89-6	РВ	250 gm	2493	28273940	18%
	(Copper (I) chloride)						
	CuCl M.W.: 99.00						
031074	Cuprous Oxide Red 94%	1317-39-1	РВ	500 gm	2592	28255000	18%
	(Copper (I) oxide)						
	Cu ₂ O M.W.: 143.08						
STA093	Curcumin Crystalline 97% for Synthesis (C.I. 75300)	458-37-7	GB	5 gm	486	29145000	18%
	(Turmeric Yellow; Natural yellow 3; Yellow Ginger;		GB	10 gm	936		
	Golden Seal, Yellow Puccon;Indian Saffron)						
	C ₂₁ H ₂₀ O ₆ M.W.: 368.39						
STS078	Curcumin Solution		РВ	100 ml	243	38220090	12%
	(Reagent for Boron & for TLC derivatization)						
031077 *	Cyanocobalamin 96% for Biochemistry	68-19-9	GB	250 mgm	846	29362610	18%
	(Vitamin B12)		GB	1 gm	2997		
	C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P M.W. : 1355.38			-			
027593	m-Cyano Toluene 99% for Synthesis	620-22-4	GB	25 ml	2205	29269000	18%
	(3-Cyano Toluene; 3-Tolunitrile)		GB	100 ml			
	CH ₃ C ₆ H ₄ CN M.W.: 117.15						
027594	o-Cyano Toluene 97% for Synthesis	529-19-1	GB	25 ml	1296	29269000	18%
	(2-Cyano Toluene; 2-Tolunitrile)	220 10 1	GB	100 ml			. 3,0

www.hplcindia.com

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	CH ₃ C ₆ H ₄ CN M.W.: 117.15						
31079	p-Cyano Toluene 98% for Synthesis	104-85-8	GB	25 gm	900	29269000	18%
	(4-Cyano Toluene;4-Tolunitrile)		GB	100 gm			
	CH ₃ C ₆ H ₄ CN M.W.: 117.15						
27599	Cyclohexane 98% for Synthesis	110-82-7	GB	500 ml	360	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)		GB	2.5 L	1440		
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16		PR	25 Lit	POR		
10170	Cyclohexane 99.5% AR	110-82-7	GB	500 ml	405	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)		GB	2.5 L	1602		
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16						
GC0200	Cyclohexane 99.9% GC Grade	110-82-7	GB	250 ml	630	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)		GB	1 L	1800		
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16						
HP0076	Cyclohexane 99.7% for HPLC & Spectroscopy	110-82-7	GB	1 L	1107	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)		GB	2.5 L	2160		
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16						
DRY016	Cyclohexane (Specially Dried) 99.5% AR	110-82-7	GB	500 ml	801	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)						
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16						
PR0038	Cyclohexane 99.8% for Pesticide Residue Trace Analysis	110-82-7	GB	1 L	4410	29021100	18%
	(Hexahydrobenzene; Hexamethylene; Hexanaphthalen)						
	CH ₂ .(CH ₂) ₄ .CH ₂ M.W.: 84.16						
,2-Cycle	ohexane Diamine Tetra Acetic Acid (CDTA) See trans-1,2 Diamino	Cyclohexane-N,N,	N',N'-Tetra A	Acetic Acid			
27600	Cyclohexanol 98% for Synthesis	108-93-0	GB	500 ml	801	29061200	18%
	(Hexahydrophenol; Hydroxycyclohexane		GB	2.5 L	3204		
	Adronal; Cyclohexyl alcohol; Hexalin)		PR	25 Lit	POR		
	C _e H ₁₂ O M.W.:100.16						
027601	Cyclohexanone 99% for Synthesis	108-94-1	GB	500 ml	540	29142200	18%
	(Cyclohexyl ketone; Anone; Hexanon; Sextone		GB	2.5 L	2106		
	Ketohexamethylene; Pimelic ketone; Pimelin ketone)		PR	25 Lit	POR		
	C ₆ H ₁₀ O M.W.: 98.15						
010175	Cyclohexanone 99.5% AR	108-94-1	GB	500 ml	603	29142200	18%
	(Cyclohexyl ketone; Anone; Hexanon; Sextone		GB	2.5 L	2430		
	Ketohexamethylene; Pimelic ketone; Pimelin ketone)						
	C _e H ₁₀ O M.W.: 98.15						
Cyclohe	ximide See Actidione						
27602	Cyclohexylamine 99% for Synthesis	108-91-8	GB	500 ml	630	29213010	18%
	(Aminocyclohexane; Cyclohexanamine)		GB	2.5 L	2808		
	C ₆ H ₁₃ N M.W.: 99.18						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
027607	Cyclopentanone 99% for Synthesis	120-92-3	GB	500 ml	1395	29142390	18%
	(Adipic Ketone; Ketocyclopentane)						
	C ₅ H ₈ O M.W.: 84.12						
031087	Cyclo Pentyl Bromide 98% for Synthesis	137-43-9	GB	100 gm	1791	29035900	18%
	(Bromocyclopentane)		GB	500 gm	6795		
	$C_9H_9Br\ M.W.: 149.03$						
031089	L-Cysteine 98% for Biochemistry	52-90-4	GB	25 gm	711	29309040	18%
	[(R)-2-Amino-3-mercaptopropionic acid)]		GB	100 gm	8496		
	C ₃ H ₇ SNO ₂ M.W.: 121.16						
031090	L-Cysteine Hydrochloride Monohydrate 98.5% AR	7048-04-6	GB	25 gm	351	29309040	18%
	for Biochemistry		GB	100 gm	1098		
	C ₃ H ₇ NO ₂ S.HCl.H ₂ O M.W.: 175.63		РВ	1 kg	6192		
031093	L-Cystine 99% for Biochemistry	56-89-3	GB	25 gm	450	29309040	18%
	[(R,R)-3,3'-Dithiobis(2-aminopropionicacid)]		GB	100 gm	1395		
	conforms to BP/USP		GB	500 gm	5490		
	[S.CH ₂ .CH(NH ₂).COOH] ₂ M.W.: 240.30						
031096 *	Cytosine 98% for Biochemistry	71-30-7	GB	1 gm	216	29335990	18%
	(4-amino-2-hydroxy pyrimidiene)		GB	5 gm	342		
	C ₄ H ₅ N ₃ O M.W.: 111.10						
	D						
027625	D.M. Water	7732-18-5	РВ	5 L	500	28510010	18%
	H ₂ O M.W.: 18.05		PR	25 Lit	POR		
			PD	200 L	POR		
034075	Darco® G 60	7440-44-0	РВ	500 gm	972	38021000	18%
	Darco G60 is the Trade Mark of Atlas Chem. Ind. Inc.						
	Active Charcoal from spruce wood washed in acid,						
	particle size 100 mesh						
	C M.W.: 12.01						
012680	Darco® G 60 AR	7440-44-0	РВ	500 gm	2248	38021000	18%
	Darco G60 is the Trade Mark of Atlas Chem. Inc.						
	Active Charcoal from spruce wood washed in acid,						
	particle size 100 mesh						
	C M.W.: 12.01						
034083	1-Decane Sulphonic Acid Sodium Salt Monohydrate 99% AR	13419-61-9	GB	5 gm	360	29041090	18%
	(Sodium 1-Decanesulfonate)		GB	25 gm	1098		
	For Ion Pair Chromatography		GB	100 gm	3996		
	C ₁₀ H ₂₁ NaO ₃ SH ₂ O M.W.: 262.33						
n-Decan	oic Acid See n-Capric Acid						
n-Decoid	C Acid See n-Capric Acid						

	C	HEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Reagent for citrates)						
029125	Deonised Water	7732-18	РВ	5 L	1989	28510010	18%
	H ₂ O M.W.: 18.015		PR	25 Lit	POR		
			PD	200 L	POR		
DNA005	* Deoxy Ribonucleic Acid (DNA)	100403-24-5	GB	5 gm	2727	29349900	18%
	Degraded Free Acid		GB	10 gm	4950		
			GB	25 gm	10395		
SOL080	Destaining Solution		РВ	125 ml	360	38220090	12%
	for Remove Stain from Polyacrylamide Gels						
Detergen	nt (Lab) See Super Lab® Clean						
034085	Devardas Alloy Powder	8049-11-4	РВ	100 gm	1044	74032900	18%
	100 mesh Contains about 45% Al, 50% Cu, 5% Zn		РВ	500 gm	4068		
	AlCuZn M.W.: 155.92						
012688	Devardas Alloy Powder AR	8049-11-4	РВ	100 gm	1242	74032900	18%
	100 mesh Contains about 45% AI, 50% Cu, 5% Zn		РВ	250 gm	2541		
	AlCuZn M.W.: 155.92						
034087	Dextrin White from Corn,Type II	9004-53-9	РВ	500 gm	315	35051010	18%
	<5% reducing sugar						
	$(C_6H_{10}O_5)n.XH_2O$						
034088	Dextrose Anhydrous Purified	50-99-7	РВ	500 gm	396	17023031	18%
	(D-(+)-Glucose Dextrose)		РВ	1 kg	693		
	C ₆ H ₁₂ O ₆ M.W.: 180.16		РВ	5 kg	2493		
			PD	50 kg	POR		
012690	Dextrose Anhydrous AR	50-99-7	РВ	500 gm	468	17023031	18%
	(D-(+)-Glucose Dextrose)		РВ	5 kg	3600		
	meets analytical specification of USP, IP,BP, Ph.Eur.						
	C ₆ H ₁₂ O ₆ M.W.: 180.16						
034089	Dextrose Monohydrate	14431-43-7	РВ	500 gm	306	17023031	18%
	(D-(+)-Glucose monohydrate)		PD	50 kg	POR		
	C ₆ H ₁₂ O ₆ .H ₂ O M.W.: 198.17						
012691	Dextrose Monohydrate AR for Microbiology	14431-43-7	РВ	500 gm	405	17023031	18%
	(D-(+)-Glucose monohydrate)						
	C ₆ H ₁₂ O ₆ .H ₂ O M.W.: 198.17						
027630	Diacetone Alcohol 99% Purified	123-42-2	GB	500 ml	640	29141990	18%
	(4-Hydroxy-4-Methyl-2-Pentanone)		GB	2.5 L	2991		
	C ₆ H ₁₂ O ₂ M.W. : 116.16						
027632	Diacteyl 97% for Synthesis	431-03-8	GB	100 ml	1341	29141990	18%
	(2,3-Butanedione)						
	C ₄ H ₆ O ₂ M.W.: 86.09						
034092	Diacetyl Monoxime 98%	57-71-6	PB	25 gm	495	29280090	18%
	(2,3-butanedione monoxime; BDM; Biacetyl monoxime)	07 7 7 0	PB	100 gm			.070

	CHEMIS						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₄ H ₇ NO ₂ M.W.: 101.11						
012695	Diacetyl Monoxime 99% AR	57-71-6	РВ	25 gm	522	29280090	189
	(2,3-butanedione monoxime; BDM; Biacetyl monoxime)		РВ	100 gm	1746		
	Reagent for colorimetric determination of urea Spectrometric						
	Reagent for Co, Cu, Ni, Pd, Re.						
	C ₄ H ₇ NO ₂ M.W.: 101.11						
SOL075	Diacetyl Monoxime 2% Solution		PB	125 ml	126	38220090	129
12697	trans-1,2 Diamino Cyclohexane-N,N,N',N' Tetra	125572-95-4	GB	25 gm	3891	29224990	189
	Acetic Acid 99% AR		GB	100 gm	14490		
	(CDTA; 1,2-cyclohexane diamine tetra acetic acid)						
	$C_{14}H_{22}N_2O_8.H_2O$ M.W.: 364.36						
,2-Diam	ino Ethane See Ethylene Diamine						
1,2-Diam	ino Ethane Dihydrochloride See Ethylene Diamine Dihydrochloride						
3,8-Diam	ino-5-Ethyl-6-Phenyl-Dibenzo-18-Crown-6 See 18-Crown-6 Ether						
2,6-Di-Te	rt-p-Methyl Phenol See Butylated Hydroxy Toluene						
34094	o-Dianisidine 96%	119-90-4	GB	25 gm	513	29222990	189
	(3,3'-dimethoxybenzidine; fast blue B)		GB	100 gm	1791		
	Used as a Peroxide Stain for Haemoglobin and Heptoglobin Complexes.						
	$C_{14}H_{16}N_2O_2$ M.W.: 244.30						
034096 *	Diastase	9000-90-2	РВ	100 gm	651	35079099	18%
	(Diastease fungal; α-amylase)		PB	500 gm	2440		
REA055	Diazo Reagent A		PB	125 ml	207	38220090	129
	for Bilirubin determination						
REA056	Diazo Reagent B		PB	125 ml	207	38220090	12%
	for Bilirubin determination						
034010	Dibenzo-18-Crown-6-Ether 98% for Synthesis	14187-32-7	GB	5 gm	882	29329900	18%
	$C_{20}H_{24}O_6$ M.W.: 360.41		GB	25 gm	3834		
034020	Dibenzothiophene 98% for Synthesis	132-65-0	GB	25 gm	4500	29349900	18%
	C ₁₂ H ₈ S M.W.: 184.26		GB	100 gm	11700		
027633	1,2-Dibromo Ethane 98% for Synthesis	106-93-4	GB	500 ml	3060	29033100	18%
	(Ethylene Bromide; Ethylene Dibromide)		GB	2.5 L	13698		
	C ₂ H ₄ Br ₂ M.W.: 187.89		PR	25 Lit	POR		
			PD	200 L	POR		
5,5'-Dibr	omo-o-Cresol Sulphonapthalein See Bromo Cresol Purple Indicator						
034098	1,5-Dibromo Pentane 98% for Synthesis	111-24-0	GB	100 gm	1710	29033920	18%
	(Pentamethylene Dibromide)		GB	500 gm	5790		
	$C_5H_{10}Br_2$ M.W.: 229.94						
3'3''-Dibr	romo Sulfongallein See Bromo Pyrogallol Red AR						
Dibutylar	mine See di-n-Butylamine						
27634	Di-n-Butylamine 99% for Synthesis	111-92-2	GB	500 ml	765	29211990	18%
	(Dibutylamine; N,N-Dibutylamine; N-Butyl-1-Butanamine)		GB	2.5 L	3195		

	CH	IEMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₈ H ₁₉ N M.W.: 129.25						
027635	Di-Butyl Maleate (DBM) 96% for Synthesis	105-76-0	GB	500 ml	720	29173990	18%
	(Maleic Acid Dibutyl Ester; Butyl Maleate)		GB	2.5 L	2890		
	$C_{12}H_{20}O_4$ M.W.: 228.29						
027637	Di-n-Butyl Phthalate 98% for Synthesis	84-74-2	GB	500 ml	630	29173910	18%
	(n-Butylphthalate; DBP; Phthalic acid Dibutyl Ester)		GB	2.5 L	2592		
	$C_{16}H_{22}O_4$ M.W.: 278.35		PR	25 Lit	POR		
010200	Di-n-Butyl Phthalate 99% AR	84-74-2	GB	500 ml	783	29173100	18%
	(n-Butylphthalate; DBP; Phthalic acid Dibutyl Ester)						
	$C_{16}H_{22}O_4$ M.W.: 278.35						
027638	Di-n-Butyl Tin Dilaurate for Synthesis	77-58-7	GB	500 ml	6705	29319090	18%
	C ₃₂ H ₆₄ O ₄ Sn M.W.: 631.56						
034105	Di-Butyl Tin Oxide 98% for Synthesis	818-08-6	GB	250 gm	3591	29319090	18%
	[Dibutyloxotin; Dibutyltin(IV) oxide]		РВ	1 kg	13991		
	C ₈ H ₁₈ OSn M.W.: 248.94						
Di-calciı	um Phosphate See di-Calcium Phosphate						
934111	2,5-Dichloro Aniline 98% for Synthesis	95-82-9	GB	500 gm	9360	29214215	18%
	C ₆ H ₅ Cl ₂ N M.W. : 162.02						
034106	2,6-Dichloro Aniline 98%	608-31-1	GB	100 gm	4050	29214215	18%
	Cl ₂ C ₆ H ₃ NH ₂ M.W.: 162.02						
934113	3,4-Dichloro Aniline 98% for Synthesis	95-76-1	GB	250 gm	2880	29214213	18%
	C ₆ H ₅ Cl ₂ N M.W. : 162.02		GB	500 gm	4680		
1,2-Dich	lorobenzene See o-Dichloro Benzene						
1,4-Dich	lorobenzene See p-Dichloro Benzene						
027639	o-Dichloro Benzene 98% for Synthesis	95-50-1	GB	500 ml	513	29039120	18%
	(1,2-dichlorobenzene)		GB	2.5 L	2241		
	C ₆ H ₄ Cl ₂ M.W.: 147.00						
010201	o-Dichloro Benzene 99% AR	95-50-1	GB	500 ml	648	29039120	18%
	(1,2-dichlorobenzene)		GB	2.5 L	2790		
	C ₆ H ₄ Cl ₂ M.W.: 147.00						
034107	p-Dichloro Benzene 97% for Synthesis	106-46-7	PB	500 gm	619	29039130	18%
	(1,4-dichlorobenzene)			· ·			
	C ₆ H ₄ Cl ₂ M.W.: 147.00						
034108	2,4-Dichloro Benzoic Acid 98% for Synthesis	50-84-0	GB	250 gm	1719	29163990	18%
	(2,4-DCBA)			ŭ			
	C ₇ H ₄ CI ₂ O ₂ M.W.: 191.02						
010203	2,4-Dichloro Benzyl Chloride 99%	94-99-5	GB	100 ml	1260	29029090	18%
	(a-2,4-trichlorotoluene; 2,4-DCBA)		GB	500 ml	3708		- /-
	C ₇ H ₅ Cl ₃ M.W.: 195.48						
027641	1,2-Dichloro Ethane 99% for Synthesis	107-06-2	GB	500 ml	439	29031500	18%
J U-T1	(Ethylenedichloride)	107-00-2	GB	2.5 L	1692	20001000	10/0

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
	СНЕ	MISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₂ H ₄ Cl ₂ M.W. : 98.96		PR	25 Lit	POR		
010205	1,2-Dichloro Ethane 99.5% AR	107-06-2	GB	500 ml	594	29031500	18%
	(Ethylenedichloride)		GB	2.5 L	2091		
	C ₂ H ₄ Cl ₂ M.W.: 98.96						
STA099	2,7-Dichloro Fluorescein 90% AR/ACS	76-54-0	GB	5 gm	651	32049000	18%
	(2',7'-dichloro-3,6-florandiol; 2',7'-Dichloro-3',6'-		GB	10 gm	1191		
	dihydroxy-3H-spiro[2-benzofuran-1,9'-xanthen]-3-one)						
	For determination of borates and chlorides						
	C ₂₀ H ₁₀ Cl ₂ O ₅ M.W. : 401.20						
STS082	Dichloro Fluorescein 0.1% w/v Indicator		РВ	100 ml	342	38220090	12%
	In 70% Alcohol						
027642	Dichloro Methane Pure 99% for Synthesis	75-09-2	GB	500 ml	306	29031200	18%
	(Methylene chloride)		GB	2.5 L	1206		
	CH ₂ Cl ₂ M.W.: 84.93		PR	25 Lit	POR		
			PD	200 L	POR		
010210	Dichloro Methane 99.5% AR	75-09-2	GB	500 ml	360	29031200	18%
	(Methylene chloride)		GB	2.5 L	1404		
	CH ₂ Cl ₂ M.W.: 84.93		PR	25 Lit	POR		
GC0300	Dichloro Methane 99.9% GC Grade	75-09-2	GB	250 ml		29031200	18%
	(Methylene chloride)		GB	1 L	1620		.0,0
	CH ₂ Cl ₂ M.W.: 84.93						
HP0101	Dichloro Methane 99.7% for HPLC & Spectroscopy	75-09-2	GB	1 L	720	29031200	18%
	(Methylene chloride)		GB	2.5 L	1503		.0,0
	CH ₂ Cl ₂ M.W. : 84.93						
MB0046	Dichloro Methane 99.9% for Molecular Biology	75-09-2	GB	100 ml	900	29031200	18%
III D00-40	(Methylene chloride)	10-03-2	GB	250 ml	1800	25051200	10 /0
	CH ₂ Cl ₂ M.W.: 84.93		OB	250 1111	1000		
PR0046	Dichloro Methane 99.8% for Pesticide	75-09-2	GB	1 L	3006	29031200	18%
1 110040	Residue Trace Analysis	10-03-2	OB	1.5	3000	25051200	10 /0
	(Methylene chloride)						
	CH ₂ Cl ₂ M.W.: 84.93						
DRY020	Dichloro Methane Specially Dried 99.5% AR	75-09-2	GB	500 ml	602	29031200	18%
DK 1020		75-09-2				29031200	10 70
	(Methylene chloride)		GB	2.5 L	2979		
004440	CH ₂ Cl ₂ M.W.: 84.93	400.00.0		050	201	2022222	400/
034113	2,4-Dichloro Phenol 96% Pract.	120-83-2	GB	250 gm		29089990	18%
	(2,4-Dichlorohydroxybenzene; 2,4-DCP)		GB	500 gm	1593		
	C ₆ H ₄ Cl ₂ O M.W.: 163.00	.				00001555	
034114	2,6-Dichloro Phenol 98% for Synthesis	87-65-0	GB	100 gm		29081900	18%
	(1-Hydroxy-2,6-dichlorobenzene)		GB	500 gm	4190		
	C ₆ H ₄ Cl ₂ O M.W.: 163.00						
012700	2,6-Dichloro Phenol Indophenol Sodium Salt 98% AR	620-45-1	GB	1 gm	297	29252990	18%

	CHE	MISTRY BEY	OND C	TEIVITCA	(L)		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Phenolindo-2,6-dichlorophenol sodium salt; 2,6-Dichlorobenzenone-		GB	5 gm	1197		
	indophenol sodium salt; 2,6-Dichloro-N-(4-hydroxyphenyl)-1,4-benzo		GB	25 gm	4797		
	quinoneimine sodium salt;DCIP; DPIP; DCPIP)						
	for determination of Ascorbic Acid & Vitamin C.						
	$C_{12}H_6Cl_2NNaO_2.XH_2O\ M.W.: 290.09(Anhy.)$						
034117	Dicyandiamide 98% Pure	461-58-5	PB	500 gm	891	29262000	18%
	(1-cyanoguanidine; Dicyanodiamide)		PD	25 kg	POR		
	C ₂ H ₄ N ₄ M.W.: 84.08						
027644	Dicyclohexylamine 99% for Synthesis	101-83-7	GB	500 ml	945	29213090	18%
	C ₁₂ H ₂₃ N M.W. : 181.30		GB	2.5 L	3996		
034120	Dicyclohexylamine Nitrite	3129-91-7	GB	25 gm	2250	29213090	18%
	C ₁₂ H ₂₃ N·HNO ₂ M.W.: 228.34		GB	100 gm	7920		
034122	Didymium Oxide	11141-21-2	GB	25 gm	8910	28259090	18%
	Nd ₂ O ₃ Pr ₂ O ₃ M.W.: 666.29		GB	100 gm	31050		
027646	Diethanolamine 98% for Synthesis	111-42-2	GB	500 ml	504	29221210	18%
	(2,2'-Iminodiethanol; Bis(2-hydroxyethyl)amine; DEA)		GB	2.5 L	1996		
	C ₄ H ₁₁ NO ₂ M.W.: 105.14						
027647	Diethylamine 99% for Synthesis	109-89-7	GB	500 ml	549	29211990	18%
	(N,N-Diethylamine; N-Ethylethanamine)		GB	2.5 L	2097		
	(C ₂ H ₅) ₂ NH M.W.: 73.14		PR	25 Lit	POR		
010220	Diethylamine 99.5% AR	109-89-7	GB	500 ml		29211990	18%
	(N.N-Diethylamine: N-Ethylethanamine)		GB	2.5 L	2410		
	(C ₂ H ₅) ₂ NH M.W.: 73.14						
027649	2-Diethyl Amino Ethanol 99% for Synthesis	100-37-8	GB	500 ml	801	29221990	18%
	(N,N-diethylethanolamine)		GB	2.5 L	3240		
	C ₆ H ₁₅ NO M.W.: 117.19						
027651	N,N-Diethyl Aniline 98.5% for Synthesis	91-66-7	GB	500 ml	720	29214190	18%
	(DEA)		GB	2.5 L	3195		
	C ₁₀ H ₁₅ N M.W.: 149.25						
010225	N,N-Diethyl Aniline 99% AR	91-66-7	GB	500 ml	1296	29214190	18%
	(DEA)						
	C ₁₀ H ₁₅ N M.W.: 149.25						
034124	Diethyl Carbamoyl Chloride 98% for Synthesis	88-10-8	GB	100 gm	2250	28274900	18%
	(Chloroformic acid diethylamide; Diethylcarbamoyl chloride)		-	9			,.
	C ₆ H ₁₀ CINO M.W.: 135.59						
Diethyl [Dithiocarbamate Sodium Salt AR See Sodium Diethyl Dithiocarb	pamate AR					
-	nediamine Ahndyrous See Piperazine Anhydrous						
-	nediamine Hexahydrate See Piperazine Hexahydrate						
027657	Diethylene Glycol 98% for Synthesis	111-46-6	GB	500 ml	360	29094900	18%
	(Digol)		GB	2.5 L	1404		•
	(V:/			L.0 L			

	RESEARCH & LABORA	ISTRY BEY			Cherry Street		
0005						HOM	T. (1)
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
010240	Diethylene Glycol 99% AR	111-46-6	GB	500 ml		29094900	189
	(Digol)		GB	2.5 L	1620		
007050	C ₄ H ₁₀ O ₃ M.W.: 106.12	440.24.5	CD.	500 ml	coa	20004000	400
027659	Diethylene Glycol Mono Butyl Ether 97% for Synthesis	112-34-5	GB	500 ml		29091900	189
	(Butyl carbitol; butyl digol)		GB	2.5 L	2493		
207004	C ₈ H ₁₈ O ₃ M.W.: 162.23	444.00.0	0.0	500	504	00004000	400
027661	Diethylene Glycol Mono Ethyl Ether 98% for Synthesis	111-90-0	GB	500 ml		29091900	18
	(Ethyl digol; ethyl carbitol)		GB	2.5 L	2349		
	C ₆ H ₁₄ O ₃ M.W.: 134.18	111 == 0		500 1		22224222	400
027663	Diethylene Glycol Mono Methyl Ether 98% for Synthesis	111-77-3	GB	500 ml		29091900	18%
	(Methyl digol; Methyl carbitol; 2-(2-Methoxyethoxy) ethanol)		GB	2.5 L	2991		
	C ₅ H ₁₂ O ₃ M.W.: 120.15						
027653	Diethylene Triamine 97% for Synthesis	111-40-0	GB	500 ml		29214290	18%
	(2,2'-Diaminodiethylamine, 2,2'-Iminodiethylamine, Bis(2-aminoethyl)amine)		GB	2.5 L	4050		
	C ₄ H ₁₃ N ₃ M.W.: 103.17						
034125	Diethylene Triamine Penta Acetic Acid 98%	67-43-6	РВ	100 gm		29224990	189
	[DTPA; (Carboxymethylimino)bis(ethylenenitrilo) tetraacetic		PB	500 gm	1800		
	DETAPAC; Penta(carboxymethyl) diethylenetriamine Pentetic acid]						
	C ₁₄ H ₂₃ N ₃ O ₁₀ M.W.: 393.35						
012705	Diethylene Triamine Penta Acetic Acid 99% AR	67-43-6	РВ	100 gm		29224990	18%
	[DTPA; (Carboxymethylimino)bis(ethylenenitrilo) tetraacetic		РВ	500 gm	2196		
	DETAPAC; Penta(carboxymethyl) diethylenetriamine Pentetic acid]						
	C ₁₄ H ₂₃ N ₃ O ₁₀ M.W.: 393.35						
SOL078	Diethylene Triamine Penta Acetic Acid	140-01-2	PB	500 ml	819	29224990	189
	Sodium Salt 40% Solution (Aqueous)						
N,N-Diet	hyl Ethanolamine See 2-Diethyl Amino Ethanol						
027655 •	Diethyl Ether 98% for Synthesis	60-29-7	GB	500 ml	495	29091100	189
	(Ethyl ether; Solvent ether)		GB	2.5 L	1908		
	(C ₂ H ₅) ₂ O M.W.: 74.12						
010230 •	Diethyl Ether 99% AR	60-29-7	GB	500 ml	603	29091100	18%
	(Ethyl ether; Solvent ether)		GB	2.5 L	2250		
	$(C_2H_5)_2O$ M.W.: 74.12						
027666	Diethyl Malonate 98% for Synthesis	105-53-3	GB	500 ml	810	29173990	189
	(DEM; ethyl malonate; Malonic acid diethyl ester)		GB	2.5 L	3204		
	C ₇ H ₁₂ O ₄ M.W.: 160.17						
010235	Diethyl Malonate 99% AR	105-53-3	GB	500 ml	900	29173990	189
	(DEM; ethyl malonate; malonic acid diethyl ester)		GB	2.5 L	3600		
	C ₇ H ₁₂ O ₄ M.W.: 160.17						
027667	Diethyl Oxalate 99% for Synthesis	95-92-1	GB	500 ml	621	29171190	189
	(Ethyl oxalate; oxalic acid diethyl ester)		GB	2.5 L	2790		
	C ₆ H ₁₀ O ₄ M.W.: 146.14						

	RESEARCH & LABOR	RATORY IEMISTRY BEY			Control of the Control	Carrier -								
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX							
027669	Diethyl Phthalate 99% for Synthesis	84-66-2	GB	500 ml		29173990	18%							
	(DEP; ethyl phthalate; phthalic acid diethyl ester)		GB	2.5 L										
	C ₁₂ H ₁₄ O ₄ M.W.: 222.24		PR	25 Lit										
027671	Diethyl Sulphate 98%	64-67-5	GB	500 ml		29209020	18%							
	(Ethyl sulphate; Sulphuric acid diethyl ester)													
	C ₄ H ₁₀ SO ₄ M.W.:154.19													
Diferulo	yl Methane See Curcumin crystalline													
Digol Se	ee Diethylene Glycol													
3-(3,4-Di	ihydroxyphenyl)-L-Alanine See L-DOPA													
3-(3,4-Di	ihydroxyphenyl)-DL-Alanine See DL-DOPA													
034126	2,4-Dihydroxy Acetophenone 98%	89-84-9	РВ	25 gm	810	29145000	18%							
	for Synthesis		РВ	100 gm	2268									
	(4-acetylresorcinol; resacetophenone)													
	C ₈ H ₈ O ₃ M.W.: 152.15													
034127	2,5-Dihydroxy Acetophenone 97%	490-78-8	GB	5 gm	1449	29146990	18%							
	(2-acetyl hydroquinone; quinacetophenone)		GB	25 gm	6471									
	C ₈ H ₈ O ₃ M.W.: 152.15		GB	100 gm	22050									
034128	2,6-Dihydroxy Acetophenone 97%	699-83-2	GB	5 gm	1530	29146990	18%							
	(2-acetyl-1,3-dihydroxybenzene; 2-acetylresorcinol)		GB	10 gm	2700									
	C ₈ H ₈ O ₃ M.W.: 152.15		GB	25 gm	6003									
1,4-Dihy	droxy Benzene See Hydroquinone													
o-Dihydı	roxy Benzene See Pyrocatechol													
034129	4,4-Dihydroxy Benzophenone 99%	611-99-4	GB	25 gm	3798	29143940	18%							
	C ₁₃ H ₁₀ O ₃ M.W.: 214.22													
2,2-Di(4-	Hydroxy Phenyl) Propane See Bisphenol A													
3,5-Dihy	droxy Toluene Monohydrate See Orcinol Monohydrate													
027673	Di-iso-Propylamine 99% for Synthesis	108-18-9	GB	500 ml	1098	29214290	18%							
	(DIPA)		GB	2.5 L	3996									
	C ₆ H ₁₅ N M.W.: 101.19													
027675	Di-iso-Propyl Ether 98% for Synthesis	108-20-3	GB	500 ml	873	29091900	18%							
	(Isopropyl ether)		GB	2.5 L	3735									
	C ₆ H ₁₄ O M.W.: 102.18													
010260	Di-iso-Propyl Ether 98.5% AR	108-20-3	GB	500 ml	1071	29091900	18%							
	(Isopropyl ether)		GB	2.5 L	4563									
	C ₆ H ₁₄ O M.W.: 102.18													
027674	n,n-Di-ISO-Propyl Ethylamine for Synthesis	7087-68-5	GB	250 ml	1044	29211990	18%							
	C8H19N M. W.: 129.25		GB	1 L	3591									
			GB	2.5 L	8910									
Diluting	Fluid RBC See R.B.C. Diluting Fluid (Gower's)													
Diluting	Fluid WBC See W.B.C. Diluting Fluid (Truck's)													
012709	Dimedone 99.5% AR	126-81-8	GB	25 gm	1098	29142990	18%							

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(5,5-dimethyl-1,3-cyclohexanedione; methone)		GB	100 gm	2997		
	C ₈ H ₁₂ O ₂ M.W.: 140.18						
REA057	Dimedone Reagent		GB	100 ml	630	38220090	12%
	(Reagent for aldehydes)						
3,4-Dime	thoxy Benzaldehyde See Veratraldehyde						
3,3'-Dime	ethoxy Benzidine See o-Dianisidine						
927670	1,2-Dimethoxy Ethane for Synthesis	110-71-4	GB	500 ml	1278	29094900	18%
	(Dimthylglycol; Ethylene Glycol Dimethyl Ether; Monoglyme)		GB	2.5 L	5742		
	(Stabilised with BHT ~ 100 ppm)		PR	25 Lit	POR		
	C ₄ H ₁₀ O ₂ M.W.: 90.12		PD	200 Lit	POR		
927675	2,2-Dimethoxy Propane 98% for Synthesis	77-76-9	GB	500 ml	774	29110010	18%
	(Acetone dimethyl acetal)						
	C ₅ H ₁₂ O ₂ M.W.: 104.15						
027676	N,N-Dimethyl Acetamide 99%	127-19-5	GB	500 ml	504	29241900	18%
	(Acid dimethylamide)		GB	2.5 L	2007		
	C ₄ H ₉ NO M.W.: 87.12						
010270	N,N-Dimethyl Acetamide 99.5% AR	127-19-5	GB	500 ml	603	29241900	18%
0.02.0	(Acid dimethylamide)	.20 0	GB	2.5 L	2430		.070
	C ₄ H ₉ NO M.W.: 87.12		-				
GC0410	N,N-Dimethyl Acetamide 99.5% GC	127-19-5	GB	250 ml	594	29241900	18%
000110	(Acid dimethylamide)	121 10 0	GB	1 L	1791	20211000	1070
	C ₄ H ₉ NO M.W.: 87.12		-				
027677	Dimethylamine 40% Solution for Synthesis	124-40-3	GB	500 ml	306	29214290	18%
02/0//	(DMA; N-Methyl-Methanamine)	124 40 0	GB	2.5 L	1233	20214200	1070
	C ₂ H ₂ N M.W.: 45.08		OB	2.0 L	1200		
Dimethyl	lamine Hydrochloride See Dimethyl Ammonium Chloride						
034130	p-Dimethyl Amino Benzaldehyde 98% for Synthesis	100-10-7	РВ	100 gm	1503	29223900	18%
034130	(Ehrlich's Reagent; 4-Dimethylaminobenzaldehyde)	100-10-7	РВ	-	14490	29223900	10 /0
	C _o H ₁₁ NO M.W.: 149.19		PD	1 kg	14450		
042740	0 11	100 10 7	DD	100 am	4740	20222000	100/
012710	p-Dimethyl Amino Benzaldehyde 99% AR	100-10-7	PB	100 gm		29223900	18%
	(Ehrlich's Reagent; 4-Dimethylaminobenzaldehyde) C₀H₁₁NO M.W.: 149.19		РВ	1 kg	15993		
CTA40E		F26 17 4	CD	Fam	1011	20244000	100/
STA105	p-Dimethyl Amino Benzylidine Rhodanine AR	536-17-4	GB	5 gm		29341000	18%
	[5-(4-dimethylamino bezylidine) rhodanine]		GB	25 gm	8991		
070007	C ₁₂ H ₁₂ N ₂ OS ₂ M.W. : 264.36		0.0	400 1	504	20000000	400/
STS087	p-Dimethyl Amino Bezylidine Rhodanine Solution	0000 10 7	GB	100 ml	594		12%
012711	p-Dimethyl Amino Cinnamaldehyde 98% AR	6203-18-5	GB	10 gm		29223900	18%
	(4-dimethylamino cinnamaldehyde; DMAC; DMACA)		GB	25 gm	13995		
	Reagent for the spectrophotometric determination of amino groups.						
005055	C ₁₁ H ₁₃ NO M.W.: 175.23	100.01.5		-65		00001555	4000
027678	N,N-Dimethyl Amino Ethanol 99%	108-01-0	GB	500 ml	639	29221990	18%

	СНЕМІ	STRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TA
	(N,N-dimethyl ethanolamine; 2-dimethylamino ethanol)						
	C ₄ H ₁₁ NO M.W.: 89.14						
34132	2-Dimethyl Amino Ethyl Chloride Hydrochloride 99%	4584-46-7	GB	100 gm	891	29211990	18
	(1-Chloro-2-dimethylaminoethane hydrochloride; N-(2-Chloroethyl)		PB	1 kg	1494		
	dimethylamine hydrochloride; 2-Chloro-N,N-dimethylethylamine hydrochloride)						
	C ₄ H ₁₀ CIN.HCI M.W.: 144.04						
34134	Dimethyl Ammonium Chloride 97% for Synthesis	506-59-2	PB	500 gm	640	29211190	18
	(Dimethylamine hydrochloride)		PB	5 kg	5790		
	C ₂ H ₇ N.HCl M.W. : 81.55						
27679	N,N-Dimethyl Aniline 99%	121-69-7	GB	500 ml	630	29214290	18
	(Dimethylaniline; N,N-Dimethylbenzenamine; Dimethylaminobenzene)		GB	2.5 L	2700		
	C ₈ H ₁₁ N M.W.: 121.18						
010280	N,N-Dimethyl Aniline 99.5% AR	121-69-7	GB	500 ml	801	29214290	18
	(Dimethylaniline; N,N-Dimethylbenzenamine; Dimethylaminobenzene)		GB	2.5 L	3240		
	C ₈ H ₁₁ N M.W.: 121.18						
Dimethy	I Arsenic Acid Sodium Salt See Sodium Cacodylate						
Dimethy	I Benzenamine See N,N-Dimethyl Aniline						
5,5 Dime	ethyl-1,3-Cyclohexanedione AR See Dimedone AR						
2,9-Dime	ethyl-4,7-Diphenyl-1,10 Phenanthroline See Bathocuproine						
N,N-Dim	ethyl Ethanolamine See 2-Dimethyl Amino Ethanol						
27680	N,N-Dimethyl Formamide 99% for Synthesis	68-12-2	GB	500 ml	405	29241900	18
	(DMF; Dimethylformamide)		GB	2.5 L	1620		
	C ₃ H ₇ NO M.W.: 73.09		PR	25 Lit	POR		
	•		PD	200 L	POR		
10290	N,N-Dimethyl Formamide 99.5% AR	68-12-2	GB	500 ml		29241900	18
710200	(DMF: Dimethylformamide)	00 12 2	GB	2.5 L	2070	202+1000	10
	C ₃ H ₂ NO M.W.: 73.09		OB	2.5 L	2010		
HP0103	N,N-Dimethyl Formamide 99.8% for HPLC & Spectroscopy	68-12-2	GB	1 L	1260	29241900	18
11 0 103		00-12-2	GB	2.5 L	2700	23241300	10
	(DMF; Dimethylformamide) C ₃ H ₇ NO M.W.: 73.09		QB.	2.J L	2100		
200404		00.40.0	OD.	250	F 40	20244000	40
GC0421	N,N-Dimethyl Formamide 99.8% GC	68-12-2	GB	250 ml	549	29241900	18
	(DMF; Dimethylformamide)		GB	1 L	1395		
	C ₃ H ₇ NO M.W.: 73.09	1007.01.5		400 1			
27685	N,N-Dimethyl Formamide Dimethyl Acetal 97%	4637-24-5	GB	100 ml	900	29225090	18
	(1,1-Dimethoxy -N,N-dimethylmethylamine; 1,1-Dimethoxytrimethylamine)		GB	500 ml	3600		
	C ₅ H ₁₃ NO ₂ M.W.: 119.16						
34136	Dimethyl Glyoxime 98%	95-45-4	PB	100 gm		29280090	18
	(2,3-butanedione dioxime; Diacetyldioxime)		РВ	500 gm	3294		
	C ₄ H ₈ N ₂ O ₂ M.W.: 116.12						
012715	Dimethyl Glyoxime 99% AR/ACS	95-45-4	РВ	100 gm	873	29280090	18

	СНЕМІ	STRY BEY	OND	CHEMIC	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYF	E PACKING	PRICE	HSN	TAX
	C ₄ H ₈ N ₂ O ₂ M.W.: 116.12						
SOL079	Dimethyl Glyoxime Solution		P	B 100 m	765	38220090	12%
	(Reagent for Bi,Co,Ni & Ag)						
012716	Dimethyl Glyoxime Disodium Salt Octahydrate 99% AR	75006-64-3	P	B 250 gm	n 2277	29280090	18%
	$C_4H_6N_2Na_2O_2.8H_2O$ M.W.: 304.21						
028141	2,6 Dimethyl-4-Heptanone	108-83-8	G	B 1 L	2700	29141990	18%
	(Di-iso-Butyl Ketone, Isovalerone)		G	B 2.5 l	5778		
	C ₉ H ₁₈ O M.W.: 142.24						
N,N-Dim	ethyl-2-Hydroxyethylamine See N,N-Dimethyl Amino Ethanol						
Dimethy	l Ketone See Acetone						
2,9-Dime	ethyl-1,10-Phenanthroline Hemihydrate See Neocuproine						
2,9-Dime	ethyl-1,10-Phenanthroline Hydrochloride See Neocuproine Hydrochl	oride					
934135	N,N-Dimethyl-p-Phenylene Diamine Dihydrochloride	536-46-9	G	B 25 gm	3 492	29215190	18%
	99.5% AR						
	(4-Amino-N,N-dimethylaniline dihydrochloride; DMPD 2HCl; DMPPDA · 2HCl)						
	C ₈ H ₁₂ N ₂ .2(HCl) M.W.: 209.12						
934138	N,N-Dimethyl-p-Phenylene Diamine Hemi Oxalate Salt 98%	62778-12-5	G	B 5 gm	2 259	29215190	18%
	$(C_8H_{12}N_2).C_2H_2O_4$ M.W.: 362.42		G	B 25 gm	9 180		
			G	B 100 gm	POR		
927680	Dimethyl Sulphate Pract	77-78-1	new G	B 500 m	450	29209000	18%
	C2H6O4S M. W.: 126.13						
227680	Dimethyl Sulphate 99% for Synthesis	77-78-1	new G	B 500 m	900	29209000	18%
	C2H6O4S M. W.: 126.13						
027681	Dimethyl Sulphoxide 99% for Synthesis	67-68-5	G	B 500 m	1260	29309099	18%
	(Methyl sulfoxide; DMSO; Sulfinylbis(methane);		G				
	Dimethyl sulfoxide; Sulfinylbismethane)						
	C ₂ H ₆ OS M.W.: 78.13						
010300	Dimethyl Sulphoxide 99.5% AR	67-68-5	G	B 500 m	1800	29309099	18%
	(Methyl sulfoxide; DMSO; Sulfinylbis(methane);		G	B 2.5 l	7200		
	Dimethyl sulfoxide; Sulfinylbismethane)						
	C ₂ H ₆ OS M.W.: 78.13						
HP0104	Dimethyl Sulphoxide for HPLC & Spectroscopy	67-68-5	G	B 1 L	3391	29309099	18%
	(Methyl sulfoxide; DMSO; Sulfinylbis(methane);		G	B 2.5 l	. 7182		
	Dimethyl sulfoxide; Sulfinylbismethane)						
	C ₂ H ₆ OS M.W.: 78.13						
227681	N,N-Dimethyl-p-Toluidine 99%	99-97-8	G	B 500 m	2295	29214320	18%
	(N,N-dimethyl-4-methylaniline; 4-dimethlaminotoluene)						
	C ₉ H ₁₃ N M.W.: 135.21						
STA108	Dimethyl Yellow (pH Indicator) (C.I. 11020)	60-11-7	G	B 10 gm	1 53	32041971	18%
	(4-(dimethylamino)-azobenzene; N,N-Dimethyl-4-phenylazoaniline,		G	•			
1				3			

	СНЕМІ	STRY BEY	OND C	HEMICA	ALS								
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX						
	pH range 3.0-4.0												
	C ₁₄ H ₁₅ N ₃ M.W.: 225.30												
US2318	Dimethyl Yellow TS		PB	125 ml	180	38220090	12%						
US2315	Dimethyl Yellow-Methylene Blue TS		РВ	125 ml	306	38220090	12%						
034138	Dimidium Bromide 95%	518-67-2	GB	100 mgm	945	29339900	18%						
	(3,8-Diamino-5-methyl-6-phenylphenanthridinium bromide; Trypadine)		GB	1 gm	7596								
	For tenside test.												
	C ₂₀ H ₁₈ BrN ₃ M.W.: 380.29												
STS084	Dimidium Bromide Disulphine Blue Indicator Stock Solution		GB	100 ml	2997	38220090	12%						
	for use in the two phase method for anionic surfactant												
034145	2,4-Dinitro Aniline 98%	97-02-9	GB	100 gm	1170	29214190	18%						
	(2,4-Dinitrobenzenamine; 2,4-Dinitrophenylamine)		GB	500 gm	2196								
	C ₆ H ₅ N ₃ O ₄ M.W.: 183.13												
1,3 Diniti	ro Benzene See m-Dinitro Benzene												
034148	m-Dinitro Benzene Tech 95%	99-65-0	РВ	250 gm	900	29042090	18%						
	(1,3-dinitrobenzene)		РВ	500 gm	1530								
	C ₆ H ₄ N ₂ O ₄ M.W.: 168.11												
034149	m-Dinitro Benzene 98% for Synthesis	99-65-0	PB	500 gm	1818	29042090	18%						
	(1,3-dinitrobenzene)												
	C ₆ H ₄ N ₂ O ₄ M.W.: 168.11												
012719	m-Dinitro Benzene 99% AR	99-65-0	PB	25 gm	198	29042090	18%						
	(1,3-dinitrobenzene)		РВ	100 gm	693								
	for determination of steroids		РВ	500 gm	2394								
	C ₆ H ₄ N ₂ O ₄ M.W.: 168.11												
REA058	m-Dinitrobenzene Reagent Solution		GB	100 ml	315	38220090	12%						
	(reagent for glucose & other reducing sugars)												
034150	3,5-Dinitro Benzoic Acid 98.5%	99-34-3	GB	100 gm	999	29163990	18%						
	(3-Carboxy-1,5-dinitrobenzene. DNBA)		GB	500 gm	2997								
	C ₇ H ₄ N ₂ O ₆ M.W.: 212.12												
034151	2,4-Dinitro Phenol 99%	51-28-5	GB	25 gm	342	29089990	18%						
	(a-Dinitrophenol; 2,4-DNP; DNP)		GB	100 gm	594								
	Uncoupler of oxidative phosphorylation used as reference												
	substance in chromatography of DNP amino acids.												
	C ₆ H ₄ N ₂ O ₅ M.W.: 184.11												
2,4-Dinit	ro Chloro Benzene See 1-Chloro-2,4-Dinitro Benzene												
034152	2,4-Dinitro Phenyl Hydrazine 98%	119-26-6	GB	25 gm	198	29280090	18%						
	(DNPH; Brady's reagent)		GB	100 gm									
	C ₆ H ₆ N ₄ O ₄ M.W.: 198.14		GB	500 gm	2997								
012721	2,4-Dinitro Phenyl Hydrazine 99% AR	119-26-6	GB	25 gm		29280090	18%						
	(DNPH; Brady's reagent)		GB	100 gm									
	Reagent for determination of Aldehydes & Ketones		GB	500 gm									

	C	HEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₆ H ₆ N ₄ O ₄ M.W.: 198.14						
SOL081	2,4-Dinitro Phenyl Hydrazine Solution		GB	125 ml	315	38220090	12%
US0951	2,4-Dinitro Phenyl Hydrazine TS		GB	125 ml	360	38220090	12%
034155	3,5-Dinitro Salicylic Acid 98% for Synthesis	609-99-4	GB	25 gm	671	29182990	18%
	(2-hydroxy-3,5-dinitrobenzoic acid)		GB	100 gm	2590		
	$C_7H_4N_2O_7$ M.W.: 228.12						
012725	3,5-Dinitro Salicylic Acid 99% AR	609-99-4	GB	25 gm	855	29182990	18%
	(2-hydroxy-3,5-dinitrobenzoic acid)		GB	100 gm	3290		
	C ₇ H ₄ N ₂ O ₇ M.W.: 228.12						
REA059	3,5-Dinitro Salicylic Acid Reagent		РВ	125 ml	360	38220090	12%
027682	Dioctyl Phthalate 98% for Synthesis	117-81-7	GB	500 ml	594	29173200	18%
	[bis(2-ethyhexyl phthalate); di iso octyl phthalate]		GB	2.5 L	2691		
	C ₂₄ H ₃₈ O ₄ M.W.: 390.57						
034158	Dioctyl Sodium Sulphosuccinate 99%	577-11-7	GB	500 gm	1845	34021190	18%
	(Aerosol OT)		GB	5 kg	17496		
	C ₂₀ H ₃₇ NaO ₇ S M.W.: 444.56						
027683	1,4-Dioxane Pure 99% for Synthesis	123-91-1	GB	500 ml	630	29329900	18%
	(Diethylene oxide; Dioxane)		GB	2.5 L	2502		
	C ₄ H ₈ O ₂ M.W.: 88.11		PR	25 Lit	POR		
			PD	200 L	POR		
010310	1,4-Dioxane 99.5% AR	123-91-1	GB	500 ml	720	29329900	18%
	(Diethylene oxide; Dioxane)		GB	2.5 L	2880		
	C ₄ H ₈ O ₂ M.W.: 88.11						
034160	Diphenhydramine Hydrochloride 98%	147-24-0	GB	100 gm	3420	29221900	18%
	C ₁₇ H ₂₁ NO.HCl M.W.: 291.82						
Diphenyl	See Biphenyl						
034161	Diphenyl Acetic Acid 98%	117-34-0	GB	25 gm	900	29163990	18%
	(α-phenylbenzene acetic acid)		GB	100 gm	2430		
	C ₁₄ H ₁₂ O ₂ M.W.: 212.25						
034163	Diphenyl Acetonitrile 98%	86-29-3	GB	100 gm	1080	29269000	18%
	C ₁₄ H ₁₁ N M.W.: 193.25		GB	500 gm	4320		
034165	Diphenylamine 98% for Synthesis	122-39-4	GB	250 gm	630	29214410	18%
	(N-phenylbenzeneamine; N-Phenyl Aniline; DPA)		GB	500 gm	1080		
	C ₁₂ H ₁₁ N M.W.: 169.23						
012730	Diphenylamine 99% AR/ACS	122-39-4	GB	100 gm	360	29214410	18%
	(N-phenylbenzeneamine; N-Phenyl Aniline; DPA)		GB	500 gm			
	(Redox Indicator); Reagent for nitrates			-			
	C ₁₂ H ₁₁ N M.W.: 169.23						
REA065	Diphenylamine Reagent		GB	125 ml	594	38220090	12%
	<u> </u>		-				

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate N,N'-Diphenyl Benzidine 98% AR GB **2592** 29215910 18% 531-91-9 5 gm (N,N-Diphenyl Diphenylamine; N,N'-diphenylbiphenyl-4,4'diamine; N,N'-Diphenyl Biphenylamine; N,N'-Diphenyl-[1,1'-biphenyl]-4,4'- diamine;N,N'-Diphenylbenzidine DPB) Oxidation reduction indicator $C_{24}H_{20}N_2$ M.W.: 336.44 REA067 N,N-Diphenyl Benzidine Reagent GB 125 ml 990 38220090 12% Oxidation reduction indicator STA113 * 1,5-Diphenyl Carbazide 97% 140-22-7 GB 25 gm **1710** 29280090 18% (Diphenyl Carbazide) GB 100 gm 4690 C₁₃H₁₄N₄O M.W.: 242.28 STA114 * 1,5-Diphenyl Carbazide 98% AR 140-22-7 GB 10 gm **1290** 29280090 18% GR 2491 (Diphenyl Carbazide) 25 gm Reagent for metal titration C₁₃H₁₄N₄O M.W.: 242.28 STS085 Diphenyl Carbazide Solution GR 100 ml **840** 38220090 12% (Reagent for arsenate, Cd, Cr & Hg) STA117 1,5-Diphenyl Carbazone 538-62-5 GB 25 gm **2160** 29280090 18% (Phenylazoformic acid 2-phenylhydrazide) $C_{13}H_{12}ON_4\ M.W.: 240.27$ STA118 1,5-Diphenyl Carbazone 35-40% AR 538-62-5 GB 5 gm **691** 29280090 18% (Phenylazoformic acid 2-phenylhydrazide) GB 25 gm 2541 For determination of mercury $C_{13}H_{12}ON_4\ M.W.: 240.27$ US0980 1,5-Diphenyl Carbazone TS GB 125 ml **450** 38220090 12% **Diphenyl Carbazone-Bromophenol Blue** GB 12% **STS086** 100 ml **648** 38220090 (For Chloride) **Diphenyl Ether See Diphenyl Oxide** N,N-Diphenyl Hydrazine See Hydrazobenzene Diphenyl Ketone See Benzophenone Purified 027684 **Diphenyl Methane 99%** 101-81-5 GB 250 ml **711** 29029020 18% GB (Methylene dibenzene; benzyl benzene) 500 ml 1080 C₁₃H₁₂ M.W.: 168.20 2,5-Diphenyl Oxazole See PPO 1,4-Di-2 (5-phenyloxazolyl) Benzene See POPOP 027685 101-84-8 **Diphenyl Oxide 98%** GB 500 ml **846** 29093020 18% (Diphenyl ether; phenyl ether) (C₆H₅)₂O M.W.: 170.21 4,7-Diphenyl-1, 10-Phenanthroline See Bathophenanthroline

1898-66-4

7200 29280090

1 gm

934166 * 2,2-Diphenyl-1-Picryl Hydrazyl (DPPH) for Synthesis

CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₈ H ₁₂ N ₅ O ₆ M.W.: 394.32		GB	5 gm	28800		
Di-Phosp	phorous Pentoxide See Phosphorous Pentoxide			- 3			
Di-Potas	sium Hydrogen Ortho Phosphate Anhydroyus See di-Potassium H	ydrogen Ortho P	hosphate An	hydrous			
2,2-Dipyr	ridyl See 2,2-Bipyridyl						
Di-Sodiu	m Hydrogen Citrate See di-Sodium Hydrogen Citrate						
Di-Sodiu	m Hydrogen Ortho Phosphate Purified See di-Sodium Hydrogen O	Ortho Phosphate	Purified				
Di-Sodiu	m Hydrogen Ortho Phosphate Purified See di-Sodium Hydrogen O	Ortho Phosphate	Purified				
Di-Sodiu	m Hydrogen Ortho- Phosphate Dihydrate Purified See di-Sodium	Hydrogen Ortho I	Phosphate D	ihydrate Pur	ified		
Di-Sodiu	m Hydrogen Ortho Phosphate Dodecahydrate See di-Sodium Hyd	rogen Ortho Pho	sphate Dode	cahydrate			
Di-Sodiu	m Tetra Borate See Borax Decahydrate						
Distilled	Water See Water Distilled						
012734	Dithiooxamide 98% AR	79-40-3	GB	1 gm	1800	29309099	18%
	(Rubeanic acid; dithiooxalic diamide)		GB	5 gm	4050		
	C ₂ H ₄ N ₂ S ₂ M.W.: 120.20		GB	10 gm	7497		
034167 *	Dithiothreitol (DTT) 98% for Biochemistry	3483-12-3	GB	1 gm	693	29309070	18%
	(Cleland's reagent)		GB	5 gm	2790		
	C ₄ H ₁₀ O ₂ S ₂ M.W.: 154.24		GB	25 gm	11991		
DMSO S	ee Dimethyl Sulphoxide						
HP0115	1-Dodecane Sulphonic Acid Sodium Salt 98% AR for HPLC	2386-53-0	GB	5 gm	990	29041090	18%
	(Sodium 1-dodecanesulphonate)		GB	25 gm	2091		
	CH ₃ (CH ₂) ₁₁ SO ₃ Na M.W.: 272.38						
n-Dodec	anoic Acid See Lauric Acid						
Dodeca-	Tungstophosphoric Hydrate See Phosphotungstic Acid						
Dodecyl	Alcohol ,1-Dodecanol, Dodecan-1-ol See Lauryl Alcohol						
034170	Dodecyl Trimethyl Ammonium Bromide 98% for Synthesis	1119-94-4	GB	5 gm	711	29239000	18%
	(Lauryl trimethyl ammonium bromide)		GB	25 gm	1394		
	C ₁₅ H ₃₄ BrN M.W.: 308.3		GB	100 gm	4491		
			GB	500 gm	POR		
034171	DL-DOPA 97% for Biochemistry	63-84-3	GB	1 gm	342	29225090	18%
	[3-(3,4-dihydroxyphenyl)-DL-alanine]		GB	5 gm	1098		
	C ₉ H ₁₁ NO ₄ M.W.: 197.2		GB	25 gm	4392		
034172	L-DOPA 97% for Biochemistry	59-92-7	new GB	5 gm	990	29225090	18%
	(3,4-Dihydroxy-L-phenylalanine)		GB	25 gm	4500		
	C ₉ H ₁₁ NO ₄ M.W. : 197.2						
027686	DPX Mountant for Microscopy	130-12-2	GB	250 ml	612	38220090	12%
	Mounting adhesive for microscopic slides quick drying		GB	500 ml	954		
	neutral and protects natural colour characteristics of						
	biological specimen for studying pathological work						
REA070	Dragendroff's Reagent		РВ	125 ml	1593	38220090	12%
	Test reagent for alkaloids						

	RESEARCH & LABORA	TORY	CHE	MIC	AL	S	
	CHEM	IISTRY BEY	OND CH	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Dulcite S	ee Dulcitol						
lso-Dulci	te See L(+)Rhamnose						
034174	Dulcitol for Microbiology	608-66-2	GB	25 gm	1278	29054900	18%
	(Dulcite; galactitol)		GB	100 gm	4491		
	C ₆ H ₁₄ O ₆ M.W.: 182.17						
AAS026	Dysprosium AAS Solution		PE	125 ml	2700	38220090	12%
	1000ppm Single Element in HClO ₄						
RR0211	Dysprosium Nitrate 99.9%	100641-13-2	GB	25 gm	7200	28469090	18%
	Dy(NO ₃) ₃ ·XH ₂ O M.W.: 348.51 (Anhy.)		GB	100 gm	18900		
RR0216	Dysprosium Oxide 99.9%	1308-87-8	GB	5 gm	5310	28469090	18%
	Dy ₂ O ₃ M.W.: 373.00		GB	25 gm	21420		
			GB	100 gm	POR		
	E						
EDTA Se	e Ethylene Diamine Tetra Acetic Acid						
EDTA Ca	Icium Disodium Salt See Ethylene Diamine Tetra Acetic Acid Cal	cium Disodium Sa	lt				
EDTA Dip	potassium Salt See Ethylene Diamine Tetra Acetic Acid Dipotassi	um Salt					
	sodium Salt See Ethylene Diamine Tetra Acetic Acid Disodium Sa						
	rric Mono Sodium Salt See Ethylene Diamine Tetra Acetic Acid F						
	tra Sodium Salt Dihydrate See Ethylene Diamine Tetra Acetic Aci	d Tetra Sodium Sa	-				
	E.D.T.A. 5% Solution		РВ	125 ml		38220090	12%
	E.D.T.A. 10% Solution		PB	125 ml	144	38220090	12%
SOL101	E.D.T.A. N/10 Solution		PB	500 ml	306	38220090	12%
	E.D.T.A. N/50 Solution		PB	500 ml	324	38220090	12%
VMS223	E.D.T.A. 0.2 mol/l (0.2N) Solution		PB	500 ml	270	38220090	12%
VMS217	E.D.T.A. Disodium Salt 0.01 mol/l Solution		РВ	500 ml	360	38220090	12%
AMP020	E.D.T.A. Disodium Salt 0.01 mol/l Solution		AMP	6 Amp	900	38220090	12%
VMS218	E.D.T.A. Disodium Salt (0.05 M) Solution		PB	500 ml	324	38220090	12%
VMS216	E.D.T.A. Disodium Salt 0.5M Standardized Solution		РВ	1 L	900	38220090	12%
SOL105	E.D.T.A. Disodium Salt 0.1 mol/l (0.1 N) Solution		PB	500 ml	441	38220090	12%
	concentrated volumetric solution						
AMP011	E.D.T.A. Disodium Salt 0.1 mol/l (0.1 N)		AMP	6 Amp	900	38220090	12%
US1170	E.D.T.A. Disodium Salt TS		РВ	500 ml	405	38220090	12%
034212*	Egg Albumin Flakes	9006-59-1	РВ	25 gm	909	35021900	18%
	(albumin egg flakes)		РВ	500 gm	9000		
034214*	Egg Albumin Powder	9006-59-1	РВ	500 gm	2646	35021900	18%
EGTA Se	e Ethylene Glycol-bis(2-Aminoethyl Ether)-N,N,N',N'-Tetra Acetic	Acid					
EHRLICH	'S REAGENT See p-Dimethyl Amino Benzaldehyde						
REA075	Ehrlich's Reagent Solution		GB	125 ml	135	38220090	12%
034216	Emulsifying Wax		РВ	500 gm	603	34049090	18%
034217	Endrin	72-20-8	GB	100 mgm	4950	29333990	18%



CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₂ H ₈ Cl ₆ O M.W.: 380.91		GB	1 gm	19720		
STA125	Eosine Blue 85% for Microscopy (C.I. 45400)	548-24-3	GB	25 gm	846	32041293	18%
	(Eosin B; Eosin Methylene Blue)		GB	100 gm	2790		
	It is used for plasma staining, vital staining & staining Negri bodies in						
	nerve tissue preparation.						
	$C_{20}H_6Br_2N_2Na_2O_9$ M.W.: 624.09						
STA126	Eosine 90% (Spirit Soluble) (C.I. 45386)	6359-05-3	GB	25 gm	990	32041293	18%
	(Ethyl eosin; 2',4',5',7'-Tetrabromoeosin ethyl ester potassium salt ;		GB	100 gm	3540		
	Eosin alcohol soluble, Solvent Red 45)						
	It is used for staining cells, gelatin, lysosomes, mammalian tissues,						
	mitochondria, proteins, urine, etc.						
	C ₂₂ H ₁₁ Br ₄ KO ₅ M.W.: 714.07						
Eosin Y	Disodium Salt See Eosine Yellow Indicator						
STA127	Eosine Yellow Indicator 88% for Microscopy (C.I. 45380)	17372-87-1	GB	25 gm	342	32041293	18%
	(Eosin G; acid red 87)		GB	100 gm	990		
	Water soluble		GB	500 gm	4240		
	It can be used to stain cytoplasm, collagen and muscle fibers for						
	examination under the microscope.						
	$C_{20}H_6Br_4Na_2O_5$ M.W.: 691.88						
STS089	Eosine Yellw Alcoholic Solution with Phloxine		PB	100 ml	840	38220090	12%
STS091	Eosin Yellow 0.5% Solution (Aqueous)		РВ	125 ml	243	38220090	12%
STS090	Eosine Yellow 2% w/v Solution		PB	125 ml	243	32041293	18%
FDS435	Eosinophil Diluting Fluid		PB	125 ml	243	38220090	12%
027700	Epichlorohydrin 98%	106-89-8	GB	500 ml	909	29103000	18%
	(1-chloro-2,3 epoxypropane)		GB	2.5 L	4104		
	C ₃ H ₅ CIO M.W.: 92.53						
010330	Epichlorohydrin 99% AR	106-89-8	GB	500 ml	1040	29103000	18%
	(1-chloro-2,3 epoxypropane)		GB	2.5 L	4320		
	C ₃ H ₅ CIO M.W.: 92.53						
EPSOM	Salt See Magnesium Sulphate Dried						
AAS027	Erbium AAS Solution		PE	125 ml	4050	38220090	12%
	1000ppm Single Element in HClO ₄						
RR0251	Erbium Chloride 99.9%	10025-75-9	GB	25 gm	14805	28469090	18%
	ErCl ₃ .6H ₂ O M.W.: 381.71		GB	100 gm	30420		
RR0252	Erbium Chloride 99.99% AR	10025-75-9	GB	5 gm	6750	28469090	18%
	ErCl ₃ .6H ₂ O M.W.: 381.71		GB	25 gm			
RR0270	Erbium Nitrate 99.9%	10031-51-3	GB	25 gm	9000	28469090	18%
	Er(NO ₃) ₃ ·5H ₂ O M.W.: 443.35		GB	100 gm			
RR0271	Erbium Nitrate 99.99% AR	10031-51-3	GB	25 gm		28469090	18%
	Er(NO ₃) ₃ ·5H ₂ O M.W.: 443.35	.5551 51 6	42	_0 9111			. 5 /0

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY			C-0-25-		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Er ₂ O ₃ M.W. : 382.52		GB	100 gm	24138		
RR0277	Erbium Oxide 99.99% AR	12061-16-4	GB	5 gm	4230	28469090	18%
	Er ₂ O ₃ M.W.: 382.52		GB	25 gm	10800		
			GB	100 gm	31500		
STA131	Eriochrome Black T (C.I. 14645)	1787-61-7	GB	25 gm	378	32041267	18%
	(Mordant black 11; solochrome black T; Sodium 4-[GB	100 gm	999		
	(1-hydroxynaphthalen- 2-yl-hydrazinylidene]-7-nitro-3-oxo-		РВ	1 kg	POR		
	Y-naphthalene-1-sulphonate)						
	Indicator for metal titration						
	C ₂₀ H ₁₂ N ₃ NaO ₇ S M.W. : 461.38						
STA132	Eriochrome Black T AR/ACS	1787-61-7	GB	25 gm	448	32041267	18%
	(Mordant black 11; solochrome black T)		GB	100 gm	1197		
	Indicator for the determination of calcium plus magnesium						
	by titration with EDTA						
	C ₂₀ H ₁₂ N ₃ NaO ₇ S M.W. : 461.38						
STS093	Eriochrome Black T Indicator Solution		РВ	125 ml	360	38220090	12%
STA130	Eriochrome Black T Mixed Triturate		GB	25 gm	630	32041267	18%
Eriochro	me Blue Black R See Solochrome Dark Blue						
STA133	Eriochrome Cyanine R 40% AR (C.I. 43820)	3564-18-9	GB	10 gm	891	32041264	18%
	(Solochrome cyanine R; mordant blue 3)		GB	25 gm	1890		
	Reagent for Aluminium						
	C ₂₃ H ₁₅ Na ₃ O ₉ S M.W.: 536.40						
US1190	Eriochrome Cyanine TS		GB	125 ml	360	38220090	12%
STA135	Erioglaucine Disodium Salt 70% C.I.No.42090	3844-45-9	GB	5 gm	693	32041259	18%
	(Acid Blue 9; Alphazurine FG; FD&C BLUE No. 1)		GB	25 gm	1494		
	$C_{37}H_{34}N_2Na_2O_9S_3$ M.W.: 792.86						
034220*	Erythritol 99%	149-32-6	GB	5 gm	207	29054900	18%
	C ₄ H ₁₀ O ₄ M.W.: 122.12		GB	25 gm	504		
STA138	Erythrosin B 80% for Microscopy (C.I. 45430)	16423-68-0	GB	25 gm	1191	32041293	18%
	(Iodoeosine; Red No. 3; Solvent Red 140; Acid Red 51; FD&C #3		GB	100 gm	4392		
	C.I. Food Red 14; 3',6'-Dihydroxy-2',4',5',7'-tetraiodospiro						
	[isobenzofuran-1(3H0,9'-[9H]xanthen]-3-one disodium salt)						
	It is used as a food colouring, in printing inks, as a biological stain,						
	a dental plaque disclosing agent and a radiopaque medium.						
	$C_{20}H_6I_4Na_2O_5$ M.W.: 879.87						
SOL095	Erythrosin B Indicator Solution		РВ	125 ml	306	38220090	12%
	(Indicator for EDTA Titrations)						
REA077	• Esbach's Reagent		PB	125 ml	315	38220090	12%
	for detection of Protein		РВ	500 ml	900		
012805	Eschka's Mixture 38-42% AR	8007-09-8	РВ	250 gm	13995	38220090	12%
	For determination of Sulphur in carbon & coal		РВ	1 kg	45990		

	RESEARCH & LABORA	ATORY	CHE	MIC	AL	S	
	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	2MgO.Na ₂ CO ₃						
Esculin	See Aesculin						
Ethaned	iol See Ethylene Glycol						
027710	Ethanolamine Mono 98% for Synthesis	141-43-5	GB	500 ml	561	29221110	18%
	(2-Aminoethanol, Monoethanolamine)		GB	2.5 L	2592		
	C ₂ H ₇ NO M.W.: 61.08		PR	25 Lit	POR		
10350	Ethanolamine Mono 99% AR/ACS	141-43-5	GB	500 ml	630	29221110	18%
	(2-Aminoethanol, Monoethanolamine)		GB	2.5 L	2890		
	C ₂ H ₇ NO M.W.: 61.08						
Ether So	olvent See Diethyl Ether						
Ethepho	n See o-Chloro Ethyl Phosphonic Acid Solution						
34222	Ethidium Bromide 98% for Biochemistry	1239-45-8	GB	100 mgm	207	29339900	18%
	(3,8-Diamino-5-ethyl-6-phenylphenanthridinium bromide;		GB	1 gm	720		
	EtBr ; Homidium bromide)		GB	5 gm	2745		
	suitable for gel electrophoresis						
	C ₂₁ H ₂₀ BrN ₃ M.W.: 394.32						
OL110	Ethidium Bromide 1% Solution in water		GB	50 ml	1791	38220090	129
	for Fluorescence						
34224	2-Ethoxy Benonitrile 98% for Synthesis	6609-57-0	GB	5 gm	2250	29269000	189
	C ₉ H ₉ NO M.W.: 147.17		GB	25 gm	6507		
			GB	100 gm	19503		
2-Ethoxy	yethanol See Ethylene Glycol Mono Ethyl Ether						
2-Ethoxy	yethyl Acetate See Cellosolve Acetate						
34226	Ethoxylated Lanolin	61790-81-6	РВ	500 gm	1800	15050010	12%
	(Polyoxy ethylene lanolin)						
27720	Ethyl Acetate 99% for Synthesis	141-78-6	GB	500 ml	360	29153100	18%
	(EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin;		GB	2.5 L	1350		
	Acetoxyethane; Ethyl acetic ester; Ethyl ethanoate; Vinegar naphtha)		PR	25 Lit	POR		
	CH ₃ .COOC ₂ H ₅ M.W.: 88.11						
10360	Ethyl Acetate 99.5% AR/ACS	141-78-6	GB	500 ml	450	29153100	18%
	(EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin;		GB	2.5 L	1620		
	Acetoxyethane; Ethyl acetic ester; Ethyl ethanoate; Vinegar naphtha)		PR	25 Lit	POR		
	CH ₃ .COOC ₂ H ₅ M.W.: 88.11						
GC0500	Ethyl Acetate 99.9% GC Grade	141-78-6	GB	1 L	990	29153100	189
	(EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin;						
	Acetoxyethane, Ethyl acetic ester, Ethyl ethanoate, Vinegar naphtha)						
	CH ₃ .COOC ₂ H ₅ M.W.: 88.11						
IP0126	Ethyl Acetate 99.7% for HPLC & Spectroscopy	141-78-6	GB	1 L	801	29153100	189
	(EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin;		GB	2.5 L			
	Acetoxyethane; Ethyl acetic ester; Ethyl ethanoate; Vinegar naphtha)						
	CH ₃ .COOC ₂ H ₅ M.W.: 88.11						

	RESEARCH & LABORA	IISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
DRY024	Ethyl Acetate (Specially Dried) 99.5% AR (EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin; Acetoxyethane; Ethyl acetic ester; Ethyl ethanoate; Vinegar naphtha) CH ₃ .COOC ₂ H ₅ M.W.: 88.11	141-78-6	GB	500 ml	603	29153100	18%
PR0055	Ethyl Acetate 99.8% for Pesticide ResidueTrace Analysis (EtOAc ,Acetic acid ethyl ester; Acetic ether; Acetidin; Acetoxyethane; Ethyl acetic ester; Ethyl ethanoate; Vinegar naphtha) CH ₃ .COOC ₂ H ₅ M.W.: 88.11	141-78-6	GB	1L	1800	29153100	18%
027721	Ethyl Acetoacetate 97% for Synthesis (EAA; aceto acetic ethyl ester) C ₆ H ₁₀ O ₃ M.W.: 130.14	141-97-9	GB GB	500 ml 2.5 L		29183020	18%
027722	Ethyl Acrylate 99% for Synthesis (Monomethyl ether, Acrylic acid ethyl este) C ₅ H ₈ O ₂ M.W.: 100.1	140-88-5	GB GB	500 ml 2.5 L		29161290	18%
027725	Ethylamine Solution 70% for Synthesis (Mono ethylamine; aminoethane) $C_2H_7N \ \ M.W.: 45.08$	75-04-7	GB GB	500 ml 2.5 L		29211990	18%
027730	Ethyl Benzene 98% for Synthesis (Phenyl ethane) C ₈ H ₁₀ M.W.: 106.17	100-41-4	GB GB	500 ml 2.5 L		29026000	18%
027731	Ethyl Benzoate 99% for Synthesis (Benzoic acid ethyl ester) C ₉ H ₁₀ O ₂ M.W.: 150.18	93-89-0	GB GB	500 ml 2.5 L		29163190	18%
Ethyl Bro	omide See Bromo Ethane						
027733	Ethyl Bromo Acetate 97% (Bromo acetic acid ethyl ether) C ₄ H ₇ BrO ₂ M.W.: 167.01	105-36-2	GB GB	250 ml		29159090	18%
027735	Ethyl Butyrate 98% for Synthesis (Butyric acid ethyl ester) C ₆ H ₁₂ O ₂ M.W.: 116.16	105-54-4	GB	500 ml	540	29153990	18%
_	rbitol See Diethylene Glycol Mono Ethyl Ether						
	Ilosolve See Ethylene Glycol Monoethyl Ether						
034228	Ethyl Cellulose (Ethyl ether cellulose)	9004-57-3	PB PB	100 gm 500 gm		39123911	18%
027739	content : 48% ethoxyl Ethyl Chloro Acetate 98% for Synthesis (Chloroacetic Acid ethyl ester; Ethylalpha-chloroacetate; Ethyl chloroethanoate; Ethylmonochloracetate; Ethyl monochloroacetate)	105-39-5	GB GB	500 ml 2.5 L	840	29154010	18%
027737	C ₄ H ₇ CIO ₂ M.W.: 122.55 Ethyl Cinnamate 98%	103-36-6	GB	500 ml	5004	29163910	18%

	RESEARCH & LABORA	TORY	CHE	EMIC	AL	S	
	CHEM	IISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₁ H ₁₂ O ₂ M.W.: 176.22						
027742	Ethyl Cyanoacetate 98% for Synthesis	105-56-6	GB	250 ml	603	29269000	18%
	C ₅ H ₇ NO ₂ M.W.: 113.12		GB	500 ml	981		
Ethyldig	ol See Diethylene Glycol Mono Ethyl Ether						
Ethylene	Bromide See 1,2-Dibromo Ethane						
Ethylene	Chloride See 1,2-Dichloro Ethane						
027745	Ethylene Diamine 98% for Synthesis	107-15-3	GB	500 ml	900	29212100	18%
	(1,2-diamino ethane)		GB	2.5 L	3600		
	C ₂ H ₈ N ₂ M.W.: 60.10		PR	25 Lit	POR		
034230	Ethylene Diamine Dihydrochloride 99%	333-18-6	GB	100 gm	792	29212100	18%
	(1,2-diaminoethane dihydrochloride)		GB	500 gm	3441		
	C ₂ H ₈ N ₂ .2HCl M.W.: 133.03						
Ethylene	Diamine Tetra Acetic Acid Solution See E.D.T.A. Solution						
034232	Ethylene Diamine Tetra Acetic Acid 98%	60-00-4	РВ	100 gm	270	29224990	18%
	(EDTA)		РВ	500 gm	801		
	$C_{10}H_{16}N_2O_8$ M.W.: 292.25		РВ	5 kg	6003		
			PD	50 kg	POR		
012811	Ethylene Diamine Tetra Acetic Acid 99% AR	60-00-4	РВ	100 gm	360	29224990	18%
	(EDTA)		РВ	500 gm	1107		
	$C_{10}H_{16}N_2O_8$ M.W.: 292.25		РВ	5 kg	7830		
			PD	50 kg	POR		
034233	Ethylene Diamine Tetra Acetic Acid Calcium Disodium	39208-14-5	РВ	500 gm	1170	29224990	18%
	Salt 97-102%		PD	50 kg	POR		
	(EDTA calcium disodium salt)						
	C ₁₀ H ₁₂ CaN ₂ Na ₂ O ₈ .XH ₂ O M.W.: 374.27.XH ₂ O						
034234	Ethylene Diamine Tetra Acetic Acid Ferric Mono Sodium	18154-32-0	PB	100 gm	252	29224990	18%
	Salt 12-14%		РВ	500 gm	1143		
	C ₁₀ H ₁₂ FeN ₂ NaO ₈ .3H ₂ O M.W. : 421.10		PD	50 kg	POR		
034235	Ethylene Diamine Tetra Acetic Acid Disodium Magnesium	14402-88-1	РВ	500 gm	1098	29212100	18%
	Salt 98.5%		PD	50 kg	POR		
	C ₁₀ H ₁₂ N ₂ O ₈ MgNa ₂ M.W.: 358.50						
034236	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt	25102-12-9	РВ	100 gm	390	29224990	18%
	Dihydrate 98%		РВ	500 gm	1593		
	(Ethylenedinitrilo)tetraacetic acid dipotassium salt; Dipotassium		PD	50 kg	POR		
	ethylenediaminetetraacetate dihydrate; EDTA dipotassium salt;						
	Edathamil, Potassium ethylene diamine tetraacetate dibasic)						
	C ₁₀ H ₁₄ K ₂ N ₂ O ₈ .2H ₂ O M.W.: 404.46						
012812	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt	25102-12-9	PB	100 gm	513	29224990	18%
	Dihydrate 99% AR		РВ	500 gm			
	(Ethylenedinitrilo)tetraacetic acid dipotassium salt; Dipotassium		PD	50 kg			
	ethylenediaminetetraacetate dihydrate; EDTA dipotassium salt;			9			

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY			Committee or		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Edathamil; Potassium ethylene diamine tetraacetate dibasic)						
	$C_{10}H_{14}K_2N_2O_8.2H_2O\ M.W.:404.46$						
034237	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6	РВ	100 gm	306	29212100	18%
	Dihydrate 98%		РВ	500 gm	900		
	(EDTA disodium salt)		РВ	5 kg	6300		
	C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O M.W.: 372.24		PD	50 kg	POR		
012813	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6	РВ	100 gm	333	29212100	18%
	Dihydrate 99.5% AR		РВ	500 gm	1080		
	(EDTA disodium salt)		РВ	5 kg	7560		
	meets analytical specification of IP, B.P., U.S.P., N.F., E.P.		PD	25 kg	POR		
	C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O M.W.: 372.24						
MB0051	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6	РВ	100 gm	1296	29212100	18%
	Dihydrate 99-101% for Molecular Biology		РВ	500 gm	2700		
	(EDTA disodium salt)						
	C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O M.W.: 372.24						
034238	Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt	10378-23-1	РВ	100 gm	216	29224990	18%
	Dihydrate 98%		РВ	500 gm	741		
	C ₁₀ H ₁₂ N ₂ Na ₄ O ₈ .2H ₂ O M.W.: 416.20						
034239	Ethylene Diamine Tetra Acetic Acid Tri Sodium Salt	150-38-9	РВ	100 gm	468	29212100	18%
	Dihydrate 98%		РВ	500 gm	1548		
	C ₁₀ H ₁₃ N ₂ Na ₃ O ₈ .2H ₂ O M.W.: 394.22						
Ethylene	Dibromide See 1,2-Dibromo Ethane						
Ethylene	e Dichloride See 1,2-Dichloro Ethane						
Ethylene	e Dinitrilo Tetra Acetic Acid Disodium Salt Dihydrate See Ethylen	ne Diamine Tetra Ace	etic Acid Dis	odium Salt			
Ethylene	Dinitrilo Tetra Acetic Acid Ferric Sodium Salt See Ethylene Dia	mine Tetra Acetic Ac	cid Ferric So	dium Salt			
027750	Ethylene Glycol 98% for Synthesis	107-21-1	GB	500 ml	405	29053100	18%
	(Ethanediol)		GB	2.5 L	1602		
	CH ₂ (OH):CH ₂ OH M.W.: 62.07		PR	25 Lit	POR		
010380	Ethylene Glycol 99% AR	107-21-1	GB	500 ml	486	29053100	18%
	(Ethanediol)		GB	2.5 L	1800		
	CH ₂ (OH):CH ₂ OH M.W.: 62.07						
034254	Ethylene Glycol-bis (2-Aminoethyl Ether) N,N,N',N'-	67-42-5	GB	10 gm	2835	29153990	18%
	Tetra Acetic Acid (EGTA) 97%		GB	25 gm	6480		
	$C_{14}H_{24}N_2O_{10}$ M.W.: 380.35						
027752	Ethylene Glycol Mono Butyl Ether 98% for Synthesis	111-76-2	GB	500 ml	765	29094300	18%
			GB	2.5 L	3060		
	(2-butoxyethanol; butyl cellosolve; butyl glycol)						
	(2-butoxyethanol; butyl cellosolve; butyl glycol) $C_6H_{14}O_2 \ \text{M.W.}: 118.18$		PR	25 Lit	POR		
010390		111-76-2				29091900	18%
010390	C ₆ H ₁₄ O ₂ M.W.:118.18	111-76-2	PR	25 Lit		29091900	18%
010390	C ₆ H ₁₄ O ₂ M.W.: 118.18 Ethylene Glycol Mono Butyl Ether 99% AR	111-76-2	PR GB	25 Lit 500 ml	1080	29091900	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX (2-ethoxyethanol; Ethyl cellosolve) GB 2.5 L 2007 C₄H₁₀O₂ M.W.: 90.12 Ethylene Glycol Mono Ethyl Ether 99.5% AR 010400 110-80-5 GB 500 ml **660** 29094900 18% (2-ethoxyethanol; Ethyl cellosolve) GB 2.5 L 2440 C₄H₁₀O₂ M.W.: 90.12 027754 Ethylene Glycol Mono Methyl Ether 99% for Synthesis 109-86-4 GB 500 ml **504** 29094400 18% (2-methoxyethanol; Methyl cellosolve) GB 2.5 L 2070 $C_3H_8O_2\ M.W.:76.10$ PR 25 Lit POR Ethylene Glycol Mono Methyl Ether 99.5% AR/ACS 010410 109-86-4 GR 500 ml **630** 29094400 18% GB 2.5 L 2700 (2-methoxyethanol; methyl cellosolve) C₃H₈O₂ M.W.: 76.10 034250 **Ethylene Glycol Mono Stearate** 111-60-4 PΒ 500 gm 990 29157090 18% C₂₀H₄₀O₃ M.W.: 328.53 **Ethyl Formate 98% for Synthesis** 027756 109-94-4 GR 500 ml **765** 29151300 18% GB 2.5 L 3591 (Formic acid ethyl ester) C₃H₆O₂ M.W.: 74.08 027758 2-Ethyl-1-Hexanol 99% 104-76-7 GB 500 ml **540** 29051620 18% GB 2070 (2-ethyl hexane-1-ol), Iso-octanol 2.5 L C₈H₁₈O M.W.: 130.23 PR 25 Lit POR PΠ 200 L POR 034256 Ethyl-p-Hydroxy Benzoate 99% 120-47-8 PΒ 500 gm **2340** 29182990 18% (Ethyl paraben; ethyl-4-hydroxy benzoate) PB 5 kg POR C₉H₁₀O₃ M.W.: 166.17 POR PR 25 kg 027765 Ethyl lodide 99% for Synthesis 75-03-6 GB 100 ml 9486 29033930 18% (lodoethane) GB 250 ml 22788 C₂H₅I M.W.: 155.97 250 ml 027768 **Ethyl Lactate 98%** 97-64-3 GR **1350** 29181190 18% GB 1 L 4320 (Ethyl-2-hydroxy propanoate) C₅H₁₀O₃ M.W.: 118.13 Ethyl Methyl Ketone 99% for Synthesis 78-93-3 GB 500 ml **792** 29141200 18% (Methyl ethyl ketone; butan-2-one; butanone; MEK) GB 2.5 L 3195 C₄H₈O M.W.: 72.11 PR 25 Lit POR Ethyl Methyl Ketone 99.5% AR/ACS **891** 29141200 010420 78-93-3 GB 500 ml 18% (Methyl ethyl ketone; butan-2-one; butanone; MEK) GB 2.5 L 3492 C₄H₈O M.W.: 72.11 **Ethyl Oleate 98% for Synthesis** 027775 111-62-6 GB 500 ml **1191** 29161590 18% GB 2.5 L 5193 (Oleic acid ethyl ester) $C_{20}H_{38}O_2$ M.W.: 310.52 Ethyl Paraben See Ethyl-p-Hydroxy Benzoate 027780 **Ethyl Phenyl Acetate 99%** 101-97-3 GB 500 ml **3150** 29153990 18% (Phenyl acetic acid ethyl ester)

	CHEM	ISTRY BEY	OND C				
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₀ H ₁₂ O ₂ M.W.: 164.20						
027785	Ethyl Propionate 99% for Synthesis	105-37-3	GB	500 ml	1494	29155000	18%
	(Ethyl propionate Propanoic acid ethyl ester)						
	C ₅ H ₁₀ O ₂ M.W.: 102.13						
027790	Ethyl Salicylate 99%	118-61-6	GB	500 ml	1188	29182390	18%
	(Ethyl 2-hydroxy benzoate)						
	C ₉ H ₁₀ O ₃ M.W.: 166.18						
027800	Eucalyptus Oil 60%	8000-48-4	GB	250 ml	1170	33012924	18%
	(Eucalyptus globulus Labillardiere, Yo-shu oil)						
	C ₁₀ H ₁₈ O M.W.: 154.25						
027810*	Eugenol 99% Pure	97-53-0	GB	100 ml	1665	29095090	18%
	(2-Methoxy-4-(2-propenyl)phenol; 4-Allyl-2- methoxypheno 4-Allylguaiacol)		GB	500 ml	7524		
	C ₁₀ H ₁₂ O ₂ M.W.: 164.21						
Eugenol	Methyl Ether See Methyl Eugenol						
027815	Euparol for Microscopy		GB	100 ml	1170	38220090	12%
	A fast drying microscopic mounting medium.						
AAS928	Europium AAS Solution		PE	125 ml	4500	38220090	12%
	1000ppm Single Element in HClO ₄						
ICP067	Europium ICP Standard Solution		PE	100 ml	11700	38220090	12%
	1000ppm TRISTAR Single Element in HNO3		GB	500 ml	38700		
RR0290	Europium Chloride 99.9%	13759-92-7	GB	5 gm	11880	28469090	18%
	EuCl ₃ .6H ₂ O M.W.: 366.41						
RR0291	Europium Chloride 99.99% AR	13759-92-7	GB	1 gm	4221	28469090	18%
	EuCl ₃ .6H ₂ O M.W.: 366.41		GB	5 gm	14301		
			GB	25 gm	38250		
RR0294	Europium Nitrate 99.9%	10031-53-5	GB	1 gm	2997	28469090	18%
	Eu(NO ₃) ₃ · 6H ₂ O M.W. : 446.06		GB	2 gm	5400		
			GB	10 gm	13883		
			GB	50 gm	48000		
RR0295	Europium Nitrate 99.99% AR	10031-53-5	GB	1 gm	5020	28469090	18%
	Eu(NO ₃) ₃ · 6H ₂ O M.W. : 446.06		GB	5 gm	15300		
			GB	25 gm	45009		
RR0296	Europium Oxide 99.9%	1308-96-9	GB	1 gm	1593	28469090	18%
	(Europium(III) oxide)		GB	5 gm	7191		
	Eu ₂ O ₃ M.W.: 351.93		GB	25 gm	22060		
RR0297	Europium Oxide 99.99% AR	1308-96-9	GB	1 gm	2905	28469090	18%
	(Europium(III) oxide)		GB	25 gm	34002		
	Eu ₂ O ₃ M.W.: 351.93		GB	100 gm	POR		
STA140	Evans Blue 85% for Microscopy (C.I. 23860)	314-13-6	GB	5 gm		32041439	18%
	(Direct Blue 53)		GB	25 gm			
	C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ M.W.: 960.82			5			

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
REA081	Exton's Reagent		GB	100 ml	288	38220090	12%
	(Reagent for albumin in urine)						
	F						
FAA See	Formaldehyde Aceto Alcohol						
STA145	Fast Green 90% for Microscopy (C.I. 42000)		GB	25 gm	279	32041956	18%
	$C_{52}H_{54}N_4O_{12}$ M.W.: 927.02		GB	100 gm	900		
STS097	Fast Green Solution		РВ	125 ml	180	38220090	12%
	for Tissue Cell Staining						
STA147	Fast Green FCF 85% for Microscopy (C.I. 42053)	2353-45-9	GB	5 gm	495	32041965	18%
	$C_{37}H_{34}N_2Na_2O_{10}S_3$ M.W.: 808.85		GB	25 gm	1593		
STS096	Fast Green FCF Solution		РВ	100 ml	792	38220090	12%
	(Useful for non-lignified tissues)						
STA150	Fast Sulphon Black F 30% (C.I. 26990)	3682-47-1	GB	25 gm	558	32041490	18%
	$C_{30}H_{17}N_4O_{11}S_3Na_3\ M.W.: 774.6$						
SOL118	Fehling's Solution No. 1	7758-98-7	РВ	500 ml	405	38220090	12%
	(Copper (II) sulphate Solution)						
	cupric sulphate content : 7.0% w/v						
	for determination of sugar						
SOL119	for determination of sugar Fehling's Solution No. 2	7758-98-7	РВ	500 ml	594	38220090	12%
	· · · · · · · · · · · · · · · · · · ·	7758-98-7	РВ	500 ml	594	38220090	12%
Ferric Al	Fehling's Solution No. 2	7758-98-7	РВ	500 ml	594	38220090	12%
Ferric Al	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate		PB	500 ml	594	38220090	12%
Ferric Al	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown		PB GB	500 ml		38220090	12%
Ferric Al Ferric Ar Ferric Ar	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd	rate					
Ferric Al Ferric Ar Ferric Ar	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97%	rate	GB	500 gm	291		
Ferric Al Ferric Ar Ferric Ar	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite)	rate	GB	500 gm	291 POR		
Ferric Al Ferric Ar Ferric Ar 034275	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21	rate 7705-08-0	GB PD	500 gm 50 kg	291 POR	28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR	rate 7705-08-0	GB PD	500 gm 50 kg	291 POR	28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275 012820	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite)	rate 7705-08-0	GB PD	500 gm 50 kg	291 POR 423	28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275 012820	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21	7705-08-0 7705-08-0	GB PD GB	500 gm 50 kg 500 gm	291 POR 423	28273990 28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275 012820	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97%	7705-08-0 7705-08-0	GB PD GB	500 gm 50 kg 500 gm	291 POR 423	28273990 28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275 012820	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ 6H ₂ O M.W.: 270.30	7705-08-0 7705-08-0	GB PD GB	500 gm 50 kg 500 gm	291 POR 423 522 POR	28273990 28273990	18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ 6H ₂ O M.W.: 270.30	7705-08-0 7705-08-0 10025-77-1	GB PD GB GB	500 gm 50 kg 500 gm 500 gm 50 kg	291 POR 423 522 POR	28273990 28273990 28273990	18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate 98% AR/ACS	7705-08-0 7705-08-0 10025-77-1	GB PD GB GB	500 gm 50 kg 500 gm 500 gm 50 kg	291 POR 423 522 POR	28273990 28273990 28273990	18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate 98% AR/ACS (Iron (III) chloride hexahydrate) FeCl ₃ .6H ₂ O M.W.: 270.30	7705-08-0 7705-08-0 10025-77-1	GB PD GB GB	500 gm 50 kg 500 gm 500 gm 50 kg	291 POR 423 522 POR	28273990 28273990 28273990	18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate 98% AR/ACS (Iron (III) chloride hexahydrate) FeCl ₃ .6H ₂ O M.W.: 270.30	7705-08-0 7705-08-0 10025-77-1	GB PD GB PD	500 gm 50 kg 500 gm 500 gm 50 kg	291 POR 423 522 POR	28273990 28273990 28273990 28273990	18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate 98% AR/ACS (Iron (III) chloride hexahydrate) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride 10% Solution	7705-08-0 7705-08-0 10025-77-1	GB PD GB	500 gm 50 kg 500 gm 500 gm 500 gm	291 POR 423 522 POR 612	28273990 28273990 28273990 28273990	18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 •	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate 98% AR/ACS (Iron (III) chloride hexahydrate) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride 10% Solution (Gerhardt's Reagent)	7705-08-0 7705-08-0 10025-77-1	GB PD GB PB PB	500 gm 50 kg 500 gm 500 gm 500 gm 125 ml 1 L	291 POR 423 522 POR 612 135 390 234	28273990 28273990 28273990 28273990 38220090	18% 18% 18%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 • 012821 • SOL126 REA098	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride 10% Solution (Gerhardt's Reagent) Ferric Chloride Reagent	7705-08-0 7705-08-0 10025-77-1	GB PD GB PB PB	500 gm 50 kg 500 gm 500 gm 500 gm 125 ml 1 L	291 POR 423 522 POR 612 135 390 234 243	28273990 28273990 28273990 28273990 38220090 38220090	18% 18% 18% 12%
Ferric Al Ferric Ar Ferric Ar 034275 012820 034276 • 012821 • SOL126 REA098 US1290	Fehling's Solution No. 2 um See Ammonium Ferric Sulphate mmonium Citrate See Ammonium Ferric Citrate Brown mmonium Sulphate See Ammonium Ferric Sulphate Dodecahyd Ferric Chloride Anhydrous 97% (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Anhydrous 98% AR (Iron (III) chloride; Iron trichloride; Molysite) FeCl ₃ M.W.: 162.21 Ferric Chloride Hexahydrate 97% (Iron (III) chloride hexahydrate; Iron trichloride; Molysite) FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride Hexahydrate FeCl ₃ .6H ₂ O M.W.: 270.30 Ferric Chloride 10% Solution (Gerhardt's Reagent) Ferric Chloride Reagent Ferric Chloride TS	7705-08-0 7705-08-0 10025-77-1	GB PD GB PB PB PB	500 gm 50 kg 500 gm 500 gm 500 gm 125 ml 1 L 500 ml	291 POR 423 522 POR 612 135 390 234 243 1602	28273990 28273990 28273990 28273990 38220090 38220090 38220090	18% 18% 18% 12% 12%

	RESEARCH & LABORAT						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Fe(NO ₃) ₃ .9H ₂ O M.W.: 404.00						
012822	Ferric Nitrate Nonahydrate 99% AR/ACS	7782-61-8	GB	500 gm	747	28342990	18%
	(Iron (III) nitrate nonahydrate)						
	Fe(NO ₃) ₃ .9H ₂ O M.W.: 404.00						
034282	Ferric Oxide Red 95%	1309-37-1	РВ	500 gm	540	28211010	18%
	(Iron oxide red)		РВ	5 kg	3780		
	Fe ₂ O ₃ M.W.: 159.69		PD	50 kg	POR		
U34282	Ferric Oxide Red 400 mesh	1309-37-1	РВ	500 gm	630	28211010	18%
034283	Ferric Phosphate Tetrahydrate 97%	31096-47-6	РВ	500 gm	963	28352990	18%
	(Iron (III) phosphate tetrahydrate)		PD	50 kg	POR		
	FePO ₄ .4(H ₂ O) M.W.: 222.88						
REA095	Ferric Reagent		РВ	125 ml	252	38220090	12%
034284	Ferric Sulphate Hydrate 20.5%	15244-10-7	PB	500 gm	540	28332990	18%
	(Iron (III) sulphate hydrate)			· ·			
	Fe ₂ (SO ₄) ₃ .XH ₂ O M.W.: 399.88(Anhy.)						
SOL127	Ferroin Solution AR	14634-91-4	GB	25 ml	360	38220090	12%
	(o-phenanthroline ferrous sulphate complex solution)		РВ	100 ml	891		
	Redox Indicator		GB	500 ml	3600		
	C ₃₆ H ₂₄ FeN ₆ O ₄ S M.W.: 692.5						
STS098	Ferroin Indicator 0.1% Solution in Water		PB	500 ml	3105	38220090	12%
STS099	Ferroin Indicator Solution in Sulphuric acid		PB	100 ml		38220090	12%
	Ammonium Sulphate See Ammonium Ferrous Sulphate Hexahydrate						
034286	Ferrous Carbonate 97%	563-71-3	PB	500 gm	1800	28369990	18%
	(Ferronil; iron (II) carbonate; ferrous mono carbonate)	333773		000 g			.070
	FeCO ₃ M.W.: 115.86						
034288	Ferrous Fumarate Pure 31-33%	141-01-5	PB	500 gm	630	29171940	18%
004200	(Iron (II) fumarate)	141 01 0	, ,	ooo giii	000	2011 1040	1070
	meets USP testing specification						
	C ₄ H ₂ FeO ₄ M.W.: 169.90						
034291	Ferrous Oxalate Dihydrate 99%	6047-25-2	PB	100 gm	702	29171190	18%
054251	(Iron (II) oxalate dihydrate)	0047-23-2	PB	500 gm		23171130	10 /0
	C ₂ FeO ₄ .2H ₂ O M.W. : 179.90		10	300 giii	2700		
034292	Ferrous Phosphate Hydrate	10028-23-6	PB	500 gm	1170	28352990	18%
034232	Fe ₃ (PO ₄) ₂ .XH ₂ O M.W.: 357.50+XH ₂ O	10020-23-0	10	300 giii	1170	20332330	10 /0
024202	Ferrous Succinate Tetrahydrate 99%	17022 52 5	DD.	500 am	4600	20171100	100/
034293	C ₄ H ₄ FeO ₄ .4H ₂ O M.W.: 243.92	17022-52-5	PB	500 gm	4006	29171190	18%
03/205		7782-63-0	PB	E00 ~	270	28332910	100/
034295	Ferrous Sulphate Heptahydrate Crystal 99% Purified	1 1 0Z-03-U		500 gm		20332910	18%
	(Iron (II) sulphate heptahydrate)		PD	50 Kg	POR		
	FeSO ₄ .7H ₂ O M.W.: 278.01						
012830	Ferrous Sulphate Heptahydrate 99.5% AR	7782-63-0	PB	500 gm	222	28332910	18%

	CH						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	FeSO ₄ .7H ₂ O M.W.: 278.01						
SOL129	Ferrous Sulphate Solution		PB	500 ml	162	38220090	12%
034297	Ferrous Sulphide Fused Sticks	1317-37-9	PB	1 kg	693	28309010	18%
	(Iron (II) sulphide)		PD	50 kg	POR		
	(Fused sticks for producing H2S)						
	FeS M.W.: 87.92						
CHR151	Ferrozine for Biochemistry	69898-45-9	GB	1 gm	2610	29336990	18%
	for determination of Iron		GB	5 gm	11700		
	$C_{20}H_{13}N_4O_6S_2Na\ M.W.:492.46$						
990105	Ferulic Acid 98% Pure	1135-24-6	GB	5 gm	810	29189900	18%
	C ₁₀ H ₁₀ O ₄ M.W.: 194.18		GB	10 gm	1305		
			GB	25 gm	2700		
STA152	Field's Stain A		GB	25 gm	270	32041929	18%
	for staining of malaria parasite		РВ	1 kg	5787		
STS100	Field's Stain Solution A		РВ	125 ml	189	38220090	12%
			РВ	500 ml	468		
STA153	Field's Stain B		GB	25 gm	270	32041929	18%
	for staining of malaria parasite		РВ	1 kg	5787		
STS101	Field's Stain Solution B		РВ	125 ml	189	38220090	12%
			РВ	500 ml	468		
034298	Flavone 99%	525-82-6	GB	1 gm	369	29420090	18%
	(2-Phenyl-4 H-1-benzopyran-4-one, 2-Phenylchromone)		GB	5 gm	900		
	C ₁₅ H ₁₀ O ₂ M.W.: 222.24			-			
034301	Florisil® 60-100 mesh	1343-88-0	GB	100 gm	2808	28399090	18%
	(Activated magnesium silicate; magnesium silicate)						
	general column chromatography, 60-100 mesh						
	MgSiO ₃ M.W.: 100.39						
STA158	Fluorescein 95% (C.I. 45350)	2321-07-5	GB	25 gm	311	32049000	18%
	(Resorcinolphthalein; solvent yellow 94,D & C yellow no. 7,		GB	100 gm	990		
	angiofluor, Japan yellow 201, soap yellow		РВ	1 kg	6993		
	C ₂₀ H ₁₂ O ₅ M.W.: 332.31						
STS106	Fluorescein Solution		PB	125 ml	504	38220090	12%
	Fluorescein pH Indicator						
STA159	Fluorescein Complexone AR	1461-15-0	GB	1 gm	450	32049000	18%
	(Calcein Indicator)		GB	5 5 gm	990		
	C ₃₀ H ₂₆ N ₂ O ₁₃ M.W. : 622.55			- 3			
STA160	Fluorescein Sodium 98% (C.I. 45350)	518-47-8	GB	25 gm	342	32049000	18%
	(Acid Yellow 73; NaFl; NaFluo; Sodium fluorescein; uranine)	3.0 1. 0	GB	100 gm	945		. 5 /0
	C ₂₀ H ₁₀ Na ₂ O ₅ M.W.: 376.3		PB	1 kg	8496		
KIT041	Fluorescent Stain Kit for Microscopy		KIT	Kit		38220090	12%
	(auramine fluorochrome Kit)		MI	MI	1-13-1	00220000	14/0

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX SS0700 Fluoride 1000mg /1L Standard Solution ΡF 250 ml 9891 38220090 12% 100 gm 034299 p-Fluoro Aniline 99% for Synthesis 371-40-4 GB **1296** 29214290 18% GB 500 gm 5895 (1-amino-4-fluorobenzene) C₆H₆FN M.W.: 111.12 034302 p-Fluoro Benzoic Acid 99% for Synthesis 456-22-4 GB **2610** 29163190 18% 100 gm C₇H₅FO₂ M.W.: 140.11 GR 500 gm 9180 o-Fluoro Benzonitrile 99% for Synthesis 394-47-8 GB **1530** 29269000 18% 934300 5 gm (2-Fluoro Benzonitrile) GB 25 gm 4500 C7H4FN M.W.: 121.11 GB 100 gm 16200 034303 p-Fluoro Benzonitrile 98% 1194-02-1 **3600** 29269000 GB 25 gm 18% C7H4FN M.W.: 121.11 100 gm GR 10800 p-Fluoro Benzylamine 97% 034304 140-75-0 GB 5 gm **864** 29214990 18% C7H8FN M.W.: 125.14 GB 25 gm 2250 027819 Fluoroboric Acid Abt. 40% 16872-11-0 PΒ 500 ml **661** 28100020 18% РΒ (Tetra fluoboric acid) 5 L 5790 HBF4 M.W.: 87.81 012835 * 1-Fluoro-2,4-Dinitro Benzene 99% AR 70-34-8 GB 25 gm **3465** 29049090 18% (2,4-dinitro-1-fluorobenzene; Sanger's reagent) Used for polypeptide sequencing C₆H₃FN₂O₄ M.W.: 186.10 034309 5-Fluoro Uracil 99-102% for Biochemistry 51-21-8 GB 1 gm **495** 29335990 18% (2,4-dihydroxy-5-fluoropyrimidine;5-FU, 5-Fluoro-GB 1593 5 gm 2,4(1H,3H)-pyrimidinedione) C₄H₃FN₂O₂ M.W.: 130.08 034312 Folic Acid 94-101% for Biochemistry 59-30-3 GB 5 gm 291 29362910 18% GB 10 gm 491 (PteGlu, Pteroyl-L-glutamic acid, Vitamin M) $C_{19}H_{19}N_7O_6\ M.W.:441.40$ GR 25 gm 999 GB 100 gm 4293 REA100 Folin & Ciocalteu's Phenol Reagent (2N) GB 125 ml **495** 38220090 12% suitable for determination of total protein GB 250 ml 1090 GB 500 ml 1890 REA101 Folin & Ciocalteu's Phenol Reagent (2N) AR GB 125 ml **801** 38220090 12% GB 250 ml 1440 For estimation of proteins (with respect to acid) 500 ml GB 2520 US1311 Folin Denis Reagent TS GB 125 ml **540** 38220090 12% SOL132 Folin & Wu's Alkaline Copper Solution GB 500 ml **720** 38220090 12% Used in determination of blood sugar for determination of glucose SOL133 Folin & Wu's Phosphate Molybdate Solution GB 100 ml **702** 38220090 12% Used in determination of blood sugar GB 500 ml 1413

125 ml

207 38220090

12%

GB

SOL140 Formaldehyde Aceto Alcohol

	СН	EMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Preservative algae, also a Fixative)						
027850 •	Formaldehyde Solution 37-41% for Synthesis	50-00-0	GB	500 ml	243	29121100	18%
	(Formalin)		GB	2.5 L	891		
	H.CHO M.W.: 30.03		РВ	5 L	1593		
			РВ	30 L	POR		
010500 •	Formaldehyde Solution 37-41% AR/ACS	50-00-0	GB	500 ml	315	29121100	18%
	(Formalin)		GB	2.5 L	1044		
	H.CHO M.W.: 30.03						
SOL138	Formaldehyde 20% Solution	50-00-0	GB	500 ml	243	29121100	18%
	Stabilized with 10% methanol		GB	1 L	441		
	H.CHO M.W.: 30.03		GB	2.5 L	918		
BF0275	Formaldehyde 4% Buffered (pH 7.0)	50-00-0	РВ	5 L	900	29121100	18%
	for Histology						
SS0750 •	Formaldehyde 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
Formalin	n See Formaldehyde Solution 37-41% w/v						
Formalin	n Aceto Alcohol See Formaldehyde Aceto Alcohol						
027860	Formamide 98.5% for Synthesis	75-12-7	GB	500 ml	540	29241900	18%
	(Methanamide;Carbamaldehyde; Formimidic acid)		GB	2.5 L	2250		
	HCONH ₂ M.W.: 45.04						
010510	Formamide 99.5% AR/ACS	75-12-7	GB	500 ml	603	29241900	18%
	(Methanamide;Carbamaldehyde; Formimidic acid)		GB	2.5 L	2700		
	HCONH ₂ M.W.: 45.04						
027866	Formic Acid 85% for Synthesis	64-18-6	РВ	500 ml	520	29151100	18%
	(Methanoic Acid; Hydrogen Carboxylic Acid; Formylic Acid)						
	H.COOH M.W.: 46.03						
927866	Formic Acid 90% for Synthesis	64-18-6	РВ	500 ml	702	29151100	18%
	(Methanoic Acid; Hydrogen Carboxylic Acid; Formylic Acid)		РВ	5 L	5400		
	H.COOH M.W.: 46.03						
027868	Formic Acid 98-100% for Synthesis	64-18-6	PB	500 ml	860	29151100	18%
	(Methanoic Acid; Hydrogen Carboxylic Acid; Formylic Acid)		РВ	5 L	6300		
	H.COOH M.W.: 46.03						
010515	Formic Acid 98-100% AR	64-18-6	PB	500 ml	918	29151100	18%
	(Methanoic Acid; Hydrogen Carboxylic Acid; Formylic Acid)						
	H.COOH M.W.: 46.03						
Formic A	Acid Ethyl Ester See Ethyl Formate						
	Dimethyl Aniline See p-Dimethyl Amino Benzaldehyde						
-	Fouchet's Reagent		PB	125 ml	243	38220090	12%
	for determination of Bile pigment						
034315	D-(-)-Fructose Pure	57-48-7	PB	100 gm	210	17025000	18%
	(D-levulose;Fruit sugar)	0, 10 1	PB	250 gm		32000	. 570
	1- 13.2.000), rais ougus/			_00 giii	300		

	CHEM	IISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			PD	50 kg	POR		
012840	D-(-)-Fructose AR for Biochemistry & Microbiology	57-48-7	РВ	100 gm	315	17025000	189
	(D-levulose;Fruit sugar)		РВ	250 gm	540		
	C ₆ H ₁₂ O ₆ M.W.: 180.16		РВ	500 gm	990		
STA165	Fuchsin Acid 60% for Microscopy (C.I. 42685)	3244-88-0	GB	25 gm	621	32041294	18%
	(Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S)		GB	100 gm	2295		
	$C_{20}H_{17}N_3O_9S_3Na_2\ M.W.:585.55$						
STS108	Fuchsin Acid Staining Solution		РВ	125 ml	216	38220090	12%
	pH Indicator & Biological Stain						
STA166	Fuchsin Basic 88% for Microscopy (C.I. 42510)	632-99-5	GB	25 gm	315	32041349	18%
	(Basic fuchsin; rosaniline hydrochloride)		GB	100 gm	810		
	C ₂₀ H ₁₉ N ₃ .HCl M.W.: 337.86		РВ	1 kg	6510		
STS109	Fuchsin Basic 0.1% Solution (Aqueous)		РВ	125 ml	252	38220090	12%
			РВ	500 ml	702		
REA170	Fuchsin Basic Reagent		РВ	125 ml	270	38220090	12%
Fuchsin	(NB) See New Fuchsin						
34317	Fuller's Earth For Adsorption	8031-18-3	РВ	500 gm	342	25084020	5%
34319	Fumaric Acid 99% for Synthesis	110-17-8	РВ	500 gm	840	29171950	18%
	(2-Butenedioic acid)		PD	50 kg	POR		
	C ₄ H ₄ O ₄ M.W.: 116.07						
Fungal D	Diastase See Diastase						
027875	Furfuryl Alcohol 98% for Synthesis	98-00-0	GB	500 ml	970	29321300	18%
	[2-hydroxymethyl) furan]						
	C ₅ H ₆ O ₂ M.W.: 98.10						
3-Furfur	yl Aminopurine See Kinetin						
034325	Fusion Mixture		РВ	500 gm	423	38220090	12%
	An equimolecular mixture of anhydrous potassium and sodium carbonates						
012845	Fusion Mixture AR		РВ	500 gm	495	38220090	12%
	An equimolecular mixture of anhydrous potassium and sodium carbonates						
	G						
GABA S	ee p-Amino Butyric Acid						
AAS827	Gadolinium AAS Solution		PE	100 ml	3600	38220090	12%
	1000 ppm Single Element in HNO ₃						
CP969	Gadolinium ICP Standard Solution		PE	100 ml	11700	38220090	129
	1000 ppm TRISTAR Single Element in HNO ₃		PE	500 ml	45000		
RR0301	Gadolinium Metal Powder 99.9%	7440-54-2	GB	5 gm	12060	28469090	18%
	Gd At. W.: 157.25						
RR0303	Gadolinium Chloride Hexahydrate 99.9%	13450-84-5	GB	10 gm	2700	28469090	18%
	(Gadolinium (III) chloride; gadolinium trichloride)		GB	25 gm	5400		
	* * * * * * * * * * * * * * * * * * * *			•			

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS									
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX			
RR0304	Gadolinium Chloride Hexahydrate 99.99% AR	13450-84-5	GB	5 gm	3202	28469090	18%			
	(Gadolinium (III) chloride; gadolinium trichloride)		GB	25 gm	9900					
	GdCl ₃ . 6H ₂ O M.W.: 371.70									
RR4130	Gadolinium Nitrate 99.9%	94219-55-3	GB	25 gm	5400	28469090	18%			
	Gd(NO ₃) ₃ · 6H ₂ O M.W. : 343.26 (Anhy.)		GB	100 gm	16200					
RR4131	Gadolinium Nitrate 99.99% AR	94219-55-3	GB	5 gm	3600	28469090	18%			
	Gd(NO ₃) ₃ · 6H ₂ O M.W. : 343.26 (Anhy.)		GB	25 gm	9900					
RR0307	Gadolinium Oxide 99.9%	12064-62-9	GB	5 gm	1296	28469090	18%			
	(gadolinium (III) oxide)		GB	25 gm	3591					
	Gd ₂ O ₃ M.W.: 362.50		GB	100 gm	12051					
RR0310	Gadolinium (III) Sulphate 99.9%	155788-75-38	GB	10 gm	6030	28469090	18%			
	Gd ₂ (SO ₄) ₃ M.W.: 602.69									
Galactito	ol See Dulcitol									
034350	D-(+)-Galactosamine Hydrochloride 98% for Biochemistry	1772-03-8	GB	100 mgm	405	29329900	18%			
	(D-chondrosamine hydrochloride)		GB	250 mgm	702					
	C ₆ H ₁₄ CINO ₅ M.W.: 215.63		GB	1 gm	1395					
034352	D-(+)-Galactose	59-23-4	GB	25 gm	684	29400000	18%			
	C ₆ H ₁₂ O ₆ M.W.: 180.16		GB	100 gm	1818					
034355	Gallic Acid Monohydrate 98% Pract.	5995-86-8	РВ	100 gm	891	29182910	18%			
	(3,4,5-trihydroxy benzoic acid monohydrate)		PB	500 gm	3492					
	C ₇ H ₆ O ₅ H ₂ O M.W.: 188.14		PD	25 kg	POR					
SOL148	Gallic Acid Solution		РВ	100 ml	495	38220090	12%			
	(Reagent for cerum)									
AAS831	Gallium AAS Solution		PE	100 ml	2520	38220090	12%			
	1000ppm Single Element in HNO ₃									
ICP975	Gallium ICP Standard Solution		PE	100 ml	7200	38220090	12%			
	1000ppm TRISTAR Single Element in HNO ₃									
034357	Gelatin Powder for Bacteriology	9000-70-8	РВ	500 gm	2091	35030020	18%			
			PD	25 kg	POR					
STA172	Gentian Violet 90% for Microscopy (C.I. 42555)	548-62-9	GB	25 gm	540	32041341	18%			
	$C_{25}H_{30}CIN_3 \ M.W.: 407.99$		GB	100 gm	1530					
STS110	Gentian Violet Alcoholic Solution		PB	125 ml	243	38220090	12%			
STS111	Gentian Violet Aqueous Solution		PB	125 ml	225	38220090	12%			
AAS836	Germanium AAS Solution		PE	100 ml	2700	38220090	12%			
	1000ppm Single Element in HNO ₃ +HF									
ICP980	Germanium ICP Standard Solution		PE	100 ml	8100	38220090	12%			
	1000 ppm TRISTAR Single Element in HNO3 +HF									
034358	Germanium Metal 99.99%	7440-56-4	GB	1 gm	2700	81123010	18%			
	Ge M.W.: 72.64			· 3 ···						
034359	Germanium Dioxide 99.999% AR	1310-53-8	GB	1 gm	0070	28256010	18%			

	RESEARCH & LABORAT					S	
	CHEMIS	TRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Germanium (VI) oxide)		GB	10 gm	26199		
	GeO ₂ M.W.: 104.64						
034363	Gibberellic Acid 90%	77-06-5	GB	1 gm	270	38089330	18%
	(GA3; Gibberellin A3)		GB	10 gm	2196		
	C ₁₉ H ₂₂ O ₆ M.W. : 346.38						
Giemsa's	s Azur Eosin Methylene Blue Solution See Giemsa's Stain Solution						
STA176	Giemsa's Stain for Microscopy	51811-82-6	GB	10 gm	504	32041959	18%
	For staining blood smears and protozoa		GB	25 gm	918		
	C ₁₄ H ₁₄ CIN ₃ S M.W.: 291.80		GB	100 gm	2889		
STS113	Giemsa's Stain Solution for Microscopy		GB	125 ml	423	38220090	12%
	(Azure eosin methylene blue)		GB	250 ml	846		
	for staining of blood components & blood parasites						
034365	Glass Beads 3.5 - 4.5 mm		РВ	500 gm	495	70181020	18%
034367	Glass Wool		РВ	250 gm	441	70199010	18%
D-Glucoi	nic Acid Mono Sodium Salt See Sodium Gluconate						
034369	D-(+)-Glucosamine Hydrochloride 99% for Biochemistry	66-84-2	GB	10 gm	333	29329990	18%
	(2-amino-2-deoxy-D-glucose hydrochloride)		GB	25 gm	630		
	C ₆ H ₁₃ NO ₅ .HCI M.W.: 215.63		GB	100 gm	1287		
D-Glucos	se Anhydrous See Dextrose Anhydrous						
D-Glucos	se Monohydrate See Dextrose Monohydrate						
ENZ054*	Glucose Oxidase (GOD)	9001-37-0	GB	10000 units	2007	35079099	18%
	Aspergillus niger lyophilised powder containing		GB	25000 units	4500		
	75% protein, activity: min 100 units/mg protein		GB	100000 units	17100		
SUS051*	D-Glucose-6-Phosphate Disodium Salt Hydrate 98%	3671-99-6	GB	1 gm	1260	29400000	18%
	for Biochemistry		GB	5 gm	5805		
	(G-6-P-Na ₂ ; robison ester)						
	$C_6H_{11}O_9PNa_2.2H_2O$ M.W.: 304.1						
034370	L-Glutamic Acid 99% for Biochemistry	56-86-0	РВ	100 gm	320	29224210	18%
	[(S)-2-Aminopentanedioic acid; Glu; L-α-aminoglutaric acid]		РВ	250 gm	693		
	$C_{5}H_{9}NO_{4}$ M.W.: 147.13		РВ	500 gm	1180		
			PD	25 kg	POR		
L-Glutan	nic Acid Monosodium Salt Hydrate See Sodium-L-Glutamate						
034375	L-Glutamine 99% for Biochemistry	56-85-9	GB	25 gm	311	29241900	18%
	[(S)-2,5-Diamino-5-oxopentanoic acid,; L-Glutamic acid 5-amid]		GB	100 gm	941		
	C ₅ H ₁₀ N ₂ O ₃ M.W.: 146.15						
SOL151	Glutaraldehyde 2% Solution in Water		PB	1 L	288	38220090	12%
			РВ	5 L	1152		
SOL153	Glutaraldehyde 8% Solution in Water		PB	100 ml	198	38220090	12%
	(Glutaric dialdehyde solution; Pentane-1,5-dial)						
	Fixing Agent						
034378 *	Glutathione Reduced 98% for Biochemistry	70-18-8	GB	1 gm	288	29309070	18%

	RESEARCH & LABOR	RATORY HEMISTRY BEY			Control of the	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(g-L-Glutamyl-L-cysteinyl-glycine; GSH)		GB	5 gm	873		
	C ₁₀ H ₁₇ N ₃ O ₆ S M.W. : 307.33		GB	25 gm	3942		
US1410	Glycerin Base TS		PB	500 ml	396	38220090	12%
027910	Glycerine 98% Purified	56-81-5	РВ	500 ml	450	29054500	18%
	(Glycerol; 1,2,3-propanetriol)		РВ	2.5 L	1800		
	C ₃ H ₈ O ₃ M.W.: 92.09		РВ	5 L	3060		
			PR	25 Lit	POR		
010550	Glycerine 99.5% AR	56-81-5	GB	500 ml	693	29054500	18%
	(Glycerol; 1,2,3-propanetriol)		GB	2.5 L	2889		
	meets analytical specification of BP,USP,Ph.Eur.		РВ	5 L	5508		
	C ₃ H ₈ O ₃ M.W.: 92.09						
Glycerol	Purified See Glycerine Purified						
034380	Glycerol Monosterate 98.5%	31566-31-1	РВ	500 gm	585	29157030	18%
	(Glycerin Monostearate; Monostearin; Octadecanoate acid;						
	monoester with 1,2,3- propanetriol)						
	C ₂₁ H ₄₂ O ₄ M.W.: 358.56						
027920	Glycerol Triacetate 99% for Biochemistry	102-76-1	GB	500 ml	1143	29159090	18%
	(Glyceryl triacetate; triacetin; 1,2,3- triacetoxy propane)		GB	2.5 L	4140		
	$C_9H_{14}O_6$ M.W.: 218.21						
027924	Glycerol Tributyrate 96% for Biochemistry	60-01-5	GB	100 ml	1404		18%
	(Tributyrin;1,2,3- tributyryl glycerol)		GB	500 ml	5850		
	(C ₃ H ₇ .COO) ₃ C ₃ H ₅ M.W.: 302.37						
034384	Glycine 99% Pure	56-40-6	РВ	250 gm	432	29224910	18%
	(Amino acetic acid; Aminoethanoic acid; Glycocoll)		РВ	500 gm	720		
	C ₂ H ₅ NO ₂ M.W.: 75.07		РВ	5 Kg	6030		
			PD	50 kg	POR		
012879	Glycine 99.5% for Biochemistry AR	56-40-6	PB	100 gm	306	29224910	18%
	(Amino acetic acid; Aminoethanoic acid; Glycocoll)		РВ	500 gm			
	meets analytical specification of IP.BP.USP, Ph. Eur.		РВ	5 Kg	7200		
	C ₂ H ₅ NO ₂ M.W.: 75.07			· ·			
MB0071	Glycine 99% for Molecular Biology	56-40-6	GB	100 gm	405	29224910	18%
	(Amino acetic acid: Aminoethanoic acid: Glycocoll)		GB	500 gm			
	C ₂ H ₅ NO ₂ M.W.: 75.07			· ·			
034386 *	Glycogen 85% for Biochemistry	9005-79-2	GB	5 gm	7200	39139090	18%
	(C ₆ H ₁₀ O ₅)n		GB	25 gm			- , -
SUS055	n-Glycyl Glycine 99% for Biochemistry	556-50-3	GB	10 gm		29241900	18%
22000	(Gly-Gly; Diglycine)	300 00 0	05	10 9111	3.0		10/0
	$C_4H_8N_2O_3$ M.W.: 132.12						
027927	Glyoxal 40% for Synthesis	107-22-2	GB	500 ml	<i>1</i> 77	29121930	18%
JE: JE!	(Ethanedial; Oxalaldehyde)	101-22-2	GB	2.5 L		20121300	10/0
	C ₂ H ₂ O ₂ M.W.: 58.04		GB	2.5 L	2007		
i	U2112U2 IVI.VV 30.U4						

		فلنظر المناقلة		ILIVIICA			
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Glyoxaliı	ne See Imidazole						
AAS028	Gold AAS Solution		PE	125 ml	13500	38220090	12%
	1000ppm Single Element in HCI						
ICP070	Gold ICP Standard Solution		PE	100 ml	18000	38220090	12%
	1000ppm TRISTAR Single Element in HCI						
ICP071	Gold ICP Standard Solution		PE	100 ml	69030	38220090	12%
	10000ppm TRISTAR Single Element in HCI		PE	500 ml	151200		
034391	Gold Metal Powder 99.9%	7440-57-5	GB	1 gm	POR	71081300	18%
	Au M.W.: 196.97						
Gold Chl	loride See Chloroauric Acid						
Gower's	Solution See R.B.C. Diluting Fluid						
KIT060	Gram's Colour Staining Kit		KIT	Kit	945	38220090	12%
	(Bacteria staining Kit according to Gram)						
STS115	Gram's Crystal Violet Solution		РВ	125 ml	252	38220090	12%
	(Acetone ethanol mixture)						
STS116	Gram's Decolourizer	37348-17-7	РВ	125 ml	225	38220090	12%
			РВ	500 ml	702		
STS117	Gram's Fuchsin Basic		РВ	125 ml	225	38220090	12%
STS118	Gram's lodine Solution		GB	125 ml	387	38220090	12%
SOL121	Gram's lodine Solution		GB	125 ml	432	38220090	12%
	(lodine content abt. 0.33%)						
STS119	Gram's Safranine Solution for Microscopy	477-73-6	РВ	125 ml	306	32041399	18%
	(Safranine T Solution)						
STS120	Gram's Safranine Strong Solution		РВ	125 ml	360	38220090	12%
034390	Graphite Fine Powder Pract	7782-42-5	РВ	500 gm	468	38011000	18%
	(100 micron)						
	C M.W.: 12.01						
034393	Guaiacol 99%	90-05-1	GB	250 gm	1638	29095010	18%
	(o-Methoxy phenol)						
	C ₇ H ₈ O ₂ M.W.: 124.14						
034396	Guanidine Hydrochloride 98% for Biochemistry	50-01-1	GB	100 gm	495	29252990	18%
	(Guanidinium chloride)		РВ	1 kg	3996		
	CH ₅ N ₃ .HCI M.W.: 95.53						
012885	Guanidine Hydrochloride 99.5% AR	50-01-1	GB	25 gm	333	29252990	18%
	(Guanidinium chloride)		GB	100 gm	657		
	CH ₅ N ₃ .HCI M.W.: 95.53				_		
MB0075	Guanidine Hydrochloride 99.5% for Molecular Biology	50-01-1	GB	100 gm	810	29252990	18%
	(Guanidinium chloride)		GB	500 gm	2997		
	CH ₅ N ₃ .HCI M.W.: 95.53						
012890	Guanidine Thiocyanate 99%	593-84-0	GB	100 gm	1098	29252990	18%

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Guanidinium thiocyanate; guanidinium rhodanide)		GB	500 gm	4995		
	CH ₅ N ₃ .HSCN M.W.: 118.16						
034405 *	Guanine 97% for Biochemistry	73-40-5	GB	5 gm	270	29335990	18%
	(2-Amino-6-hydroxypurine)		GB	25 gm	891		
	$C_5H_5N_5O$ M.W.: 151.13						
034410 *	Guanine Hydrochloride 98% for Biochemistry	635-39-2	GB	1 gm	360	29252990	18%
	(2-Amino-6-hydroxypurine hydrochloride)		GB	5 gm	921		
	C ₅ H ₅ N ₅ O.HCl M.W.: 187.59		GB	25 gm	3711		
034400	Guar Gum Powder	9000-30-0	PB	500 gm	520	13023290	18%
	(Guar)						
Gum Aca	acia See Acacia						
Gum Ara	bic Powder See Acacia Powder Free Flowing						
034425	Gum Ghatti	9000-28-6	РВ	100 gm	401	13019019	5%
	(Indian gum; ghatti gum)		РВ	500 gm	1490		
	Suitable for Nitrogen estimation in urea			-			
027933	Gum Ghatti Solution		PB	125 ml	243	38220090	12%
034430	Gum Tragacanth Powder	9000-65-1	РВ	500 gm	927	13019017	5%
	(Tragacanth powder)			222 9			
REA115	Gunzburg Reagent		PB	100 ml	648	38220090	12%
	(Reagent for free HCI in gastric juice)			100 1111	0.0	00220000	1270
	H						
012901	HABA 99% AR	1634-82-8	GB	1 gm	2214	29270090	18%
	[2(4-hydroxybenzeneazo)-benzoic acid]	.00.020	GB	5 gm	9990		.0,0
	For automatic analysis-Reagent for measuring serum/plasma albumin		02	o g	0000		
	C ₁₃ H ₁₀ N ₂ O ₃ M.W. : 242.24						
AAS845	Hafnium AAS Solution		PE	100 ml	2700	38220090	12%
AA3043			FE	100 1111	2190	30220090	12 /0
100074	1000 ppm Single Element in HF Hafnium ICP Standard Solution		DE.	100 ml	44700	20000000	400/
ICP074			PE	IUU MI	11700	38220090	12%
201.4-0	1000 ppm TRISTAR Single Element in HF			100 1			400/
SOL170	Hanus Solution		PB	100 ml	621	38220090	12%
	(for determining iodine number)						
SS0505	Hardness 500 ppm Standard Solution as CaCO3		PE	100 ml		38220090	12%
034470	Harmaline 98%	304-21-2	GB	1 gm	5400	29420090	18%
	(Dihydroharmine harmalol methyl ether; 1-methyl-7-methoxy-3,						
	4-dihydro-β-carboline)						
	C ₁₃ H ₁₄ N ₂ O M.W.: 214. 27						
034475	Harmine 98%	442-51-3	GB	1 gm	4500	29181190	18%
	(7-methoxy-1-methyl-9H-pyrido [3,4-b] indole)						
	C ₁₃ H ₁₂ N ₂ O M.W.: 212.25						
STA185	Hematoxylin Monohydrate for Microscopy (C.I. 75290)	517-28-2	GB	5 gm	2790	32030090	18%
	(Natural Black 1; Hydroxybrazilin; Hydroxybrasilin)		GB	25 gm	11493		

	RESEARCH & LABORA	TORY IISTRY BEY				_S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₆ H ₁₄ O ₆ H ₂ O M.W.: 302.29						
STS125	Hematoxylin (Delafield's) Staining Solution		GB	125 ml	831	38220090	12%
	for Microscopy						
Harris H	ematoxylin Solution See Papanicolaous Solution 1a						
Hayem's	Fluid RBC See R.B.C. Diluting Fluid (Hayem's)						
034480 *	Heparin Sodium Pure	9041-08-1	GB	20000 units	2088	30019091	12%
			GB	100000 units	5490		
BF0301	HEPES Buffer 99%	7365-45-9	GB	5 gm	291	29335990	18%
	[N-(2-hydroxyethyl)piperazine-N'-2-ethane-sulphonic acid]		GB	25 gm	783		
	$C_8H_{18}N_2O_4S$ M.W.: 238. 30		GB	100 gm	2313		
VMS300	HEPES Buffer 1M Solution in water		GB	100 ml	990	29335990	18%
			GB	500 ml	4491		
027950	Heptane for Synthesis	142-82-5	GB	500 ml	513	29012920	18%
	(Fraction from petroleum)		GB	2.5 L	1998		
	CH ₃ (CH ₂) ₅ .CH ₃ M.W.: 100.21		PR	25 Lit	POR		
027961	n-Heptane 99% for Synthesis	142-82-5	GB	500 ml	450	29011000	18%
	(Fraction from petroleum)		GB	2.5 L	1800		
	CH ₃ (CH ₂) ₅ .CH ₃ M.W.: 100.21						
010580	n-Heptane 99.5% AR	142-82-5	GB	500 ml	630	29011000	18%
	(Normal Heptane; Dipropyl Methane; Heptyl Hydride) CH ₃ (CH ₂) ₅ .CH ₃ M.W.: 100.21		GB	2.5 L	2250		
HP0176	n-Heptane 99% for HPLC & Spectroscopy	142-82-5	GB	1 L	1440	29011000	18%
	(Normal Heptane; Dipropyl Methane; Heptyl Hydride) CH ₃ (CH ₂) ₅ .CH ₃ M.W.: 100.21		GB	2.5 L	2880		
PR0073	n-Heptane 99% for Pesticide Residue Trace Analysis	142-82-5	GB	1 L	3303	29011000	18%
	(Normal Heptane; Dipropyl Methane; Heptyl Hydride) CH ₃ (CH ₂) ₅ .CH ₃ M.W.: 100.21						
HP9178	1-Heptane Sulphonic Acid Sodium Salt Anhydrous	22767-50-6	GB	25 gm	1278	29041090	18%
	AR for HPLC		GB	100 gm	3996		
	(Sodium 1-heptanesulfonate anhydrous)						
	C ₇ H ₁₅ NaO ₃ S M.W. : 202.24						
HP0177	1-Heptane Sulphonic Acid Sodium Salt Monohydrate 99%	207300-90-1	GB	5 gm	630	29041090	18%
	AR for HPLC		GB	25 gm	1278		
	(Sodium 1-heptanesulfonate monohydrate)						
	C ₇ H ₁₅ NaO ₃ S.H ₂ O M.W.: 220.27						
034496	Hexachloro Benzene 99% AR	118-74-1	GB	5 gm	8100	29039210	18%
	C ₆ Cl ₆ M.W.: 284.78		GB	25 gm	29070		
Hexachle	oro Platinic (IV) Acid Hydrate See Platinic Chloride						
1-Hexad	ecanol See Cetyl Alcohol						
Hexadec	yl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Am	monium Bromide					
034495	Hexa Fluoro Phosphoric Acid Abt. 62% for Synthesis	16940-81-1	РВ	500 gm	2979	28092010	18%
		226					

	RESEARCH & LABOR	MISTRY BEY			Control of the		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	HPF ₆ M.W.: 145.97						
Hexamet	thylene Tetramine See Hexamine						
034500	Hexamine (HMTA) 99%	100-97-0	РВ	500 gm	405	29336990	18%
	(Hexamethylene tetramine; methenamine; Urotropine;		РВ	5 kg	2880		
	1,3,5,7-Tetraazatricyclo[3.3.1.13,7]decane)		PD	25 kg	POR		
	C ₆ H ₁₂ N ₄ M.W.: 140.19						
012905	Hexamine 99.5% AR/ACS	100-97-0	РВ	500 gm	450	29336990	18%
	(Hexamethylene tetramine; methenamine; Urotropine;		РВ	5 kg	3150		
	1,3,5,7-Tetraazatricyclo[3.3.1.13,7]decane)						
	C ₆ H ₁₂ N ₄ M.W.: 140.19						
Hexan-1	-ol See n-Hexanol						
027970	Hexane	110-54-3	GB	500 ml	421	27101990	18%
	Fraction from Petroleum		GB	2.5 L	1791		
	C ₆ H ₁₄ M.W. : 86.18		PR	25 Lit	POR		
			PD	200 L	POR		
010585	Hexane AR	110-54-3	GB	500 ml	513	27101990	18%
	(Hexanes; Mixture of isomers)		GB	2.5 L	2190		
	C ₆ H ₁₄ M.W. : 86.18		PR	25 Lit	POR		
HP0178	Hexane for HPLC & Spectroscopy	110-54-3	GB	1 L	1395	29011000	18%
	(Hexanes; Mixture of isomers)		GB	2.5 L	2790		
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18						
027989	n-Hexane 95% for Synthesis	110-54-3	GB	500 ml	585	29011000	18%
	(Hexane; Hexyl Hydride)		GB	2.5 L	2430		
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18		PR	25 Lit	POR		
			PD	200 L	POR		
027990	n-Hexane 99% for Synthesis	110-54-3	GB	500 ml	630	29011000	18%
	(Hexane; Hexyl Hydride)		GB	2.5 L			
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18		PR	25 Lit			
			PD	200 L			
010590	n-Hexane 99% AR	110-54-3	GB	500 ml		29011000	18%
	(Hexane; Hexyl Hydride)		GB	2.5 L			.
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18						
GC0189	n-Hexane GC	110-54-3	GB	250 ml	900	29011000	18%
	(Hexane; Hexyl Hydride)		GB	1 L			. 3 , 0
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18						
HP0179	n-Hexane 99% for HPLC & Spectroscopy	110-54-3	GB	1 L	1540	29011000	18%
	(Hexane; Hexyl Hydride)		GB	2.5 L			. 5 /0
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18		05	2.0 L	5570		
PR0075	n-Hexane 99% for Pesticide Residue Trace Analysis	110-54-3	GB	1 L	2430	29011000	18%
	(Hexane; Hexyl Hydride)	110-04-0	OD	I L	2-700	_0011000	10 /0
	CH ₃ (CH ₂) ₄ .CH ₃ M.W.: 86.18						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	lioic Acid See Adipic Acid	- OAO NO		THOMINO	TRIOL	11011	TAX
034505	1-Hexane Sulphonic Acid Sodium Salt Anhydrous 99%	2832-45-3	GB	25 gm	1098	29041090	18%
	AR for HPLC		GB	100 gm			
	(Sodium-1-hexanesulphonate anhydrous)			ŭ			
	C ₆ H ₁₃ NaO ₃ S M.W. : 188.22						
HP0180	1-Hexane Sulphonic Acid Sodium Salt Monohydrate 99%	207300-91-2	GB	5 gm	540	29041090	18%
	AR for HPLC		GB	25 gm	1098		
	(Sodium 1-hexanesulfonate monohydrate)		GB	100 gm	3996		
	CH ₃ .(CH ₂) ₅ SO ₃ Na.H ₂ O M.W.: 206.24						
027993	n-Hexanol 98% for Synthesis	111-27-3	GB	500 ml	1393	29051900	18%
	(1-Hexanol, n-Hexyl alcohol)		GB	2.5 L	6489		
	C ₆ H ₁₄ O M.W.: 102.18						
010593	n-Hexanol 99% AR	111-27-3	GB	100 ml	720	29051900	18%
	(1-Hexanol, n-Hexyl alcohol)		GB	500 ml	1917		
	C ₆ H ₁₄ O M.W.: 102.18		GB	2.5 L	8190		
n-Hexyl	Alcohol See n-Hexanol						
027996	n-Hexyl Bromide 98%	111-25-1	GB	100 ml	891	29033990	18%
	C ₆ H ₁₃ Br M.W.: 165.08		GB	500 ml	2997		
028000	Hexylene Glycol 99% for Synthesis	107-41-5	GB	500 ml	891	29051690	18%
	(2-methylpentan-2,4-diol; (±)-2-Methyl-2,4-pentanediol)		GB	2.5 L	3951		
	C ₆ H ₁₄ O ₂ M.W.: 118.18						
034510	High Vacuum Silicon Grease		РВ	50 gm	423	39100090	18%
	(Silicone high vacuum grease)		РВ	250 gm	1350		
	sealant for vaccum distillation		РВ	1 kg	4095		
034520	Hippuric Acid Crystals 99%	495-69-2	GB	100 gm	1134	29242990	18%
	(N-benzoylglycine, Benzoylaminoacetic acid)		GB	500 gm	2610		
	C ₉ H ₉ NO ₃ M.W. : 179.18						
034525 *	Histamine Dihydrochloride 99%	56-92-8	GB	5 gm	2196	29242990	18%
	for Biochemistry		GB	25 gm	9693		
	(2-(4-Imidazolyl)ethylamine dihydrochloride)						
	C ₅ H ₉ N ₃ .2HCl M.W.: 184.07						
034530	L-Histidine 98% for Biochemistry	71-00-1	GB	25 gm	891	29332990	18%
	[(S)-2-Amino-3-(4-imidazolyl)propionic acid]		GB	100 gm	3402		
	$C_6H_9N_3O_2$ M.W.: 155.16		GB	500 gm	14994		
034531	L-Histidine Monohydrochloride Monohydrate 99%	5934-29-2	GB	25 gm	720	29332990	18%
	for Biochemistry		GB	100 gm	2421		
	(L-α-Amino-β-(4-imidazolyl)propionic acid mono hydrochloride;		GB	500 gm	10926		
	L-Histidine hydrochloride monohydrate)						
	$C_6H_9N_3O_2.HCl.H_2O\ M.W.: 209.63$						
AAS029	Holmium AAS Solution		PE	125 ml	3690	38220090	12%
	1000ppm Single Element in HCIO ₄						

		CHEMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
ICP077	Holmium ICP Standard Solution		PE	100 ml	11700	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	36000		
RR4301	Holmium Chloride 99.9%	14914-84-2	GB	5 gm	3600	28469090	18%
	HoCl ₃ .6H ₂ O M.W.: 379.38		GB	25 gm	8991		
			GB	100 gm	POR		
RR0327	Holmium (III) Oxide 99.9%	12055-62-8	GB	5 gm	2295	28469090	18%
	(Rare earth)		GB	10 gm	4095		
	Ho ₂ O ₃ M.W.: 377.86						
Homidiu	m Bromide for Biochemistry See Ethidium Bromide for E	Biochemistry					
012906	Hyamine ® 1622 99% AR for Tenside Test	121-54-0	GB	25 gm	999	29339100	18%
	(Benzethonium chloride)		GB	100 gm	3492		
	C ₂₇ H ₄₂ CINO ₂ M.W.: 448.10						
VMS306	Hyamine ® 1622 (0.04N) 0.04M Solution		GB	1 L	2430	38220090	12%
SOL175	Hyamine ® 1622 Solution 0.004M		GB	500 ml	648	38220090	12%
	(benzethonium chloride Solution 0.004 M)		GB	2.5 L	1890		
034536	Hydrazine Dihydrochloride 97%	5341-61-7	GB	100 gm	504	28251090	18%
	(Hydrazine chloride)		GB	500 gm	2097		
	NH ₂ .NH ₂ .2HCl M.W.: 104.97						
028010	Hydrazine Hydrate 80% for Synthesis	7803-57-8	GB	500 ml	990	28251020	18%
	(Hydrazinium hydroxide)		GB	2.5 L	3690		
	H ₄ N ₂ .H ₂ O M.W.: 50.06		PR	25 Lit	POR		
010600	Hydrazine Hydrate 80% AR	7803-57-8	GB	500 ml	1611	28251020	18%
	(Hydrazinium hydroxide)		GB	2.5 L	7074		
	H ₄ N ₂ ·H ₂ O M.W.: 50.06						
028011	Hydrazine Hydrate 99% for Synthesis	7803-57-8	GB	500 ml	1494	28251020	18%
	(Hydrazinium hydroxide)		GB	2.5 L	6741		
	for organic synthesis and rocket fuel		PR	25 Lit	POR		
	H ₄ N ₂ .H ₂ O M.W.: 50.06						
010601	Hydrazine Hydrate 99% AR	7803-57-8	GB	500 ml	2205	28251020	18%
	(Hydrazinium hydroxide)		GB	2.5 L	9000		
	for manufacturing of Helman catalyst						
	H ₄ N ₂ .H ₂ O M.W.: 50.06						
SOL172	Hydrazine Hydrate 24-26% Solution	7803-57-8	GB	500 ml	765	38220090	12%
	H ₄ N ₂ .H ₂ O M.W.: 50.06		GB	2.5 L	3090		
SOL173	Hydrazine Hydrate 60% Solution	7803-57-8	GB	500 ml	1090	38220090	12%
	H ₄ N ₂ .H ₂ O M.W.: 50.06		GB	2.5 L	3990		
034540	Hydrazine Sulphate Purified 98% for Synthesis	10034-93-2	РВ	100 gm	495	28251030	18%
	(Hydrazinium Sulphate)		РВ	500 gm	1692		
	H ₄ N ₂ .H ₂ SO ₄ M.W.: 130.12		PD	25 kg	POR		
012911	Hydrazine Sulphate 99% AR	10034-93-2	РВ	100 gm	552	28251030	18%

РΒ

500 gm

1845

(Hydrazinium Sulphate)

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE HSN TAX H₄N₂.H₂SO₄ M.W.: 130.12 Hydrazinium Chloride See Hydrazine Dihydrochloride Hydrazinium Sulphate See Hydrazine Sulphate Hydrazobenzene 98% 122-66-7 100 gm **2250** 29280090 18% (1,2-diphenylhydrazine) C₁₂H₁₂N₂ M.W.: 184.24 2-Hydrazone-2-3-Dihydro Methyl Benzothiazole Hydrochloride AR See 3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride AR (MBTH) 010610 Hydriodic Acid 54-56% AR/ACS 10034-85-2 GB 250 ml **7794** 28111990 (Hydriotic acid) HI M.W.: 127.91 028017 Hydrobromic Acid Abt. 33% in Acetic Acid 10035-10-6 GB 500 ml **1341** 28111990 18% (Hydrogen bromide; HBr) HBr M.W.: 80.91 028020 **Hydrobromic Acid 48%** 10035-10-6 GB 500 ml **1494** 28111990 18% (Hydrogen bromide; HBr) HBr M.W.: 80.91 7647-01-0 ACID21 Hydrochloric Acid 35-38% (1.18) GB 500 ml **315** 28061000 18% (Muriatic Acid; Hydrogen Chloride) GB 16 x 500 ml 4500 2.5 L 720 GB 4 x 2.5 L 2610 GR PB 5 L 1152 HCI M.W.: 36.46 PB 2 x 5 L 2079 POR PR 25 Lit ACID22 Hydrochloric Acid 35.4% AR 7647-01-0 500 ml **342** 28061000 18% GR (Muriatic Acid; Hydrogen Chloride) GB 16 x 500 ml 5040 GB 2.5 L 891 4 x 2.5 L 3240 GR HCI M.W.: 36.46 PB 5 L 1449 PΒ 2 x 5 L **AMP037** Hydrochloric Acid 0.01 mol/I (0.01N) Solution **AMP 720** 38220090 12% 6 amp VMS313 Hydrochloric Acid 0.01 mol/l (0.01N) Solution PB 500 ml **243** 38220090 12% **AMP023** Hydrochloric Acid 0.02 mol/l (0.02N) Solution **AMP** 6 amp **720** 38220090 12% **SOL180** Hydrochloric Acid 0.02 mol/l (0.02N) Solution PB 500 ml **243** 38220090 12% **AMP021 AMP** 12% Hydrochloric Acid 0.1 mol/l (0.1N) for 500 ml Solution 6 amp **720** 38220090 **VMS316** Hydrochloric Acid 0.2 mol/l (0.2N) Solution PB 500 ml 243 38220090 12%

500 ml

500 ml

500 ml

6 amp

500 ml

243 38220090

243 38220090

306 38220090

38220090

38220090

243

720

12%

12%

12%

12%

12%

PΒ

PR

РΒ

AMP

PB

Hydrochloric Acid 0.25 mol/l (0.25N) Solution

Hydrochloric Acid 0.3 mol/l (0.3N) Solution

Hydrochloric Acid 0.05M (0.05N) Solution

Hydrochloric Acid 0.5 mol/l (0.5N) Solution

Hydrochloric Acid 0.5 mol/l (0.5N) Solution

VMS319

VMS321

VMS314

AMP025

SOL183

		A CONTRACTOR					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
AMP031	Hydrochloric Acid 1 mol/l (1N) for 500 ml Solution		AMP	6 amp	720	38220090	12%
VMS341	Hydrochloric Acid 1M Solution		PB	500 ml	342	38220090	12%
VMS340	Hydrochloric Acid 2 mol/l (2 N) Solution		PB	500 ml	342	38220090	12%
VMS347	Hydrochloric Acid 3N (3M) Solution		PB	500 ml	360	38220090	12%
VMS350	Hydrochloric Acid 4 mol/l (4N) Solution		РВ	500 ml	396	38220090	12%
SOL184	Hydrochloric Acid 5 mol/l (5N) Solution		PB	500 ml	423	38220090	12%
VMS360	Hydrochloric Acid 6 mol/l (6N) Solution		РВ	500 ml	441	38220090	12%
Hydrochi	loric Acid 0.1 N Solution See Hydrochloric Acid N/10 Solution						
VMS333	Hydrochloric Acid 3.571M (1/0.28N) Solution		РВ	500 ml	493	38220090	12%
VMS315	Hydrochloric Acid 0.1M Solution in Alcohol		РВ	100 ml	360	38220090	12%
			РВ	500 ml	990		
VMS331	Hydrochloric Acid 0.1M Solution in IPA		РВ	500 ml	900	38220090	12%
VMS330	Hydrochloric Acid 0.5N Solution in Methanol		РВ	100 ml	360	38220090	12%
			РВ	500 ml	945		
VMS335	Hydrochloric Acid 1.25M Solution in Ethanol		РВ	100 ml	360	38220090	12%
			РВ	500 ml	945		
VMS342	Hydrochloric Acid 2M Solution in Ether		РВ	100 ml	540	38220090	12%
			РВ	500 ml	1602		
VMS344	Hydrochloric Acid 2M Solutionin Methanol		РВ	100 ml	360	38220090	12%
			РВ	500 ml	945		
VMS352	Hydrochloric Acid 4M Solution in Dioxane		РВ	1 L	1458	38220090	12%
SOL176	Hydrochloric Acid N/1 Solution		РВ	500 ml	360	38220090	12%
SOL177	Hydrochloric Acid N/10 (0.1 N) Solution		РВ	500 ml	189	38220090	12%
SOL187	Hydrochloric Acid 5% Solution	7647-01-0	РВ	500 ml	306	38220090	12%
	HCI M.W.: 36.46						
SOL186	Hydrochloric Acid 10% Solution		РВ	500 ml	342	38220090	12%
			PB	2.5 L	1395		
SOL189	Hydrochloric Acid 20% Solution		PB	500 ml	207	38220090	12%
SOL191	Hydrochloric Acid 25% Solution		PB	500 ml	216	38220090	12%
SOL185	Hydrochloric Acid 15% Solution in 2-Propanol		РВ	100 ml	360	38220090	12%
			PB	500 ml	990		
028024	Hydrofluoric Acid 40%	7664-39-3	РВ	500 ml	747	28111100	18%
	(Hydrogen Flouride; HF)		PB	2.5 L	2691		
	HF M.W.: 20.01		РВ	5 L	4797		
010616	Hydrofluoric Acid 40% AR	7664-39-3	РВ	500 ml	1197	28111100	18%
	(Hydrogen Flouride; HF)						
	HF M.W.: 20.01						
EL0500	Hydrofluoric Acid 40% EL	7664-39-3	РВ	500 ml	1791	28111100	18%
	(Hydrogen Flouride; HF)						
	HF M.W.: 20.01						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
010618	Hydrofluoric Acid 48% AR	7664-39-3	РВ	500 ml	1290	28111100	18%
	(Hydrogen Flouride; HF)		РВ	2.5 L	4991		
	HF M.W.: 20.01						
EL0501	Hydrofluoric Acid 48% EL	7664-39-3	РВ	500 ml	1490	28111100	18%
	(Hydrogen Flouride; HF)						
	HF M.W.: 20.01						
Hydroge	n Bromide Abt. 48% See Hydrobromic Acid Abt. 48%						
Hydroge	n Bromide Solution in Glacial Acetic Acid 33% w/v HBr See Hydr	robromic Acid Solu	tion 33% w/v	HBr in Glad	cial Acet	ic Acid	
Hydroge	n Hexachloro Platinate (IV) Hydrate See Platinic Chloride						
VMS343	Hydrogen Bromide 2M (2N) Solution		РВ	1 L	POR	38220090	12%
VMS365	Hydrogen Chloride 0.1M (0.1N) Solution in 2-Propanol		РВ	1 L	POR	38220090	12%
034550	Hydroquinone 99% for Synthesis	123-31-9	GB	100 gm	540	29072200	18%
	(Quinol; 1,4-Benzenediol;1,4-Dihydroxybenzene)		GB	500 gm	2169		
	C ₆ H ₄ (OH) ₂ M.W.:110.11		PD	25 kg	POR		
012913	Hydroquinone 99.5% AR	123-31-9	GB	100 gm	639	29072200	18%
	(Quinol; 1,4-Benzenediol;1,4-Dihydroxybenzene)		GB	500 gm	2727		
	C ₆ H ₄ (OH) ₂ M.W.:110.11						
034555	Hydroquinone Monomethyl Ether 98% for Synthesis	150-76-5	РВ	100 gm	810	29095090	18%
	(4-methoxyphenol)		РВ	250 gm	1692		
	C ₇ H ₈ O ₂ M.W.: 124.14						
034557	m-Hydroxy Acetophenone 98% for Synthesis	121-71-1	GB	25 gm	576	29145000	18%
	(3'-hydroxyacetophenone; 3'-acetylphenol)		GB	100 gm	1764		
	C ₈ H ₈ O ₂ M.W.: 136.15						
028028	o-Hydroxy Acetophenone 95% for Synthesis	118-93-4	GB	100 ml	1206	29143990	18%
	(2-hydroxyacetophenone)		GB	500 ml	4500		
	C ₈ H ₈ O ₂ M.W.: 136.15						
034560	p-Hydroxy Acetophenone 99% for Synthesis	99-93-4	РВ	100 gm	576	29145000	18%
	(4-hydroxyacetophenone)		РВ	500 gm	2421		
	C ₈ H ₈ O ₂ M.W.: 136.15						
034561	p-Hydroxy Azobenzene 98%	1689-82-3	GB	25 gm	1800	29270090	18%
	(4-hydroxyazobenzene; solvent yellow 7; 4-phenylazophenol)						
	$C_{12}H_{10}N_2O\ M.W.: 198.23$						
o-Hydrox	cybenzaldehyde See Salicylaldehyde						
034562	m-Hydroxy Benzaldehyde 98% for Synthesis	100-83-4	РВ	100 gm	1377	29124991	18%
	(3-hydroxybenzaldehyde)		РВ	500 gm	6543		
	C ₇ H ₆ O ₂ M.W.: 122.12						
034563	p-Hydroxy Benzaldehyde 98% for Synthesis	123-08-0	РВ	100 gm	522	29124991	18%
	(4-hydroxybenzaldehyde)		РВ	500 gm	2097		
	C ₇ H ₆ O ₂ M.W.: 122.12						
034564	p-Hydroxy Benzoic Acid 99%	99-96-7	РВ	100 gm	252	29182990	18%
	(4-hydroxybenzoic acid)		РВ	500 gm	972		

	RESEARCH & LABOR	EMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₆ H ₄ (OH).COOH M.W.: 138.12						
-Hydrox	xy Biphenyl See p-Hydroxy Diphenyl						
(2-Hydro	oxy-1,1-Bis(Hydroxy Methyl)Ethyl)Amino]-1-Propane Sulphonic	c Acid See TAPS Buffe	ər				
2-(2-Hydi	roxy-1,1-Bis(Hydroxy Methyl)Ethyl)Amino]-1-Ethane Sulphonic	c Acid See TES Buffer					
34566	p-Hydroxy Diphenyl 98%	92-69-3	PB	100 gm	1476	29071990	189
	(Biphenyl-4-ol; 4-phenyl phenol; 4-hydroxy biphenyl)						
	C ₆ H ₅ .C ₆ H ₄ .OH M.W.: 170.21						
N,N-Bis-	(2-Hydroxyethyl) Glycine See Bicine Buffer						
2-Hydrox	xy-1-(2-Hydroxy-4-Sulpho-1-Naphthylazo)-3- Naphthoic Acid Al	R See Patton & Reede	r's Reagent	AR			
N-(2-Hyd	droxyethyl) Piperazine-N'-2-Ethane- Sulphonic Acid See HEPES	S Buffer					
034568	Hydroxylamine Hydrochloride 98% for Synthesis	5470-11-1	PB	100 gm	306	28251090	18
	(Hydroxyl ammonium chloride)		РВ	500 gm	1206		
	H ₃ NO.HCI M.W.: 69.49		PD	50 kg	POR		_
12915	Hydroxylamine Hydrochloride 99% AR	5470-11-1	РВ	100 gm	369	28251090	18
	(Hydroxyl ammonium chloride)		РВ	500 gm	1440		
	H ₃ NO.HCI M.W.: 69.49						
JS1551	Hydroxylamine Hydrochloride TS		РВ	125 ml	252	38220090	12
/MS370	Hydroxylamine Hydrochloride (0.4M) Solution		РВ	500 ml	405	38220090	12
/MS373	Hydroxylamine Hydrochloride (0.5M) Solution		РВ	500 ml	405	38220090	12'
34569	Hydroxylamine Sulphate 97%	10039-54-0	PB	100 gm	216	28251090	18
	(Hydroxyl ammonium sulphate)		PB	500 gm		•	
	(HO.NH ₃) ₂ SO ₄ M.W.: 164.13		PD	50 kg	POR		
12917	Hydroxylamine Sulphate 99% AR	10039-54-0	PB	100 gm	291	28251090	18
	(Hydroxyl ammonium sulphate)		PB	500 gm	891		
	(HO.NH ₃) ₂ SO ₄ M.W.: 164.13						
lydroxyl	Ammonium Chloride See Hydroxylamine Hydrochloride						
•	l Ammonium Sulphate See Hydroxylamine Sulphate						
	oxy Methyl) Furan See Furfuryl Alcohol						
4-Hydrox	xy-4-Methyl Pentan-2-One See Diacetone Alcohol						
STA189		165660-27-5	GB	5 gm	369	29270090	18
	[1-(2-hydroxy-4-sulfo-1-naphthylazo)-2-naphthol-3,		GB	25 gm	1449		
	6-disulphonic acid trisodium salt]						
	C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₁ S ₃ M.W. : 620.47						
2-Hydrox	xy-1-Nitroso-3, 6-Napthalene Disulphonic Acid Disodium Salt 9	See Nitroso R Salt AR					
-	xy Phenylalanine See L-DOPA						
-	roxyphenylazo) Benzoic Acid See HABA AR						
034571	L-Hydroxy Proline 99% for Biochemistry	51-35-4	GB	1 gm	198	29339900	18
	(4-Hydroxypyrrolidin-2-carbonsäure)		GB	5 gm	396		
	C ₅ H ₉ NO ₃ M.W.: 131.13		GB	25 gm	1368		
				400			

9004-65-3

GB

РΒ

100 gm

1 kg

4716

5490 39129090

034575 Hydroxy Propyl Methyl Cellulose 5 cPs

	RESEARCH & LABOR	RATORY	CHE	MIC	AL	S	
	CH	IEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
034576	Hydroxy Propyl Methyl Cellulose 15 cPs	9004-65-3	PB	1 kg	4194	39129090	18%
034577	Hydroxy Propyl Methyl Cellulose 50 cPs	9004-65-3	РВ	1 kg	5796	39129090	18%
034579	Hydroxy Propyl Methyl Cellulose 3000 cPs +	9004-65-3	РВ	500 gm	4500	39129090	18%
6-Hydrox	ypurine See Hypoxanthine						
990045	m-Hydroxy Pyridine 98% for Synthesis	109-00-2	GB	25 gm	900	29333990	18%
	(3-Pyridinol)		GB	100 gm	2700		
	C ₅ H ₅ NO M.W.: 95.10						
034585	8-Hydroxy Quinoline 99-101%	148-24-3	GB	100 gm	1098	29334900	18%
	(Oxine; 8-quinolinol; 8-Oxychinolin)		GB	500 gm	4793		
	C ₉ H ₇ NO M.W.: 145.16						
012920	8-Hydroxy Quinoline 99% AR	148-24-3	GB	100 gm	1296	29334900	18%
	(Oxine; 8-quinolinol; 8-Oxychinolin)		GB	500 gm	5193		
	C ₉ H ₇ NO M.W.: 145.16						
SOL195	8-Hydroxy Quinoline Solution		GB	100 ml	351	38220090	12%
	(Oxine Reagent)						
	(Reagent for Al,In,Mo,Co & Cd)						
US1565	8-Hydroxy Quinoline TS		GB	125 ml	405	38220090	12%
034590	Hyflosupercel	61790-53-2	РВ	500 gm	414	25120090	5%
	(Diatomaceous earth; flux-calcined Filter aid; calcined)		PD	10 kg	POR		
	treated with sodium carbonate according to granulometric						
	method Laser sizer)						
HYPO Se	e Sodium Thiosulphate Pentahydrate Purified						
028030	Hypophosphorous Acid 30%	6303-21-5	GB	500 ml	1800	28111920	18%
	(Phosphinic acid)						
	H ₃ PO ₂ M.W.: 66.00						
010620	Hypophosphorous Acid 50% AR	6303-21-5	GB	500 ml	2250	28111920	18%
	(Phosphinic acid)						
	H ₃ PO ₂ M.W.: 66.00						
034600 *	Hypoxanthine 99% for Biochemistry	68-94-0	GB	5 gm	261	29335990	18%
	(6-hydroxypurine)		GB	25 gm	864		
	C ₅ H ₄ N ₄ O M.W.: 136.11		GB	100 gm	2997		
	1						
034650	Imidazole 99%	288-32-4	РВ	100 gm	405	29332990	18%
	(glyoxaline; 1,3-Diaza-2,4-cyclopentadiene)		PB	500 gm	1647		
	C ₃ H ₄ N ₂ M.W.: 68.08						
012950	Imidazole 99.5% AR/ACS	288-32-4	РВ	100 gm	504	29332990	18%
	(Glyoxaline; 1,3-Diaza-2,4-cyclopentadiene)		РВ	500 gm	2016		
	C ₃ H ₄ N ₂ M.W.: 68.08						
MB0081	Imidazole 99.5% for Molecular Biology	288-32-4	GB	5 gm	504	29332990	18%
	(Glyoxaline; 1,3-Diaza-2,4-cyclopentadiene)		GB	25 gm	1206		

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS										
	CI	IEMISTRY BEY	OND C	HEMICA	ALS						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX				
	C ₃ H ₄ N ₂ M.W.: 68.08										
028081	Immersion Oil for Microscopy		GB	30 ml	342	38220090	12%				
	for fluorescence microscopy		GB	125 ml	693						
			GB	500 ml	2232						
			РВ	5 L	POR						
1,2,3-Ind	antrione Monohydrate See Ninhydrin										
PH0077	Indicator Paper pH 1.0-14.0		РВ	1 box	342	38220090	12%				
	Full range (10 bks:200 LVS) Plastic Box.										
	Sensitivity: For pH 1.0-14.0										
PH0079	Indicator Paper Kit		KIT	1 box	540	38220090	12%				
	(with Color Scale)										
	pH 2.0-4.5,3.5-6.0,3.8-5.3,5.0-7.5,6.5-9.0,8.0-										
	10.5 (each x 2 bks x 20 strips:240 lvs)										
PH0098	Indicator Paper Kit		KIT	Kit	1296	38220090	12%				
	Multi range (chose any 6 ranges)										
	(6 X 10 bks : 200 LVS) Plastic Box										
	Sensitivity: For pH 2.0-4.5										
PH0080	Indicator Paper pH 2.0-4.5		РВ	1 box	342	38220090	12%				
	Narrow range										
	(10 bks:200 LVS) Plastic Box										
PH0081	Indicator Paper pH 2.0-10.5		РВ	1 box	342	38220090	12%				
	Wide range										
	(10 bks:200 LVS) Plastic Box										
PH0082	Indicator Paper pH 3.5-6.0		РВ	1 box	342	38220090	12%				
	Narrow range										
	(10 bks:200 LVS) Plastic Box										
	Sensitivity: For pH 3.5-6.0										
PH0084	Indicator Paper pH 3.8-5.3		РВ	1 box	342	38220090	12%				
	(10 bks:200 LVS) Plastic Box										
	Sensitivity: For pH 3.8-5.3										
PH0087	Indicator Paper pH 5.0-7.5		РВ	1 box	342	38220090	12%				
	Narrow range										
	(10 bks:200 LVS) Plastic Box										
	Sensitivity: For pH 5.0-7.5										
Indicator	r Papers 6.4-9.4 See Brilliant Yellow Indicator Papers										
PH0090	Indicator Paper pH 6.5-9.0		РВ	1 box	342	38220090	12%				
	Narrow range										
	(10 bks:200 LVS) Plastic Box										
PH0093	Indicator Paper pH 8.0-10.5		PB	1 box	342	38220090	12%				
	Narrow range										
	•										

		-					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Indicator	Papers 8.3-10.0 See Phenolphthalein Indicator Papers						
STA198	Indigo Carmine 85% for Microscopy AR (C.I. 73015)	860-22-0	GB	25 gm	342	32041259	18%
	(Acid Blue 74)		GB	100 gm	1143		
	C ₁₆ H ₈ N ₂ Na ₂ O ₈ S ₂ M.W.: 466.36		PB	1 kg	9765		
STS127	Indigo Carmine Indicator Solution		PB	100 ml	196	38220090	12%
AAS031	Indium AAS Solution		PE	250 ml	4500	38220090	12%
	1000ppm Single Element in HNO ₃						
ICP081	Indium ICP Standard Solution		PE	100 ml	5400	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃						
012955	Indium Metal Ingots 99.9% AR	7440-74-6	GB	10 gm	4824	81129900	18%
	In M.W.: 114.82		GB	100 gm	POR		
			GB	500 gm	POR		
034688	Indium (III) Chloride Hydrate 39%	10025-82-8	GB	10 gm	6660	28273990	18%
	(Trichloroindium; indium trichloride; indium (III) chloride)						
	InCl ₃ .XH ₂ O M.W. : 221.18 (Anhy.)						
034680	Indium (III) Nitrate Hydrate 32-36%	13770-61-1	GB	10 gm	3906	28342990	18%
	In(NO ₃) ₃ .XH ₂ O M.W.: 300.83						
034683	Indium Oxide 99.5%	1312-43-2	GB	10 gm	5886	28259090	18%
	(Diindium trioxide; indium sesquioxide; indium (III) oxide)						
	In ₂ O ₃ M.W.: 277.64						
034685	Indium Sulphate 98%	13464-82-9	GB	10 gm	2934	28332990	18%
	In ₂ .(SO ₄) ₃ M.W.: 517.82						
012958	Indole 99% AR	120-72-9	GB	10 gm	252	29339900	18%
	(2,3-benzopyrrole; 1H-Benzo [b] pyrrole)		GB	100 gm	1494		
	C ₈ H ₇ N M.W.: 117.15		РВ	1 kg	POR		
SOL198	Indole Solution		GB	100 ml	414	38220090	12%
	(Reagent for Nitrites)						
034690 •	Indole-3-Acetic Acid (IAA) 98% for Biochemistry	87-51-4	GB	5 gm	441	29339900	18%
	(Heteroauxin; 3-indoleacetic acid; IAA)		GB	25 gm	1746		
	C ₁₀ H ₉ NO ₂ M.W.: 175.18		GB	100 gm	5220		
034692 •	Indole-3-Butyric Acid (IBA) 99% for Biochemistry	133-32-4	GB	5 gm	414	29339900	18%
	(4-(3-Indolyl)butyric acid, 4-(3-Indolyl)butanoic acid; IBA)		GB	25 gm	1692		
	$C_{12}H_{13}NO_2 \ M.W.: 203.24$		GB	100 gm	5850		
Ingrain E	Blue 1 See Alcian Blue 8 GX						
SOL196	Inhibitor Solution in Ethanol		GB	100 ml	306	38220090	12%
SOL197	Inhibitor Solution in 2-Propanol		GB	100 ml	306	38220090	12%
034700	Inositol for Biochemistry	87-89-8	GB	25 gm	297	29061390	18%
	(Meso-inositol; i-inositol; myo-insitol)		GB	100 gm	792		
	C ₆ H ₁₂ O ₆ M.W.: 180.16		РВ	1 kg	3996		
034699	Inulin for Biochemistry	9005-80-5	GB	25 gm		11082000	12%
	•		- '	- 5		,	

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(C ₆ H ₁₀ O ₅)X M.W.: (162.14)X		GB	100 gm	3294		
012960 *	I.N.T. 98% AR	146-68-9	GB	1 gm	2291	29036990	18%
	(p-iodonitrotetrazolium; iodonitrotetrazolium chloride)		GB	5 gm	10998		
	C ₁₉ H ₁₃ CIIN ₅ O ₂ M.W.: 505.70						
US1780	Intestinal Fluid Simulated TS		GB	125 ml	360	38220090	12%
SS0800	lodate 10 mg/L Standard Solution		PE	125 ml	2700	38220090	12%
SS0801	lodate 100 mg/L Standard Solution		PE	125 ml	3600	38220090	12%
012963	lodic Acid 99.5% AR	7782-68-5	GB	100 gm	7038	28111990	18%
	HIO ₃ M.W.: 175.91						
AAS030	lodide AAS Solution		PE	250 ml	3600	38220090	12%
	1000ppm Single Element in H ₂ O						
SS0850	lodide 10 mg/L Standard Solution		PE	125 ml	2700	38220090	12%
lodine C	hloride See Iodine Monochloride						
lodine G	ram's See Gram's lodine						
lodine L	ugol's See Lugol's Solution						
US1800	Iodine-Potassium Iodide TS 1		GB	125 ml	702	38220090	12%
US1801	Iodine-Potassium Iodide TS 2		GB	125 ml	702	38220090	12%
034710	lodine Resublimed 99.5%	7553-56-2	GB	25 gm	1170	28012000	12%
	l ₂ M.W.: 253.81		GB	100 gm	3393		
			GB	500 gm	15993		
			PR	25 kg	POR		
012965	lodine Resublimed 99.8% AR	7553-56-2	GB	25 gm	1206	28012000	12%
	I ₂ M.W.: 253.81		GB	100 gm	3591		
			GB	500 gm	16992		
			PR	25 kg	POR		
VMS404	lodine 0.05M (0.1N) Standardized Solution		GB	1 L	1485	38220090	12%
VMS405	lodine 0.5M (1N) Standardized Solution		GB	1 L	1800	38220090	12%
VMS403	lodine 0.025M (0.05N) Standardized Solution		GB	1 L	1296	38220090	12%
AMP041	lodine 0.05 mol/l (0.1N) for 500 ml Solution		AMP	3 amp	2547	38220090	12%
SOL202	lodine 0.01 N Volumetric Solution		GB	500 ml	819	38220090	12%
	for iodometric titration		GB	2.5 L	1971		
VMS408	lodine 0.1N Solution in Alcohol		GB	500 ml	1314	38220090	12%
SOL200	lodine 1% w/v Solution		GB	125 ml	180	38220090	12%
SOL201	lodine N/10 (0.1N) Solution		GB	500 ml	801	38220090	12%
VMS411	lodine (1N) Solution		GB	500 ml	3690	38220090	12%
SOL206	lodine Solution for TLC Spray		GB	125 ml	513	38220090	12%
	(Universal reagents for organic compounds)						
VMS414	lodine lodate 1/64N (1/128M) Concentrated Solution		GB	1 L	2196	38220090	12%
VMS413	lodine lodate 0.01N (0.005M) Concentrated Solution		GB	1 L	1350	38220090	12%
AMP051	lodine Monochloride 98% for Synthesis	7790-99-0	AMP	50 gm	1764	28129000	18%

	RESEARCH & LABORA	MISTRY BEY			Charles I I I		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Iodine chloride)		AMP	2 x 50 gm	2943		
	ICI M.W.: 162.36		AMP	5 x 50 gm	6930		
VMS421	lodine Monochloride 1.0M Solution in Dichloromethane		GB	100 ml	3904	38220090	12%
			GB	500 ml	5391		
012970	Iodine Pentoxide 99% AR	12029-98-0	GB	100 gm	7491	28111990	18%
	(lodic anhydride; Diiodine pentoxide)						
	I ₂ O ₅ M.W.: 333.81						
SOL204	Iodine Phosphoric Acid Solution		GB	25 ml	657	38220090	12%
	(Magnine reagent)						
	(Reagent for cellulose)						
034715	Iodine Trichloride 97%	865-44-1	GB	25 gm	3096	28129000	18%
	(lodine Chloride)						
	ICI ₃ M.W.: 233.26						
934715	p-lodo Aniline 98% for Synthesis	540-37-4	GB	25 gm	4850	29214290	18%
	C ₆ H ₆ IN M.W. : 219.02		GB	100 gm	14400		
934720	lodo Benzene 98% for Synthesis	591-50-4	GB	100 gm	2997	29033930	18%
	(Phenyl iodide)		GB	500 gm	13491		
	C ₆ H ₅ I M.W. : 204.01						
934725	o-lodo Benzonitrile 99% for Synthesis	4387-36-4	GB	1 gm	3006	29269000	18%
	(2-iodo benzonitrile)		GB	5 gm	8820		
	C ₇ H ₄ IN M.W. : 229.02		GB	25 gm	27000		
934727	p-lodo Benzonitrile 97% for Synthesis	3058-39-7	GB	1 gm	2700	29269000	18%
	(4-iodo benzonitrile)		GB	5 gm	10800		
	C ₇ H ₄ IN M.W. : 229.02						
lodo Eos	sin See Erythrosin B						
lodoetha	ane See Ethyl lodide						
034718	lodoform 98% Pure	75-47-8	GB	25 gm	1890	29033930	18%
	(Triiodomethane)		GB	250 gm	11997		
	CHI ₃ M.W.: 393.73						
odomet	hane See Methyl lodide						
lodo Niti	ro Terazolium Chloride See I.N.T AR						
2-(4-lodd	ophenyl)-3-(4-Nitrophenyl)-5-Phenyl-2H-Tetrazolium Chloride See	I.N.T AR					
034722	lodophor		РВ	1 L	1089	38089400	18%
	sanitizer/disinfectant for food processing plants		РВ	5 L	4689		
			PR	25 Lit	POR		
034723	lodophor - FD		РВ	5 L	4689	38089400	18%
			PR	25 Lit	POR		
934823	1-lodo Propane 98% for Synthesis	107-08-4	GB	50 ml	4572	29033930	18%
	(Propyl iodide)		GB	250 ml	19845		
	C ₃ H ₇ I M.W. : 169.99						

	RESEARCH & LABOR	MISTRY BEY	OND C	HEMICA			
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Ion Excl	hange Resins See Amberlite						
034730	Iridium Metal Powder 99.9%	7439-88-5	GB	1 gm	67500	71104900	3%
	Ir M.W.: 192.22						
034735	Iridium Trichloride 99%	10025-83-9	GB	250 mgm	9999	28439019	18%
	IrCl ₃ M.W.: 298.58		GB	1 gm	34992		
Irish Mo	oss See Carrageenan Sodium Salt						
AAS032	Iron AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP084	Iron ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650		
ICP086	Iron ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HCl		GB	500 ml	7650		
ICP085	Iron ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	45000		
ICP087	Iron ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HCl		GB	500 ml	45000		
SS0875	Iron 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
Iron (II)	See Ferrous						
Iron (III)	See Ferric						
Iron Alu	m See Ammonium Ferric Sulphate Dodecahydrate						
034740	Iron Metal Powder Electrolytic 300 Mesh 95%	7439-89-6	РВ	1 kg	1044	72052910	18%
	Fe At. W.: 55.85		РВ	5 kg	4791		
			PD	50 kg	POR		
034741	Iron Metal Filings About 100 Mesh 99.5%	7439-89-6	PB	1 kg	810	72052910	18%
	Fe At. W.: 55.85		РВ	5 kg	3796		
VMS427	/ Iron (II) Sulphate 0.1M (0.1N) Standardized Solution		PB	1 L	1800	38220090	12%
Iron Oxi	ide Red See Ferric Oxide Red						
Iron (II)	Sulphate See Ferrous Sulphate						
Iron Sul	phide See Ferrous Sulphide						
012978	Isatin 98.5% AR	91-56-5	GB	25 gm	1020	29337900	18%
	(2,3-Diketoindoline, 2,3-Dioxoindoline; 2,3-Indolinedione,		GB	100 gm	3492		
	o-Aminobenzoylformic anhydride; Isatic acid lactam; indole-2,3-dione;						
	2,3-Dioxo-2,3-dihydroindole; Isatinic acid anhydride)						
	Chromatographic spray reagent for amino acid.						
	C ₈ H ₅ NO ₂ M.W.: 147.13						
028110	Iso-Amyl Acetate 95% for Synthesis	123-92-2	GB	500 ml	651	29153990	18%
i					••••		

(Acetic acid-3-methylbutyl ester, Isoamyl ethanoate, Isopentyl acetate)

(Acetic acid-3-methylbutyl ester, Isoamyl ethanoate, Isopentyl acetate)



123-92-2

2.5 L

25 Lit

500 ml

2.5 L

2691

POR

3492

792 29153990

18%

GB

PR

GB

GB

010630

 $CH_{3}COOC_{5}H_{11}\ M.W.:130.19$

Iso-Amyl Acetate 96% AR

	RESEARCH & LABOR	RATORY	CHE	EMIC	AL	S	
	СН	EMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	CH ₃ COOC ₅ H ₁₁ M.W.: 130.19						
28120	Iso-Amyl Alcohol 98% for Synthesis	123-51-3	GB	500 ml	639	29051990	18%
	(3-Methyl-1-butanol, Isopentyl alcohol)		GB	2.5 L	2390		
	C ₅ H ₁₂ O M.W.: 88.15		PR	25 Lit	POR		
010640	Iso-Amyl Alcohol 99% AR/ACS	123-51-3	GB	500 ml	747	29051990	18%
	(3-Methyl-1-butanol, Isopentyl alcohol)		GB	2.5 L	2691		
	C ₅ H ₁₂ O M.W.: 88.15						
028130	Iso-Butanol 99% for Synthesis	78-83-1	GB	500 ml	511	29051690	18%
	(iso-butyl alcohol; 2-methylpropan-1-ol; Isobutanol)		GB	2.5 L	2043		
	(CH ₃) ₂ CH.CH ₂ OH M.W.: 74.12		PR	25 Lit	POR		
010650	Iso-Butanol 99% AR	78-83-1	GB	500 ml	603	29051690	18%
	(iso-butyl alcohol; 2-methylpropan-1-ol; Isobutanol)		GB	2.5 L	2295		
	(CH ₃) ₂ CH.CH ₂ OH M.W.: 74.12						
028145	Iso-Butyl Bromide 98% for Synthesis	78-77-3	GB	100 ml	720	29034490	18%
	(1-bromo-2-methyl propane)		GB	500 ml	2592		
	C ₄ H ₉ Br M.W.: 137.03						
28140	Iso-Butyl Methyl Ketone 99% for Synthesis	108-10-1	GB	500 ml	612	29141990	18%
	(4-methylpentan-2-one; iso-butyl methyl ketone)		GB	2.5 L	2790		
	C ₆ H ₁₂ O M.W.: 100.16		PR	25 Lit	POR		
010660	Iso-Butyl Methyl Ketone 99% AR/ACS	108-10-1	GB	500 ml	693	29141990	18%
	(4-methylpentan-2-one; iso-butyl methyl ketone)		GB	2.5 L	2991		
	C ₆ H ₁₂ O M.W.: 100.16						
HP0184	Iso-Butyl Methyl Ketone 99.5% HPLC	108-10-1	GB	500 ml	1197	29141990	18%
	(4-methylpentan-2-one; iso-butyl methyl ketone)		new GB	2.5 L	4797		
	C ₆ H ₁₂ O M.W.: 100.16						
028142	Iso-Butyric Acid 98% for Synthesis	79-31-2	GB	500 ml	612	29156010	18%
	(2-methylpropionic acid)		GB	2.5 L	2484		
	C ₄ H ₈ O ₂ M.W.: 88.11						
028147	Iso-Eugenol 98% for Synthesis	97-54-1	GB	100 ml	2070	29095020	18%
	(2-methoxy-4-propenyl phenol; 4-propenyl-2-methoxyphenol)						
	C ₁₀ H ₁₂ O ₂ M.W.: 164.21						
034746	L-Iso-Leucine 99% for Biochemistry	73-32-5	GB	5 gm	216	29224990	18%
	(L-isoleucine)		GB	25 gm	441		
	C ₆ H ₁₃ NO ₂ M.W.: 131.17		GB	100 gm	1350		
soniazio	d See Iso Nicotinic Acid Hydrazide						
34750	Iso-Nicotinic Acid 98% for Synthesis	55-22-1	РВ	100 gm	846	29333990	18%
	(4-picolinic acid; pyridine-4-carboxylic acid)	33 == .	PB	500 gm	3195		-,
	C ₆ H ₅ NO ₂ M.W.: 123.11			g	,		
034751	Iso-Nicotinic Acid Hydrazide 99%	54-85-3	GB	100 gm	1020	29333990	18%
	(Isoniazide)	0.000	GB	500 gm	4120		. 5 /
	C ₆ H ₇ N ₃ O M.W.: 137.14		05	500 gill			

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS									
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX			
028150	Iso-Octane 99% for Synthesis	540-84-1	GB	500 ml	1134	29011000	18%			
	(Isooctane; 2,2,4-Trimethylpentane)		GB	2.5 L	4590					
	C ₈ H ₁₈ M.W.: 114.23		PR	25 Lit	POR					
010670	Iso-Octane 99.5% AR/ACS	540-84-1	GB	500 ml	1296	29011000	18%			
	(Isooctane; 2,2,4-Trimethylpentane)		GB	2.5 L	5391					
	C ₈ H ₁₈ M.W.: 114.23									
Iso-Octa	nol See 2-Ethyl-1-Hexanol									
	I Phenoxy Polyethoxy Ethanol See Triton X-100									
028155 •	Iso-Pentane 99% for Synthesis	78-78-4	new GB	500 ml	2250	29011000	18%			
	C5H12 M. W.: 72.15		GB	2.5 L	9000					
028160	Iso-Phorone 95% for Synthesis	78-59-1	GB	500 ml	660	29141910	18%			
	(3.5.5-trimethyl-2-cyclohexen-1-one; isophorone)		GB	2.5 L	2790					
	C ₉ H ₁₄ O M.W.: 138.21									
034756	Iso-Phthalic Acid 98.5% for Synthesis	121-91-5	РВ	500 gm	450	29173960	18%			
	(m-phthalic acid; 1,3-Benzene dicarboxylic Acid)		PD	50 kg						
	C ₈ H ₆ O ₄ M.W.: 166.13			•						
028183	Iso-Propyl Acetate 99% for Synthesis	108-21-4	GB	500 ml	711	29153990	18%			
	(Acetic acid isopropyl ester; 2-Acetoxypropane;		GB	2.5 L						
	2-Propyl acetate; 2-Propyl ethanoate)									
	C ₅ H ₁₀ O ₂ M.W.: 102.13									
iso-Prop	yl Alcohol See 2-Propanol									
028180	Iso-Propylamine 99% for Synthesis	75-31-0	GB	500 ml	520	29211990	18%			
	(2-aminopropane; Mono isopropylamine)		GB	2.5 L						
	C ₃ H ₉ N M.W.: 59.11									
028184	Iso-Propyl Bromide 98%	75-26-3	GB	250 ml	1013	29033990	18%			
	(2-bromopropane)		GB	500 ml						
	C ₃ H ₇ Br M.W.: 122.99									
028188	Iso-Propyl Chloro Acetate 98%	105-48-6	GB	500 ml	990	29153990	18%			
	[(1-methylethyl)-2-chloroacetate]									
	C ₅ H ₉ ClO ₂ M.W.: 136.58									
Iso-Prop	yl Ether See Di-iso-Propyl Ether									
028190	Iso-Propyl Myristate 95% for Synthesis	110-27-0	GB	500 ml	981	29159090	18%			
	(IPM 100; IPM-EX; IPM-R; IPM; Isopropyl tetradecanoate;		GB	2.5 L						
	Myristic acid isopropyl ester)									
	C ₁₇ H ₃₄ O ₂ M.W.: 270.45									
SOL210	Isotonic Sodium Sulphate Solution		PB	500 ml	180	38220090	12%			
	(Copper sulphate solution)									
934833	Iso-Vanillin 98%	621-59-0	GB	25 gm	1980	29124999	18%			
	(3-hydroxy-4-methoxybenzaldehyde; 3-Hydroxyanisaldehyde)		GB	100 gm						
	C ₈ H ₈ O ₃ M.W.: 152.14			. 20 3						
034757	Itaconic Acid 99% for Synthesis	97-65-4	РВ	500 gm	910	29171960	18%			

	C	HEMISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Methylene succinic acid)						
	C ₅ H ₆ O ₄ M.W.: 130.10						
034801	Jack Bean Meal	9002-13-5	GB	100 gm	513	35079069	18%
	(Jack beans)		GB	500 gm	1798		
	Source of urease						
STA203	Janus Green B 65% for Microscopy (C.I. 11050)	2869-83-2	GB	10 gm	864	32041949	18%
	(Diazin green S; union green B)		GB	25 gm	1990		
	C ₃₀ H ₃₁ CIN ₆ M.W.: 511.07						
STA205	Jenner's Stain for Microscopy	62851-42-7	GB	25 gm	513	32041359	18%
	(Eosin-methylene blue)		GB	100 gm	1899		
	suitable for blood stain						
KIT066	JSB Stain Kit		KIT	Kit	270	38220090	12%
	Kit contain 125ml of JSB Stain solution 1 & 2						
STS130	JSB Stain Solution No. 1		PB	125 ml	160	38220090	12%
STS131	JSB Stain Solution No. 2		РВ	125 ml	160	38220090	12%
STS135	Kaiser's Glycerol Gelatin Solution		РВ	100 ml	198	38220090	12%
	К						
Kalignos	st See Sodium Tetra Phenyl Borate						
034851	Kaolin Light	1332-58-7	PB	500 gm	243	25070010	5%
	(Aluminium silicate hydrated; china clay)		PD	25 kg	POR		
	$H_2AI_2Si_2O_8.H_2O\ M.W.: 258.20$						
028226	Karl Fischer Reagent		GB	2 x 250 ml	2997	38220090	12%
	(Pyridine free)		GB	500 ml	2898		
KE EF A	R kompozit See Karl Fischer Reagent (Pyridine Free)						
SUS070	* α-Keto Glutaric Acid 99% for Synthesis	328-50-7	GB	25 gm	570	29183090	18%
	(2-Oxoglutaric acid; 2-Oxopentanedioic acid)		GB	100 gm	1990		
	Used as a substance in determination of glutamic oxalic						
	C ₅ H ₆ O ₅ M.W.: 146.10						
SUS071	α-Keto Glutaric Acid Disodium Salt Dihydrate 98%	305-72-6	GB	25 gm	3006	29183090	18%
	$C_5H_4Na_2O_5.2(H_2O)$ M.W.: 226.09		GB	100 gm	9900		
034866	Kieselguhr White	91053-39-3	РВ	500 gm	450	25120010	5%
	(Infusorial earth)		РВ	1 kg	693		
	Purified and Ignited		PD	10 kg	5994		
			PD	25 kg	POR		
034868	Kieselguhr G	61790-53-2	PB	500 gm	900	25120010	5%
	for Thin Layer Chromatography						
012989 *	Kinetin CHR 99% AR	525-79-1	GB	100 mgm	135	29349900	18%
	(6-furfurylaminopurine; N6-furfuryladenine)		GB	250 mgm			
	used in plant culture media		GB	1 gm	414		
	C ₁₀ H ₉ N ₅ O M.W. : 215.21		GB	10 gm			
DE 4450	* Kovac's Indole Reagent		GB	100 ml		38220090	12%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Reagent for detecting Indole formation by bacteria Store						
REA153	Kraut's Reagent		GB	100 ml	720	38220090	12%
	(Reagent for Chlorine)						
	L						
Labklin S	See Super Lab Clean						
Lab Lem	co See Beef Extract Powder						
Labogen	t See Super Lab Clean						
034900	Lacmoid (pH Indicator) 60%	33869-21-5	GB	5 gm	594	29349900	18%
	(Resorcinol blue)						
	C ₂₄ H ₁₆ N ₂ O ₆ M.W.: 428.39						
028250	Lactic Acid 88%	50-21-5	GB	500 ml	873	29181110	18%
	(DL-lactic Acid; (S)-2-Hydroxypropionic acid;		GB	2.5 L	3294		
	Sarcolactic acid; L-(+)-Lactic acid)		PR	25 Lit	POR		
	CH₃CHOH.COOH M.W.:90.08						
010680	Lactic Acid 88% AR	50-21-5	GB	500 ml	945	29181110	18%
	(DL-lactic Acid; (S)-2-Hydroxypropionic acid;		GB	2.5 L	3600		
	Sarcolactic acid; L-(+)-Lactic acid)						
	CH ₃ CHOH.COOH M.W.: 90.08						
VMS429	Lactic Acid 1N Solution		GB	500 ml	405	38220090	12%
			GB	1 L	765		
			GB	2.5 L	1539		
SOL225	Lactic Acid 0.1 N Solution		PB	500 ml	270	38220090	12%
STS140	Lacto-Fuchsin Staining Solution		GB	100 ml	432	38220090	12%
	(Mountig medium & staning agent for fungi)						
STS142	Lactophenol for Microscopy		GB	100 ml	135	38220090	12%
	(Lactophenol aniline blue solution; lactophenol cottonblue Solution)		GB	500 ml	342		
SOL227	Lactophenol Picric Acid Solution for Microscopy		GB	100 ml	160	38220090	12%
	(Picric acid-lactophenol Solution)		GB	500 ml	648		
034910	Lactose Monohydrate	10039-26-6	РВ	500 gm	693	17021110	18%
	(α-lactose monohydrate; D-(+)-Lactose 1-hydrate; Milk sugar;		PD	25 kg	POR		
	ß-D-Gal-(14)-D-Glc, 4-O-ß-D- Galactopyranosyl-D-glucose)						
	C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W.: 360.32						
013001	Lactose Monohydrate for Bacteriology AR	10039-26-6	РВ	500 gm	851	17021110	18%
	(α-lactose monohydrate; D-(+)-Lactose 1-hydrate; Milk sugar;		PD	25 kg	POR		
	ß-D-Gal-(14)-D-Glc, 4-O-ß-D- Galactopyranosyl-D-glucose)						
	Alcohol-soluble impurities, for bacteriological purpose, Free from glucose.						
	C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W.: 360.32						
034915	Lanolin Anhydrous	8006-54-0	РВ	500 gm	1521	15050010	12%
	(Wool Grease; Wool Wax; Wool fat ; wool fat anhydrous)						
AAS036	Lanthanum AAS Solution		PE	250 ml	2250	38220090	12%
	1000ppm Single Element in HNO ₃						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
ICP091	Lanthanum ICP Standard Solution		PE	100 ml	5580	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃						
RR0353	Lanthanum Acetate Hydrate 99.9%	100587-90-4	GB	25 gm	576	28469090	18%
	(Lanthanum (III) acetate hydrate)		GB	100 gm	1548		
	$C_6H_9LaO_6+H_2O$ M.W.: 316.04+ H_2O						
RR0354	Lanthanum Carbonate Hydrate 99.9%	54451-24-0	GB	25 gm	1090	28469090	18%
	(Lanthanum (III) Carbonate hydrate)		GB	100 gm	3492		
	La ₂ (CO ₃) ₃ .XH ₂ O M.W. : 457.84.XH ₂ O						
RR0355	Lanthanum Chloride Heptahydrate 99%	10025-84-0	GB	100 gm	2295	28469090	18%
	(Lanthanum (III) Chloride hydrate)						
	LaCl ₃ .7H ₂ O M.W.: 371.37						
RR9358	Lanthanum Hydroxide 99.99% AR	14507-19-8	GB	10 gm	4500	28469090	18%
	(Lanthanum (III) Hydroxide)						
	La(OH) ₃ M.W.: 189.93						
RR0358	Lanthanum Lean Hydroxide 99%		GB	25 gm	2520	28469090	18%
RR0360	Lanthanum (III) Nitrate Hexahydrate 99%	10277-43-7	GB	100 gm	2390	28469090	18%
	(Lanthanum nitrate ; Nitric acid, lanthanum(3+) salt, hexahydrate)		GB	500 gm	9495		
	La(NO ₃) ₃ .6H ₂ O M.W.: 433.02						
RR0361	Lanthanum (III) Nitrate Hexahydrate 99.9% AR	10277-43-7	GB	25 gm	1710	28469090	18%
	(Lanthanum nitrate ; Nitric acid, lanthanum(3+) salt, hexahydrate)		GB	100 gm	4221		
	La(NO ₃) ₃ .6H ₂ O M.W.: 433.02						
VMS430	Lanthanum Nitrate 0.1 mol/l Solution		GB	500 ml	1641	38220090	12%
			GB	1 L	3070		
RR0362	Lanthanum (III) Oxalate Hydrate 99.9%	79079-18-8	GB	10 gm	495	28469090	18%
	(Lanthanum Oxalate hydrate; Lanthanum oxalate)		GB	100 gm	4410		
	La ₂ (C ₂ O ₄) ₃ .XH ₂ O M.W.: 541.88+XH ₂ O						
RR0363	Lanthanum (III) Oxide 96%	1312-81-8	GB	100 gm	1170	28469090	18%
	(Lanthanum Oxide; Dilanthanum oxide; Dilanthanum trioxide; Lanthana)						
	La ₂ O ₃ M.W. : 325.81						
RR0364	Lanthanum (III) Oxide 99.9% AR	1312-81-8	GB	100 gm	1692	28469090	18%
	(Lanthanum Oxide; Dilanthanum oxide; Dilanthanum trioxide; Lanthana)						
	La ₂ O ₃ M.W. : 325.81						
RR0365	Lanthanum (III) Sulphate 99.9%	10099-60-2	GB	100 gm	8991	28469090	18%
	(Lanthanum Sulfate)						
	La ₂ (SO ₄) ₃ M.W.: 566.0						
RR9365	Lanthanum (III) Sulphate 99.99% AR	10099-60-2	GB	100 gm	15291	28469090	18%
	(Lanthanum Sulfate)		GB	500 gm	71910		
	La ₂ (SO ₄) ₃ M.W.: 566.0						
034920	Lauric Acid 99% for Synthesis	143-07-7	PB	500 gm	671	29159090	18%
	(ABL; n-dodecanoic acid)						
	CH ₃ .(CH ₂) ₁₀ .COOH M.W.: 200.32						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
028280	Lauryl Alcohol 98% for Synthesis	112-53-8	GB	500 ml	651	29051700	18%
	(Dodecan-1-ol; 1-dodecanol; dodecyl alcohol)		GB	2.5 L	3042		
	CH ₃ .(CH ₂) ₁₀ CH ₂ .OH M.W.: 186.34						
Lauryl St	ulphate Sodium Salt (Needles) See Sodium Lauryl Sulphate (Ne	edles)					
Lauryl Sı	ulphate Sodium Salt see Sodium Lauryl Sulphate						
Lauryl Tr	rimethyl Ammonium Bromide See Dodecyl Trimethyl Ammonium	m Bromide					
Lead Co	mpound See Lead (II) Compound						
AAS037	Lead AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP096	Lead ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650		
ICP097	Lead ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	45000		
SS0900	Lead 100 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
334890	Lead Metal Lumps 99%	7439-92-1	РВ	500 gm	702	78042000	18%
	Pb At. W.: 207.20						
013002	Lead Metal Powder 99.5% AR	7439-92-1	РВ	500 gm	1143	78042000	18%
	Pb At. W.: 207.20						
013004	Lead Metal Powder 99.9% AR	7439-92-1	РВ	100 gm	1440	78042000	18%
	Pb At. W.: 207.20						
013003	Lead Metal Granular 99.9% AR	7439-92-1	РВ	500 gm	1647	78042000	18%
	Pb At. W.: 207.20						
034934	Lead Metal Foil 97%	7439-92-1	GB	500 gm	1494	78041120	18%
	Pb At. W.: 207.20						
013005	Lead Metal Foil (0.2mm thick) 99% AR	7439-92-1	GB	500 gm	2196	78041120	18%
	Pb At. W.: 207.20						
Lead Ace	etate Basic Anhydrous See Lead (II) Hydroxide Acetate Anhydro	us					
034935	Lead (II) Acetate Trihydrate 99-103% for Synthesis	6080-56-4	GB	500 gm	702	29152990	18%
	(Lead acetate)		РВ	50 kg	POR		
	(CH ₃ ·COO) ₂ .Pb.3H ₂ O M.W.: 379.33						
013006	Lead (II) Acetate Trihydrate 99.5% AR/ACS	6080-56-4	РВ	500 gm	945	29152990	18%
	(Lead acetate)		PD	50 kg	POR		
	(CH ₃ .COO) ₂ .Pb.3H ₂ O M.W. : 379.33						
PH0051	Lead Acetate Paper		РВ	200 lvs	342	38220090	12%
SOL230	Lead Acetate Basic 18-21% Solution		РВ	1 L	747	38220090	12%
			РВ	5 L	3492		
US2000	Lead Acetate TS		РВ	500 ml	291	38220090	12%
US2001	Lead Acetate TS Alcohol		PB	500 ml	360	38220090	12%
034936	Lead Bromide 99%	10031-22-8	PB	500 gm	2097	28275990	18%
	(Lead bromide)						

	RESEARCH & LABOR	EMISTRY BEY			-0.00		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	PbBr ₂ M.W. : 367.01						
034937	Lead (II) Carbonate Basic 77%	1319-46-6	РВ	500 gm	1152	28369990	18%
	(Basic lead Carbonate)						
	(PbCO ₃) ₂ .Pb(OH) ₂ M.W.: 777.59						
013007	Lead (II) Carbonate 99% AR/ACS	598-63-0	РВ	250 gm	2997	28369990	18%
	(Lead Carbonate)						
	PbCO ₃ M.W.: 267.71						
034938	Lead (II) Chloride 98% for Synthesis	7758-95-4	РВ	500 gm	864	28273990	18%
	(Cotunnite; Lead (II) Chloride anhydrous; Lead dichloride)		PD	50 kg	POR		
	PbCl ₂ M.W.: 278.10						
913008	Lead (II) Chromate 97%	7758-97-6	РВ	500 gm	999	28412020	18%
	(Lead Chromate)						
	PbCrO ₄ M.W.: 323.18						
013008	Lead (II) Chromate 98% AR	7758-97-6	РВ	100 gm	495	28412020	18%
	(Lead Chromate)		РВ	250 gm	891		
	PbCrO ₄ M.W.: 323.18						
034939	Lead Dioxide 94%	1309-60-0	РВ	500 gm	1944	28249000	18%
	(Lead peroxide; Lead (su)peroxide)		PD	50 kg	POR		
	PbO ₂ M.W.: 239.20						
013009	Lead Dioxide 97% AR	1309-60-0	PB	250 gm	2295	28249000	18%
	(Lead peroxide; Lead (su)peroxide)						
	PbO ₂ M.W.: 239.20						
334930	Lead (II) Hydroxide Acetate Anhydrous 72%	51404-69-4	РВ	2.5 kg	3790	29152990	18%
	(Lead acetate basic anhydrous; lead sub acetate)		РВ	5 kg	6993		
	(CH ₃ COO) ₂ Pb.Pb(OH) ₂ M.W.: 566.50						
934939	Lead Iodide 99%	10101-63-0	GB	25 gm	2007	28276090	18%
	Pbl ₂ M.W.: 461.01		GB	100 gm	6003		
034940	Lead Monoxide 98%	1317-36-8	РВ	500 gm	738	28241010	18%
	(Lead (II) oxide; litharge; lead oxide yellow)		РВ	1 kg	1242		
	PbO M.W.: 223.20		PD	50 kg	POR		
013010	Lead Monoxide AR/ACS	1317-36-8	PB	250 gm	1990	28241010	18%
	(Lead (II) oxide; litharge; lead oxide yellow)			v			
	PbO M.W.: 223.20						
034941	Lead Nitrate 99%	10099-74-8	GB	500 gm	702	28342990	18%
	(Lead (II) nitrate; Lead dinitrate)		РВ	5 kg			
	Pb(NO ₃) ₂ M.W.: 331.21		PD	50 kg			
013011	Lead Nitrate 99.5% AR/ACS	10099-74-8	GB	500 gm		28342990	18%
- 1	(Lead (II) nitrate; Lead dinitrate)			. , . 			
	Pb(NO ₃) ₂ M.W.: 331.21						
VMS439	Lead (II) Nitrate 0.5M (1N) Standardized Solution		PB	1 L	1080	38220090	12%
	Lead Nitrate 0.01M Solution		PB	500 ml		38220090	12%

	RESEARCH & LABO	RATORY	CHE	MIC	AL	S	
		HEMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
VMS438	Lead Nitrate 0.05M Solution		РВ	500 ml	630	38220090	12%
034942	Lead Oxalate	814-93-7	PB	500 gm	1260	29171190	18%
	[Lead (II) Oxalate; Oxalic acid lead(II)]						
	C ₂ O ₄ Pb M.W.: 295.22						
034943	Lead Oxide Red 85%	1314-41-6	РВ	500 gm	972	28241010	18%
	[Red lead; lead (II,IV) oxide; Minium]		РВ	5 kg	POR		
	Pb ₃ O ₄ M.W.: 685.60		PD	50 kg	POR		
Lead Oxi	ide Yellow See Lead Monoxide						
VMS440	Lead Perchlorate (0.01 M) Solution		РВ	500 ml	1620	38220090	12%
VMS442	Lead Perchlorate (0.1 M) Solution		GB	500 ml	1710	38220090	12%
Lead Per	roxide See Lead Dioxide						
034945	Lead Phosphate 75%	7446-27-7	PB	250 gm	603	28352990	18%
	O ₈ P ₂ Pb ₃ M.W.: 811.54						
034948	Lead Stearate	1072-35-1	PB	500 gm	637	29157090	18%
	(Lead (II) stearate)						
	Pb(C ₁₈ H ₃₅ O ₂) ₂ M.W.: 774.15						
034944	Lead Sulphate 98%	7446-14-2	РВ	500 gm	930	28332990	18%
	(Anglesite)						
	PbSO ₄ M.W.: 303.25						
034947	Lead Sulphide 95%	1314-87-0	РВ	250 gm	1620	28309010	18%
	PbS M.W.: 239.26						
STA210	Leishman's Stain for Microscopy	12627-53-1	GB	25 gm	792	32041959	18%
	(Eosine methylene blue compound)		GB	100 gm	2991		
STS145	Leishman's Stain Solution		GB	250 ml	369	38220090	12%
	for differential staining of red blood cells		GB	500 ml	603		
	Powder Supplied Seprately						
STS146	Leishman's Stain Solution with Buffer		GB	250 ml	369	38220090	12%
			GB	500 ml	630		
034961	L-Leucine 99% for Biochemistry	61-90-5	GB	25 gm	324	29224990	18%
	[(S)-2-Amino-4-methylpentanoic acid]		GB	100 gm	945		
	C ₆ H ₁₃ NO ₂ M.W.: 131.17		GB	500 gm	POR		
D-Levulo	se See D-Fructose						
STA148	Light Green SF Yellowish 90% (C.I. 42095)	5141-20-8	GB	25 gm	2079	32041229	18%
	for Electrophoresis & Histology		GB	100 gm	7290		
	(Acid Green 5)						
	$C_{37}H_{34}N_2O_9S_3.Na_2$ M.W.: 792.86						
STS149	Light Green 0.1% Solution for Microscopy		GB	250 ml	432	38220090	12%
	(Animal Tissue Staining)						
STS150	Light Green Stain 0.5 % w/v Solution		GB	125 ml	270	32049000	18%
034962	Lignocaine Base 99%	137-58-6	GB	100 gm	891	29242990	18%

	RESEARCH & LABORAT	TORY	CHE	MIC	AL	S	
		STRY BEY			Control of the		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(2-diethylamino-N-(2,6-dimethylphenyl) acetamide; lidocaine; xylocaine)						
	C ₁₄ H ₂₂ N ₂ O M.W. : 234.34						
034963	Lignocaine Hydrochloride Monohydrate 99%	6108-05-0	GB	100 gm	1197	29242990	18%
	(Lidocaine hydrochloride monohydrate; Xylocainehydrochloride monohydrate)						
	C ₁₄ H ₂₂ N ₂ O.HCl.H ₂ O M.W. : 288.82						
SOL228	Lime Water		PB	500 ml	189	38220090	12%
034965	D-Limonene 98%	5989-27-5	GB	500 ml	4986	29021900	18%
	[(+)-Dipentene; D-Limonene]						
	C ₁₀ H ₁₆ M.W.: 136.24						
ENZ094 *	* Lipoprotein Lipase from Pseudomonas	9004-02-8	GB	1000 units	3690	35079099	18%
	Lyophilized powder, Activity 25-35 U/mg						
Liquid Pa	araffin Heavy See Paraffin Liquid Heavy						
Liquid Pa	araffin Light See Paraffin Liquid Light						
Liquor A	mmonia See Ammonia Solution						
L-iso-Leu	ucine See L-Iso-Leucine						
Litharge	See Lead Monoxide						
AAS038	Lithium AAS Solution		PE	100 ml	2502	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	3600		
			GB	500 ml	4410		
ICP103	Lithium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650		
ICP104	Lithium ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HNO₃		PE	500 ml	45000		
034977	Lithium Metal 99%	7439-93-2	GB	100 gm	25200	85076000	18%
	Li M.W.: 6.94						
034979	Lithium Acetate 99%	6108-17-4	РВ	250 gm	3195	29152990	18%
	(Acetic acid lithium salt)						
	CH ₃ .COOLi.2H ₂ O M.W.: 102.02						
034980	Lithium Bromide 99%	7550-35-8	РВ	500 gm	3294	28275990	18%
	(Lithiummonobromide)			-			
	LiBr M.W.: 86.85						
034981	Lithium Carbonate 98.5%	554-13-2	РВ	250 gm	1944	28369100	18%
	(Carbolithium; Carbonic acid lithium salt)		РВ	500 gm	3717		
	Li ₂ CO ₃ M.W.: 73.89						
013018	Lithium Carbonate 99% AR	554-13-2	PB	100 gm	1040	28369100	18%
	(Carbolithium; Carbonic acid lithium salt)		РВ	250 gm	2390		
	Li ₂ CO ₃ M.W.: 73.89			-			
034982	Lithium Chloride 99%	7447-41-8	GB	250 gm	1980	28273990	18%
	(Lithium Monochloride)	· ·	GB	500 gm	3708		
	LiCl M.W.: 42.39			. 3			
	Lithium Chloride 99% AR	7447-41-8	GB	100 gm	0500	28273990	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX GB 6192 (Lithium Monochloride) 250 gm LiCI M.W.: 42.39 VMS445 Lithium Chloride 1M Solution in Acetic Acid GB 250 ml **1296** 38220090 12% VMS446 Lithium Chloride 1M Solution in Ethanol GB 250 ml 1494 38220090 12% 013021 tri-Lithium Citrate Tetrahydrate 99.5% AR 6080-58-6 250 gm **5517** 29181590 18% (Citric acid trilithium salt; trilithium citrate tribasic tetrahydrate) $Li_3C_6H_5O_7.4H_2O$ M.W.: 281.99 034983 7789-24-4 PR **7470** 28261990 Lithium Fluoride 97% 500 gm 18% (Fluorolithium) LiF M.W.: 25.94 034984 Lithium Hydroxide Monohydrate 98% 1310-66-3 РΒ 900 28252000 18% 100 gm (Lithium hydrate) PB 500 gm 3681 LiOH.H2O M.W.: 41.96 013023 Lithium Hydroxide Monohydrate 99% AR/ACS 1310-66-3 PB 100 gm **954** 28252000 18% PB 4293 (Lithium hydrate) 500 gm LiOH.H₂O M.W.: 41.96 934984 Lithium Lactate 98% 867-55-0 РΒ 100 gm **2790** 29181190 18% PΒ 500 gm (Lactic acid lithium salt) 13491 C₃H₅O₃Li M.W.: 96.01 VMS450 Lithium Methoxide (0.02 N) Solution in Methanol GB 500 ml **1206** 38220090 12% **VMS455** Lithium Methoxide (0.1 N) Solution in Chlorobenzene GB 500 ml **1350** 38220090 12% GB 500 ml 12% VMS457 Lithium Methoxide (0.1 N) Solution in Methanol **1350** 38220090 VMS459 Lithium Methoxide (0.1 N) Solution in Toluene GR 500 ml 1350 38220090 12% 500 gm 034985 **Lithium Nitrate Anhydrous 98%** 7790-69-4 GB 4428 28342990 18% LiNO₃ M.W.: 68.95 **SOL232 Lithium Nitrate Solution** GB 500 ml 8244 38220090 12% 934986 553-91-3 РΒ **2619** 29171190 18% Lithium Oxalate 99% 100 gm (Ethanedioic acid) C2Li2O4 M.W.: 101.90 034987 **Lithium Perchlorate 98%** 7791-03-9 GB 25 gm **2250** 28299010 18% LiCIO₄ M.W.: 106.39 GB 100 gm 4500 PΒ 034988 Lithium Sulphate Monohydrate 98% 10102-25-7 100 gm 1260 28332990 18% Li₂SO₄.H₂O M.W.: 127.95 PΒ 2313 250 gm РΒ 500 gm 4167 100 gm 18% 013025 Lithium Sulphate Monohydrate 99% AR/ACS 10102-25-7 PR 2991 28332990 Li₂SO₄.H₂O M.W.: 127.95 РΒ 250 gm 6791 STA225 Litmus Granular (pH Indicator) 1393-92-6 GB **430** 32030090 18% 10 gm pH range 5.0-8.0 (red-blue) GB 25 gm 930 GB 100 gm 3162 GB 500 gm 11142

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CHEMISTRY BEYOND CHEMICALS								
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX	
STS155	Litmus Blue Solution		РВ	125 ml	216	38220090	12%	
			РВ	500 ml	612			
PH0052	Litmus Blue Indicator Paper		РВ	200 lvs	324	38220090	12%	
PH0053	Litmus Red Indicator Paper		РВ	200 lvs	324	38220090	12%	
STS156	Litmus Red Solution		PB	125 ml	216	38220090	12%	
			PB	500 ml	612			
Loffler's	Methylene Blue Solution Alkaline See Methylene Blue Alkaline	Stain Solution						
STS158	Lugol's Solution for Microscopy		GB	125 ml	270	38220090	12%	
	(Iodine-potassium iodide Solution)							
STS160	Lugol's Iodine 5% w/v Solution		GB	125 ml	360	38220090	12%	
AAS039	Lutetium AAS Solution		PE	100 ml	8100	38220090	12%	
	1000ppm Single Element in HNO ₃							
ICP107	Lutetium ICP Standard Solution		PE	100 ml	11700	38220090	12%	
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	46800			
034990	L-Lysine Monohydrochloride 99% for Biochemistry	657-27-2	GB	100 gm	351	29224100	18%	
	[(S)-2,6-Diaminohexanoic acid monohydrochlorid]		GB	500 gm	1290			
	C ₆ H ₁₅ CIN ₂ O ₂ M.W.: 182.65							
034991	L-Lysine Monohydrochloride 99%	657-27-2	РВ	2.5 kg	2502	29224100	18%	
	[(S)-2,6-Diaminohexanoic acid monohydrochlorid]							
	for Feed experiments							
	C ₆ H ₁₅ CIN ₂ O ₂ M.W.: 182.65							
028300	Lysol 47-53% (Disinfectant)	12772-68-8	PB	500 ml	864	38089400	18%	
	(Cresol and soap solution)		РВ	5 L	7245			
	М							
Magenta	Acid See Fuchsin Acid							
Magenta	Basic See Fuchsin Basic							
US2150	Magnesia Mixture TS		РВ	500 ml	360	38220090	12%	
AAS041	Magnesium AAS Solution		PE	100 ml	1800	38220090	12%	
	1000ppm Single Element in HNO ₃		PE	250 ml	2250			
			GB	500 ml	3780			
ICP111	Magnesium ICP Standard Solution		PE	100 ml	4680	38220090	12%	
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650			
ICP112	Magnesium ICP Standard Solution		PE	100 ml	15300	38220090	12%	
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	45000			
SS1000	Magnesium 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%	
035101	Magnesium Metal Powder 99.8% for Synthesis	7439-95-4	РВ	100 gm	603	81043020	18%	
	Mg At. W.: 24.31		РВ	500 gm	1800			
			PD	50 kg	POR			
035102	Magnesium Metal Ribbon 99.5%	7439-95-4	ВР	25 gm	405	81049090	18%	
	Mg At. W.: 24.31							

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 035103 Magnesium Metal Turning 99.5% for Synthesis 7439-95-4 **855** 81043010 18% PR 250 gm (according to Grignard) РΒ 500 gm 1404 Ma At. W.: 24.31 PD 25 ka POR 035105 Magnesium Acetate Tetrahydrate 98% 16674-78-5 PR 500 gm 990 29152920 18% PB 5 kg 6930 (Acetic acid magnesium salt) (CH₃.COO)2Mg.4H2O M.W.: 214.46 PD 50 kg POR 013031 16674-78-5 18% Magnesium Acetate Tetrahydrate 99% AR/ACS GB 250 gm 1080 29152920 (Acetic acid magnesium salt) (CH₃.COO)₂Mg.4H₂O M.W.: 214.46 16674-78-5 MB0092 Magnesium Acetate Tetrahydrate 99% PB 100 gm **720** 29152920 18% for Molecular Biology PΒ 500 gm 3006 (Acetic acid magnesium salt) (CH₃.COO)₂Mg.4H₂O M.W.: 214.46 035106 Magnesium Aluminium Silicate 90% 12511-31-8 18% PB 500 gm **358** 28399090 MgAl₂(SiO₄)₂ M.W.: 262.43 035107 **Magnesium Carbonate Basic Light 40%** 39409-82-0 PR 250 gm **405** 28369920 18% (Hydrated basic magnesium carbonate; Magnesium hydroxide carbonate) РΒ 500 gm 648 MgCO₃ M.W.: 485.65 PD 25 kg POR 013032 **Magnesium Carbonate Basic Light AR** 39409-82-0 PR 250 gm 900 28369920 18% PB 500 gm 1494 (Hydrated basic magnesium carbonate; Magnesium hydroxide carbonate) MgCO₃ M.W.: 485.65 035108 Magnesium Chloride Hexahydrate 98% for Synthesis 7791-18-6 **306** 28273100 18% PB 500 gm PΒ (Magnesium dichloride hexahydrate) 2097 5 kg MgCl₂.6H₂O M.W.: 203.30 PD 50 kg POR 013033 Magnesium Chloride Hexahydrate 99% AR 7791-18-6 **358** 28273100 PB 500 am 18% (Magnesium dichloride hexahydrate) PB 5 kg 2250 meets analytical specification of IP, B.P., U.S.P., N.F., E.P. PD 50 kg POR MgCl₂.6H₂O M.W.: 203.30 VMS475 Magnesium Chloride 0.1 M Solution PΒ 500 ml **234** 38220090 12% VMS477 РΒ 500 ml 12% Magnesium Chloride 0.5 M Solution 250 38220090 PB 1 L 423 PB 2.5 L 648 VMS478 Magnesium Chloride 1M Solution 500 ml **261** 38220090 12% PB PB 1 L 549 PR 2.5 L 828 035109 **Magnesium Citrate Hydrate 97%** 7779-25-1 PB 500 gm **1008** 29181590 18% (Citric acid magnesium salt; Magnesium citrate tribasic hydrate) $Mg_3(C_6H_5O_7)_2.XH_2O$ M.W.: 451.11(Anhy.) 7783-40-6 035110 Magnesium Fluoride 95% 500 gm **1090** 28261910 18%

(Sellaite)

	Cit	EMISTRY BEY	OND CI	ILIVIICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	For glass industry						
	MgF ₂ M.W.: 62.30						
035111	Magnesium Hydroxide 95%	1309-42-8	РВ	500 gm	1090	28161010	18%
	(Milk of magnesia)						
	Conforms to BP, IP specification						
	Mg(OH) ₂ M.W.: 58.33						
035112	Magnesium Nitrate Hexahydrate 98% Purified	13446-18-9	РВ	500 gm	396	28342920	18%
	(Nitromagnesite hexahydrate)		PD	50 kg	POR		
	Mg(NO ₃) ₂ .6H ₂ O M.W.: 256.41						
013034	Magnesium Nitrate Hexahydrate 99% AR/ACS	13446-18-9	РВ	500 gm	486	28342920	18%
	(Nitromagnesite hexahydrate)		PD	50 kg	POR		
	Mg(NO ₃) ₂ .6H ₂ O M.W.: 256.41						
935112	Magnesium Oxide Heavy 98% Extra Pure	1309-48-4	РВ	500 gm	1260	25199040	18%
	(Magnesia; Calcined Magnesite; Calcinated Magnesia)		PD	25 kg	POR		
	Confirms USP specification						
	MgO M.W.: 40.30						
035113	Magnesium Oxide Light 98%	1309-48-4	РВ	500 gm	1503	25199040	5%
	MgO M.W.: 40.30		РВ	5 kg	13608		
013035	Magnesium Oxide Light 98% AR/ACS	1309-48-4	РВ	500 gm	2700	25199040	5%
	MgO M.W.: 40.30						
013037	Magesium Perchlorate Hydrate 83% AR/ACS	64010-42-0	GB	100 gm	9810	28299010	18%
	Mg(ClO ₄) ₂ .XH ₂ O M.W. : 223.21(Anhy.)		GB	500 gm	36900		
035114	Magnesium Phosphate Dibasic 98% Pure	7782-75-4	PB	500 gm	1494	28352920	18%
	(Magnesium hydrogen phosphate trihydrate; Newberyite)						
	MgHPO ₄ .3H ₂ O M.W.: 174.34						
035115	Magnesium Phosphate Tribasic 95%	7757-87-1	PB	500 gm	1800	28352930	18%
	Mg ₃ (PO ₄) ₂ .5H ₂ O M.W. : 352.87						
035116	Magnesium Stearate Precipitated 3.8-5%	557-04-0	РВ	500 gm	675	29157090	18%
	(Stearic acid magnesium salt)		PD	25 kg	POR		
	C ₃₆ H ₇₀ MgO ₄ M.W.: 591.27						
035117	Magnesium Sulphate Heptahydrate 99% Pure	10034-99-8	РВ	500 gm	252	28332100	18%
	(Epsom salt)		PB	5 kg	1773		
	(Confirms to IP, BP, USP)		PD	50 kg	POR		
	MgSO ₄ .7H ₂ O M.W.: 246.47						
013036	Magnesium Sulphate Heptahydrate 99.5% AR/ACS	10034-99-8	РВ	500 gm	360	28332100	18%
	(Epsom salt)		РВ	5 kg	2034		
	MgSO ₄ .7H ₂ O M.W.: 246.47		PD	50 kg	POR		
MB0099	Magnesium Sulphate Heptahydrate 99.5%	10034-99-8	GB	500 gm	1800	28332100	18%
	for Molecular Biology						

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX MgSO₄.7H₂O M.W.: 246.47 Magnesium Sulphate Dried 62-70% 7487-88-9 PR 28332100 18% 035118 500 gm 522 PD (Dried epsom salts; Magnesium (II) sulphate anhydrous) 50 ka POR MgSO₄.XH₂O M.W.: 120.37(Anhy.) US2165 **Magnesium Sulphate TS** 500 ml **270** 38220090 12% **Magnesium Sulphate 0.1M Solution** 500 ml VMS480 PB 261 38220090 12% PΒ 1 L 513 PR 251 783 **306** 38220090 Magnesium Sulphate 0.5M Solution PR 500 ml 12% VMS481 РΒ 1 L 540 РΒ 2.5 L 810 VMS482 Magnesium Sulphate 1M Solution 500 ml **306** 38220090 PΒ 12% РΒ 1 L 540 PB 2.5 L 810 39365-87-2 **414** 28399010 18% 035119 **Magnesium Trisilicate** PR 500 gm PD POR (Magnesii trisilicas; di-Magnesium trisilicate) 50 kg 2MgO.3SiO₂.XH₂O M.W.: 260.86(Anhy.) 013045 Magneson I 80% AR 74-39-5 GB 25 gm **2799** 29270090 18% GB 100 gm 9900 [4-(4-nitrophenylazo)resorcinol; azoviolet] Sensitivity: detects 1ppm Mg $C_{12}H_9N_3O_4$ M.W.: 259.22 **REA171 Magneson I Solution** GB 100 ml **405** 38220090 12% (Reagent for Mg) Magneson II 95% AR 013046 5290-62-0 GR 25 gm **13293** 29270090 18% GB 100 gm POR [4-(4-nitrophenylazo)-1-naphthol] (Reagent for Mg) $C_{16}H_{11}N_3O_3$ M.W.: 293.28 100 ml **Magneson II Solution** GB **450** 38220090 12% REA172 (Reagent for Mg) REA175 **Magneson Reagent** GB 125 ml 126 38220090 12% GB 500 ml 360 Malachite Green 90% for Microscopy (C.I. 42000) 2437-29-8 GR 25 gm 216 32041361 18% STA235 549 (Malachite green oxalateAniline green; Basic green 4; GR 100 gm Diamond green B; Victoria green B; Fast green) PΒ 1 kg 4491 It is used for staining host tissue in plants infected with fungi staining bacterial spores with safranine as counterstain as spot test reagent to detecting Sulphurous acid & Cerium. $C_{52}H_{54}N_4O_{12}$ M.W.: 927.02 STS165 Malachite Green 1% w/v Solution PB 100 ml 225 38220090 12% TS164 **Malachite Green Solution** PB 100 ml **207** 38220090 12%

	All the same of th						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
KIT070	Malarial Parasite Staining Kit		KIT	Kit	414	38220090	12%
035130	Maleic Acid 99% for Synthesis	110-16-7	PB	500 gm	630	29171910	18%
	(Cis-Butenedioic acid, Toxilic acid)		PB	2.5 kg	2430		
	meets analytical specification of BP, Ph. Eur.,NF-25		PD	50 kg	POR		
	CH(COOH): CH.COOH M.W.: 116.07						
013049	Maleic Acid 99.5% AR	110-16-7	РВ	100 gm	252	29171910	18%
	(Cis-Butenedioic acid; Toxilic acid)		РВ	500 gm	1080		
	CH(COOH): CH.COOH M.W.: 116.07						
035135	Maleic Anhydride 97% for Synthesis	108-31-6	РВ	500 gm	396	29171400	18%
	(2,5-Furandione)		PD	50 kg	POR		
	CO.CH:CH.CO.O M.W.: 98.06						
035138	Maleic Hydrazide 97% for Synthesis	123-33-1	GB	100 gm	963	29339900	18%
	(1,2-Dihydro-3,6-pyridazinedione; 3,6-Pyridazinediol;		РВ	1 kg	8721		
	3,6-Dihydroxypyridazine)						
	C ₄ H ₄ N ₂ O ₂ M.W.: 112.09						
035140	DL-Malic Acid 99% Purified	617-48-1	РВ	500 gm	747	29181990	18%
	[(±)-2-Hydroxysuccinic acid, DL-Hydroxybutanedioic acid]		РВ	5 kg	6300		
	CH ₂ (COOH).CH(OH).COOH M.W.: 134.09		PD	50 kg	POR		
US2175	Mallory's Stain		РВ	125 ml	207	38220090	12%
STS166	Mallory Phosphotungstic Haematoxylin Solution		GB	100 ml	999	38220090	12%
	(Stain for connective tissue)						
035145	Malonic Acid 99% for Synthesis	141-82-2	PB	250 gm	702	29171920	18%
	(Propanedioic acid)		PB	500 gm	1107		
	CH ₂ (COOH) ₂ M.W.: 104.06						
013052	Malonic Acid 99% AR	141-82-2	PB	100 gm	747	29171920	18%
	(Propanedioic acid)		РВ	250 gm	1494		
	CH ₂ (COOH) ₂ M.W.: 104.06						
CMB121	Malt Extract Powder 60% for Bacteriology	8002-48-0	PB	500 gm	720	29209099	18%
035155	D-(+)-Maltose Monohydrate Cryst.	6363-53-7	PB	100 gm	360	17029020	18%
	(4-O-α-D-glucopyranosyl-D-glucose; maltobiose;		PB	250 gm	720		
	suitable for cell culture		РВ	500 gm	1260		
	$C_{12}H_{22}O_{11}.H_2O\ M.W.:360.32$		PD	25 kg	POR		
AAS042	Manganese AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP121	Manganese ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650		
ICP122	Manganese ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	45000		
ICP123	Manganese ICP Standard Solution		PE	100 ml	4680	38220090	12%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE CAS NO PKG. TYPE PACKING PRICE HSN TAX PRODUCT DESCRIPTION

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	1000ppm TRISTAR Single Element in HCl		GB	500 ml	7650		
ICP124	Manganese ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000ppm TRISTAR Single Element in HCl		GB	500 ml	11520		
SS1050	Manganese 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
013055	Manganese Metal Powder 99.5% AR	7439-96-5	РВ	250 gm	1098	81110010	18%
	Mn At. W. : 54.94						
035161	Manganese (II) Acetate Tetrahydrate 99%	6156-78-1	РВ	500 gm	495	29152920	18%
	(Manganous acetate)		PD	50 kg	POR		
	$C_4H_6MnO_4.4(H_2O)\ M.W.: 245.09$						
013056	Manganese (II) Acetate Tetrahydrate 99.5% AR	6156-78-1	РВ	500 gm	1143	29152920	18%
	(Manganous acetate)		PD	50 kg	POR		
	$C_4H_6MnO_4.4(H_2O)\ M.W.: 245.09$						
035162	Manganese (II) Carbonate Hydrate 43-46%	34156-69-9	РВ	500 gm	585	28369990	18%
	(Manganous carbonate)		PD	50 kg	POR		
	MnCO ₃ .XH ₂ O M.W.: 114.95						
035163	Manganese (II) Chloride Tetrahydrate 99%	13446-34-9	РВ	500 gm	702	28273990	18%
	(Maganous chloride)		РВ	5 kg	5805		
	MnCl ₂ .4H ₂ O M.W.: 197.90		PD	50 kg	POR		
013057	Manganese (II) Chloride Tetrahydrate 99% AR	13446-34-9	РВ	500 gm	810	28273990	18%
	(Maganous chloride)		PD	50 kg	POR		
	MnCl ₂ .4H ₂ O M.W.: 197.90						
935163	Manganese Citrate 97-103%	10024-66-5	РВ	500 gm	1602	29181590	18%
	(Manganese citrate hydrate)						
	$Mn_3(C_6H_5O_7)_2$ M.W.: 543.02						
035164	Manganese Dioxide 80% Pract.	1313-13-9	РВ	500 gm	288	28201000	18%
	(Manganese (IV) oxide)		РВ	5 kg	2583		
	MnO ₂ M.W.: 86.94		PD	50 kg	POR		
013058	Manganese Dioxide 92-94% AR	1313-13-9	РВ	500 gm	810	28201000	18%
	(Manganese (IV) oxide)						
	MnO ₂ M.W.: 86.94						
035166	Manganese Oxalate Dihydrate 99%	6556-16-7	РВ	500 gm	990	29171190	18%
	(Manganous oxalate dihydrate; Oxalic acid						
	manganese(II)·dihydrate)						
	C ₂ MnO ₄ .2H ₂ O M.W.: 178.96						
035168	Manganese (II) Sulphate Monohydrate 98%	10034-96-5	РВ	500 gm	405	28332990	18%
	(Maganous sulphate monohydrate)		РВ	5 kg	3060		
	MnSO ₄ .H ₂ O M.W.: 169.01		PD	50 kg	POR		
013059	Manganese (II) Sulphate Monohydrate 99% AR	10034-96-5	РВ	500 gm	810	28332990	18%
	(Maganous sulphate monohydrate)		РВ	5 kg	6660		
	MnSO ₄ .H ₂ O M.W.: 169.01						

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Mangano	ous Compounds See Manganese (II) Compounds						
035175	D-Mannitol Pure	69-65-8	PB	250 gm	630	29054300	18%
	(Mannitol; mannite)		РВ	500 gm	1080		
	for cell culture media		РВ	1 kg	2007		
	C ₆ H ₁₄ O ₆ M.W.: 182.17		РВ	25 kg	POR		
013070	D-Mannitol 99% AR	69-65-8	РВ	250 gm	720	29054300	18%
	(Mannitol; mannite)		РВ	500 gm	1170		
	Internal standard in the GLC analysis of glycolipids bacteriology and						
	for boric acid determination.						
	C ₆ H ₁₄ O ₆ M.W.: 182.17						
013071	D-(+)-Mannose AR	3458-28-4	GB	25 gm	720	29400000	18%
	(D-mannopyranose)						
	C ₆ H ₁₂ O ₆ M.W.: 180.16						
AAS047	Mannose AAS Solution		PE	250 ml	2250	38220090	12%
	1000ppm Single Element in H ₂ O						
STS162	Mann's Stain		РВ	100 ml	783	38220090	12%
	(Stain for acidophilic inclusion bodies)						
Manoxol	OT See Dioctyl Sodium Sulphosuccinate						
035180	Marble Chips	471-34-1	РВ	500 gm	333	25174100	5%
	CaCO ₃ M.W.: 100.09						
REA174	Marquis Reagent		GB	25 ml	999	38220090	12%
STA237	Martius Yellow 99% for Microscopy (C.I. 10315)	605-69-6	GB	25 gm	2889	32049000	18%
	(2,4-dinitro-1-naphthol)						
	Used as a counter stain for staining pollen tubes in the style &						
	counterstain for alum hematoxylin						
	$C_{10}H_6N_2O_5$ M.W.: 234.17						
REA173	Mastitis Reagent		РВ	125 ml	360	38220090	12%
STA238	May And Grunwald's Stain for Microscopy		GB	25 gm	846	32041959	18%
	Used in the differential staining of cellular elements of blood						
US2183	Mayer's Reagent TS		РВ	125 ml	450	38220090	12%
STS168	Mayer's Mucicarmine Stock Solution		GB	100 ml	360	38220090	12%
STS167	Mayer's Mucicarmine Staining Solution		GB	100 ml	270	38220090	12%
	[Mucicarmine (Mayer)]						
STS170	May Grunwald's Eosin-Methylene Blue Solution		РВ	125 ml	315	38220090	12%
	(Microscopic stain)		РВ	500 ml	810		
	R See 3-Methyl-2-Benzothiazolinone-Hydrazone Hydrochloride AR						
MBTH AR							
	Meat Extract Paste for Bacteriology		GB	500 gm	941	38210000	18%
		108-78-1	GB PB	500 gm 500 gm		38210000 29336100	18% 18%
CMB122	Meat Extract Paste for Bacteriology	108-78-1		•			

	RESEARCH & LABORA	ISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
990110	Meldrum's Acid 98% for Synthesis	2033-24-1	GB	25 gm	810	29189900	18%
	C ₆ H ₈ O ₄ M.W.: 144.13		GB	100 gm	2250		
			GB	500 gm	8100		
035195 *	Menthol Crystals Natural 99%	2216-51-5	GB	100 gm	945	29061100	18%
	(3-p-Menthanol; Hexahydrothymol; Menthomenthol;						
	peppermint camphor)						
	confirms to IP, BP						
	C ₁₀ H ₂₀ O M.W.: 156.27						
Mercapto	o Acetic Acid 80% See Thioglycolic Acid 80%						
Mercapto	o Acetic Acid Sodium Salt See Sodium Thioglycolate						
Mercapto	Benzene See Thiophenol						
013072	2-Mercapto Benzothiazole 99% AR	149-30-4	GB	25 gm	198	29342000	18%
	(2-benimidazolethiol)		GB	100 gm	693		
	C ₇ H ₅ NS ₂ M.W.: 167.25		GB	500 gm	2196		
SOL241	Mercapto Benzothiazole Solution		GB	100 ml	747	38220090	12%
	(Reagent for Bi,Cd,Pb)						
028346	2-Mercapto Ethanol 99% for Synthesis	60-24-2	GB	100 ml	450	29309099	18%
	(β-mercaptoethanol; BME; thioethylene glycol; 2-Hydroxyethylmercaptan)		GB	500 ml	1800		
	C ₂ H ₆ OS M.W.: 78.13		GB	2.5 L	POR		
3-Mercap	oto-1,2-Propanediol See 1-Thioglycerol						
035201	Mercuric Acetate 98%	1600-27-7	GB	25 gm	5400	29152990	18%
	(Mercury (II) acetate)		GB	100 gm	15300		
	Reagent for the hydrolysis of vinyl halides to ketones		GB	250 gm	36540		
	(CH ₃ .COO) ₂ Hg M.W.: 318.68						
013077	Mercuric Acetate 99% AR/ACS	1600-27-7	GB	25 gm	5220	29152990	18%
	(Mercury (II) acetate)		GB	100 gm	15660		
	(CH ₃ .COO) ₂ Hg M.W.: 318.68		GB	250 gm	37890		
US2195	Mercuric Acetate TS		GB	125 ml	1440	38220090	12%
US2198	Mercuric Ammonium Thiocyanate TS		GB	125 ml	1530	38220090	12%
013078	Mercuric Bromide 99% AR/ACS	7789-47-1	GB	25 gm	5400	28275990	18%
	(Mercury (II) bromide)		GB	100 gm	15300		
	HgBr ₂ M.W. : 360.40						
US2207	Mercuric Bromide Alcohol TS		GB	25 ml	1260	38220090	12%
SOL251	Mercuric Chloride 5% Solution		РВ	125 ml	720	38220090	12%
035202	Mercuric Chloride 99%	7487-94-7	GB	25 gm	5004	28521000	18%
	(Mercury (II) chloride)		GB	100 gm	14850		
	HgCl ₂ M.W. : 271.50		GB	250 gm	34830		
013079	Mercuric Chloride 99.5% AR/ACS	7487-94-7	GB	25 gm	5400	28521000	18%
	(Mercury (II) chloride)		GB	100 gm			
	HgCl ₂ M.W. : 271.50		GB	250 gm			

0005	PROPERTY DESCRIPTION	212112	DICO TIVOS	DA OKULO	22/05	LION	3 4 3 4
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US2213	Mercuric Chloride TS		GB	100 ml	1206	38220090	12%
035203	Mercuric Iodide Red 99%	7774-29-0	GB	25 gm		28276090	18%
	(Mercury (II) iodide red)		GB	100 gm	11223		
	Hgl ₂ M.W.: 454.40		GB	250 gm	26289		
013080	Mercuric Iodide Red AR/ACS	7774-29-0	GB	25 gm	4230	28276090	18%
	(Mercury (II) iodide red)		GB	100 gm	11664		
	Hgl ₂ M.W.: 454.40		GB	250 gm	27216		
US2220	Mercuric Iodide TS		GB	125 ml	1620	38220090	12%
035204	Mercuric Nitrate Monohydrate 98%	7783-34-8	GB	25 gm	4500	28521000	18%
	(Mercury (II) nitrate)		GB	100 gm	13500		
	Hg(NO ₃) ₂ .H ₂ O M.W.: 342.62		GB	250 gm	32094		
VMS485	Mercuric Nitrate (0.1M) Solution		GB	500 ml	1530	38220090	12%
VMS488	Mercuric Nitrate 0.01M (0.02N) Standardized Solution		GB	1 L	1890	38220090	12%
VMS489	Mercuric Nitrate 0.05M (0.1N) Standardized Solution		PB	1 L	1890	38220090	12%
VMS486	Mercuric Nitrate 0.005M (0.01N) Solution		GB	1 L	1602	38220090	12%
VMS487	Mercuric Nitrate 0.07M (0.14N) Solution		GB	1 L	1890	38220090	12%
US2240	Mercuric Nitrate TS		GB	125 ml	1440	38220090	12%
035205	Mercuric Oxide Red 99%	21908-53-2	GB	25 gm	5400	28521000	18%
	(Mercury (II) oxide red)		GB	100 gm	16200		
	HgO M.W.: 216.59		GB	500 gm	78550		
035206	Mercuric Oxide Yellow 99%	21908-53-2	GB	25 gm	6390	28521000	18%
	(Mercury (II) oxide yellow)		GB	100 gm	18900		
	HgO M.W.: 216.59						
035207	Mercuric Sulphate 99%	7783-35-9	GB	25 gm	4410	28521000	18%
	(Mercury (II) sulphate)		GB	100 gm	12906		
	HgSO ₄ M.W.: 296.65		GB	250 gm	31203		
013082	Mercuric Sulphate 99% AR/ACS	7783-35-9	GB	25 gm	4680	28521000	18%
	(Mercury (II) sulphate)		GB	100 gm	13723		
	HgSO ₄ M.W.: 296.65		GB	250 gm	33120		
VMS494	Mercury (II) Sulphate 20 gm/L in Potassium Dichromate		РВ	1 L	1944	38220090	12%
	0.005M Solution						
	(Acidified with sulphuric acid)						
VMS490	Mercuric Sulphate 20gm/lit in Sulphuric acid		РВ	1 L	3600	38220090	12%
VMS491	Mercuric Sulphate 80gm/lit in Sulphuric acid		PB	1 L	12060	38220090	12%
VMS492	Mercuric Sulphate 200gm/lit Sulphuric acid		РВ	1 L	25200	38220090	12%
035209	Mercuric Thiocyanate 97%	592-85-8	GB	25 gm	6030	28521000	18%
	(Mercury (II) thiocyanate; mercuric isothiocyanate;		GB	100 gm	17980		
	mercuric sulfocyanide; Thiocyanic acid mercury(II) salt)						
	C ₂ HgN ₂ S ₂ M.W. : 316.75						
035211	Mercuro Chrome Granular 97%	129-16-8	GB	25 gm	2169	29329900	18%

		212112					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Mercury dibromofluorescein disodium salt)						
	C ₂₀ H ₈ Br ₂ HgNa ₂ O ₆ M.W.: 750.67						
035221	Mercurous Chloride 99%	10112-91-1	GB	25 gm	3780	28521000	18%
	(Mercury (I) chloride; Calomel)		GB	100 gm	11250		
	Hg ₂ Cl ₂ M.W.: 472.09		GB	500 gm	96300		
013090	Mercurous Chloride 99.5% AR/ACS	10112-91-1	GB	25 gm		28521000	18%
	(Mercury (I) chloride; Calomel)		GB	100 gm	21906		
	Hg ₂ Cl ₂ M.W.: 472.09						
035224	Mercurous Nitrate Dihydrate 95%	14836-60-3	GB	25 gm	6606	28521000	18%
	(Mercury (I) nitrate)		GB	100 gm	19800		
	Hg ₂ (NO ₃) ₂ .2H ₂ O M.W.: 561.22		GB	250 gm	48006		
VMS484	Mercurous Nitrate 0.1M (0.1N) Standardized Solution		GB	1 L	3600	38220090	12%
US2275	Mercurous Nitrate TS		GB	125 ml	1260	38220090	12%
AAS043	Mercury AAS Solution		PE	100 ml	3790	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	5940		
			GB	500 ml	6930		
ICP126	Mercury ICP Standard Solution		PE	100 ml	8550	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	11970		
ICP127	Mercury ICP Standard Solution		PE	100 ml	27900	38220090	12%
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	55800		
SS1075	Mercury 50mg/L Standard Solution		PE	250 ml	2700	38220090	12%
035227	Mercury Metal Pure 99% for Polarography	7439-97-6	РВ	100 gm	16506	28054000	18%
	Hg M.W.: 200.59		РВ	250 gm	40005		
013097	Mercury Metal 99.5% AR/ACS	7439-97-6	РВ	100 gm	17100	28054000	18%
	Hg M.W.: 200.59		PB	250 gm	41400		
Mercury	(II) Salts See Mercuric Salts						
BF0351	MES Buffer 99%	4432-31-9	GB	25 gm	1116	29349900	18%
	[2-(N-morpholino)ethanesulphonic acid; 4-		GB	100 gm	3798		
	morpholineethanesulphonic acid monohydrate]						
	$C_6H_{13}NO_4S.H_2O\ M.W.: 213.25$						
STS172	Metalphthalein-Naphthol Green B Solution		GB	125 ml	270	38220090	12%
035229	Metanilic Acid	121-47-1	РВ	250 gm	396	29214233	18%
	H ₂ N.C ₆ H ₄ SO ₃ H M. W.: 173.19		РВ	500 gm	640		
STA241	Metanil Yellow 70% AR (C.I. 13065)	587-98-4	GB	25 gm	216	32041211	18%
	(Acid Yellow 36; 3-(4-Anilinophenylazo)benzenesulfonic acid sodium salt)		GB	100 gm	513		
	$C_{18}H_{14}N_3NaO_3S$ M.W.: 375.38						
Metapho	sphoric Acid See m-Phosphoric Acid (Glacial Stick)						
028350	Methacrylic Acid 99%	79-41-4	GB	500 ml	693	29161310	18%
	(2-Methacrylic acid; 2-methylpropenoic acid)		GB	2.5 L	2980		
	CH ₂ :C(C(H ₃)COOH M.W.: 86.09			_			

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Methana	mide See Formamide						
028353	Methane Sulphonic Acid 98% for Synthesis	75-75-2	GB	500 ml	1458	29041090	18%
	(Methylsulfonic acid)		GB	2.5 L	6580		
	CH ₄ O ₃ S M.W.: 96.10						
028355	Methane Sulphonyl Chloride 98% for Synthesis	124-63-0	GB	500 ml	1224	29041090	18%
	(Mesyl blue, Methanesulphonic acid chloride)		GB	2.5 L	5895		
	CH ₃ ClO ₂ S M.W.: 114.55						
ALL GRA	ADE OF METHANOL ARE SUPPLIED AGAINST POISON LICENSI	E ONLY					
028360	Methanol 99% for Synthesis	67-56-1	РВ	500 ml	297	29051100	18%
	(Carbinol ; Methyl alcohol)		РВ	2.5 L	648		
	CH ₃ OH M.W.: 32.04		PR	25 Lit	POR		
			PD	200 L	POR		
010700	Methanol 99.5% AR/ACS	67-56-1	GB	500 ml	369	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	2.5 L	891		
	CH ₃ OH M.W.: 32.04		PR	25 Lit	POR		
DRY027	Methanol Dry 99.5% AR	67-56-1	GB	500 ml	495	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	2.5 L	1494		
	CH ₃ OH M.W.: 32.04						
EL0031	Methanol 99.7% EL grade	67-56-1	PB	2.5 L	1593	29051100	18%
	(Carbinol ; Methyl alcohol)						
	CH ₃ OH M.W.: 32.04						
GC0600	Methanol 99.9% GC grade	67-56-1	GB	250 ml	468	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	1 L	1692		
	CH ₃ OH M.W.: 32.04						
HP0201	Methanol 99.8% for HPLC	67-56-1	GB	500 ml	570	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	2.5 L	1188		
	CH ₃ OH M.W.: 32.04						
HP0203	Methanol 99.8% Gradient Grade	67-56-1	GB	1 L	648	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	2.5 L	1395		
	CH ₃ OH M.W.: 32.04						
GP0203	Methanol 99.9% for HPLC Gradient Premium Grade	67-56-1	new GB	2.5 L	2754	29051100	18%
	(Carbinol ; Methyl alcohol)		GB	4 L			
	CH ₃ OH M.W.: 32.04						
LC0203	Methanol for LC-MS	67-56-1	new GB	1 L	3600	29051100	18%
	(Carbinol ; Methyl alcohol)	3. 33 .	GB	2.5 L			.070
	CH ₃ OH M.W.: 32.04		GB	2.3 L			
PR0091	Methanol 99.8% for Pesticide Residue Trace Analysis	67-56-1	GB	1 L		29051100	18%
1 170091	(Carbinol ; Methyl alcohol)	07-50-1	GB	1 L	2230	23031100	10 70
	CH ₃ OH M.W.: 32.04						
LID020E	· ·		GB	0.51	4440	20051100	100/
HP0205	Methanol/Water (50:50) for HPLC	07.50.4		2.5 L		29051100	18%
SOL259	Methanol 50% Solution in water	67-56-1	GB	500 ml	657	29051100	18%

		RATORY EMISTRY BEY		HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	for Protein Sequence Analysis		GB	1 L	1197		
	CH ₃ OH M.W.: 32.04		GB	2.5 L	1791		
035230	DL-Methionine 99-101% for Biochemistry	59-51-8	PB	100 gm	468	29304000	18%
	[(±)-2-Amino-4-(methylmercapto)butyric acid;		PB	500 gm	1791		
	DL-2-Amino-4-(methylthio)butanoic acid]						
	confirms to BP						
	C ₅ H ₁₁ NO ₂ S M.W.: 149.21						
035232	DL-Methionine for Feed experiment	59-51-8	РВ	2.5 kg	2700	29304000	18%
	C ₅ H ₁₁ NO ₂ S M.W.:149.21						
035235	L-Methionine 99% for Biochemistry	63-68-3	GB	25 gm	297	29304000	18%
	[(S)-2-Amino-4-(methylmercapto)butyric acid;		GB	100 gm	1044		
	L-2-Amino-4-(methylthio)butanoic acid]						
	C ₅ H ₁₁ NO ₂ S M.W.:149.21						
p-Metho	xy Acetophenone See p-Acetyl Anisole						
o-Metho	xy Aniline See o-Anisidine						
p-Metho	xy Aniline See p-Anisidine						
p-Metho	xy Benzaldehyde See Anisaldehyde						
Methoxy	Benzene See Anisole						
035233	m-Methoxy Aniline 98% for Synthesis	36-90-3	GB	100 gm	2079	29222990	18%
	(m-Anisidine; 3-aminoanisole; 3-Methoxy Aniline)						
	C ₇ H ₉ NO M.W. 123.16						
035234	m-Methoxy Benzoic Acid 98% for Synthesis	586-38-9	GB	25 gm	1800	29189900	18%
	(3-Methoxy benzoic acid; m-anisic acid)		GB	100 gm	5400		
	C ₈ H ₈ O ₃ M.W.: 152.15						
035236	p-Methoxy Benzyl Cyanide 97% for Synthesis	104-47-2	GB	25 gm	900	29269000	18%
	(4-Methoxyphenylacetonitrile;4-methoxybenzyl cyanide)						
	C ₉ H ₉ NO M.W.: 147.17						
o-Methox	xy Ethanol See Ethylene Glycol Mono Methyl Ether						
035238 *	p-Methoxy Phenacyl Bromide 97% for Synthesis	2632-13-5	GB	25 gm	1080	29147090	18%
	(2-Bromo-4'-methoxyacetophenone)		GB	100 gm	3360		
	$C_9H_9BrO_2$ M.W.: 229.1						
p-Metho	xyphenol See Hydroquinone Mono Methyl Ether						
035244	p-Methoxy Phenyl Acetic Acid 98% for Synthesis	104-01-8	GB	100 gm	801	29189900	18%
	(4-Methoxyphenylacetic acid; Homoanisic acid)		GB	500 gm	3474		
	C ₉ H ₁₀ O ₃ M.W.: 166.18						
o-Metho	xy-p-Propenyl Phenol See Iso Eugenol						
028370	Methyl Acetate 90% Pract.	79-20-9	GB	500 ml	522	29153940	18%
	(Acetic acid methyl ester)		GB	2.5 L	1980		
	C ₃ H ₆ O ₂ M.W. : 74.08		PR	25 Lit	POR		
028380	Methyl Acetate 98% for Synthesis	79-20-9	GB	500 ml	567	29153940	18%
	(Acetic acid methyl ester)		GB	2.5 L	2091		

010711 Methyl (Acetic at C ₃ H ₆ O ₂ HP0208 Methyl (Acetic at C ₃ H ₆ O ₂ 028382 Methyl (MAA; Ac Methyl 3- C ₅ H ₈ O ₃ 028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyl (Monome CH ₅ N M. VMS499 Methyl 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂	PRODUCT DESCRIPTION M.W.: 74.08 I Acetate 99.5% AR acid methyl ester) M.W.: 74.08 I Acetate 99.8% for HPLC acid methyl ester) M.W.: 74.08 I Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 myl Acetophenone 98% avacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	79-20-9 79-20-9 105-45-3 122-00-9	GB GB GB GB GB GB	500 ml 500 ml 2.5 L 500 ml 2.5 L 250 ml 500 ml 500 ml	2070 9000 702 3321 1620 2853	#SN 29153940 29153940 29183040 29141990	18% 18% 18%
010711 Methyl (Acetic ac C ₃ H ₆ O ₂ HP0208 Methyl (Acetic ac C ₃ H ₆ O ₂ 028382 Methyl (MAA; Ac Methyl 3- C ₅ H ₈ O ₃ 028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyl (Monome CH ₅ N M. VMS499 Methyl 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂	Acetate 99.5% AR acid methyl ester) M.W.: 74.08 I Acetate 99.8% for HPLC acid methyl ester) M.W.: 74.08 I Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 hyl Acetophenone 98% vlacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	79-20-9 105-45-3 122-00-9	GB GB GB GB	500 ml 2.5 L 500 ml 2.5 L 250 ml 500 ml	2070 9000 702 3321 1620 2853	29153940 29183040	18%
(Acetic at C ₃ H ₆ O ₂ HP0208 Methyl (Acetic at C ₃ H ₆ O ₂ O28382 Methyl (MAA; Ac Methyl 3-C ₅ H ₈ O ₃ O28387 p-Meth (4-Methyl C ₉ H ₁₀ O O28385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc (Monome CH ₅ N M. VMS499 Methyla (Monome CH ₅ N M. VMS499 Methyla (Methylamino) O35239 Methyl (Methylamino) O35239 Methyl (Methylamino) O35239 Methyl Solvent for C ₈ H ₈ O ₂ O28400 Methyl	Accid methyl ester) M.W.: 74.08 I Accetate 99.8% for HPLC acid methyl ester) M.W.: 74.08 I Acctoacctate 90% for Synthesis acctoacctic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 myl Acctophenone 98% ylacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	79-20-9 105-45-3 122-00-9	GB GB GB GB	500 ml 2.5 L 500 ml 2.5 L 250 ml 500 ml	2070 9000 702 3321 1620 2853	29153940 29183040	18%
C ₃ H ₆ O ₂ HP0208 Methyl	M.W.: 74.08 I Acetate 99.8% for HPLC acid methyl ester) M.W.: 74.08 I Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 myl Acetophenone 98% all acetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	105-45-3 122-00-9	GB GB GB GB	2.5 L 500 ml 2.5 L 250 ml 500 ml	9000 702 3321 1620 2853	29183040	18%
Methyl (Acetic at C ₃ H ₆ O ₂ 028382 Methyl (MAA; Ac Methyl 3- C ₅ H ₈ O ₃ 028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyl (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methyla CH ₅ N.HC 028400 Methyl Solvent fc C ₈ H ₈ O ₂ 1000 Methyl Solvent fc	Acetate 99.8% for HPLC acid methyl ester) M.W.: 74.08 I Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; P-oxobutanoate) M.W.: 116.12 hyl Acetophenone 98% all acetophenone) M.W.: 134.18 I Acrylate 99% bropenoate, Acrylic acid methyl ester) M.W.: 86.09	105-45-3 122-00-9	GB GB GB GB	2.5 L 500 ml 2.5 L 250 ml 500 ml	9000 702 3321 1620 2853	29183040	18%
(Acetic at C ₃ H ₆ O ₂ Methyl (MAA; Ac Methyl 3-C ₅ H ₈ O ₃ O28387 p-Meth (4-Methyl C ₉ H ₁₀ O O28385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc (Monome CH ₅ N M VMS499 Methylamino) O35239 Methyl (Methylamino) O35239 Methyl (Methylamino) O38400 Methyl Solvent for C ₈ H ₈ O ₂ Methylamine CH ₅ N HC	M.W.: 74.08 I Acetoacetate 90% for Synthesis Acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; Acoxobutanoate) M.W.: 116.12 Inyl Acetophenone 98% Avacetophenone) M.W.: 134.18 I Acrylate 99% Acrylate 99% Apropenoate, Acrylic acid methyl ester) M.W.: 86.09	105-45-3 122-00-9	GB GB GB GB	2.5 L 500 ml 2.5 L 250 ml 500 ml	9000 702 3321 1620 2853	29183040	18%
C ₃ H ₆ O ₂ C ₃ H ₆ O ₂ Methyl (MAA; Ac Methyl 3-C ₅ H ₈ O ₃ O28387 p-Meth (4-Methyl p C ₉ H ₁₀ O O28385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc (Monome CH ₅ N M. VMS499 Methylamino) O35239 Methyl (Methylamino) O35239 Methyl (Methylamino) O28400 Methyl Solvent for C ₈ H ₈ O ₂ Methyl Solvent for C ₈ H ₈ O ₂ Methyl Me	M.W.: 74.08 I Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 Inyl Acetophenone 98% all Acetophenone) M.W.: 134.18 I Acrylate 99% bropenoate, Acrylic acid methyl ester) M.W.: 86.09	122-00-9	GB GB GB	500 ml 2.5 L 250 ml 500 ml	702 3321 1620 2853		
028382 Methyl (MAA; Ac Methyl 3- C ₅ H ₈ O ₃ 028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH ₅ N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂	Acetoacetate 90% for Synthesis acetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; B-oxobutanoate) M.W.: 116.12 nyl Acetophenone 98% alacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	122-00-9	GB GB GB	2.5 L 250 ml 500 ml	1620 2853		
(MAA; Ac Methyl 3- C ₅ H ₈ O ₃ 028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂	ncetoacetic acid methyl ester 3-Oxobutanoic acid methyl ester; R-oxobutanoate) M.W.: 116.12 Inyl Acetophenone 98% Valacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	122-00-9	GB GB GB	2.5 L 250 ml 500 ml	1620 2853		
Methyl 3- C₅H₀O₃ I C₅H₀O₃ I 028387 p-Meth (4-Methyl C∘ H₁₀O I 028385 Methyl (Methyl p C₄H₀O₂ I Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH₅N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc Cೀ₀H₀O₂ I	M.W.: 116.12 nyl Acetophenone 98% ylacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09		GB GB	250 ml 500 ml	1620 2853	29141990	18%
C ₅ H ₈ O ₃ I 028387 p-Meth (4-Methyl C ₉ H ₁₀ O I 028385 Methyl (Methyl p C ₄ H ₆ O ₂ I Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂ I	M.W.: 116.12 nyl Acetophenone 98% ylacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09		GB GB	500 ml	2853	29141990	18%
028387 p-Meth (4-Methyl C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyl (Monome CH ₅ N M VMS499 Methyl 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent fc C ₈ H ₈ O ₂	nyl Acetophenone 98% ylacetophenone) M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09		GB GB	500 ml	2853	29141990	18%
(4-Methylous C ₉ H ₁₀ O C ₉ H ₁₀ O C ₉ H ₁₀ O C ₉ H ₁₀ O C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hycomethylamine Hycomethylamine Hycomethylamine Hycomethylamine CH ₅ N M. VMS499 Methylamine CH ₅ N.HC C ₈ H ₈ O ₂ M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09		GB GB	500 ml	2853	29141990	18%	
C ₉ H ₁₀ O 028385 Methyl (Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 035239 Methyl Solvent for C ₈ H ₈ O ₂	M.W.: 134.18 I Acrylate 99% propenoate, Acrylic acid methyl ester) M.W.: 86.09	96-33-3	GB	500 ml			
028385 Methyl (Methyl p C4H6O2 Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH5N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 028400 Methyl Solvent for C8H8O2	Propenoate, Acrylic acid methyl ester) M.W.: 86.09	96-33-3			640		
(Methyl p C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyc 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	propenoate, Acrylic acid methyl ester) M.W.: 86.09	96-33-3			640		
C ₄ H ₆ O ₂ Methyl Alcohol S Methylamine Hyd 028390 Methyla (Monome CH ₅ N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 028400 Methyl Solvent for C ₈ H ₈ O ₂	M.W.: 86.09		GB	251		29161290	18%
Methyl Alcohol S Methylamine Hyd 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylam CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂				2.5 L	2844		
Methylamine Hyd 028390 Methyla (Monome CH ₅ N M. VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylamino) 028400 Methyl Solvent for C ₈ H ₈ O ₂							
028390 Methyla (Monome CH ₅ N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylan CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	See Methanol						
(Monome CH ₅ N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylan CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	drochloride See Methyl Ammonium Chloride						
CH ₅ N M VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylan CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	lamine Solution 40% for Synthesis	74-89-5	GB	500 ml	252	29211990	18%
VMS499 Methyla 4-(Methylamino) 035239 Methyl (Methylar CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	etlhylamine Solution)		GB	2.5 L	1098		
4-(Methylamino) 035239 Methyl (Methylamino) CH ₅ N.HC 028400 Methyl Solvent for C ₈ H ₈ O ₂	1.W. : 31.07						
035239 Methyl (Methylar $CH_5N.HC$ 028400 Methyl $Solvent for C_8H_8O_2$	lamine 2M Solution in THF		GB	250 ml	630	38220090	12%
$(Methylai$ $CH_5N.HC$ $\textbf{028400} \qquad \textbf{Methyl}$ $Solvent for C_8H_8O_2 =$	Phenol Hemisulphate Salt See Metol						
$CH_5N.HC$ 028400 Methyl Solvent for $C_8H_8O_2$	I Ammonium Chloride 99%	593-51-1	РВ	250 gm	459	29211190	18%
028400 Methyl Solvent for C ₈ H ₈ O ₂	amine hydrochloride)		РВ	1 kg	1494		
Solvent for C ₈ H ₈ O ₂	CI M.W. : 67.52		PD	25 kg			
Solvent for C ₈ H ₈ O ₂	I Benzoate 99% for Synthesis	93-58-3	GB	250 ml		29163130	18%
C ₈ H ₈ O ₂	for embedding.		GB	500 ml	945		
	M.W. : 136.15						
	c Acid See o-Toluic Acid						
3-Methyl Benzoid	c Acid See m-Toluic Acid						
	c Acid See p-Toluic Acid						
	Thiazole-2-One Hydrazone Hydrochloride (MBTH) AR See	e 3-Methvl-2- Benzo	thiazolinone	Hvdrazone	Hvdroci	nloride AR	Į
-	nyl-2- Benzothiazolinone Hydrazone Hydrochloride	38894-11-0	GB	10 gm	-	29342000	18%
(MBTH) 9		20001110	GB	25 gm			. 5 /0
, ,	**·*·		05	20 gm	.0002		
	S HCLH ₂ O_M W ± 233.72		GB	100 ml	612	38220090	12%
	S.HCl.H ₂ O M.W.: 233.72		0.0	100 1111	012	JUZZUUJU	1∠/0
	nyl-2- Benzothiazolinone Hydrazone Hydrochloride						
(for cyani	nyl-2- Benzothiazolinone Hydrazone Hydrochloride .05% Indicator Solution (Aqueous)						

	RESEARCH & LABORA				- Committee of	S	
	СНЕМІ	STRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Acid Blue 93; Cotton blue; Helvetia blue)		GB	100 gm	2790		
	It is used as a stain in histology, and stains collagen blue in tissue sections.						
	$C_{37}H_{27}N_3Na_2O_9S_3$ M.W.: 799.80						
STS188	Methyl Blue Aqueous Solution		PB	100 ml	480	38220090	12%
	Supravital stain for aquatic organisms, Counter stain for carmine, eosin.						
2-Methyl	Butane See Iso-Pentane						
3-Methyl-	-1-Butanol See Iso-Amyl Alcohol						
Methyl C	arbitol See Diethylene Glycol Mono Methyl Ether						
Methyl C	ellosolve See Ethylene Glycol Mono Methyl Ether						
035243	Methyl Cellulose 300-500 cPs	9004-67-5	PB	500 gm	2790	39123922	18%
035247	Methyl Cellulose 4000 cPs	9004-67-5	PB	500 gm	2997	39123922	18%
028405	Methyl Chloroacetate 99%	96-34-4	GB	500 ml	720	29154010	18%
	C ₃ H ₅ CIO ₂ M.W.: 108.52						
Methyl C	yanide See Acetonitrile						
Methyl D	igol See Diethylene Glycol Mono Methyl Ether						
013108 *	N,N'-Methylene-Bis-Acrylamide 99% AR	110-26-9	GB	25 gm	495	29241900	18%
	for electrophoresis		GB	100 gm	1521		
	(Bis acrylamide ; MBA)						
	C ₇ H ₁₀ N ₂ O ₂ M.W.: 154.17						
Methylen	ne Blue Alkaline See Methylene Blue Alkaline Solution (Loffer's)						
STA248	Methylene Blue 96% for Microscopy (C.I. 52015)	61-73-4	GB	25 gm	550	32041351	18%
	(Basic blue 9; tetramethylthionine chloride;		GB	100 gm	1890		
	3,7-bis(Dimethylamino)-phenothiazin-5-ium chloride)		PB	1 kg	16990		
	Methylene blue is used as a dye for a number of different staining						
	procedures, such as Wright's stain and Jenner's stain.						
	C ₁₆ H ₁₈ CIN ₃ S.XH ₂ O [X=2-3] M.W.: 319.86 + aq						
STA249	Methylene Blue 97% AR (C.I. 52015)	61-73-4	GB	25 gm	594	32041351	18%
	(Basic blue 9; tetramethylthionine chloride;		GB	100 gm	2091		
	3,7-bis(Dimethylamino)-phenothiazin-5-ium chloride)		РВ	1 kg	18990		
	$C_{16}H_{18}CIN_3S.XH_2O$ [X=2-3] M.W. : 319.86 + aq						
STS173	Methylene Blue Alkaline Stain Solution (Loffler's)		РВ	125 ml	252	38220090	12%
	(Methylene blue-potassium hydroxide Solution;		РВ	500 ml	540		
	LOFFLER'S staining solution)						
STS174	Methylene Blue Aqueous Stain Solution		РВ	125 ml	234	38220090	12%
	(Ehrlich's reagent III; Loeffler's methylene blue)		РВ	500 ml	504		
	concentrated, aqueous Solution for microscopy						
STS176	Methylene Blue 0.5% Solution for Microscopy		РВ	500 ml	252	38220090	12%
MB0106	Methylene Blue 0.2% Stock Solution for Molecular Biology		GB	100 ml	360	38220090	12%
				400			400/
MB0107	Methylene Blue 0.025% Stock Solution for Molecular Biology		GB	100 ml	360	38220090	12%



RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE TAX STA250 Methylene Blue Polychrome for Microscopy GR **720** 32041351 18% 25 gm Methylene Chloride See Dichloro Methane Methylene Dibenzene See Diphenyl Methane Methylene Succinic Acid See Itaconic Acid Methyl Ethyl Ketone See Ethyl Methyl Ketone **1593** 29093090 028410 Methyl Eugenol 98% for Synthesis 93-15-2 GR 100 ml 18% GB (Eugenol methyl ether; eugenyl methyl ether; 4-Allyl-1,2-dimethoxybenzene) 500 ml 7290 C₁₁H₁₄O₂ M.W.: 178.23 STS190 **Methyl Green Staining Solution (Aqueous)** PΒ 100 ml **522** 38220090 12% **STS189 Methyl Green Staining Solution (Alcoholic)** 100 ml **729** 38220090 12% Methyl Glycol See Ethylene Glycol Mono Methyl Ether 035251 Methyl-p-Hydroxy Benzoate 99% for Synthesis 99-76-3 PB 500 gm 1395 29182990 18% РΒ (Methyl paraben; p-Hydroxybenzoic acid methyl ester) 5 kg 12492 C₆H₄(OH).COO.CH₃ M.W.: 152.15 PΠ 25 kg POR РΒ 500 gm 035253 5026-62-0 **1593** 29182990 18% Methyl-p-Hydroxy Benzoate Sodium Salt 99% 5 kg (Sodium methyl paraben; Methylis parahydroxybenzoas PB 13995 PD natricum; Sodium methyl 4-hydroxybenzoate) 25 kg POR C₈H₇NaO₃ M.W.: 174.13 028420 Methyl Iodide 99% for Synthesis 74-88-4 GB 100 ml **8334** 29033930 18% GR 250 ml (lodomethane) 19116 CH₃I M.W.: 141.94 Methyl Iso-Butyl Ketone See Iso-Butyl Methyl Ketone 028430 Methyl Methacrylate 99% for Synthesis 80-62-6 GB 500 ml **774** 29161990 18% (MMA;2-(methoxycarbonyl)-1-propene) C5H8O2 M.W.: 100.12 547-58-0 STA253 Methyl Orange (pH Indicator) 85% (C.I. 13025) GB 25 gm **216** 29270090 18% (Acid Orange 52; Sodium 4-[(4-dimethylamino) GB 100 gm 603 РΒ 4383 phenyldiazenyl]benzenesulphonate) 1 kg C₁₄H₁₄N₃NaO₃S M.W.: 327.04 STS175 Methyl Orange Indicator Solution PΒ 125 ml **189** 38220090 12% US2295 **Methyl Orange TS** PB 125 ml 243 38220090 12% STS171 **Methyl Orange-Xylene Cyanol Solution** 125 ml 990 38220090 12% Methyl Paraben See Methyl-p-Hydroxy Benzoate 2-Methyl-2,4-Pentanediol See Hexylene Glycol 4-Methylpentane-2-One See Iso-Butyl Methyl Ketone Methyl Phenyl Ketone See Acetophenone 028437 1-Methyl Piperazine 99% for Synthesis 109-01-3 GB 100 ml 846 29335990 18% GB 3294 (n-Methyl Piperazine) 500 ml C₅H₁₂N₂ M.W.: 100.16 2-Methyl Propan-1-ol See Iso-Butanol

	CHEM	IISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
2-Methyl	Propan-2-ol See tert-Butanol						
2-Methyl	Propionic Acid See Iso Butyric Acid						
STS177	Methyl Purple Solution AR	1340-02-9	GB	250 ml	405	38220090	12%
	pH range 5.2-5.6						
028440	N-Methyl-2-Pyrrolidone 99.5%	872-50-4	GB	500 ml	1350	29339990	18%
	(N-methyl pyrrolidone ; 1-Methyl-2-pyrrolidinone; NMP)		GB	2.5 L	6093		
	C ₅ H ₉ NO M.W.: 99.13		PR	25 Lit	POR		
STS179	Methyl Red-Bromo Cresol Green Solution		РВ	125 ml	450	38220090	12%
STA256	Methyl Red (pH Indicator) AR/ACS (C.I. 13020)	493-52-7	GB	25 gm	333	29270090	18%
	[C.I. Acid Red 2; 2-(N,N-Dimethyl-4-aminophenyl)		GB	100 gm	1091		
	azobenzene carboxylic acid)]						
	$C_{15}H_{15}N_3O_2$ M.W.: 269.30						
STS180	Methyl Red Indicator Solution		РВ	125 ml	189	38220090	12%
			РВ	500 ml	504		
US2305	Methyl Red TS		РВ	125 ml	216	38220090	12%
US2307	Methyl Red-Methylene Blue TS		РВ	125 ml	243	38220090	12%
STS257	Methyl Red Sodium Salt 95%	845-10-3	GB	25 gm	396	29270000	18%
	(4-Dimethylaminoazobenzene-2'-carboxylic acid sodium salt; Acid Red 2)		GB	100 gm	1188		
	C ₁₅ H ₁₄ N ₃ NaO ₂ M.W. : 291.28						
5-Methyl	Resorcinol Monohydrate See Orcinol Monohydrate						
028450	Methyl Salicylate 99-100.5% for Synthesis	119-36-8	GB	500 ml	810	29182310	18%
	(Winter green oil;2-Carbomethoxyphenol)		GB	2.5 L	3600		
	C ₈ H ₈ O ₃ M.W.: 152.15						
Methyl S	Sulphoxide See Dimethyl Sulphoxide						
Methyl T	hiazolyl Tetrazolium Bromide See M.T.T Tetrazolium						
STA260	Methyl Thymol Blue Complexone	1945-77-3	GB	1 gm	1040	29349900	18%
	metal indicator for Calcium		GB	5 gm	4190		
	C ₃₇ H ₄₀ N ₂ Na ₄ O ₁₃ S M.W.: 844.76						
STS181	Methyl Thymol Blue Solution		РВ	125 ml	270	38220090	12%
Methyl T	hymol Blue Sodium Salt (pH) Indicator See Methyl Thymol Blue C	omplexone					
035257	Methyl Triphenyl Phosphonium Bromide 98%	1779-49-3	GB	25 gm	450	29319090	18%
	for Synthesis		GB	100 gm	950		
	C ₁₉ H ₁₈ P.Br M.W.: 357.2		GB	500 gm	4095		
STA261	Methyl Violet 75% for Microscopy (C.I. 42535)	8004-87-3	GB	25 gm	221	32041341	18%
	(Basic Violet 1; Gentian Violet B; Methyl violet 2B)		GB	100 gm	567		
	C ₂₄ H ₂₈ CIN ₃ M.W.: 393.95		РВ	1 kg	4707		
STS182	Methyl Violet Aqueous Solution		PB	125 ml	189	38220090	12%
035258	Metol 99%	55-55-0	PB	100 gm	1215	29222931	18%
	[4-(methylamino)phenol hemisulfate salt ; 4-Methylaminophenol sulphate]		РВ	500 gm			
	C ₁₄ H ₁₈ N ₂ O ₂ ·H ₂ SO ₄ M.W. : 344.39			J			

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
SOL260	Metol Solution		РВ	500 ml	630	38220090	12%
	ellow See Dimethyl Yellow						
035260	Mica Powder Pract		PB	500 gm	405	25252030	5%
REA176	Millon's Reagent		GB	125 ml	1242	38220090	12%
	For Protein detection		GB	500 ml	4995		
035263	Mimosine for Biochemistry	500-44-7	GB	25 mgm	4500	29224990	18%
	(α-amino-β-(N-[3-hydroxy-4-pyridone]) propionic acid; leucenol)		GB	100 mgm	16353		
	C ₈ H ₁₀ N ₂ O ₄ M.W.: 198.18		GB	500 mgm	POR		
Mineral (Oil White Heavy See Paraffin Liquid Heavy						
Mineral (Oil White Light See Paraffin Liquid Light						
035266	Molecular Sieves Type 3A 1.5mm	308080-99-1	РВ	250 gm	693	38249015	18%
	(Potassium alumino silicate)		РВ	5 kg	8496		
			PD	25 kg	POR		
035267	Molecular Sieves Type 4A 1.5mm	70955-01-0	РВ	250 gm	648	38249015	18%
	(Sodium alumino silicate)		PB	5 kg	7992		
			PD	25 kg	POR		
035268	Molecular Sieves Type 5A 1.5mm	69912-79-4	РВ	250 gm	648	38249015	18%
	(Calcium alumino silicate)		PB	5 kg	8496		
			PD	25 kg	POR		
035269	Molecular Sieves Type 13x 1.5mm	63231-69-6	РВ	250 gm	945	38249015	18%
	(Sodium alumino silicate)		РВ	5 kg	9495		
			PD	25 kg	POR		
REA177	Molish's Reagent		РВ	125 ml	342	38220090	12%
	It is used in Molisch's test for the detection of carbohydrates.						
AAS045	Molybdenum AAS Solution		PE	100 ml	1800	38220090	12%
	1000 ppm Single Element in H ₂ O		PE	250 ml	2502		
			GB	500 ml	3780		
ICP136	Molybdenum ICP Standard Solution		PE	100 ml	7650	38220090	12%
	1000 ppm TRISTAR Single Element in ${\rm H_2O}$						
SS1100	Molybdenum 10 mg/L Standard Solution		PE	250 ml	2070	38220090	12%
013109	Molybdenum Powder 99% AR	7439-98-7	GB	100 gm	12591	81021000	18%
	325 mesh (45 micron)		GB	500 gm	36801		
	Mo At. W.: 95.94						
035280	Molybdenum Disulphide Powder 98%	1317-33-5	GB	100 gm	1854	28309020	18%
	(Molybdenum (IV) sulfide)		GB	500 gm	8496		
	MoS ₂ M.W.: 160.06						
035286	Molybdenum Trioxide 99%	1313-27-5	РВ	100 gm	2120	28257010	18%
	(Molybdenum (VI) oxide; molybdic anhydride)		РВ	500 gm	9550		
	MoO ₃ M.W.: 143.94						
013110	Molybdenum Trioxide 99.5% AR	63231-69-6	РВ	100 gm	2320	28257010	18%
	(Molybdenum (VI) oxide; molybdic anhydride)		РВ	500 gm	10450		

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY			Carrier -		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	MoO ₃ M.W.: 143.94						
035290	Molybdic Acid 85%	7782-91-4	РВ	100 gm	1692	28257020	18%
	H ₂ MoO ₄ M.W.: 161.95		РВ	500 gm	7491		
013111	Molybdic Acid 87% AR/ACS	7782-91-4	РВ	100 gm	1791	28257020	18%
	containing ammonium molybdate		РВ	500 gm	7992		
	H ₂ MoO ₄ M.W.: 161.95						
Molybdic	: Anhydride See Molybdenum Trioxide						
CODE More H2N Molybdic An Molybdic An Mono Chlore Mono Ethyla Mono Sodiu Molybdo Phosphoric Acid Sodium Salt Hydrate See Phosphor	nolybdic Acid						
CODE MoO3 D35290 Moly H2Mo D13111 Moly conta H2Mo Molybdic Anhy dodeca-Molyb Mono Chloro I Mono Ethylam Mono Sodium Mono Sodi	nloro Acetic Acid See Chloro Acetic Acid Mono						
Mono Ch	nloro Benzene See Chloro Benzene Mono						
Mono Etl	hanolamine See Ethanolamine Mono						
Mono Etl	hylamine Solution 70% See Ethylamine Solution 70%						
Mono Isc	Propylamine See Iso-Propylamine						
Mono Me	ethylamine Solution 40% See Methylamine Solution 40%						
Mono So	odium D-Gluconate See Sodium Gluconate						
Mono So	dium L-Glutamate See Sodium-L-Glutamate Monohydrate						
BF0356	MOPS Buffer 99%	1132-61-2	GB	25 gm	1242	29349900	18'
	(Morpholino propane sulphonic acid)		GB	100 gm	3492		
	C ₇ H ₁₅ NO ₄ S M.W.: 209.26						
BF0358	MOPS Sodium Salt	71119-22-7	GB	25 gm	3060	29349900	189
	[3-(N-morpholino)propane sulphonic acid sodium salt;		GB	100 gm	6300		
	4-morpholinepropane sulphonic acid sodium salt]						
	C ₇ H ₁₄ NNaO ₄ S M.W. : 231.24						
Mordant	Black II See Erichrome Black T						
REA180	Morner's Reagent		GB	125 ml	207	38220090	12'
REA179	Morin Reagent		РВ	100 ml	720	38220090	129
	(Reagent for AI)						
013115	Morin Hydrate 95% AR (C.I. 75660)	654055-01-3	GB	1 gm	1530	29329900	189
	(2,3,4,5,7-Pentahydroxyflavone)		GB	5 gm	4680		
	C ₁₅ H ₁₀ O ₇ .XH ₂ O M.W.: 302.24+XH ₂ O						
028460	Morpholine 99% for Synthesis	110-91-8	GB	500 ml	846	29333917	189
	(Tetrahydro-1,4-oxazine)		GB	2.5 L	3798		
	C ₄ H ₉ NO M.W.: 87.12						
VMS495	Morpholine (0.5 N) Solution in Methanol		РВ	500 ml	603	38220090	129
	ino Ethane Sulphonic Acid Monohydrate See MES Buffer						
•	olino Propane Sulphonic Acid See MOPS Buffer						
•	M.T.T. Tetrazolium 98% AR	298-93-1	GB	100 mgm	531	29341000	189
	(Thiazolyl blue tetrazolium bromide)		GB	250 mgm	1206		
	It is used in method for determination of lactic & succinicdehydrogenase		GB	1 gm	4491		
	with phenazine methosulphate C Thiazole Blue			ŭ			
	C ₁₈ H ₁₆ BrN ₅ S M.W. : 414.32						

	RESEARCH & LABO	RATORY	CHE	MIC	AL	S	
		CHEMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
035298	Mucic Acid 96%	526-99-8	GB	25 gm	720	29159090	18%
	$C_6H_{10}O_8 \ M.W.: 210.14$		GB	100 gm	2250		
035299*	Mucin		GB	10 gm	9000	35040099	18%
STS191	Muller's Fixative		GB	250 ml	594	38220090	12%
Murexide	e See Ammonium Purpurate						
035300	Myristic Acid 98% for Synthesis	544-63-8	РВ	500 gm	945	29159090	18%
	(Tetra decanoic acid; 1-Tridecanecarboxylic acid; C14:0)						
	C ₁₄ H ₂₈ O ₂ M.W.: 228.38						
	N						
NAD, DP	N See β-Nicotinamide-Adenine Dinucleotide						
NADH, D	PNH See β-Nicotinamide-Adenine Dinucleotide Disodium	Salt Reduced					
035343	1-Naphthaldehyde 95% for Synthesis	66-77-3	GB	100 gm	3060	29122990	18%
	C ₁₁ H ₈ O M.W.: 156.18		GB	500 gm	9459		
035351	Naphthalene 99% for Synthesis	91-20-3	РВ	500 gm	504	29029040	18%
	(White tar; Naphthalin; Camphor tar)		РВ	5 kg	POR		
	C ₁₀ H ₈ M.W.: 128.17						
SG0107	Naphthalene 99% Scintillation Grade	91-20-3	РВ	500 gm	603	29029040	18%
	(White tar; Naphthalin; Camphor tar)		РВ	5 kg	POR		
	C ₁₀ H ₈ M.W.: 128.17						
035358	1-Naphthalene Acetic Acid 95%	86-87-3	РВ	25 gm	225	29163990	18%
	(α-Naphthaleneacetic acid; 1-naphthylacetic acid)		РВ	100 gm	675		
	C ₁₂ H ₁₀ O ₂ M.W.: 186.21		РВ	500 gm	2898		
Naphthal	lene Black 12B See Amido Black 10 B						
013122	α-Naphthoflavone AR	604-59-1	GB	1 gm	801	29329900	18%
	(7,8-Benzoflavone)						
	C19H12O2 M.W.: 272.31						
035364	1-Naphthol 99% for Synthesis	90-15-3	GB	100 gm	486	29071510	18%
	(α-Naphthol; 1-Hydroxynaphthalene)		GB	500 gm	2196		
	C ₁₀ H ₈ O M.W.: 144.17						
013275	1-Naphthol 99% AR	90-15-3	GB	100 gm	603	29071510	18%
	(α-Naphthol; 1-Hydroxynaphthalene)		GB	500 gm	2349		
	C ₁₀ H ₈ O M.W.: 144.17						
SOL273	1-Naphthol Solution		РВ	125 ml	171	38220090	12%
	(α-Naphthol solution)						
035365	2-Naphthol 98% for Synthesis	135-19-3	РВ	250 gm	405	29071520	18%
	(β-Naphthol; 2-Hydroxynaphthalene)		PB	500 gm	747		
	C ₁₀ H ₈ O M.W.: 144.17						
013276	2-Naphthol 99% AR	135-19-3	PB	100 gm	322	29071520	18%
	(β-Naphthol; 2-Hydroxynaphthalene)		PB	500 gm	1360		
	C ₁₀ H ₈ O M.W.: 144.17						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US2500	2-Naphthol TS		РВ	500 m	405	38220090	12%
1-(2-Napl	htholazo-3,6-Disulphonic Acid)-2-Naphthol-4-Sulphonic Acid Disod	lium Salt See Hyd	droxy Naphti	hol Blue Ind	icator Al	R	
STA270	α-Naphthol Benzein (pH Indicator)	145-50-6	GB	5 gm	927	29145000	18%
	(p-Napthol benzene; 4,4'-(a-Hydroxybenzylidene)di-1-napthol)		GB	25 gm	4095		
	C ₂₇ H ₁₈ O ₂ M.W.: 374.44						
STS201	1-Naphthol Benzein Solution		GB	125 m	468	38220090	12%
Naphthol	l Blue Black See Amido Black 10 B						
STA273	Naphthol Green B for Microscopy (C.I. 10020)	19381-50-1	GB	25 gm	351	29145000 95	18%
	(Acid Green 1)		GB	100 gm	936		
	It is used in histology to stain collagen & for polychrome						
	stains with animal tissue.						
	$C_{30}H_{15}FeN_3Na_3O_{15}S_3\ M.W.:878.47$						
STA276	α-Naphtholphthalein (pH Indicator)	596-01-0	GB	1 gm	999	32041979	18%
	(1-Naphtholphthalein)		GB	5 gm	2997		
	pH range 7.1-8.3						
	C ₂₈ H ₁₈ O ₄ M.W. : 418.45						
013121	1,2-Napthoquinone-4-Sulphonic Acid Sodium Salt 99% AR	521-24-4	GB	5 gm	1341	29147090	18%
	(3,4-Dihydro-3,4-dioxo-1-naphthalenesulfonic acid sodium salt,		GB	25 gm	5742		
	Folin's reagent, Sodium 1,2-naphtho quinone-4-sulfonate)						
	For determination of amines and amino acid						
	$C_{10}H_5O_5S.Na\ M.W.: 260.20$						
013120	Naphthoresorcinol 98% AR	132-86-5	GB	1 gm	3996	29072990	18%
	(1,3-Dihydroxynaphthalene; 1,3-naphthalenediol)		GB	5 gm	17991		
	Reagent for sugars, oils, and for glucuronic acid in urine test.						
	C ₁₀ H ₈ O ₂ M.W.:160.17						
SOL274	Naphthoresorcinol Solution		GB	100 m	981	38220090	12%
	(Reagent for glycuronic acid & glycuronates)						
013277	β-Naphthol Violet AR	76233-81-3	GB	25 gm	918	32041213	18%
	C ₃₂ H ₂₆ N ₄ O ₄ M.W.: 530.58						
013280	1-Naphthyl Acetate 99.5% AR	830-81-9	GB	5 gm	1035	29153990	18%
	(α-Naphthyl acetate; NAA, Naphthalene-1-acetic acid)		GB	25 gm	3780		
	C ₁₂ H ₁₀ O ₂ M.W.: 186.21						
013279	2-Naphthyl Acetate 99% AR	1523-11-1	GB	5 gm	1080	29153990	18%
	(β-Naphthyl acetate)		GB	25 gm	3240		
	C ₁₂ H ₁₀ O ₂ M.W. : 186.21						
1-Naphth	nyl Acetic Acid See 1-Naphthalene Acetic Acid						
035370	1-Naphthylamine 98% Pract.	134-32-7	GB	500 gm	2448	29214513	18%
	(1-Aminonaphthalene; α-naphthylamine)						
	C ₁₀ H ₉ N M.W.: 143.19						
013281	1-Naphthylamine 99% AR	134-32-7	GB	100 gm	1198	29214513	18%

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY			Cherry Street		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(1-Aminonaphthalene; α-naphthylamine)		GB	500 gm	4761		
	C ₁₀ H ₉ N M.W.: 143.19						
035375	1-Naphthylamine Hydrochloride	552-46-5	GB	25 gm	720	29214511	18%
	(1-Naphthyl Ammonium Chloride; 1-Amino-naphthalene		GB	100 gm	1447		
	hydrochloride; alphaNaphthylamine hydrochloride)						
	C ₁₀ H ₇ .NH ₂ .Hcl M.W.: 179.65						
SOL275	α-Naphthylamine Solution		GB	100 ml	243	38220090	12%
013282	2-Naphthylamine 98% AR	91-59-8	GB	1 gm	27000	29214513	18%
	(β-Naphthylamine; 2-aminonaphthalene)						
	C ₁₀ H ₉ N M.W.: 143.19						
013285	N-(1-Naphthyl) Ethylene Diamine Dihydrochloride 98%	1465-25-4	GB	5 gm	720	29215990	18%
	AR/ACS		GB	10 gm	1260		
	(2-(1-Naphthylamino)ethylamine dihydrochloride)		GB	25 gm	2520		
	Reagent for nitrite, potassium and sulphate for etermination of						
	dsulphonamide in blood.						
	C ₁₂ H ₁₄ N ₂ .2HCl M.W.: 259.18						
US2515	N-(1 Naphthyl) Ethylene Diamine Dihydrochloride TS		GB	125 ml	702	38220090	12%
Natural F	Red 4 See Carminic Acid AR						
KIT081	Neisser's Metachromatic Stain Kit		KIT	Kit	603	38220090	12%
	(125ml of Gram's iodine; Neisser's						
	methylene blue; Neutral red Solution each)						
STS205	Neisser's Stain A Solution		PB	125 ml	207	38220090	12%
	(Methylene Blue)						
STS206	Neisser's Stain B Solution		PB	125 ml	207	38220090	12%
	(Crystal Violet)						
STS207	Neisser's Stain C Solution		РВ	125 ml	207	38220090	12%
	(Chrysodine)						
013287	Neocuproine 99% AR	484-11-7	GB	1 gm	1467	29339900	18%
0.020.	(2.9-Dimethyl-1.10-phenanthroline: DMPHEN)		GB	5 gm	6795		.070
	Reagent for colorimetric determination of copper		02	o g	0.00		
	C ₁₄ H ₁₂ N ₂ M.W.: 208.27						
013288	Neocuproine Hydrochloride Monohydrate 99% AR	41066-08-4	GB	1 gm	1845	29339900	18%
010200	(2,9 Dimethyl-1-10-phenanthroline hydrochlorid)	41000 00 4	GB	5 gm	7695	25005500	1070
	Neocuproine use as colorimetric indicators for many transition metals.		OB	o giii	7000		
	C ₁₄ H ₁₂ N ₂ .HCl.H ₂ O M.W.: 262.74						
A A C C 4 C	Neodymium AAS Solution		PE	125 ml	3600	38220090	12%
AAS048	1000 ppm Single Element in HClO ₄		FC	120 1111	3000	JUZZUU3U	1270
IOD400			D.E.	400 - 1	7050	2000000	1001
ICP139	Neodymium ICP Standard Solution		PE	100 ml	7650	38220090	12%
	1000 ppm TRISTAR Single Element in HNO ₃					00.10000	4
RR0390	Neodymium (III) Chloride Hexahydrate 99.9%	13477-89-9	GB	10 gm		28469090	18%
	NdCl ₃ .6H ₂ O M.W.: 358.69		GB	50 gm	5400		

www.hplcindia.com

	CHE	MISTRY BEY	OND CI	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			GB	250 gm	16200		
RR0396	Neodymium (III) Nitrate Hexahydrate 99.9%	16454-60-7	GB	10 gm	1800	28469090	18%
	Nd(NO ₃) ₃ .6H ₂ O M.W.: 438.35		GB	50 gm	5400		
			GB	250 gm	16200		
RR0401	Neodymium (III) Oxide 99.9%	1313-97-9	GB	10 gm	972	28469090	18%
	Nd ₂ O ₃ M.W.: 336.48		GB	25 gm	2295		
			GB	250 gm	18000		
RR0407	Neodymium (III) Sulphate Hydrate 99.9%	101509-27-7	GB	25 gm	4995	28469090	18%
	Nd ₂ (SO ₄) ₃ XH ₂ O M.W.: 576.67		GB	100 gm	16839		
035380 *	Neomycin Sulphate	1405-10-3	GB	5 gm	288	29419090	18%
	(Neomycin trisulphate salt hydrate)		GB	25 gm	621		
	$C_{23}H_{52}N_6O_{25}S_3~M.W.:908.9~(Anhy.)$		GB	500 gm	8676		
035386	Neopentyl Glycol 98%	126-30-7	GB	500 gm	675	29349900	18%
	(2,2-dimethyl-1,3-propanediol)		PD	25 kg	POR		
	C ₅ H ₁₂ O ₂ M.W.: 104.15						
STA280	Neotetrazolium Chloride 75% AR	298-95-3	GB	1 gm	2997	29339900	18%
	[4,4'-Biphenyl di(2,5-diphenyl tetrazolium chloride); 2,2',5,5'-						
	Tetraphenyl-3,3'-(p-diphenylene) ditetrazolium chloride; NTC; NeoT]						
	C ₃₈ H ₂₈ N ₈ Cl ₂ M.W.: 667.60						
Neothori	ne AR See Arsenazo I AR						
REA185	Nessler's Reagent	7783-33-7	РВ	100 ml	792	38220090	12%
	for detection of Ammonia and Ammonium salt		GB	250 ml	1647		
	This reagent should be allowed to settle before use.						
	It is packed with a small amount of precipitate in order maintain its						
	sensitivity during storage.						
REA186	Nessler's Reagent King's	7783-33-7	PB	100 ml	792	38220090	12%
	for detection of Serum Urea Nitrogen						
STA283	Neutral Red (pH Indicator) 60% AR (C.I. 50040)	553-24-2	GB	10 gm	693	32041399	18%
	(Neutral red chloride; 3-Amino-7-dimethylamino-2-methylphenazine		GB	25 gm	1422		
	hydrochloride; Toluylene red; Basic Red 5)		GB	100 gm	4284		
	Suitable for microscopy and microbiology and supravital staining of		PB	1 kg	29979		
	living blood cells.						
	C ₁₅ H ₁₇ CIN ₄ M.W. : 288.78						
STS214	Neutral Red (Jensen)		РВ	125 ml	171	38220090	12%
	As Counterstain						
STS213	Neutral Red Indicator Solution		PB	125 ml	270	38220090	12%
US2530	Neutral Red TS		PB	125 ml	321	38220090	12%
Neutral F	Red Chloride See Neutral Red (pH Indicator)						
STA286	New Fuchsin 90% for Microscopy (C.I. 42520)	3248-91-7	GB	25 gm	423	32041399	18%
	(Basic Violet 2; Fuchsin N; Magenta™ III)		GB	100 gm	1143		

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	New fuchsin is used for staining acid fast organism.						
	C ₂₂ H ₂₄ CIN ₃ M.W.: 365.91						
STS217	Newman's Stain Solution		РВ	100 ml	216	38220090	12%
Niacin S	ee Nicotinic Acid						
Niacinan	nide See Nicotinamide						
Nickel II	Salts See Nickel Salts						
AAS049	Nickel AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP141	Nickel ICP Standard Solution		PE	100 ml	4050	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	6840		
ICP142	Nickel ICP Standard Solution		PE	100 ml	15580	38220090	12%
	10000ppm TRISTAR Single Element in HNO ₃		GB	500 ml	45000		
SS1200	Nickel 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
035390	Nickel Metal Powder 99.5%	7440-02-0	PB	100 gm	1638	75040000	18%
	Ni M.W.: 58.69		PB	500 gm	6795		
035392	Nickel Acetate Tetrahydrate 98% for Synthesis	6018-89-9	PB	100 gm	900	29152990	18%
	(Acetic acid nickel (II) salt; Nickel(II) acetate tetrahydrate)		PB	500 gm	3591		
	(CH ₃ COO) ₂ Ni.4H ₂ O M.W. : 248.84		PD	25 kg	POR		
035393	Nickel Aluminium Alloy Powder	12635-27-7	РВ	500 gm	3591	75022030	18%
	for the production of Raney Nickel.			g			
	(50% Ni & 50% Al)						
Nickel A	mmonium Sulphate See Ammonium Nickel Sulphate Hexahydra	ate					
035394	Nickel Carbonate 40% Purified	12607-70-4	PB	250 gm	2160	28369990	18%
	(Nickel (II) carbonate basic hydrate; Nickel (II)carbonate hydroxide		РВ	500 gm	3591		
	tetrahydrate)		РВ	5 kg	POR		
	NiCO ₃ .2Ni(OH) ₂ .4H ₂ O		PD	25 kg	POR		
035395	Nickel Chloride Hexahydrate 97% Purified	7791-20-0	GB	250 gm		28273500	18%
	(Nickel (II) chloride hexahydrate)		GB	500 gm	2097		
	NiCl ₂ .6H ₂ O M.W.: 237.69		PB	5 kg	18990		
			PD	25 kg	POR		
013300	Nickel Chloride Hexahydrate 98% AR	7791-20-0	GB	500 gm		28273500	18%
	(Nickel (II) chloride hexahydrate)		-	000 g	****		.070
	NiCl ₂ .6H ₂ O M.W.: 237.69						
Nickel (II	I) Hydroxide Carbonate Purified See Nickel Carbonate Purified						
035396	Nickel Nitrate Hexahydrate 98%	13478-00-7	GB	250 gm	1026	28342990	18%
	(Nickel (II) nitrate hexahydrate)	10410 00-1	GB	500 gm	1692		1.570
	Ni(NO ₃) ₂ .6H ₂ O M.W.: 290.79		PD	50 kg	POR		
013301	Nickel Nitrate Hexahydrate 99% AR	13478-00-7	GB	250 gm		28342990	18%
	(Nickel (II) nitrate hexahydrate)	10410-00-1	GB	500 gm	2466	20072000	10 /0
	Ni(NO ₃) ₂ .6H ₂ O M.W.: 290.79		GB	Jou gill	Z+UU		
	111(1103/2-01120 MI.11200.13						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
035407	Nickel Oxalate Dihydrate 99%	6018-94-6	РВ	250 gm	2790	29171190	18%
	NiC ₂ O ₄ .2H ₂ O M.W.: 182.74						
035397	Nickel Oxide Black 78-79%	1313-99-1	GB	100 gm	1422	28254000	18%
	(Nickel monoxide; Oxonickel)		GB	250 gm	2844		
	NiO M.W.: 74.69		GB	500 gm	5292		
935397	Nickel Phosphate 45%		PB	250 gm	1395	28352990	18%
	Ni ₃ (PO ₄) ₂ .8H ₂ O M.W.: 510.18						
035398	Nickel Sulphate 98% Purified	10101-97-0	РВ	500 gm	1692	28332400	18%
	(Nickel(II) sulfate hexahydrate)		РВ	1 kg	3195		
	NiSO ₄ .6H ₂ O M.W.: 262.85		РВ	5 kg	14994		
			PD	25 kg	POR		
			PD	50 kg	POR		
013302	Nickel Sulphate 99% AR	10101-97-0	GB	100 gm	765	28332400	18%
	(Nickel(II) sulfate hexahydrate)		GB	500 gm	2295		
	NiSO ₄ .6H ₂ O M.W.: 262.85						
035415	Nicotinamide 98.5% for Biochemistry	98-92-0	GB	100 gm	527	29362990	18%
	(Nicotinic acid amide; Pyridine-3-carboxylic acid amide;		РВ	1 kg	4203		
	niacinamide; Vitamin B3; Vitamin PP)						
	Reagent for organic elementary analysis.						
	C ₆ H ₆ N ₂ O M.W.: 122.13						
COE151*	β-Nicotinamide-Adenine Dinucleotide 97.5%	53-84-9	GB	100 mgm	216	29329900	18%
	for Biochemistry		GB	1 gm	1494		
	Free acid (NAD, DPN)		GB	5 gm	5994		
	$C_{21}H_{27}N_7O_{14}P_2$ M.W.: 663.4(Anhy.)		GB	25 gm	POR		
COE153*	β-Nicotinamide-Adenine Dinucleotide Disodium Salt	606-68-8	GB	100 mgm	495	29329900	18%
	Reduced 98%		GB	500 mgm	2286		
	(β- NADH)		GB	1 gm	3798		
	$C_{21}H_{27}N_7O_{14}P_2Na_2$ M.W.: 709.4		GB	5 gm	POR		
COE155*	β-Nicotinamide-Adenine Dinucleotide Phosphate Disodium	24292-60-2	GB	100 mgm	1494	29349900	18%
	Salt 97% for Biochemistry		GB	500 mgm	6003		
	(NADP disodium salt)		GB	1 gm	8496		
	$C_{21}H_{26}N_7O_{17}P_3Na_2 M.W.: 787.38$						
COE156*	β-Nicotinamide-Adenine Dinucleotide Phosphate Tetra	2646-71-1	GB	25 mgm	1080	29349900	18%
	sodium Salt Reduced 90%		GB	100 mgm	3060		
	(NADPH-Na 4)		GB	1 gm	22500		
	$C_{21}H_{26}N_7O_{17}P_3Na_4$ M.W.: 833.35						
iso-Nico	tinic Acid See Iso-Nicotinic Acid						
iso-Nico	tinic Acid Hydrazide See Iso-Nicotinic Acid Hydrazide						
035422	Nicotinic Acid 99.5%	59-67-6	РВ	25 gm	216	29362990	18%
	(Niacin; 3-Picolinic acid; Pellagra preventive factor;		РВ	100 gm	486		
	Pyridine-3-carboxylic acid, Vitamin B3)		РВ	500 gm	1791		

	RESEARCH & LABORA	MISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	confirms to IP		РВ	1 kg	POR		
	CH:N.CH:CH.CH:C.COOH M.W.: 123.11						
035429	Night Blue for Microscopy	4692-38-0	GB	25 gm	1161	38249026	189
	C ₃₈ H ₄₂ N ₃ Cl M.W.: 576.23						
STA289	Nigrosine (Alcohol Soluble) for Microscopy (C.I. 50415)	11099-03-9	GB	25 gm	153	32041231	18%
	(Solvent Black 5; Nigrosine WN; Spirit nigrosine SSB; Orient spirit		GB	100 gm	459		
	black SB; Lake black extra; Spirit black 5B; Nigrosine spirit soluble)		РВ	1 kg	POR		
	It is used for negative cell staining.						
STA290	Nigrosin (Water Soluble) for Microscopy (C.I. 50420)	8005-03-6	GB	25 gm	144	32041231	18%
	(Acid black 2)		GB	100 gm	459		
	Used as a viable cell staining agent especially in stem cell biology.						
STS220	Nigrosine 10% Solution		GB	125 ml	216	38220090	129
	for Negative Staining						
STA293	Nile Blue Chloride 90% (C.I. 51180)	2381-85-3	GB	25 gm	1521	32041359	18%
	(5H-Benzo(a)phenazoxazine, 9-diethylamino-5-imino-hydrochloride;						
	Benzo(a)phenazoxonium, 5-amino-9-(diethylamino),-chloride)						
	Utilized in studies involved with lipid and possibly nuclei staining.						
	$C_{20}H_{20}CIN_3O$ M.W.: 353.85						
Nile Blue	(Hydrogen Sulphate) See Nile Blue Sulphate						
STA294	Nile Blue Sulphate 90% for Microscopy (C.I. 51180)	3625-57-8	GB	10 gm	783	32041229	18%
	(Nile blue hydrogen sulphate; Nile Blue A)		GB	25 gm	1611		
	Used in the histochemical identification of phospholipids						
	$C_{40}H_{40}N_6O_6S$ M.W.: 732.84						
STS221	Nile Blue Sulphate Solution		GB	100 ml	549	38220090	129
013311	Ninhydrin 99% AR	485-47-2	GB	10 gm	900	29144000	18%
	(1,2,3-indantrione monohydrate; Indanetrione hydrate)		GB	25 gm	1800		
	for detection of amines, amino acids, peptides		GB	100 gm	5994		
	C ₉ H ₄ O ₃ .H ₂ O M.W.: 178.14		РВ	1 kg	POR		
SOL281	Ninhydrin Solution		РВ	125 ml	153	38220090	12%
STS222	Ninhydrin Solution for TLC Spray		PB	125 ml	594	38220090	12%
	(for detection of amino acids)						
AAS860	Niobium AAS Solution		PE	100 ml	2250	38220090	12%
	1000 ppm Single Element in HF						
ICP145	Niobium ICP Standard Solution		PE	50 ml	3780	38220090	129
	1000 ppm TRISTAR Single Element In HF		PE	100 ml	5580		
935431	Niobium Metal Powder	7440-03-1	GB	25 gm	5994	81129900	18%
	Nb M. W.: 92.91		GB	100 gm	18891		
013314	Niobium Pentoxide 99.5% AR	1313-96-8	GB	10 gm	603	28259090	18%
	(Niobium (V) oxide)		GB	25 gm			
	Nb ₂ O ₅ M.W.: 265.81		GB	50 gm			

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			GB	500 gm	POR		
AAS050	Nitrate AAS Solution		PE	250 ml	2250	38220090	12%
	1000 ppm Single Element in H ₂ O						
SS1250	Nitrate 10 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
REA190	Nitrate Test Reagent		GB	125 ml	360	38220090	12%
REA191	Nitrite Test Reagent A		GB	125 ml	360	38220090	12%
REA192	Nitrite Test Reagent B		GB	125 ml	360	38220090	12%
ACID31	Nitric Acid 69-72%	7697-37-2	GB	500 ml	522	28080010	18%
	(Hydrogen Nitrate)		GB	16 x 500 ml	7560		
	HNO ₃ M.W.: 63.01		GB	4 x 2.5 L	6192		
ACID32	Nitric Acid 69-71% AR	7697-37-2	GB	500 ml	585	28080010	18%
	(Hydrogen Nitrate)		GB	16 x 500 ml	8460		
	HNO ₃ M.W.: 63.01		GB	4 x 2.5 L	6930		
VMS511	Nitric Acid 0.01 mol/l (0.01N) Solution		PB	500 ml	720	38220090	12%
AMP056	Nitric Acid 0.1 mol/l (0.1N) Solution		AMP	6 amp	207	38220090	12%
VMS515	Nitric Acid 1 mol/I (1N) Solution		PB	500 ml	810	38220090	12%
VMS517	Nitric Acid 2 mol/I (2N) Solution		PB	500 ml	855	38220090	12%
VMS519	Nitric Acid 4 mol/I (4N) Solution		GB	500 ml	909	38220090	12%
VMS520	Nitric Acid (5N) Solution		GB	500 ml	918	38220090	12%
VMS521	Nitric Acid 8 mol/l (8N) Solution		GB	500 ml	954	38220090	12%
VMS523	Nitric Acid 10 mol/l (10N) Solution		GB	500 ml	990	38220090	12%
SOL284	Nitric Acid 16% Solution		GB	1 L	1170	38220090	12%
SOL283	Nitric Acid 1% Solution		GB	1 L	900	38220090	12%
035434	Nitrilotriacetic Acid 99%	139-13-9	РВ	100 gm	324	29224990	18%
	[N,N-bis(carboxymethyl)glycine; NTA; tris(carboxymethyl)amine]		РВ	500 gm	1197		
	Complexometric indicator and reagent						
	C ₆ H ₉ NO ₆ M.W.: 191.14						
SS1275	Nitrilotriacetic Acid 10000 mg/L Standard Solution		PE	250 ml	1602	38220090	12%
AAS051	Nitrite AAS Solution		PE	250 ml	2250	38220090	12%
	1000 ppm Single Element in H ₂ O						
035438	m-Nitro Acetophenone 98%	121-89-1	GB	100 gm	621	29143990	18%
	(3'-Nitroacetophenone; 1-(3-Nitrophenyl)ethanone)		GB	500 gm	2790		
	C ₈ H ₇ NO ₃ M.W.: 165.15						
035440	m-Nitro Aniline 96% Pract.	99-09-2	GB	250 gm	1854	29214225	18%
	(3-Nitroaniline; meta-Nitroaniline; m-nitroanilin)						
	C ₆ H ₆ N ₂ O ₂ M.W.: 138.13						
035439	o-Nitro Aniline 98% for Synthesis	88-74-4	GB	250 gm	729	29214290	18%
	(2-nitroaniline; ortho-Nitroaniline; 2-Nitrobenzenamine)						
	C ₆ H ₆ N ₂ O ₂ M.W.: 138.13						
035441	p-Nitro Aniline 98%	100-01-6	GB	100 gm	360	29214226	18%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(4-Nitroaniline; 1-Amino-4-nitrobenzene; p-Nitrophenylamine)		GB	250 gm	702		
	For determination of Phenol.		GB	500 gm	1278		
	C ₆ H ₆ N ₂ O ₂ M.W.: 138.13						
035445	m-Nitro Benzaldehyde 98% for Synthesis	99-61-6	GB	100 gm	819	29130090	18%
	(3-Nitrobenzaldehyde)		GB	500 gm	3393		
	C ₇ H ₅ NO ₃ M.W.: 151.12						
013322 •	o-Nitro Benzaldehyde 99% AR	552-89-6	GB	10 gm	423	29130090	18%
	(2-Nitrobenzaldehyde; Nitrobenzaldehyde; ortho-nitrobenzaldehyde)		GB	25 gm	846		
	C ₇ H ₅ NO ₃ M.W.: 151.12		РВ	1 kg	POR		
035444	p-Nitro Benzaldehyde 98%	555-16-8	GB	25 gm	693	29130090	18%
	(4-Nitro Benzaldehyde)		GB	100 gm	1998		
	C ₇ H ₅ NO ₃ M.W.: 151.12						
028470	Nitro Benzene 99% for Synthesis	98-95-3	GB	500 ml	693	29042010	18%
	C ₆ H ₅ .NO ₂ M.W.: 123.11		GB	2.5 L	2997		
			PR	25 Lit	POR		
010730	Nitro Benzene 99% AR	98-95-3	GB	500 ml	792	29042010	18%
	C ₆ H ₅ .NO ₂ M.W.: 123.11		GB	2.5 L	3294		
035443	m-Nitro Benzene Sulphonic Acid Sodium Salt 98%	127-68-4	РВ	250 gm	405	29222160	18%
	C ₆ H ₄ NNaO ₅ S M.W. : 225.16		РВ	1 kg	954		
035446	5-Nitro Benzimidazole Nitrate 98%	27896-84-0	GB	25 gm	3204	29331990	18%
	(5,6- Photo pure)		GB	100 gm	POR		
	C ₇ H ₅ N ₃ O ₂ .HNO ₃ M.W. : 226.15						
035447	m-Nitro Benzoic Acid 99% for Synthesis	121-92-6	PB	100 gm	576	29163990	18%
	(3-Nitrobenzoic acid)		РВ	500 gm	2295		
	C ₇ H ₅ NO ₄ M.W.: 167.12						
035448	p-Nitro Benzoic Acid 99% for Synthesis	62-23-7	PB	500 gm	1746	29269000	18%
	(4-Nitrobenzoic acid)						
	C ₇ H ₅ NO ₄ M.W.: 167.12						
013327	4-(4-Nitro Benzyl) Pyridine 99% AR	1083-48-3	GB	5 gm	5103	29339900	18%
	For the Chromatographic determination of acylating agents alkylating		GB	25 gm	20844		
	agents and nitrogen mustards.						
	Reagent for organo Phosphorus pesticides & for the determination						
	of phosgene.						
	$C_{12}H_{10}N_2O_2$ M.W.: 214.23						
Nitro Blu	e Tetrazolium Chloride AR See Nitro B.T. AR						
013320 *	Nitro B.T. 95% AR	298-83-9	GB	100 mgm	621	32041949	18%
	(Nitro blue tetrazolium chloride)		GB	250 mgm	1017		
	Nitro blue tetrazolium is used in conjunction with the alkaline		GB	1 gm	3195		
	phosphatase substrate 5-Bromo-4-Chloro-3-Indolyl Phosphate						
	Tablets in immunoblotting & immuno- histological staining procedures.						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₄₀ H ₃₀ Cl ₂ N ₁₀ O ₆ M.W.: 817.67						
Nitro Ca	rbol See Nitro Methane						
035451	Nitro Cellulose	9004-70-0	РВ	500 gm	3006	38220090	12%
	10.9-11.2 wt. % nitrogen						
o-Nitro C	Chlorobenzene (ONCB) See 1-Chloro-2-Nitro benzene						
n-Nitro (Chlorobenzene (MNCB) See 1-Chloro-3-Nitro benzene						
o-Nitro C	Chlorobenzene (PNCB) See 1-Chloro-4-Nitro benzene						
28480	Nitro Methane 98% for Synthesis	75-52-5	GB	500 m	900	29042090	18%
	(Nitroparaffin; nitrocarbol)		GB	2.5 L	3600		
	CH ₃ NO ₂ M.W.: 61.04						
010740	Nitro Methane AR	75-52-5	GB	500 m	2700	29042090	18%
	(Nitroparaffin; nitrocarbol)		GB	2.5 L	8091		
	CH ₃ NO ₂ M.W.: 61.04						
013329	Nitron 97% AR	2218-94-2	GB	1 gm	1800	29042090	18%
	spectrophotometric detection of nitrate & perchlorate						
	C ₂₀ H ₁₆ N ₄ M.W.: 312.38						
STA297	m-Nitro Phenol Indicator 99%	554-84-7	GB	5 gm	792	29089990	18%
	(3-Nitrophenol)		GB	25 gm	2790		
	C ₆ H ₅ NO ₃ M.W.: 139.11		GB	100 gm	7200		
SOL093	m-Nitro Phenol Solution (pH Indicator)		GB	125 m	306	38220090	12%
35455	o-Nitro Phenol 99%	88-75-5	GB	500 gm	1719	29089990	18%
	(2-Nitrophenol)						
	C ₆ H ₅ NO ₃ M.W.: 139.11						
035456	p-Nitro Phenol 99% for Synthesis	100-02-7	GB	500 gm	1215	29089910	18%
	(4-Nitrophenol)						
	C ₆ H ₅ NO ₃ M.W.: 139.11						
SOL285	p-Nitro Phenol Solution (pH Indicator)		PB	125 m	252	38220090	12%
35457	p-Nitro Phenyl Acetic Acid 98%	104-03-0	GB	5 gm	432	29163400	18%
	(4-Nitrophenylacetic acid)		GB	25 gm	1305		
	C ₈ H ₇ NO ₄ M.W.: 181.15		GB	100 gm	4230		
-(4-Nitro	ophenylazo)-1-Naphthol See Magneson II AR						
I-(4-Nitro	ophenylazo)-1-Resorcinol See Magneson I AR						
I-Nitro P	Phenyl Disodium Ortho Phosphate AR See p-Nitro Phenyl Phosph	nate Disodium Salt	Hexahydrate	AR			
35463	p-Nitro Phenyl Hydrazine 98% for Synthesis	100-16-3	GB	10 gm	900	29199090	18%
	C ₆ H ₇ N ₃ O ₂ M.W.: 153.14		GB	25 gm	1620		
			GB	100 gm	7200		
35458 *	p-Nitro Phenyl Phosphate Disodium Salt Hexahydrate	4264-83-9	GB	5 gm	522	29199090	18%
	98% AR		GB	25 gm	2394		
	(4-Nitrophenyl disodium orthophosphate; p-Nitrophenyl phosphate						
	disodium hexahydrate; Disodium 4-nitrophenyl phosphate hexahydrate;						
	di-Sodium 4-nitrophenyl phosphate;pNPP disodium hexahydrate)						

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Substrate for alkaline and acid phosphate, Phosphorylating agent in						
	nucleotide synthesis.						
	$C_6H_4NNa_2O_6P.6H_2O\ M.W.: 371.15$						
035453	p-Nitro Phthalonitrile 99%	31643-49-9	GB	5 gm	1548	29269000	18%
	(4-Nitrophthalonitrile)		GB	25 gm	5220		
	C ₈ H ₃ N ₃ O ₂ M.W.: 173.13		GB	100 gm	16300		
035460	1-Nitroso-2-Naphthol 95%	131-91-9	GB	100 gm	2511	29089990	18%
	(α-Nitroso-β-naphthol)		GB	250 gm	5742		
	C ₁₀ H ₆ (OH).NO M.W.: 173.16		GB	500 gm	POR		
013332	1-Nitroso-2-Naphthol 98% AR	131-91-9	GB	25 gm	1197	29089990	18%
	(α-Nitroso-β-naphthol)		GB	100 gm	4194		
	C ₁₀ H ₆ (OH).NO M.W.: 173.16						
SOL287	1-Nitrso-2-Naphthol Solution		GB	100 ml	180	38220090	12%
	(Reagent for Co,Fe,Ni & Pd)						
013333	2-Nitroso-1-Naphthol 95% AR	132-53-6	GB	5 gm	1269	29089990	18%
	Reagent for Cobalt and Zirconium		GB	25 gm	5589		
	C ₁₀ H ₇ NO ₂ M.W.: 173.16						
013334	Nitroso-R-Salt AR	525-05-3	GB	25 gm	450	29089990	18%
	(3-Hydroxy-4-nitroso-2,7-naphthalene disulphonic acid		GB	100 gm			
	disodium salt; 1-nitroso-2-napthol-3,6-disulphonic acid disodium salt)						
	C ₁₀ H ₅ NNa ₂ O ₈ S ₂ M.W. : 377.26						
SOL286	Nitro-R-Salt Solution		GB	100 ml	243	38220090	12%
	(Reagent for Co,Fe)						
Nitrotetra	azolium Blue Chloride See Nitro B.T. AR						
028485	m-Nitro Toluene 99% for Synthesis	99-08-1	GB	500 ml	612	29042040	18%
	(3-Nitrotoluene: 1-methyl-3-nitrobenzene)		PR	25 Lit			
	C ₇ H ₇ NO ₂ M.W.: 137.14						
028487	o-Nitro Toluene 99% for Synthesis	88-72-2	GB	500 ml	657	29042040	18%
020407	(2-Nitrotoluene: 1-methyl-2-nitrobenzene)	00 72 2	PR	25 Lit		20042040	1070
	Immiscible with water		110	20 Lit	TOK		
	C ₇ H ₇ NO ₂ M.W.: 137.14						
035466	p-Nitro Toluene 99% for Synthesis	99-99-0	GB	500 gm	612	29042050	18%
033400		99-99-0	PD	25 kg		29042030	10 /0
	(4-Nitrotoluene; 1-methyl-4-nitrobenzene)		PU	25 kg	PUR		
LIDODAD	C ₇ H ₇ NO ₂ M.W.: 137.14	25400.74.0	O.D.	F	2222	20044000	100/
HP0213	1-Nonane Sulphonic Acid Sodium Salt	35192-74-6	GB	5 gm		29041090	18%
	99% AR for HPLC		GB	25 gm	14785		
DE 10	CH₃(CH₂) ₈ SO₃Na M.W.: 230.30					00000000	1000
REA258	Nylander's Reagent		РВ	50 ml	396	38220090	12%
	(Reagent for glucose in urine)						
	0						
REA220	Obermayer's Reagent		GB	100 ml	306	38220090	12%

	RESEARCH & LABORA	TORY	CHE	MIC	AL	S	
		ISTRY BEY			Company of the last		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Reagent for indican in urine)						
N35500	n-Octadecane 90% for Synthesis	593-45-3	GB	25 gm	3996	29011000	18%
	C ₁₈ H ₃₈ M. W.: 254.2		GB	250 gm	9000		
035501	1-Octadecanol 96% for Synthesis	112-92-5	РВ	500 gm	873	29051700	18%
	(Octadecyl alcohol; stearyl alcohol)						
	C ₁₈ H ₃₈ O M.W.: 270.5						
iso-Octai	ne See Iso-Octane						
028530	n-Octane for Synthesis	111-65-9	GB	100 ml	504	29011000	18%
	CH ₃ (CH ₂) ₆ CH ₃ M. W.: 114.23		GB	500 ml	1494		
			GB	2.5 L	5940		
010760	n-Octane AR	111-65-9	GB	100 ml	756	29011000	18%
	CH ₃ (CH ₂) ₆ CH ₃ M. W.: 114.23		GB	500 ml	3060		
HP0216	1-Octane Sulphonic Acid Sodium Salt Anhydrous 99%	5324-84-5	GB	25 gm	1098	29041090	18%
	for HPLC		GB	100 gm	3996		
	(Sodium 1-octanesulfonate anhydrous)						
	C ₈ H ₁₇ O ₃ SNa M.W.: 216.28						
013401	1-Octane Sulphonic Acid Sodium Salt Monohydrate 99%	207596-29-0	GB	5 gm	360	29041090	18%
	AR for HPLC		GB	25 gm	1098		
	(Sodium 1-octanesulfonate monohydrate)		GB	100 gm	3996		
	For ion-pair chromatography						
	C ₈ H ₁₇ NaO ₃ S.H ₂ O M.W. : 234.29						
n-Octano	oic Acid See n-Caprylic Acid						
Octanoic	Acid Sodium Salt See Caprylic Acid Sodium Salt						
Octan-1-	ol See 1-Octanol						
n-Octano	ol See 1-Octanol						
028550	1-Octanol 99% for Synthesis	111-87-5	GB	500 ml	900	29051690	18%
	(Octyl alcohol; octan-1-ol; n-octanol; Capryl alcohol;n-capryl alcohol)		GB	2.5 L	3708		
	C ₈ H ₁₈ O M.W.: 130.23		PR	25 Lit	POR		
Octoic A	cid Sodium Salt See Caprylic Acid Sodium Salt						
ODCB Se	ee o-Dichloro Benzene						
Oil of Ca	stor See Castor Oil						
	darwood See Cedarwood Oil						
	ove See Clove Oil						
Oil of Eu	calyptus See Eucalyptus Oil						
	mersion See Immersion Oil						
	ive See Olive Oil						
028555	Oil of Peppermint	8006-90-4	GB	100 ml	792	33012400	18%
	(Peppermint oil; Mentha Piperita Oil)		GB	500 ml	3690		
STA300	Oil Red O 80% for Electrophoresis (C.I. 26125)	14288-70-1	GB	10 gm		32041973	18%
	[Solvent Red 27; Sudan Red 5B; 1-(2,5-dimethyl-4-(2-5-		GB	25 gm			
	dimethylphenyl) phenyldiazenyl) azonapthalen-2-ol]		РВ	1 kg	POR		

	СНЕМ	Aller					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	It is used for staining of neutral triglycerides and lipids on frozen						
	sections and some lipoproteins on paraffin sections.						
	C ₂₆ H ₂₄ N ₄ O M.W.: 408.51						
STS223	Oil Red O Staining Solution		GB	125 ml	306	38220090	12%
028560	Oleic Acid 65% for Biochemistry	112-80-1	GB	500 ml	648	29161510	18%
	(Elainic acid; cis-9-Octadecenoic acid)		GB	2.5 L	2592		
	C ₁₇ H ₃₃ .COOH M.W.: 282.47		PR	25 Lit	POR		
028570	Olive Oil	8001-25-0	GB	100 ml	603	15099010	5%
	(Oil of olive)		GB	250 ml	1107		
			PB	5 L	POR		
REA225	O'meara's Reagent for Microbiology		PB	100 ml	450	38220090	12%
	(Voges-Proskauer test with O'Meara Reagent)						
ONCB S	ee 1-Chloro-2-Nitro benzene						
STA301	Oracet Blue B Indicator	12769-16-3	GB	1 gm	1350	32041975	18%
	$C_{21}H_{16}N_2O_2$ M.W.: 328.36		GB	5 gm	4005		
			GB	25 gm	16200		
STA302	Orange II 85% (C.I. 15510)	633-96-5	GB	25 gm	321	32041212	18%
	(Tropaeolin OOO)		GB	100 gm	1071		
	C ₁₆ H ₁₁ N ₂ NaO ₄ S M.W.: 350.33						
Orange I	III See Methyl Orange						
STA303	Orange G Indicator 90% for Microscopy (C.I. 16230)	1936-15-8	GB	25 gm	288	32041212	18%
	(Acid Orange 10; Wool Orange 2G; 1-Phenylazo-2-naphthol-6,8-		GB	100 gm	891		
	disulfonic acid disodium salt ; 7-Hydroxy-8- phenylazo-1,3-		РВ	1 kg	POR		
	naphthalenedisulfonic acid disodium salt)						
	The main use of Orange G is in the OG-6 Papanicolaou stain, to stain						
	keratin. It is also a major component of the Alexander test for pollen staining.						
	$C_{16}H_{10}N_2Na_2O_7S_2$ M.W.: 452.77						
STS227	Orange G Solution		PB	125 ml	205	38220090	12%
	Staining for Plant Sections						
STA304	Orcein for Microscopy	1400-62-0	GB	5 gm	1440	32030090	18%
	(Natural red 28)		GB	10 gm	2880		
	Histological staining reagent stains elastic tissue in fixed tissue differentiates		РВ	1 kg	POR		
	chromosomes from other structures for elementary animal tissue structure.						
	Leucokyle stain.						
	C ₂₈ H ₂₄ N ₂ O ₇ M.W.: 500.50						
SOL299	Orcein Solution		GB	100 ml	594	38220090	12%
	Stain for Elastic Fibers (For inulin)						
O	ceto Solution (La cour) See Aceto Orcein Solution						
Orcein A							
035521	Orcinol Monohydrate 98%	6153-39-5	GB	10 gm	1053	29072990	18%
	Orcinol Monohydrate 98% (3,5-Dihydroxy toluene monohydrate)	6153-39-5	GB GB	10 gm 25 gm		29072990	18%

		CHEMISTRY BEYOND CHEMICALS							
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX		
			РВ	1 kg	POR				
013410	L-Ornithine Monohydrochloride 98% AR	3184-13-2	GB	5 gm	225	29224990	18%		
	for Biochemistry		GB	25 gm	693				
	[(S)-2,5-Diaminopentanoic acid monohydrochloride]		GB	500 gm	POR				
	C ₅ H ₁₃ N ₂ O ₂ CI M.W. : 168.62								
SOL291	Orsat Solution No.1		GB	500 ml	6300	38220090	12%		
SOL292	Orsat Solution No.2		GB	500 ml	6300	38220090	12%		
SOL293	Orsat Solution No.3		GB	500 ml	6300	38220090	12%		
Ortho Bo	oric Acid See Boric Acid								
Ortho Ni	tro Chlorobenzene See 1-Chloro-2-Nitro benzene								
Ortho ph	nosphoric Acid See ortho-Phosphoric Acid								
013415	Osmic Acid 99% AR	20816-12-0	GB	1 gm	8496	28439019	18%		
	(Osmium trioxide)								
	OsO ₄ M.W.: 254.20								
SOL300	Osmic Acid 2% Solution for Microscopy		GB	5 ml	3195	38220090	12%		
Osmium	Tetra Oxide See Osmic Acid AR								
035531	Oxalic Acid 99.5% Purified	6153-56-6	PB	500 gm	450	29171110	18%		
	(Ethanedioic acid)		РВ	1 kg	810				
	(COOH) ₂ .2H ₂ O M.W.: 126.07		РВ	5 kg	3870				
			PD	50 kg	POR				
013418	Oxalic Acid 99.8% AR/ACS	6153-56-6	РВ	500 gm	603	29171110	18%		
	(Ethanedioic acid)								
	(COOH) ₂ .2H ₂ O M.W.: 126.07								
AMP060	Oxalic Acid 0.005 mol/l (0.01N) Solution		AMP	6 amp	603	38220090	12%		
AMP061	Oxalic Acid 0.05 mol/l (0.1N) Solution		AMP	6 amp	648	38220090	12%		
SOL301	Oxalic Acid N/10 (0.1N) Solution		РВ	500 ml	180	38220090	12%		
VMS579	Oxalic Acid 0.5mol/l (1N) Solution		РВ	500 ml	180	38220090	12%		
			РВ	1 L	315				
			РВ	2.5 L	648				
VMS576	Oxalic Acid 0.05M (0.1N) Solution		РВ	500 ml	180	38220090	12%		
US2600	Oxalic Acid TS		РВ	500 ml	207	38220090	12%		
Oxalic A	cid Hemi Potassium Salt See Potassium Tetraoxalate Dihyd	rate							
Oxalyl Di	ihydrazide See Oxalic Acid Dihydrazide AR								
Oxine Se	ee 8-Hydroxy Quinoline								
2-Oxo GI	lutaric Acid See α-Keto Glutaric Acid								
	Р								
AAS052	Palladium AAS Solution		PE	100 ml	3060	38220090	12%		
	1000ppm Single Element in HNO ₃		PE	250 ml	5580				
			GB	500 ml	9900				
ICP152	Palladium ICP Standard Solution		PE	100 ml	60300	38220090	12%		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 10000ppm TRISTAR Single Element in HCI GR 500 ml POR 035580 Palladium (II) Acetate 3375-31-3 new GR 1 gm **13950** 28439019 18% C4H6O4Pd M. W.: 244.51 035587 **Palladium Bromide** 13444-94-5 new GB 1 gm **12402** 28433000 18% Br2Pd M. W.: 266.23 035590 Palladium On Activated Charcoal (5% Pd) Pd/C GB **14589** 38151290 18% 10 gm Hydrogenation Catalyst 035591 Palladium On Activated Charcoal (10% Pd) Pd/C 7440-05-03 GB 27999 38151290 18% 10 gm Pd M.W. 106.42 Hydrogenation Catalyst 035583 Palladium On Alumina (5% Pd) GB 10 gm 8991 38151210 18% new Palladium On Alumina (10% Pd) GB 18% 035584 10 gm 16551 38151210 new 035592 Palladium On Asbestos (5% Pd) GB 13995 38151290 18% 10 gm GB 18% 035593 Palladium On Asbestos (10% Pd) 10 gm **24003** 38151290 035585 **Palladium On Barium Sulphate** new GB 10 gm **13995** 38151210 18% (5% Pd) 035586 **Palladium On Barium Sulphate 24003** 38151210 new 10 gm 18% 035594 **Palladium On Calcium Carbonate** 7440-05-3 GB 10 gm **14661** 38151290 18% (5% Pd) 035595 **Palladium On Calcium Carbonate** 7440-05-3 GB 10 gm **29061** 38151290 18% (10% Pd) Palladium Chloride (Pd 59-60%) 99% 7647-10-1 035596 GB 1 gm **18990** 28439019 18% (Palladium (II) chloride) GB 92980 5 gm PdCl₂ M.W.: 177.33 035589 **Palladium Nitrate** 207596-32-5 new GB 1 gm **11331** 28439019 18% Pd(NO3)2.2H2O M. W.: 266.46 035611 Palladium (II) Oxide 85% for Synthesis 1314-08-5 GR 1 gm **27495** 28439019 18% PdO M.W.: 122.44 035621 Palmitic Acid 98% for Synthesis РΒ **612** 29157010 57-10-3 500 gm 18% (1-Pentadecanecarboxylic acid, C16:0, Cetylic acid; hexadecanoic acid; NSC 5030, PamOH) CH₃.(CH₂)₁₄.COOH M.W.: 256.43 035626 * Pancreatin 8049-47-6 GB 100 gm 18% **891** 35079020 (from Pig Pancreas) GB 250 gm 2295 Confirming to IP GB 500 gm 4320 STA305 PAN Indicator Reagent 98% AR 85-85-8 GB **1341** 29333990 18% 1 gm [1-(2-pyridylazo)-2-naphthol] GB 5940 5 gm Reagent for complexometric titratlion

N(CH)₄C.N:N.C₁₀H₆.OH M.W.: 249.27

		HEMISTRY BEY	J. 10 C	121-1107	120		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
STS850	PAN Indicator 0.1% Solution in Methanol		РВ	100 ml	189	38220090	12%
	[1-(2-pyridylazo)-2-naphthol]						
STS851	PAN Indicator 1.0% Solution in Methanol		PB	100 ml	369	38220090	12%
	[1-(2-pyridylazo)-2-naphthol]						
STS852	PAN Indicator 0.1% Solution in Ethanol		PB	100 ml	270	38220090	12%
	[1-(2-pyridylazo)-2-naphthol]						
STS853	PAN Indicator 1.0% Solution in Ethanol		РВ	100 ml	477	38220090	129
	[1-(2-pyridylazo)-2-naphthol]						
REA235	Pandy's Reagent Solution		PB	125 ml	243	38220090	12%
	for determination of Globulin in CSF						
)28600 *	D-Pantothenol 99%	81-13-0	PB	100 ml	2401	29362400	18%
	(D-pantothenyl alcohol; dexpanthenol; provitamin B)		РВ	1 L	POR		
	C ₉ H ₁₉ NO ₄ M.W.: 205.26						
)-Pantot	henic Acid Calcium Salt See Calcium-D-Pantothenate						
35631 *	Papain from Papaya Latex	9001-73-4	GB	100 gm	513	35079071	189
	(Papainase; papain)		GB	500 gm	1998		
SOL315	Papanicolaous 1a Solution		PB	125 ml	765	38220090	12%
	(Harris hematoxylin Solution)						
	for Cytological Cancer & Cycle Diagnosis						
SOL316	Papanicolaous 2b Solution		PB	125 ml	351	38220090	129
	(Orange (II) Solution)						
	for Cytological Cancer and Cycle Diagnosis						
SOL317	Papanicolaous 3b Solution		РВ	125 ml	558	38220090	129
	(Polychromatic Solution EA 50)						
	for Cytological Cancer and Cycle Diagnosis						
SOL311	Papanicolaous EA65 Solution		PB	125 ml	351	38220090	12%
	Papanicolaous Modified EA Solution		PB	125 ml		38220090	12%
	Papanicolaous EA36 Solution		РВ	125 ml		38220090	129
	ino Benzoic Acid See p-Amino Benzoic Acid (PABA)						1-7
	saldehyde See Anisaldehyde						
	oro Meta Cresol See p-Chloro-m-Cresol						
	sol See p-Cresol						
28610	Paraffin Liquid Heavy	8012-95-1	PB	500 ml	450	27101990	18%
	(Mineral oil heavy)		PB	2.5 L			
			PR	25 Lit			
28620	Paraffin Liquid Light	8012-95-1	PB	500 ml		27101990	18%
	(Mineral oil light)	33.2331	PB	2.5 L			. • /
	1		PR	2.5 Lit			
Paraffin	Soft White See Petroleum Jelly White		111	20 210			
	Soft Yellow See Petroleum Jelly Yellow						
35651	Paraffin Wax 60°C with Ceresin Solid	8002-74-2	SS	500 gm	027	27122010	189
. J J J J J	T ATAMAT TRANSCO O WILLIAM OCIOSIII OOIIU	0002-14-2	33	JUU YIII	321	Z1 1ZZU IU	107

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	For Histology		SS	2 kg	2655		
	(Packed in Stainless Steel Box)						
035660	Paraffin Wax 60°C with Ceresin in Block Form	8002-74-2	SS	500 gm	927	27122090	18%
	(Packed in Stainless Steel Box)						
035668	Paraffin Wax 58-60°C Solid	8002-74-2	SS	500 gm	702	27122090	18%
	Congealing Point about 58-60°C		SS	1 kg	1251		
	(Packed in Stainless Steel Box)		SS	2 kg	2088		
035669	Paraffin Wax 58-60°C in Block Form	8002-74-2	SS	1 kg	1368	27122090	18%
	(Packed in Stainless Steel Box)						
035671	Paraffin Wax 60-62°C Solid	8002-74-2	SS	500 gm	756	27122090	18%
	Congealling Point about 60-62°C		SS	1 kg	1368		
	(Packed in Stainless Steel Box)		SS	2 kg	2034		
035672	Paraffin Wax 60-62°C in Block Form	8002-74-2	SS	1 kg	1485	27122090	18%
	(Packed in Stainless Steel Box)						
035687	Paraformaldehyde Powder 96% for Synthesis	30525-89-4	PB	500 gm	477	29126000	18%
	(Polyoxymethylene)						
	(H.CHO)n						
STA311	Pararosaniline (Base) 95% for Microscopy (C.I. 42500)	467-62-9	GB	25 gm	1440	32041399	18%
	(Parafuchsin; paramagenta)						
	(It is used as a stain for the tubercle bacillus & as Endo medium for						
	distinguishing between the coli and aerogenes types of bacterias)						
	C ₁₉ H ₁₉ N ₃ O M.W.: 305.38						
Pararosa	niline Chloride See Pararosaniline Hydrochloride						
STA312	Pararosaniline Hydrochloride 88% (C.I. 42500)	569-61-9	GB	25 gm	1296	32041399	18%
	(Pararosaniline; Basic Red 9; p-Rosaniline; Para magenta; [4-[Bis(4-		GB	100 gm	3096		
	aminophenyl)methylidene]-1-cyclohexa-2, 5-dienylidene]azanium chloride)						
	It is the only basic fuchsine component suitable for making						
	the aldehyde-fuchsine stain for pancreatic islet beta cells.						
	C ₁₉ H ₁₈ CIN ₃ M.W.: 323.83						
STA306	PAR Indicator 99% AR	16593-81-0	GB	1 gm	801	29339900	18%
	[4-(2-pyridylazo)resorcinol monosodium salt hydrate]		GB	5 gm	3492		
	C ₁₁ H ₈ N ₃ NaO ₂ H ₂ O M.W.: 255.21						
STS238	PAR Indicator Solution		GB	100 ml	693	38220090	12%
STA315	Patent Blue V F For Microscopy 50% C.I. 42045	129-17-9	GB	10 gm	315	32041259	18%
	(Acid blue 1 sodium salt; Disulfin blue VN 150 sodium salt; Sulfan Blue)		GB	25 gm	693		
	C ₂₇ H ₃₁ N ₂ NaO ₆ S ₂ M.W.: 566.68						
STA316	Patton & Reeder's Reagent 60% AR	3737-95-9	GB	5 gm	342	29270090	18%
	(Calconcarboxylic acid)		GB	25 gm	1089		
	$C_{21}H_{14}N_2O_7S$ M.W.: 438.41		GB	250 gm	POR		

	RESEARCH & LABOR				Company of the Compan	S	
	CHE	MISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
035701	Pectin Pure 70-75% for Biochemistry	9000-69-5	GB	100 gm	954	13022000	18%
	Solution forms a stiff gel on cooling.		GB	500 gm	3996		
	(Poly-D-galacturonic acid methyl ester)		РВ	1 kg	7497		
ENZ107*	Pectinase for Biochemistry	9032-75-1	GB	10 gm	603	35079050	18%
	(Polygalacturonase)		GB	25 gm	1107		
			GB	100 gm	3600		
035706	Pentaerythritol 97% for Synthesis	115-77-5	РВ	500 gm	765	29054290	18%
	[2,2-Bis(hydroxymethyl)-1,3-propanediol]						
	C ₅ H ₁₂ O ₄ M.W.: 136.15						
2,3,4,5,7-	Penta Hydroxy Flavone AR See Morin Hydrate AR						
iso-Penta	ane See Iso-Pentane						
028630 •	n-Pentane 99% for Synthesis	109-66-0	GB	500 ml	675	29011000	18%
	(Amyl Hydrid)		GB	2.5 L	2997		
	C ₅ H ₁₂ M.W.: 72.15		PR	25 Lit	POR		
010770 •	n-Pentane 99% AR	109-66-0	GB	500 ml	765	29011000	18%
	(Amyl Hydrid)		GB	2.5 L	3294		
	C ₅ H ₁₂ M.W.: 72.15						
2,4-Penta	anedione See Acetyl Acetone						
HP0222	1-Pentane Sulphonic Acid Sodium Salt Anhydrous	22767-49-3	GB	25 gm	1098	29041090	18%
	99% for HPLC		GB	100 gm	3996		
	(Sodium pentasulphonate Anhydrous)						
	C ₅ H ₁₁ O ₃ SNa M.W.: 174.19						
013510	1-Pentane Sulphonic Acid Sodium Salt Monohydrate	207605-40-1	GB	5 gm	540	29041090	18%
	99% AR		GB	25 gm	1098		
	(Sodium-1-pentanesulphonate)		GB	100 gm	3996		
	For Ion pair Chromatography.						
	C ₅ H ₁₁ NaO ₃ S.H ₂ O M.W.: 192.21						
Pentenic	Acid See Diethylene Triamine Penta Acetic Acid						
Pepperm	int Oil See Oil of Peppermint						
035711 *	Pepsin 1:3000	9001-75-6	РВ	100 gm	2296	35079030	18%
	(From porcine stomach)		РВ	500 gm	9999		
035713 *	Pepsin 1:10000	9001-75-6	РВ	25 gm	2097	35079030	18%
			РВ	100 gm	6930		
			РВ	500 gm	31446		
CMB151	Peptone Powder for Bacteriology		PB	500 gm	999	35040010	18%
	Obtained from enzymatic digestion of meat		PB	5 kg	9495		
	, • • • • • • • • • • • • • • • • • • •		PD	25 kg	POR		
CMB152	Peptone Granular for Bacteriology		PB	500 gm		35040010	18%
22102			PB	5 kg	10998	55510010	1070
			PD	25 kg	POR		
VMS614	Perchloric Acid 20%	7601-90-3	GB	500 ml		38220090	12%
4 M 20 1 1	1 Granione Acid 2070	1001-80-3	GB	JUU IIII	004	JUZZUU3U	1270

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	HCIO ₄ M.W.: 100.46		GB	2.5 L	3744		
010780	Perchloric Acid 60% AR	7601-90-3	GB	500 ml	2160	28111990	18%
	HCIO ₄ M.W.: 100.46		GB	2.5 L	9153		
010785	Perchloric Acid 70% AR	7601-90-3	GB	500 ml	2682	28111990	18%
	HCIO ₄ M.W.: 100.46		GB	2.5 L	11430		
010786	Perchloric Acid 70% AR	7601-90-3	GB	500 ml	4203	28111990	18%
	for Diamond Industry						
	HCIO ₄ M.W.: 100.46						
VMS612	Perchloric Acid 0.01N Solution		GB	500 ml	1170	38220090	12%
VMS617	Perchloric Acid 1.0N Solution in Acetic Acid		GB	500 ml	1206	38220090	12%
SOL326	Perchloric Acid N/10 (0.1N) Solution in Acetic Acid		GB	500 ml	1620	38220090	12%
	for non-aqueous titration		GB	2.5 L	4500		
VMS614	Perchloric Acid (0.1 N) Solution in Dioxane		GB	500 ml	1800	38220090	12%
Perchlor	oethylene See Tetrachloroethylene						
035726	Periodic Acid Crystals 98% for Synthesis	10450-60-9	GB	25 gm	934	28111990	18%
	(Paraperiodic acid)		GB	100 gm	3222		
	H ₅ IO ₆ M.W. : 227.94						
013511	Periodic Acid 99% AR	10450-60-9	GB	25 gm	1107	28111990	18%
	(Paraperiodic acid)		GB	100 gm	3726		
	Reagent for periodate oxidimetry, for oxidimetric titration,						
	for Histochemical Polysaccharine analysis						
	H ₅ IO ₆ M.W.: 227.94						
SOL827	Periodic Acid 1% Solution		GB	250 ml	1107	38220090	12%
	For staining of cell polysaccharides Schiff's (Pas) method						
ENZ111 ¹	* Peroxidase from Horseradish	9003-99-0	GB	1250 units	3060	35079099	18%
	Lyophilized powder, Activity 250 U/mg		GB	5000 units	5904		
			GB	25000 units	23607		
Petroleu	m Benzene 40-60°C See Petroleum Ether 40-60°C						
Petroleu	m Benzene 60-80°C See Petroleum Ether 60-80°C						
Petroleu	m Benzene 80-100°C See Petroleum Ether 80-100°C						
028640	Petroleum Ether 40-60°C for Synthesis	8032-32-4	GB	500 ml	504	27101990	18%
	(Petroleum benzin 40-60°C)		GB	2.5 L	2016		
	low boiling, bp 40-60°C		PR	25 Lit	POR		
			PD	200 L	POR		
010790	Petroleum Ether 40-60°C AR	8032-32-4	GB	500 ml	603	27101990	18%
	(Petroleum benzin 40-60°C)		GB	2.5 L	2403		
			PR	25 Lit	POR		
028645	Petroleum Ether 60-80°C for Synthesis	8032-32-4	GB	500 ml	360	27101990	18%
	(Petroleum Benzin 60-80°C)		GB	2.5 L	1404		
	high boiling, bp 60-80°C		PR	25 Lit	POR		
			PD	200 L	POR		

	RESEARCH & LABOR	EMISTRY BEY			Committee or an artist of the committee	.S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
010800	Petroleum Ether 60-80°C AR	8032-32-4	GB	500 ml	405	27101990	18%
	(Petroleum Benzin 60-80°C)		GB	2.5 L	1602		
	,		PR	25 Lit	POR		
028650	Petroleum Ether 80-100°C for Synthesis	8032-32-4	GB	500 ml	504	27101990	18%
	(Petroleum Benzin 60-80°C)		GB	2.5 L	1908		
035730	Petroleum Jelly Yellow	8009-03-8	PB	500 gm	459	27121090	18%
			PD	25 kg	POR		
035731	Petroleum Jelly White	8009-03-8	PB	500 gm		27121090	18%
	(Vaseline: Paraffin soft white)		PD	25 kg	POR		.070
	Used in cosmetic aid & lubricant.			_09			
Petroleu	m Spirit 40-60°C See Petroleum ether 40-60°C						
	m Spirit 60-80°C See Petroleum ether 60-80°C						
	m Spirit 80-100°C See Petroleum ether 80-100°C						
	hridinium Bromide See Ethidium Bromide for Biochemistry						
	enanthroline Ferrous Sulphate Complex See Ferroin Solution	AP					
		AIX	GB	125 ml	260	38220090	12%
	1,10-Phenanthroline Hydraebloride 99.59/ AP	18851-33-7	_	-			
013512	1,10-Phenanthroline Hydrochloride 99.5% AR	10051-55-7	GB	5 gm		29339900	18%
074040	C ₁₂ H ₉ CIN ₂ .H ₂ O M.W.: 234.69	5444.00.0	GB	25 gm	3789	0000000	400/
STA318	1,10-Phenanthroline Monohydrate 99.5% AR	5144-89-8	GB	5 gm		29339900	18%
	(o-Phenanthroline monohydrate)		GB	25 gm	2205		
	Redox indicator		GB	100 gm	6300		
	Reagent for the colorimetric determination of iron & Base for						
	oxidation-reduction indicator.						
	C ₁₂ H ₈ N ₂ .H ₂ O M.W. : 198.22						
035736 *	Phenazine Methosulphate 96% for Biochemistry	299-11-6	GB	1 gm		29339900	18%
	(5-Methylphenazinium methyl sulphate ; PMS		GB	5 gm	3582		
	N-methylphenazonium methy sulphate)						
	For enzymatic determination of ethanol and for assay						
	of tyrosine transaminase electron coupling agent						
	C ₁₄ H ₁₄ N ₂ O ₄ S M.W.: 306.34						
SOL328	Phenol Liquified 80%	108-95-2	GB	500 ml	491	38220090	12%
	(Phenol Solution 80% w/w in water)						
	C ₆ H ₆ O M.W.: 94.11						
035741 •	Phenol 99% Pure	108-95-2	GB	500 gm	594	29071110	18%
	(Carbolic acid; hydroxybenzene)		PD	25 kg	POR		
	C ₆ H ₅ OH M.W.: 94.11						
013515 •	Phenol 99.5% AR	108-95-2	GB	500 gm	720	29071110	18%
	(Carbolic acid; hydroxybenzene)		PD	25 kg	POR		
	C ₆ H ₅ OH M.W.: 94.11						
MB0110	Phenol 99.5% for Molecular Biology	108-95-2	GB	100 gm	540	29071110	18%
	(Carbolic acid; hydroxybenzene)		GB	500 gm	1593		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX C₆H₅OH M.W.: 94.11 Phenol 40% w/v Solution PR 12% SOL829 5 L 2700 38220090 MB0113 • Phenol: Chloroform 2:1 for Molecular Biology GB 500 ml 4500 38220090 12% GB 125 ml 38220090 12% SOI 327 **Phenolic Auramine Solution for Microscopy** 1107 Phenolindo-2,6-dichlorophenol Sodium Salt AR See 2,6-Dichloro Phenol Indophenol Sodium Salt AR **Phenolphthalein Indicator Paper** PH0076 PB 200 lvs **414** 38220090 12% **STS235** Phenolphthalein 1% Indicator Solution PB 125 ml **252** 38220090 12% PB 250 ml 414 PR 500 ml 666 **STS832** Phenolphthalein 0.5% Alcoholic Solution PΒ 100 ml **234** 38220090 12% for Milk Testing PB 251 POR STS834 Phenolphthalein 0.375% Indicator Solution PB 125 ml **207** 38220090 12% PR 500 ml 369 **STS836** Phenolphthalein 2% Solution in Alcohol PΒ 100 ml 360 38220090 12% PR 125 ml 12% US2646 Phenolphthalein TS **360** 38220090 77-09-8 PR 29322090 18% **STA321** Phenolphthalein Powder (pH Indicator) 98% 50 gm 504 PB 100 gm 801 (3,3-Bis(4-hydroxyphenyl)-1(3H)-isobenzofuranone) C₂₀H₁₄O₄ M.W.: 318.33 PΒ 3240 500 gm PB 5 kg POR Phenol Reagent (Folin & Ciocalteu's) See Folin & Ciocalteu's PhenolReagent **Phenol Red Buffer Solution** PR 125 ml 12% SOL325 144 38220090 **STA322** Phenol Red (pH Indicator) 98% AR 143-74-8 **243** 29349900 GB 5 gm 18% GB 720 (Phenolsulfonaphthalein) 25 gm C₁₉H₁₄O₅S M.W.: 354.38 GB 100 gm 2592 STS237 **Phenol Red Indicator Solution** PB 125 ml **234** 38220090 12% **STS236 Phenol Red 0.1% Indicator Solution** PΒ 125 ml 180 38220090 12% US2642 PB 125 ml **Phenol Red TS** 243 38220090 12% **STA323 Phenol Red Sodium Salt AR** 34487-61-1 GB 5 gm **252** 29349900 18% (Phenolsulfonephthalein sodium salt) Water Soluble GB 25 gm 846 C₁₉H₁₃NaO₅S M.W.: 376.36 028659 Phenyl Acetate 98% 122-79-2 GR 100 ml **801** 29153990 18% C₈H₈O₂ M.W.: 136.15 2700 GB 500 ml 035750 Phenyl Acetic Acid 99% for Synthesis 103-82-2 PR 500 gm **1143** 29163400 18% (α-Tolylic acid; benzeneacetic acid; PAA; a-toluic acid; 2-phenylacetic acid) C₆H₅.CH₂.COOH M.W.: 136.15 Phenyl Acetonitrile See Benzyl Cyanide

((±)2-Amino-3-phenylpropionic acid)

DL-Phenylalanine 98.5% for Biochemistry

C₉H₁₁NO₂ M.W.: 165.19

035761

150-30-1

25 gm

GB

792 29224980

18%

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
035763	L-Phenylalanine 99% for Biochemistry	63-91-2	GB	25 gm	315	29224990	18%
	[(S)-2-Amino-3-phenylpropionic acid]		GB	100 gm	1035		
	C ₆ H ₅ .CH ₂ .CH(NH ₂).COOH M.W.: 165.19		GB	500 gm	3492		
STA324	n-Phenyl Anthranilic Acid 98% AR	91-40-7	РВ	25 gm	1206	29224990	18%
	[2-(Phenylamino)benzoic acid; DPC;		PB	100 gm	4230		
	diphenylamine-2-carboxylic acid]						
	C ₁₃ H ₁₁ NO ₂ M.W.: 213.24						
N-Pheny	lbenzeneamine See Diphenylamine						
035764	Phenyl Boronic Acid 97%	98-80-6	GB	5 gm	603	29319090	18%
	(Benzeneboronic acid; phenyl boron dihydroxide)		GB	25 gm	1800		
	C ₆ H ₇ BO ₂ M.W. : 121.93		GB	100 gm	5400		
			РВ	500 gm	14400		
Phenyl B	Bromide See Bromo Benzene						
035754	Phenyl Butazone 99%	50-33-9	GB	25 gm	1800	29331100	12%
	(4-Butyl-1,2-diphenyl-3,5-pyrazolidinedione)						
	$C_{19}H_{20}N_2O_2$ M.W.: 308.38						
Phenyl C	Cyanide See Benzonitrile						
035769	o-Phenylene Diamine 99% for Synthesis	95-54-5	GB	100 gm	468	29215110	18%
	(1,2-Diaminobenzene; 1,2-phenylenediamine; OPD)		GB	250 gm	855		
	C ₆ H ₈ N ₂ M.W.: 108.14						
035771	p-Phenylene Diamine 98% for Synthesis	106-50-3	GB	250 gm	954	29215130	18%
	(1,4-Benzenediamine; 1,4-diaminobenzene; 1,4-phenylenediamine)						
	C ₆ H ₈ N ₂ M.W.: 108.14						
Phenyl E	thane See Ethyl Benzene						
028660	2-Phenyl Ethanol 99%	60-12-8	GB	500 ml	1260	29062990	18%
	(2-Phenyl ethyl alcohol; benzyl carbinol)						
	C ₆ H ₅ CH ₂ CH ₂ OH M.W.: 122.17						
028662	Phenyl Ethyl Acetate 99%	103-45-7	GB	500 ml	2401	29163950	18%
	CH ₃ COOCH ₂ CH ₂ C ₆ H ₅ M.W.: 164.20						
028665	Phenyl Hydrazine for Synthesis	100-63-0	GB	100 ml	702	29280090	18%
	(Hydrazinobenzene)		GB	250 ml	1395		
	C ₆ H ₈ N ₂ M.W.: 108.14		GB	500 ml	2691		
010810	Phenyl Hydrazine AR	100-63-0	GB	100 ml	1197	29280090	18%
	(Hydrazinobenzene)		GB	250 ml	3060		
	C ₆ H ₈ N ₂ M.W.: 108.14		GB	500 ml	5499		
SOL842	Phenyl Hydrazine Solution		GB	100 ml	414	38220090	12%
	(Reagent for Molybdate)						
US2650	Phenyl Hydrazine Acetate TS		GB	125 ml	603	38220090	12%
Phenyl H	lydrazinium Chloride See Phenyl Hydrazine Hydrochloride						
035776	Phenyl Hydrazine Hydrochloride 99%	59-88-1	GB	100 gm	990	29280090	18%

	RESEARCH & LABORATO						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Phenylhydrazinium chloride; Phenylhydrazine Monohydrochloride;		GB	250 gm	1980		
	Hydrazinobenzene hydrochlor)			-			
	C ₆ H ₅ NH.NH ₂ HCl M.W. : 144.60						
013522	Phenyl Hydrazine Hydrochloride 99% AR	59-88-1	GB	100 gm	1206	29280090	18%
	(Phenylhydrazinium chloride; Phenylhydrazine Monohydrochloride;		GB	250 gm	2691		
	Hydrazinobenzene hydrochlor)						
	For the detection of aldehydes and ketones.						
	C ₆ H ₅ NH.NH ₂ HCI M.W.: 144.60						
US2660	Phenyl Hydrazine Sulphuric Acid TS		GB	125 ml	504	38220090	12%
028668	Phenyl Isothiocyanate for Synthesis	103-72-0	GB	5 ml	720	29309099	18%
	C ₆ H ₅ NCS M. W.: 135.19		GB	100 ml	5400		
			GB	500 ml	22500		
Phenyl M	Mercaptan See Thiophenol						
035779	Phenyl Mercuric Acetate 98%	62-38-4	GB	25 gm	14340	28521000	18%
	(Mercury phenyl acetate; Phenyl mercury acetate)		GB	100 gm	52480		
	C ₈ H ₈ HgO ₂ M.W.: 336.74						
035780	Phenyl Mercuric Nitrate Basic 98%	8003-05-2	GB	25 gm	38430	28521000	18%
	(Phenylmercuric nitrate, Nitratophenylmercury)		GB	100 gm	132930		
	confirms to BP						
	$C_{12}H_{11}Hg_2NO_4$ M.W.: 634.4						
013523	Phenyl Methane Sulphonyl Fluoride 99% AR	329-98-6	GB	1 gm	801	29049090	18%
	(PMSF; phenyl methyl sulphonyl fluoride)		GB	5 gm	2502		
	C ₇ H ₇ FO ₂ S M.W.: 174.20						
Phenyl M	Methyl Sulphonyl Fluoride See Phenyl Methane Sulphonyl Fluoride AR						
4-Phenyl	Phenol See p-Hydroxy Diphenyl						
013525 *	Phenylphosphate Disodium Salt 98% AR	3279-54-7	GB	25 gm	2412	29190090	18%
	(Sodium phenyl phosphate dibasic dihydrate;		GB	100 gm	8190		
	Disodium phenyl phosphate dihydrate)						
	$C_6H_5Na_2O_4P.2H_2O\ M.W.: 254.09$						
035782	N-Phenyl Thiourea 93% for Synthesis	103-85-5	GB	10 gm	2160	29242190	18%
	C ₇ H ₈ N ₂ S M.W.: 152.22		GB	25 gm	3790		
pH Indica	ator Papers See Indicator papers						
pH Indica	ator Solution See Universal Indicator Solution						
013527	Phloroglucinol 99% Anhydrous AR	108-73-6	GB	25 gm	1395	29072990	18%
	(1,3,5-Trihydroxybenzene)		GB	100 gm	5040		
	In microscopy decalcifier of bone specimens.						
	Reagent for pantosans and aldehydes.						
	C ₆ H ₆ O ₃ M.W.: 126.11						
STA327	Phloxin B 80% for Microscopy (C.I. 45410)	18472-87-2	GB	25 gm	439	32041293	18%
	(2',4',5',7'-Tetrabromo-4,5,6,7-tetrachlorofluorescein		GB	100 gm	1494		
	disodium salt, Acid Red 92, Cyanosine, Eosin 10B)						

	CHEMIS	TKI DET	OIVD C	TEIVITO	LO		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Phloxin B is used for various staining methods, such as overview staining						
	with hematoxylin, cytoplasm staining, staining of nucleoli, selective staining						
	of viral inclusions and other dense structures, such						
	as neurosecretory granules,and staining of inflammatory exudates.						
	$C_{20}H_2Br_4Cl_4Na_2O_5$ M.W.: 829.64						
iso-Phore	one See Iso-Phorone						
AAS955	Phosphate AAS Solution		PE	250 m	2250	38220090	12%
	1000 ppm Single Element in H ₂ O						
SOL365	Phosphate 200 ppm TRISTAR		PE	100 m	1602	38220090	12%
	Single Element Standard for Ion Chromatography						
SOL368	Phosphate 1000 ppm TRISTAR		PE	100 m	1602	38220090	12%
	Single Element Standard for Ion Chromatography						
Phospha	te Molybdate Soln See Folin & WU's Phosphate Molybdate Solution						
REA240	Phosphate Reagent No.1		РВ	125 m	405	38220090	12%
REA241	Phosphate Reagent No.2		PB	125 m	405	38220090	12%
SS1500	Phosphate 10 mg/L Standard Solution		PE	100 m	1602	38220090	12%
SOL370	Phosphate 1000 mg/L Standard Solution		PE	100 m	1620	38220090	12%
Phosphin	nic Acid See Hypophosphorous Acid						
Phospho	leum See Polyphosphoric Acid						
013530	Phosphomolybdic Acid AR/ACS	51429-74-4	GB	25 gm	1170	28111990	18%
	(Molybdophosphoric acid)		GB	100 gm	3789		
	reagent for microscopy & alkaloids		GB	500 gm	12996		
	$\label{eq:H3PO4.12MoO3.XH2OM.W.:1825.25} H_3 PO_4.12 MoO_3. XH_2O\ M.W.: 1825.25 (Anhy.)$						
US2690	Phosphomolybdic Acid TS		GB	25 m	720	38220090	12%
SOL830	Phosphomolybdic Acid 20% in Ethanol		PB	100 m	1179	38220090	12%
Phospho	ric Acid 85-88% See Orthophosphoric Acid 85 - 88%						
035786	m-Phosphoric Acid (Glacial Stick) 60%	37267-86-0	РВ	500 gm	3492	28092010	18%
	(Metaphosphoric acid)						
	(HOP ₃) _n M.W.: 239.94						
013532	m-Phosphoric Acid (Glacial Stick) 60% AR	37267-86-0	РВ	100 gm	1665	28092010	18%
	(Metaphosphoric acid)		РВ	500 gm	7479		
	(HOP ₃) _n M.W.: 239.94						
SOL832	m-Phosphoric Acid 0.6M Solution		РВ	100 m	2079	38220090	12%
	Protein Precipitant						
028670	ortho-Phosphoric Acid 85%	7664-38-2	РВ	500 m	702	28092010	18%
	(Phosphoric acid)		РВ	2.5 L	2808		
	H ₃ PO ₄ M.W.: 98.00		РВ	5 L	4500		
			PR	25 Li	POR		
HP0223	ortho-Phosphoric Acid 85% For HPLC	7664-38-2	GB	500 m		28092010	18%

028680 o (F su H ₃	PRODUCT DESCRIPTION 3PO ₄ M.W.: 98.00 Phosphoric acid) uitable for Steel Industry 3PO ₄ M.W.: 98.00	CAS NO 7664-38-2	PKG. TYPE	PACKING	PRICE	HSN	TAX
028680 o (F su H ₃	rtho-Phosphoric Acid 88% Phosphoric acid) uitable for Steel Industry	7664-38-2	GB				
(F su H	Phosphoric acid) uitable for Steel Industry	7664-38-2	GB				
sı H	uitable for Steel Industry			500 ml	1107	28092010	18%
H			GB	2.5 L	4500		
	₃ PO ₄ M.W.: 98.00		РВ	5 L	8640		
)10820 o			PR	25 Lit	POR		
	rtho-Phosphoric Acid 88% AR	7664-38-2	GB	500 ml	1305	28092010	18%
(F	Phosphoric acid)		GB	2.5 L	5004		
H;	₃ PO ₄ M.W.: 98.00		РВ	5 L	9270		
			PR	25 Lit	POR		
SOL836 o	rtho-Phosphoric Acid 33% Solution	7664-38-2	РВ	1 L	990	38220090	12%
H;	₃ PO ₄ M.W.: 98.00						
SOL838 o	rtho-Phosphoric Acid 75% Solution	7664-38-2	РВ	1 L	1980	38220090	12%
H;	₃ PO ₄ M.W. : 98.00						
VMS631 o	rtho-Phosphoric Acid 0.1 mol/l Solution		РВ	500 ml	306	38220090	12%
/MS633 o	rtho-Phosphoric Acid 0.5 mol/l Solution		РВ	500 ml	360	38220090	12%
/MS635 o	rtho-Phosphoric Acid 1 mol/l Solution		PB	500 ml	405	38220090	12%
VMS637 o	rtho-Phosphoric Acid 3 mol/l Solution		РВ	500 ml	432	38220090	12%
VMS639 o	rtho-Phosphoric Acid 6 mol/l Solution		РВ	500 ml	450	38220090	12%
AAS053 P	Phosphorous AAS Solution		PE	100 ml	1800	38220090	12%
1(000 ppm Single Element in H ₂ O		PE	250 ml	2250		
			GB	500 ml	3780		
CP161 P	Phosphorous ICP Standard Solution		PE	100 ml	4500	38220090	12%
1(000 ppm TRISTAR Single Element in H ₂ O		GB	500 ml	10800		
CP162 P	Phosphorous ICP Standard Solution		PE	100 ml	7020	38220090	12%
1(0000 ppm TRISTAR Single Element in H ₂ O		GB	500 ml	11520		
028683 P	Phosphorous Oxychloride 99% for Synthesis	10025-87-3	GB	500 ml	1530	28121030	18%
	Phosphorous oxide chloride; phosphoryl chloride)						
· Pi	OCI ₃ M.W.: 153.33						
035788 P	Phosphorous Pentachloride 98% for Synthesis	10026-13-8	GB	500 gm	1593	28121022	18%
(F	Phosphorus (V) chloride)						
•	Cl ₅ M.W.: 208.24						
035789 P	Phosphorous Pentasulphide 98% for Synthesis	1314-80-3	GB	500 gm	1890	28139090	18%
	Phosphorus(V) sulfide)						
	₂ S ₅ M.W. : 222.25						
	ous Pentoxide See di-Phosphorous Pentoxide						
•	ii-Phosphorous Pentoxide 95%	1314-56-3	GB	250 gm	810	28091000	18%
	Phosphoric anhydride; phosphorous (V) oxide;		GB	500 gm	1494		
-	hosphorous pentoxide]			550 9/11	. 10 1		
•	₂ O ₅ M.W. : 141.94						
	ii-Phosphorous Pentoxide 98% AR	1314-56-3	GB	500 gm	1602	28091000	18%

	RESEARCH & LABOR	RATORY	CHE	MIC	AL	S	
	СН	EMISTRY BEY	OND CI	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	[Phosphoric anhydride; phosphorous (V) oxide;						
	phosphorous pentoxide]						
	P ₂ O ₅ M.W.: 141.94						
035790	Phosphorous Red 98%	7723-14-0	GB	100 gm	603	28047020	18%
	P At. W.: 30.97		GB	250 gm	1350		
			GB	500 gm	2403		
028686	Phosphorous Trichloride 99% for Synthesis	7719-12-2	GB	500 ml	1197	28121015	18%
	(Phosphorus (III) chloride)						
	PCI ₃ M.W.: 137.33						
Phospho	oryl Chloride See Phosphorous Oxychloride						
035791	Phosphotungstic Acid Hydrate	12501-23-4	GB	100 gm	2493	28111990	18%
	(Tungstophosphoric acid hydrate)		GB	500 gm	10494		
	H ₃ PO ₄ .12WO ₃ +XH ₂ O M.W. : 2880.05(Anhy.)						
013535	Phosphotungstic Acid AR	12501-23-4	GB	25 gm	891	28111990	18%
	(Tungstophosphoric acid)		GB	100 gm	3294		
	reagent for Microscopy						
	H ₃ PO ₄ .12WO ₃ +XH ₂ O M.W. : 2880.05(Anhy.)						
US2700	Phosphotungstic Acid TS		GB	125 ml	945	38220090	12%
013537 *	o-Phthalaldehyde 98% AR	643-79-8	GB	5 gm	594	29122990	18%
	(o-Phthalic dicarboxaldehyde; benzene-1,2-dicarboxaldehyde;		GB	25 gm	2394		
	Phthaldialdehyde)						
	For fluorometry Staining agent for proteins, peptides separation						
	microgram,protein analysis.						
	C ₈ H ₆ O ₂ M.W.: 134.13						
035796	Phthalamide 98%	88-96-0	РВ	250 gm	6903	29251900	18%
	(Phthalamic acid; Phthalic acid monoamide)		РВ	500 gm	11520		
	C ₈ H ₈ N ₂ O ₂ M.W.:164.16						
Phthaleir	n Purple See o-Cresolphthalein Complexone						
Tere Phtl	halic Acid See Terephthalic Acid						
035801	Phthalic Acid 99% for Synthesis	88-99-3	РВ	500 gm	819	29173930	18%
	(1,2-Benzenedicarboxylic acid)		PD	25 kg	POR		
	C ₆ H ₄ (COOH) ₂ M.W.: 166.13						
013540	Phthalic Acid 99.5% AR	88-99-3	РВ	500 gm	900	29173930	18%
	(1,2-Benzenedicarboxylic acid)						
	C ₆ H ₄ (COOH) ₂ M.W.: 166.13						
035802	Phthalic Anhydride 98% for Synthesis	85-44-9	РВ	500 gm	513	29173500	18%
	(Isobenzofuran-1,3-dione; 1,2-benzenedicarbonic acid)		РВ	5 kg	4392		
	C ₆ H ₄ (CO) ₂ O M.W. : 148.12			_			
035804	Phthalimide 98% for Synthesis	85-41-6	РВ	500 gm	612	29251900	18%
	• • • • • • • • • • • • • • • • • • •			ū			

	RESEARCH & LABOR	RATORY	CHE	EMIC	AL	S	
		EMISTRY BEY			Control to the		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	CO.C ₆ H ₄ .CO.NH M.W.: 147.13		PD	50 kg	POR		
STS240	Picro Aniline Blue Solution		РВ	100 ml	250	38220090	12%
	(Plant tissue stain)						
Phthalim	nide Potassium Salt See Potassium Phthalimide						
035806	Picric Acid 99-100.5%	88-89-1	GB	500 gm	1350	29089990	18%
	(2,4,6-Trinitrophenol; PA)						
	moistened with water						
	$C_6H_3N_3O_7$ M.W.: 229.11						
013545	Picric Acid 99.8% AR	88-89-1	GB	100 gm	450	29089990	18%
	(2,4,6-Trinitrophenol; PA)		GB	500 gm	1692		
	moistened with water						
	$C_6H_3N_3O_7$ M.W.: 229.11						
SOL329	Picric Acid Solution		GB	100 ml	216	38220090	12%
	Saturated Aqueous Solution		GB	500 ml	693		
SOL330	Picric Acid 1.2% Solution AR		GB	100 ml	216	38220090	12%
			GB	500 ml	648		
US3510	Picric Acid TS		GB	500 ml	702	38220090	12%
035807	Picrotoxine Pure	124-87-8	GB	1 gm	2250	38089340	18%
	C ₃₀ H ₃₄ O ₁₃ M.W.: 602.60						
	Pinacyanol Chloride	2768-90-3	GB	250 mgm	2970	29334900	18%
	(1,1'-Diethyl-2,2'-carbocyanine chloride; Quinaldine blue)		GB	1 gm	8550		
	$C_{25}H_{25}N_2CI$ M.W.: 388.93						
Piperazir	ne-N,N'-Bis-2-Ethane Sulphonic Acid See PIPES (Buffer)						
035811	Piperazine Hexahydrate 98%	142-63-2	РВ	100 gm	432	29335990	18%
	(Diethylenediamine hexahydrate)		РВ	500 gm	1296		
	C ₄ H ₁₀ N ₂ .6H ₂ O M.W.: 194.23		РВ	5 kg	POR		
035813	Piperazine Citrate 98%	41372-10-5	РВ	500 gm	1431	29335990	18%
	$(C_4H_{10}N_2)_3 \cdot (C_6H_8O_7)_2 \cdot xH_2O \text{ M.W.}: 642.66+xH_2O$						
028687	Piperidine for Synthesis	110-89-4	new GB	500 ml	1890	29333200	18%
	C ₅ H ₁₁ N M. W.: 85.15		GB	1 L	3492		
			GB	2.5 L	6750		
			PR	25 Lit	POR		
010815	Piperidine AR	110-89-4	new GB	100 ml	603	29333200	18%
	C ₈ H ₁₁ N M. W.: 85.15		GB	500 ml	2250		
			GB	2.5 L	8550		
Piperidin	nic Acid See p-Amino Butyric Acid						
035815	p-Piperidone Hydrochloride Monohydrate 98%	40064-34-4	GB	5 gm	1755	29333990	18%
	C ₅ H ₁₁ NO ₂ .HCl M.W. : 153.61		GB	25 gm	7020		
028688	Piperonyl Butoxide	51-03-6	GB	25 ml	2070	29329900	18%
1	[2-(2-Butoxyethoxy) ethyl (6-propylpiperonyl) ether]						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₁₉ H ₃₀ O ₅ M.W.: 338.44						
BF0411	PIPES Buffer 98.5%	5625-37-6	GB	5 gm	477	29335990	18%
	(Piperazine-N,N'-bis-2-ethanesulphonic acid)		GB	25 gm	1746		
	$C_8H_{18}N_2O_6S_2$ M.W.: 302.36						
035820	Plaster of Paris 90% Pract.	10034-76-1	PB	500 gm	396	28332990	18%
	(Calcium Sulphate Anhydrous)						
	CaSO ₄ . ½ H ₂ O M.W.: 145.15						
035831	Plaster of Paris 96%	10034-76-1	PB	500 gm	459	28332990	18%
	(Calcium Sulphate Anhydrous)						
	CaSO ₄ . ½ H ₂ O M.W. : 145.15						
035841 *	Platinic Chloride 38-40%	26023-84-7	GB	1 gm	7992	71101120	18%
	(Chloro platinic acid; Hexachloro platinic (IV) acid hydrate						
	hydrogen hexachloro platinate (IV) hydrate)						
	H ₂ PtCl ₆ .XH ₂ O M.W.: 409.81 (Anhy.)						
035847	Platinous Chloride (73% Pt) 98%	10025-65-7	GB	1 gm	17451	28439019	18%
	(Platinum (II) chloride)						
	PtCl ₂ M.W.: 265.99						
US2710	Platinic Chloride TS		GB	1 ml	5400	38220090	12%
AAS954	Platinum AAS Solution		PE	125 ml	8100	38220090	12%
	1000 ppm Single Element in HCL						
ICP171	Platinum ICP Standard Solution		PE	100 ml	8820	38220090	12%
	1000 ppm TRISTAR Single Element in HCL						
Platinum	ı (II) Chloride (73% Pt) See Platinous Chloride (73% Pt)						
035849	Platinum (IV) Chloride 98%	13454-96-1	GB	1 gm	12807	28439019	18%
	(Platinum tetrachloride)						
	PtCl ₄ M.W.: 336.89						
US2717	Platinum Cobalt TS		GB	25 ml	9000	38220090	12%
Platinum	Dioxide Hydrate See Platinum (IV) Oxide Hydrate						
035852	Platinum (IV) Oxide Hydrate 80%	52785-06-5	GB	1 gm	14994	28439019	18%
	PtO ₂ +H ₂ O M.W.: 227.09 (Anhy.)						
Platinum	Tetrachloride See Platinium (IV) Chloride						
035844	Platinum Wire 0.3 mm	7440-06-4	PB	1 gm	19485	71101900	18%
	Pt M.W.: 195.08			. 9			
FDS705	Platlet Counting Fluid		PB	125 ml	160	38220090	12%
	ee 1-Chloro-4-Nitrobenzene		1.5	120 1111	100	30220030	12/0
028690	Polyelectrolyte - 236 Emulsion		GB	500 gm	900	39072010	18%
028691	Polyetectrolyte - 443	05000.00.0	PB	500 gm		39072010	18%
028695	Polyethylene Glycol 200 for Synthesis	25322-68-3	GB	500 ml		39072010	18%
	(PEG 200)		GB	2.5 L	2592		

	RESEARCH & LABORA	TORY	CHE	EMIC	AL	S	
		ISTRY BEY			D-01-		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
028696	Polyethylene Glycol 300 for Synthesis	25322-68-3	GB	500 ml	675	39072010	18%
	(PEG 300)		GB	2.5 L	2790		
	H(OCH ₂ CH ₂) _n OH Av. M.W. : 285-315		PR	25 Lit	POR		
028697	Polyethylene Glycol 400 for Synthesis	25322-68-3	GB	500 ml	531	39072010	18%
	(PEG 400)		GB	2.5 L	2142		
	$H(OCH_2CH_2)_nOH$ Av. M.W.: 380-420		PR	25 Lit	POR		
			PD	200 L	POR		
028698	Polyethylene Glycol 600 for Synthesis	25322-68-3	GB	500 ml	792	39072010	18%
	(PEG 600)		GB	2.5 L	2790		
	H(OCH ₂ CH ₂) _n OH Av. M.W. : 570-630		PR	25 Lit	POR		
035858	Polyethylene Glycol 1500 for Synthesis	25322-68-3	РВ	500 gm	549	39072010	18%
	(PEG 1500)						
	H(OCH ₂ CH ₂) _n OH Av. M.W.: 1400-1600						
035861	Polyethylene Glycol 4000for Synthesis	25322-68-3	РВ	500 gm	747	39072010	18%
	(PEG 4000)		РВ	5 kg	6120		
	H(OCH ₂ CH ₂) _n OH Av. M.W.: 3500-4500		PD	25 kg	POR		
035862	Polyethylene Glycol 6000 for Synthesis	25322-68-3	РВ	500 gm	693	39072010	18%
	(PEG 6000)		РВ	5 kg	4995		
	H(OCH ₂ CH ₂) _n OH Av. M.W.: 5000-7000		PD	25 kg	POR		
035869	Polymyxin B Sulphate Salt	1405-20-5	GB	1 million units	2691	29419090	18%
	6,000 USP U/mg						
	$C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ M.W.: 1385.63						
Polyoxy	Ethylene Lauryl Ether See Brij 35 Solid						
Polyoxy	Ethylene Lauryl Ether (30% Solution) See Brij 35 (30% Solution)						
Polyoxy	Ethylene (20) Sorbitan Monolaurate See Tween 20®						
Polyoxy	Ethylene (60) Sorbitan Monostearate See Tween 60®						
Polyoxy	Ethylene (80) Sorbitan Monooleate See Tween 80®						
028704	Polyphosphoric Acid 85% for Synthesis	8017-16-1	GB	500 gm	1296	28092020	18%
	(Phospholeum; tetra phosphric acid)		GB	2.5 kg	5994		
	$H_{n+2}.P_{n}.O_{3n+2}$						
035873	Polystyrene	9003-53-6	РВ	500 gm	2295	39031990	18%
	$(C_8H_8)_n$						
Polysort	bate 20 See Tween 20®						
Polysort	bate 60 See Tween 60®						
Polysork	bate 80 See Tween 80®						
035876	Polyvinyl Alcohol Cold 99%	9002-89-5	РВ	500 gm	1107	39053000	18%
	(PVOH; PVA; Polyviol; Vinol)		РВ	5 kg	9000		
	hydrolyzed		PD	25 kg	POR		
	(C ₂ H ₄ O)n M.W.: 85000 -124000						
035877	Polyvinyl Alcohol Hot 87-89%	9002-89-5	РВ	500 gm	1170	39053000	18%
	(PVOH; PVA; Polyviol; Vinol)		РВ	5 kg	9900		

	CI	HEMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	hydrolyzed		PD	25 kg	POR		
	(C ₂ H ₄ O)n M.W.: 60000-125000						
035880	Polyvinyl Pyrrolidone K-25	9003-39-8	РВ	100 gm	837	39059910	189
	(Povidone; PVP)		PB	500 gm	2898		
	(C ₆ H ₉ NO)n Av. M.W. : 24000		PB	5 kg	26460		
035881	Polyvinyl Pyrrolidone K-30	9003-39-8	PB	100 gm	648	39059910	189
	(Povidone; PVP)		PB	500 gm	2592		
	(C ₆ H ₉ NO)n Av. M.W. : 40000		PB	5 kg	POR		
035883	Polyvinyl Pyrrolidone K-90	9003-39-8	РВ	500 gm	3195	39059910	189
	(Povidone; PVP)		РВ	5 kg	POR		
	(C ₆ H ₉ NO)n Av. M.W. : 360000						
Ponceau	u B See Biebrich Scarlet (W.S.)						
STA330	Ponceau S 80% (C.I. 27195)	6226-79-5	GB	25 gm	818	32041219	189
	$C_{22}H_{12}N_4Na_4O_{13}S_4$ M.W.: 760.56		GB	100 gm	3141		
SG0108	POPOP 98% Scintillation Grade	1806-34-4	GB	5 gm	10800	29319090	189
	[1,4-Di-2-(5-phenyloxazolyl) benzene; 1,4-bis		GB	25 gm	48600		
	(5-phenyl-2-oxazolyl) benzene]		GB	100 gm	POR		
	suitable for scintillation						
	C ₂₄ H ₁₆ N ₂ O ₂ M.W.: 364.41						
Potash <i>A</i>	Alum See Aluminium Potassium Sulphate Dodecahydrate						
AAS960	Potassium AAS Solution		PE	100 ml	1800	38220090	129
	1000 ppm Single Element in H ₂ O		PE	250 ml	2250		
			GB	500 ml	3780		
ICP180	Potassium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000 ppm TRISTAR Single Element in HNO ₃		GB	500 ml	7650		
ICP181	Potassium ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000 ppm TRISTAR Single Element in HNO ₃		GB	500 ml	11520		
SS1600	Potassium 10mg /L Standard Solution		PE	250 ml	1602	38220090	129
035897	Potassium Metal 99%	7440-09-7	GB	25 gm	5742	28051900	18%
	(in Liquid Paraffin)		GB	100 gm	18243		
	K At. W. : 39.10						
035900	Potassium Acetate 99%	127-08-2	PB	500 gm	666	29152990	18%
	CH ₃ .COOK M.W.: 98.14		PB	5 kg	5850		
			PD	50 kg	POR		
013550	Potassium Acetate 99% AR/ACS	127-08-2	РВ	500 gm	792	29152990	18%
	CH ₃ .COOK M.W.: 98.14						
HP9225	Potassium Acetate 99% for HPLC	127-08-2	new GB	500 gm	2700	29152990	189
	CH ₃ .COOK M.W.: 98.14						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US2730	Potassium Acetate 10% TS		РВ	500 ml	250	38220090	12%
Potassiu	m Aluminium Sulphate See Aluminium Potassium Sulphate Dodecahy	drate					
Potassiu	m Antimonate See Potassium Pyroantimonate						
Potassiu	m Antimony (III) Oxide Tartrate See Antimony Potassium-(+)-Tartrate						
VMS620	Potassium Arsenite (0.1N) Solution		PB	125 ml	504	38220090	12%
035901	Potassium Bicarbonate 99%	298-14-6	РВ	500 gm	540	28364000	18%
	(Potassium hydrogen carbonate)		РВ	1 kg	864		
	KHCO ₃ M.W.: 100.12		PD	50 kg	POR		
Potassiu	ım Biphosphate See Potassium Di-Hydrogen Ortho Phosphate Anhydro	ous					
US2735	Potassium Bismuth Iodide TS		GB	25 ml	1260	38220090	12%
Potassiu	m Bisulphate See Potassium Hydrogen Sulphate						
Potassiu	m Bitartrate See L-(+)-Potassium Hydrogen Tartrate						
035902	Potassium Bromate 99%	7758-01-2	PB	250 gm	640	28299020	18%
	KBrO ₃ M.W.: 167.00		PB	500 gm	1197		
			PD	50 kg	POR		
013551	Potassium Bromate 99.8% AR/ACS	7758-01-2	РВ	500 gm	1447	28299020	18%
	KBrO ₃ M.W.: 167.00		PD	25 kg	POR		
VMS625	Potassium Bromate (0.1N) Solution		РВ	500 ml	270	38220090	12%
AMP065	Potassium Bromate 1/60 mol/l (0.1N) for 1000 ml Solution		AMP	1 amp	171	38220090	12%
035903	Potassium Bromide 99% Purified	7758-02-3	РВ	500 gm	1121	28275120	18%
	KBr M.W.: 119.00		РВ	5 kg	9495		
			PD	50 kg	POR		
013552	Potassium Bromide 99.5% AR/ACS	7758-02-3	РВ	500 gm	1845	28275120	18%
	KBr M.W.: 119.00		PD	25 kg	POR		
HP0226	Potassium Bromide 99.5% for IR Spectroscopy	7758-02-3	РВ	100 gm	4392	28275120	18%
	KBr M.W.: 119.00						
AMP068	Potassium Bromide 0.1 mol/l (0.1N) for 500 ml Solution		AMP	3 amp	306	38220090	12%
			AMP	6 amp	594		
VMS627	Potassium Bromide 0.1 mol/l (0.1N) Solution		РВ	500 ml	288	38220090	12%
			РВ	1 L	522		
			РВ	2.5 L	774		
VMS628	Potassium Bromide 0.2M (0.2N) Solution		РВ	1 L	540	38220090	12%
VMS629	Potassium Bromide 0.5 mol/l (0.5N) Solution		PB	500 ml	279	38220090	12%
			РВ	1 L	522		
			РВ	2.5 L	792		
VMS624	Potassium Bromide 1 mol/I (1N) Solution		PB	500 ml	297	38220090	12%
	• •		РВ	1 L			
			РВ	2.5 L			
VMS622	Potassium Bromide 0.5M (0.5N) Standardized Solution		PB	1 L		38220090	12%
			• -				, •

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX Potassium Bromide Bromate (0.1 N) Solution VMS630 500 ml **306** 38220090 12% PR 035904 28364000 18% Potassium Carbonate Anhydrous 99% 584-08-7 PB 500 gm 450 K₂CO₃ M.W.: 138.21 РΒ 5 kg 3780 PD 50 kg POR 013553 Potassium Carbonate Anhydrous 99.9% AR/ACS 584-08-7 PΒ 500 gm **630** 28364000 18% K₂CO₃ M.W.: 138.21 PD 50 kg POR US2740 **Potassium Carbonate TS 1N** PB 500 ml 12% 207 38220090 035905 **Potassium Chloride 99% Purified** 7447-40-7 PΒ 500 gm **360** 28273990 18% KCI M.W.: 74.55 PB 2808 5 kg PΠ 50 kg POR 7447-40-7 500 gm 013554 Potassium Chloride 99.5% AR PR **531** 28273990 18% 5 kg KCI M.W.: 74.55 PB 4896 PD 50 kg POR Potassium Chloride 99.5% for Molecular Biology 7447-40-7 GB 500 gm **1530** 28273990 18% KCI M.W.: 74.55 VMS738 Potassium Chloride 1M Solution PΒ 500 ml **216** 38220090 12% РΒ 1 L 405 PΒ 2.5 L 639 500 ml РΒ **250** 38220090 12% VMS739 Potassium Chloride 3M Solution For Potentiometer Electrode VMS736 Potassium Chloride 0.2M Solution PR 500 ml **216** 38220090 12% PΒ 1 L 405 PΒ 2.5 L 810 500 ml **207** 38220090 12% VMS737 Potassium Chloride 0.5M Solution PB PΒ 1 L 378 PΒ 2.5 L 639 **7686** 28439019 013555 Potassium Chloro Platinate 40% AR 16921-30-5 GR 1 gm 18% [Platinic potassium chloride, Platinum potassium chloride; Dipotassium hexa chloroplatinate; Dipotassium platinum hexachloride; Potassium hexachloroplatinate(IV); Potassium platinum (IV) hexachloride;

Potassium platinum (IV) chloride)]

Potassium Chromate 99% Purified

K₂PtCl₆ M.W.: 486.0

035906

	K ₂ CrO ₄ M.W.: 194.19		PD	50 kg	POR		
013556	Potassium Chromate 99.5% AR	7789-00-6	PB	500 gm	1260	28415090	18%
	K ₂ CrO ₄ M.W.: 194.19						
VMS640	Potassium Chromate 0.25 M Solution		PB	500 ml	252	38220090	12%
SOL331	Potassium Chromate 5% Solution		PB	125 ml	207	38220090	12%
	(Chloride Free)						
VMS743	Potassium Chromate (0.1N) 1/30 mol/l Solution		РВ	500 ml	450	38220090	12%

7789-00-6

PB

500 gm

1080 28415090

18%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			РВ	1 L	810		
			РВ	2.5 L	1908		
VMS742	Potassium Chromate 0.0333M (0.1N) Standardized Solution		РВ	1 L	990	38220090	12%
US2745	Potassium Chromate TS 10%		РВ	500 ml	540	38220090	12%
035907	tri-Potassium Citrate 99% Purified	6100-05-6	РВ	500 gm	630	29181590	18%
	(Citric acid tripotassium salt ; Kalii citras; Potassium citrate tribasic)		PD	50 kg	POR		
	confirms to IP, BP						
	$K_3C_6H_5O_7.H_2O$ M.W.: 324.41						
013557	tri-Potassium Citrate 99% AR	6100-05-6	PB	500 gm	702	29181590	18%
	(Citric acid tripotassium salt ; Kalii citras; Potassium citrate tribasic)		PD	50 kg	POR		
	$K_3C_6H_5O_7.H_2O$ M.W.: 324.41						
035908	Potassium Cyanate 97% for Synthesis	590-28-3	РВ	500 gm	1990	28429090	18%
	KOCN M.W.: 81.12						
035909	Potassium Dichromate 99.5% Pure	7778-50-9	РВ	500 gm	1143	28415090	18%
	(Potassium bichromate)		РВ	1 kg	2390		
	$K_2Cr_2O_7$ M.W.: 294.18		PB	2.5 kg	5490		
			PD	50 kg	POR		
013558	Potassium Dichromate 99.9% AR	7778-50-9	РВ	500 gm	1296	28415090	18%
	(Potassium bichromate)		PD	50 kg	POR		
	$K_2Cr_2O_7$ M.W.: 294.18						
US2750	Potassium Dichromate TS		РВ	500 ml	360	38220090	12%
AMP071	Potassium Dichromate 0.0167 mol/l (0.1 N) Solution		AMP	6 amp	882	38220090	12%
SOL332	Potassium Dichromate 0.25N Solution		РВ	500 ml	162	38220090	12%
VMS746	Potassium Dichromate 0.02 mol/l Solution		РВ	500 ml	405	38220090	12%
	For Determination of COD		РВ	1 L	765		
			РВ	2.5 L	1035		
VMS747	Potassium Dichromate 1/6 mol/l (1N) Solution		PB	500 ml	234	38220090	12%
			РВ	1 L	423		
			РВ	2.5 L	648		
VMS643	Potassium Dichromate 1/60 mol/l (0.1N) Solution		РВ	500 ml	252	38220090	12%
			РВ	1 L	450		
			РВ	2.5 L	702		
035910	Potassium Dihydrogen Ortho Phosphate Anhydrous	7778-77-0	PB	500 gm	630	28352400	18%
	99-101% Purified		РВ	5 kg	5040		
	(Monopotassium phosphate, Potassium dihydrogen phosphate Monobasic;		PD	50 kg	POR		
	primPotassium phosphate; Potassium phosphate monobasic)						
	confirms to BP						
	KH ₂ PO ₄ M.W.: 136.09						
013559	Potassium Dihydrogen Ortho Phosphate Anhydrous	7778-77-0	РВ	500 gm	720	28352400	18%
	99.5-100.5% AR/ACS		PB	5 kg	5760		

	СНЕМ						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Monopotassium phosphate, Potassium dihydrogen phosphate Monobasic;		PD	50 kg	POR		
	primPotassium phosphate; Potassium phosphate monobasic)						
	KH ₂ PO ₄ M.W.: 136.09						
HP0224	Potassium Dihyrogen Ortho Phosphate Anhydrous	7778-77-0	new GB	500 gm	1170	28352400	18%
	for HPLC						
	(Monopotassium phosphate, Potassium dihydrogen phosphate Monobasic;						
	primPotassium phosphate; Potassium phosphate monobasic)						
	KH ₂ PO ₄ M.W.: 136.09						
MB0126	Potassium Dihyrogen Ortho Phosphate Anhydrous	7778-77-0	GB	500 gm	2520	28352400	18%
	98% for Molecular Biology						
	(Monopotassium phosphate, Potassium dihydrogen phosphate Monobasic;						
	primPotassium phosphate; Potassium phosphate monobasic)						
	KH ₂ PO ₄ M.W.: 136.09						
VMS751	Potassium Dihydrogen Ortho Phosphate 1/15 mol/l		РВ	500 ml	1800	38220090	12%
	Buffer Stock Solution		РВ	1 L	3708		
			РВ	2.5 L	5400		
Potassiu	m Diphosphate Tetrabasic See tetra-Potassium Pyrophosphate						
Dipotass	ium Disulphite Purified See Potassium Metabisulphite						
035921	Potassium Ferricyanide 97% Printing Grade	13746-66-2	РВ	100 gm	558	28372020	18%
	(Potassium hexacyanoferrate(III); Red prussiate)		PB	500 gm	2097		
	K ₃ Fe(CN) ₆ M.W.: 329.25		PD	50 kg	POR		
013560	Potassium Ferricyanide 99% AR/ACS	13746-66-2	РВ	500 gm	2295	28372020	18%
	(Potassium hexacyanoferrate(III); Red prussiate)						
	K ₃ Fe(CN) ₆ M.W.: 329.25						
SOL320	Potassium Ferricyanide 0.04% Solution		РВ	500 ml	207	38220090	12%
VMS641	Potassium Ferricyanide (0.05M) Solution		РВ	500 ml	270	38220090	12%
035922	Potassium Ferrocyanide 99% Purified	14459-95-1	РВ	500 gm	1098	28372030	18%
	(Potassium hexacyanoferrate (II) trihydrate)		PD	25 kg	POR		
	K₄Fe(CN) ₆ .3H ₂ O M.W. : 422.39						
013561	Potassium Ferrocyanide 99% AR/ACS	14459-95-1	РВ	500 gm	1251	28372030	18%
	(Potassium hexacyanoferrate (II) trihydrate)						
	K₄Fe(CN) ₆ .3H ₂ O M.W. : 422.39						
US2755	Potassium Ferrocyanide TS		РВ	500 ml	450	38220090	12%
035923	Potassium Fluoride Anhydrous 97%	7789-23-3	РВ	250 gm	585	28261990	18%
	KF M.W.: 58.10		РВ	500 gm	900		
			PD	50 kg	POR		
013562	Potassium Fluoride Anhydrous 99% AR	7789-23-3	РВ	500 gm	1791	28261990	18%
	KF M.W.: 58.10		PD	50 kg	POR		
335925	Potassium Gold Cyanide 98%	13967-50-5	GB	1 gm	POR	28371910	18%
	(Potassium dicyanoaurate (I); gold (I) potassium cyanide)		GB	5 gm	POR		
	KAu(CN) ₂ M.W.: 288.10						

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Potassiu	m Hexachloroplatinate (IV) See Potassium Chloro Platinate AR						
Potassiu	m Hexacyanoferrate (III) See Potassium Ferricyanide						
Potassiu	m Hexacyanoferrate (II) See Potassium Ferrocyanide						
Potassiu	m Hydrogen Carbonate See Potassium Bicarbonate						
035924	di-Potassium Hydrogen Ortho Phosphate Anhydrous 97.5%	7758-11-4	PB	500 gm	702	28352400	18%
	(Potassium phosphate dibasic Anhydrous; Dipotassium		РВ	5 kg	POR		
	hydrogenphosphate; Dipotassium phosphate)		PD	50 kg	POR		
	K ₂ HPO ₄ M.W.: 174.18						
013563	di-Potassium Hydrogen Ortho Phosphate Anhydrous 99%	7758-11-4	РВ	500 gm	810	28352400	18%
	AR		PD	50 kg	POR		
	(Potassium phosphate dibasic Anhydrous; Dipotassium						
	hydrogenphosphate; Dipotassium phosphate)						
	K ₂ HPO ₄ M.W.: 174.18						
HP0225	di-Potassium Hydrogen Ortho Phosphate Anhydrous 99%	7758-11-4	GB	500 gm	1404	28352400	18%
	for HPLC & Spectroscopy						
	(Potassium phosphate dibasic Anhydrous; Dipotassium						
	hydrogenphosphate; Dipotassium phosphate)						
	K ₂ HPO ₄ M.W.: 174.18						
MB0129	di-Potassium Hydrogen Ortho Phosphate	7758-11-4	GB	100 gm	900	28352400	18%
	Anhydrous 99.5% for Molecular Biology		GB	500 gm	3600		
	(Potassium phosphate dibasic Anhydrous; Dipotassium						
	hydrogenphosphate; Dipotassium phosphate)						
	K ₂ HPO ₄ M.W.: 174.18						
035925	Potassium Hydrogen Phthalate 99.5% Purified	877-24-7	РВ	500 gm	747	29173990	18%
	(KHP; Phthalic acid monopotassium salt ; Potassium		PD	50 kg	POR		
	biphthalate; Potassium phthalate monobasic)						
	COOH.C ₆ H ₄ .COOK M.W.: 204.22						
013564	Potassium Hydrogen Phthalate 99.9% AR	877-24-7	РВ	500 gm	864	29173990	18%
	(KHP; Phthalic acid monopotassium salt ; Potassium						
	biphthalate; Potassium phthalate monobasic)						
	COOH.C ₆ H ₄ .COOK M.W.: 204.22						
VMS646	Potassium Hydrogen Phthalate (0.05 M) Solution		РВ	500 ml	340	38220090	12%
VMS756	Potassium Hydrogen Phthalate 0.17gm/l Solution		PB	1 L	432	38220090	12%
	For COD Determination						
VMS755	Potassium Hydrogen Phthalate 0.1 M (0.1N)		РВ	1 L	1080	38220090	12%
	Standardized Solution						
035926	Potassium Hydrogen Sulphate Crystal 99%	7646-93-7	РВ	500 gm	619	28332990	18%
	(Potassium bisulphate)		PD	25 kg	POR		
	KHSO ₄ M.W.: 136.16		PD	50 kg	POR		
013565	Potassium Hydrogen Sulphate 99% AR	7646-93-7	PB	500 gm		28332990	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE HSN TAX PD 50 kg POR (Potassium bisulphate) KHSO₄ M.W.: 136.16

	KHSO ₄ M.W.: 136.16						
035927	L-(+)-Potassium Hydrogen Tartrate 98%	868-14-4	РВ	500 gm	1089	29181310	18%
	(L-(+)-Tartaric acid monopotassium salt ; Cream of tartar;		PD	50 kg	POR		
	potassium L-tartrate monobasic; Potassium L-bitartrate						
	potassium bitartrate; DL-potassium bitartrate; cremortartari)						
	C ₄ H ₅ KO ₆ M.W.: 188.18						
035928	Potassium Hydroxide Flakes 85%	1310-58-3	PB	500 gm	477	28152000	18%
	(Caustic potash; Potash lye; Potassium hydrate)		PB	5 kg	3789		
	KOH M.W.: 56.11		PD	50 kg	POR		
035929	Potassium Hydroxide Pellets 85% Purified	1310-58-3	PB	500 gm	558	28152000	18%
	(Caustic potash; Potash lye; Potassium hydrate)		PB	5 kg	4500		
	KOH M.W.: 56.11		PD	50 kg	POR		
013566	Potassium Hydroxide Pellets 85% AR	1310-58-3	PB	500 gm	630	28152000	18%
	(Caustic potash; Potash lye; Potassium hydrate)		РВ	5 kg	5400		
	KOH M.W.: 56.11		PD	50 kg	POR		
935930	Potassium Hydroxide Powder 85%	1310-58-3	РВ	500 gm	513	28152000	18%
	(Caustic potash; Potash lye; Potassium hydrate)		РВ	5 kg	3996		
	KOH M.W.: 56.11		PD	25 kg	POR		
/MS651	Potassium Hydroxide 0.05mol/l (0.05N) Solution		PB	500 ml	324	38220090	12%
AMP076	Potassium Hydroxide 0.1mol/l (0.1N) Solution		AMP	6 amp	1107	38220090	12%
SOL340	Potassium Hydroxide 0.1mol/l (0.1N) volumetric solution		PB	500 ml	324	38220090	12%
AMP074	Potassium Hydroxide 1mol/I (1N) Solution		AMP	6 amp	1188	38220090	12%
/MS660	Potassium Hydroxide 1mol/I (1N) Solution		РВ	500 ml	450	38220090	12%
SOL333	Potassium Hydroxide Abt. 40% w/v Solution		РВ	500 ml	486	38220090	12%
	KOH M.W.: 56.11						
/MS667	Potassium Hydroxide Abt. 45% w/v Solution		РВ	500 ml	754	38220090	12%
	KOH M.W.: 56.11						
SOL352	Potassium Hydroxide Solution Abt. 20%		РВ	500 ml	360	38220090	12%
SOL342	Potassium Hydroxide 0.1mol/l (0.1N)		РВ	500 ml	1629	38220090	12%
	volumetric solution alcoholic						
/MS653	Potassium Hydroxide 0.1N Solution in Ethanol		РВ	500 ml	1629	38220090	12%
SOL344	Potassium Hydroxide 0.5mol/l (0.5N)		РВ	500 ml	1800	38220090	12%
	volumetric solution alcoholic						
/MS655	Potassium Hydroxide 0.5N Solution in Ethanol		PB	500 ml	2079	38220090	12%
/MS657	Potassium Hydroxide 0.5N Solution in Methanol		PB	500 ml	1530	38220090	12%
/MS658	Potassium Hydroxide 0.5N Solution in Water		РВ	500 ml	441	38220090	12%
			РВ	1 L	819		
			РВ	2.5 L	1314		
3OL353	Potassium Hydroxide 7.5% Solution in Methanol		PB	500 ml	1260	38220090	12%

	CHEM	STRY BEY	ONDC	ILIVIICA	LJ		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
SOL351	Potassium Hydroxide 33.0% Solution in Methanol		РВ	500 ml	1800	38220090	12%
035930	Potassium Iodate 99.5% Pure	7758-05-6	РВ	100 gm	2700	28299030	18%
	KIO ₃ M.W.: 214.00		PB	250 gm	5580		
			РВ	5 kg	POR		
013567	Potassium Iodate 99.9% AR	7758-05-6	РВ	100 gm	2880	28299030	18%
	for determination of morphine		РВ	250 gm	5805		
	KIO ₃ M.W.: 214.00		РВ	5 kg	POR		
SOL345	Potassium lodate 0.05 mol/l volumetric solution		РВ	500 ml	720	38220090	12%
VMS670	Potassium Iodate (0.05M) Solution		PB	500 ml	702	38220090	12%
VMS671	Potassium Iodate 0.01667M (0.1N) Standardized Solution		PB	1 L	1395	38220090	12%
VMS672	Potassium Iodate 1/60 mol/I (0.1N) Solution		PB	500 ml	900	38220090	12%
			РВ	1 L	1620		
			PB	2.5 L	2250		
VMS669	Potassium Iodate 0.0147M (0.08833N) Standardized Solution		РВ	1 L	1395	38220090	12%
035931	Potassium Iodide 99% Pure	7681-11-0	РВ	25 gm	864	28276010	18%
	(Potide)		РВ	100 gm	2491		
	confirms IP, BP, USP		РВ	250 gm	5769		
	KI M.W.: 166.00		РВ	500 gm	10490		
			РВ	5 kg	POR		
			PD	50 kg	POR		
013568	Potassium Iodide 99.8% AR/ACS	7681-11-0	РВ	25 gm	900	28276010	18%
	(Potide)		PB	100 gm	2691		
	KI M.W.: 166.00		PB	250 gm	6192		
			PB	500 gm	11190		
			РВ	1 kg	21490		
			РВ	5 kg	POR		
			PD	25 kg	POR		
VMS677	Potassium Iodide 0.01mol/I Solution		PB	500 ml	720	38220090	12%
VMS679	Potassium Iodide 1mol/I Solution		PB	500 ml	1485	38220090	12%
VMS680	Potassium Iodide 0.1M Solution		PB	500 ml	990	38220090	12%
			PB	1 L	1800		
			PB	2.5 L	3600		
VMS681	Potassium Iodide 3M Solution		РВ	500 ml	3420	38220090	12%
			РВ	1 L	7092		
			РВ	2.5 L	15840		
US2758	Potassium Iodide TS		РВ	500 ml	2500	38220090	12%
SOL334	Potassium Iodide Iodate N/50 Solution		РВ	500 ml	270	38220090	12%
US2760	Potassium Iodide Starch TS		РВ	125 ml	207	38220090	12%
013569	Potassium lodoplatinate 99% AR	16905-14-9	GB	1 gm	8010	28439019	18%
	I ₆ K ₂ Pt M.W.: 1034.71			-			



CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Potassium Iodoplatinate TS	OAS NO	GB	25 ml		38220090	12%
028706	Potassium Lactate Solution 50%	996-31-6	GB	500 ml		29181190	18%
020700	C ₃ H ₅ KO ₃ M.W.: 128.0	990-31-0	ОВ	500 1111	940	29101190	10 70
025022		16731-55-8	DD.	500 am	603	28322010	100/
035932	Potassium Metabisulphite 95% (Potassium pursulfite Diseaseium disulfite)	10731-33-0	PB PD	500 gm	603 POR	20322010	18%
	(Potassium pyrosulfite; Dipotassium disulfite)		עק	50 kg	PUR		
042570	K ₂ S ₂ O ₅ M.W.: 222.31	16721 55 0	PB	500 am	000	20222010	100/
013570	Potassium Metabisulphite 97% AR	16731-55-8	PB	500 gm	990	28322010	18%
	(Potassium pyrosulfite; Dipotassium disulfite) $K_2S_2O_5$ M.W.: 222.31						
913571	Potassium meta Periodate 99%	7790-21-8	PB	100 gm	2646	28299030	18%
913071		1190-21-0	РВ	500 gm	12186	20299030	10 70
	(Periodic acid potassium salt; potassium periodate) Reagent for periodate oxidimetry, Lithium and Manganese		РВ	500 gm	POR		
	KIO ₄ M.W.: 230.0		1.0	5 kg	rok		
013571	Potassium meta Periodate 99.8% AR	7790-21-8	PB	100 gm	2790	28299030	18%
	(Periodic acid potassium salt; potassium periodate)		PB	500 gm	12960		
	KIO ₄ M.W.: 230.0						
035933	Potassium Nitrate 99% Purified	7757-79-1	РВ	500 gm	567	28342100	18%
	(Saltpetre; Nitrate of potash)		PB	5 kg	3996		
	KNO ₃ M.W.: 101.10		PD	50 kg	POR		
013572	Potassium Nitrate 99.5% AR	7757-79-1	PB	500 gm	747	28342100	18%
	(Saltpetre; Nitrate of potash)		PD	50 kg	POR		
	Confirms to BP, USP						
	KNO ₃ M.W.: 101.10						
VMS684	Potassium Nitrate 0.1 N Solution		PB	500 ml	216	38220090	12%
SOL338	Potassium Nitrate Saturated Solution		PB	500 ml	250	38220090	12%
035934	Potassium Nitrite Crystal 97%	7758-09-0	PB	100 gm	801	28342100	18%
	KNO ₂ M.W.: 85.10		PB	500 gm	2430		
013573	Potassium Nitrite 99% AR/ACS	7758-09-0	PB	25 gm	405	28342100	18%
	KNO ₂ M.W.: 85.10		PB	250 gm	1791		
935935	Potassium Osmate (VI) Dihydrate 51.5%	10022-66-9	GB	1 gm	POR	28439019	18%
	K ₂ OsO ₄ .2(H ₂ O) M.W.: 368.42						
035935	Potassium Oxalate 99% Purified	6487-48-5	PB	500 gm	720	29171190	18%
	(Ethanedioic acid; oxalic acid potassium salt; di-potassium oxalate)		PD	50 kg	POR		
	(COOK) ₂ .H ₂ O M.W.: 184.23						
013574	Potassium Oxalate 99.5% AR/ACS	6487-48-5	РВ	500 gm	855	29171190	18%
	(Ethanedioic acid; oxalic acid potassium salt; di-potassium oxalate)		PD	50 kg	POR		
	(COOK) ₂ .H ₂ O M.W.: 184.23						
SOL335	Potassium Oxalate Solution 5.0%		РВ	125 ml	270	38220090	12%
SOL336	Potassium Oxalate Solution 10.0%		РВ	125 ml	306	38220090	12%
013577	Potassium Perchlorate 99% AR/ACS	7778-74-7	GB	500 gm	8991	28299010	18%

	RESEARCH & LABORAT	TORY	CHE	MIC	AL	S	
	СНЕМІ	STRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Potassium chlorate (VII); Perchloric acid potassium salt ; peroidin)						
	KCIO ₄ M.W.: 138.55						
VMS686	Potassium Perchlorate Solution 0.1M		GB	100 ml	450	38220090	12%
			GB	250 ml	720		
			GB	500 ml	1080		
			GB	1 L	1620		
Potassiu	m Periodate See Potassium meta Periodate						
035936	Potassium Permanganate 99% Purified	7722-64-7	РВ	500 gm	603	28416100	18%
	(Potassium manganate(VII); Permanganate of potash)		РВ	5 kg	4302		
	KMnO ₄ M.W.: 158.03		PD	25 kg	POR		
			PD	50 kg	POR		
013578	Potassium Permanganate 99.5% AR	7722-64-7	PB	500 gm	720	28416100	18%
	(Potassium manganate(VII); Permanganate of potash)		PD	50 kg	POR		
	meets analytical specification of IP, B.P., U.S.P., N.F., E.P.						
	KMnO ₄ M.W.: 158.03						
VMS691	Potassium Permanganate (0.01N) (0.002mol/l) Solution		GB	500 ml	360	38220090	12%
VMS693	Potassium Permanganate (0.05N) (0.01mol/l) Solution		GB	500 ml	414	38220090	12%
VMS695	Potassium Permanganate (0.1N) (0.02mol/l) Solution		GB	500 ml	486	38220090	12%
AMP081	Potassium Permanganate (0.1N) (0.02 mol/l) Solution		AMP	3 amp	720	38220090	12%
VMS697	Potassium Permanganate (0.25N) (0.05mol/l) Solution		GB	500 ml	243	38220090	12%
VMS699	Potassium Permanganate (1N) (0.2mol/l) Solution		GB	500 ml	250	38220090	12%
VMS701	Potassium Permanganate (2.5N) (0.5mol/l) Solution		GB	500 ml	306	38220090	12%
SOL337	Potassium Permanganate N/10 Solution		GB	500 ml	230	38220090	12%
VMS694	Potassium Permanganate 0.1mol/I (0.5N) Solution		GB	500 ml	234	38220090	12%
			GB	1 L	378		
			GB	2.5 L	684		
VMS692	Potassium Permanganate 0.01mol/I (0.05N)		GB	1 L	900	38220090	12%
	Standardized Solution						
SOL850	Potassium Permanganate Solution for TLC Spray		GB	125 ml	288	38220090	12%
	(for detection of olefins & readily oxidized groups)						
Potassiu	m Peroxydisulphate See Potassium Persulphate						
035937	Potassium Persulphate 98%	7727-21-1	РВ	500 gm	630	28334000	18%
	(Potassium peroxodisulphate)		РВ	5 kg	4860		
	K ₂ S ₂ O ₈ M.W.: 270.31		PD	50 kg	POR		
013579	Potassium Persulphate 99% AR	7727-21-1	РВ	500 gm	720	28334000	18%
	(Potassium peroxodisulphate)		PD	50 kg	POR		
	K ₂ S ₂ O ₈ M.W.: 270.31						
Potassiu	m Phosphate Monobasic Purified See Potassium Dihydrogen Ortho	Phosphate Pu	rified				
Potassiu	m Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate)					
935938	tri-POTASSIUM PHOSPHATE 97%	7778-53	РВ	500 gm	990	28352400	18%

	RESEARCH & LABORA	ISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Potassium phosphate tribasic)						
	K3PO4 M.W.: 212.27						
035938	Potassium Phthalimide 99%	1074-82-4	РВ	500 gm	1962	29251900	18%
	(1,3-Dihydro-1,3-dioxoisoindole potassium salt; Phthalimide potassium salt)		РВ	5 kg	POR		
	C ₈ H ₄ KNO ₂ M.W.: 185.23						
SOL339	Potassium Plumbite Solution		РВ	500 ml	360	38220090	12%
035939	Potassium Pyroantimonate 94%	12208-13-8	РВ	100 gm	2592	28419000	18%
			РВ	500 gm	12564		
013580	Potassium Pyroantimonate 94% AR	12208-13-8	РВ	100 gm	3465	28419000	18%
	(Potassium hexahydroxantimonate (V) potassium antimonate)		РВ	500 gm	16263		
	K[Sb(OH) ₆] M.W.: 262.89						
US2770	Potassium Pyroantimonate TS		РВ	125 ml	540	38220090	12%
Potassiu	ım Pyrophosphate Tetrabasic See tetra-Potassium Pyrophosphate						
035940	tetra-Potassium Pyrophosphate 98%	7320-34-5	PB	500 gm	1310	28352990	18%
	(Potassium diphosphate tetrabasic; tetrapotassium diphosphate)			-			
	K₄P ₂ O ₇ M.W.: 330.34						
935941	Potassium Pyrosulphate	7790-62-7	РВ	500 gm	7992	28332990	18%
	(Potassium disulphate)		PB	5 kg			
	K ₂ S ₂ O ₇ M.W.: 254.33		PD	25 kg			
913580	Potassium Pyrosulphate 97.5% AR	7790-62-7	PB	500 gm		28332990	18%
	(Potassium disulphate)			000 g			.070
	K ₂ S ₂ O ₇ M.W.: 254.33						
035941	Potassium Sodium-(+)-Tartrate 99% Purified	6381-59-5	PB	500 gm	801	29181390	18%
000041	(Rochelle salt)	0001000	PB	5 kg	6408	20101000	1070
	C ₄ H ₄ KNaO ₆ .4H ₂ O M.W. : 282.22		PD	50 kg			
013581	Potassium Sodium-(+)-Tartrate 99% AR/ACS	6381-59-5	PB	100 gm		29181390	18%
013301	• •	0301-39-3	РВ	ŭ		29101390	10 70
	(Rochelle salt) C ₄ H ₄ KNaO ₆ .4H ₂ O M.W.: 282.22			500 gm			
001.040			PD	25 kg		20000000	400/
SOL348	Potassium Sodium-(+)-Tartrate Solution (Alkaline)	04004.04.5	PB	500 ml		38220090	12%
035942	Potassium Sorbate 99%	24634-61-5	PB	1 kg		29161990	18%
	(Sorbistat-K; Sorbistat potassium; Potassium (2E,4E)-hexa-2,4-dienoate)		PD	25 kg	POR		
	Confirms to BP, USP						
	C _e H ₇ KO ₂ M.W.: 150.22						
035943	Potassium Sulphate 99%	7778-80-5	РВ	500 gm		28332990	18%
	(Sulphate of potash; arcanite)		PB	5 kg			
	confirms to BP		PD	50 kg	POR		
	K ₂ SO ₄ M.W.: 174.25						
013582	Potassium Sulphate 99.5% AR/ACS	7778-80-5	PB	500 gm	630	28332990	18%
	(Sulphate of potash, arcanite)		PD	50 kg	POR		
	K ₂ SO ₄ M.W.: 174.25						
SOL350	Potassium Sulphate Saturated Solution		PB	500 ml	450	38220090	12%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US2775	Potassium Sulphate 1% TS		РВ	500 ml	270	38220090	12%
Potassiu	m Sulphocyanide See Potassium Thiocyanate						
035944	Potassium Tellurite Trihydrate 98% for Microbiology	7790-58-1	GB	25 gm	4743	28429090	18%
	K ₂ TeO ₃ .3H ₂ O M.W.: 307.84		GB	100 gm	16992		
035945	Potassium Tetraborate 99%	12045-78-2	РВ	500 gm	945	28402090	18%
	(Potassium biborate)						
	K ₂ B ₄ O ₇ .4H ₂ O M.W.: 305.50						
035947	Potassium Tetraoxalate Dihydrate 99%	6100-20-5	PB	500 gm	774	29171190	18%
	(Oxalic acid hemipotassium salt)						
	C ₄ H ₃ KO ₈ .2H ₂ O M.W.: 254.19						
Potassiu	m Tetroxoiodate See Potassium-m-Periodate						
035948	Potassium Thiocyanate 98%	333-20-0	GB	500 gm	900	28372090	18%
	(Potassium rhodanide; potassium sulphocyanide)		PD	50 kg	POR		
	KSCN M.W.: 97.18						
013583	Potassium Thiocyanate 99% AR	333-20-0	GB	500 gm	1170	28372090	18%
	(Potassium rhodanide; potassium sulphocyanide)						
	KSCN M.W.: 97.18						
VMS731	Potassium Thiocyanate 0.05 mol/l volumetric solution		РВ	1 L	828	38220090	12%
VMS732	Potassium Thiocyanate 0.1N Solution		РВ	500 ml	234	38220090	12%
			РВ	1 L	432		
			РВ	2.5 L	1035		
VMS733	Potassium Thiocyanate 0.1M (0.1N) Standardized Solution		РВ	1 L	900	38220090	12%
US2780	Potassium Thiocyanate 1N TS		РВ	500 ml	360	38220090	12%
035950	Potassium Titanium Fluoride 98%	16919-27-0	РВ	100 gm	540	28269000	18%
	K ₂ TiF ₆ M.W. : 240.09		РВ	500 gm	1260		
035957	Potassium Titanium Oxalate Dihydrate AR	14402-67-6	РВ	100 gm	1294	29171190	18%
	(Potassium Titanium Oxide Oxalate)		РВ	250 gm	2644		
	K ₂ TiC ₄ O ₉ .2H ₂ O M.W.: 354.13						
Potato S	tarch See Starch Potato						
SG0109	PPO 99% Scintillation Grade	92-71-7	GB	25 gm	3798	29349900	18%
	(2,5-Diphenyloxazole)		GB	100 gm	12996		
	C ₁₅ H ₁₁ NO M.W. : 221.26						
AAS965	Praseodymium AAS Solution		PE	250 ml	3600	38220090	12%
	1000ppm Single Element in HClO ₄						
RR0491	Praseodymium Chloride 99.9%	19423-77-9	GB	25 gm	4752	28469090	18%
	PrCl ₃ · XH ₂ O M.W. : 247.27(Anhy.)		GB	100 gm	10710		
RR0504	Praseodymium Oxide 99.9%	12037-29-5	GB	10 gm	882	28469090	18%
	(Praseodymium(III) oxide)						
	Pr ₆ O ₁₁ M.W.: 1021.44						
035981	Proflavine Hemisulphate Salt Hydrate 99%	1811-28-5	GB	10 gm	2700	29335990	18%

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
	СН	EMISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(3,6-Diaminoacridine hemisulphate salt)		GB	25 gm	4318		
	$C_{13}H_{11}N_3.$ $\frac{1}{2}H_2SO_4.XH_2O$ M.W.: 258.29						
035987	Progesterone 97%	57-83-0	GB	5 gm	1240	29372300	18%
	(4-Pregnene-3,20-dione)		GB	25 gm	5040		
	$C_{21}H_{30}O_2$ M.W.: 314.47		GB	500 gm	POR		
035991	L-Proline 99% for Biochemistry	147-85-3	GB	5 gm	82	29339900	18%
	[(S)-Pyrrolidine-2-carboxylic acid]		GB	25 gm	296		
	NH.CH ₂ .CH ₂ .CH ₂ .CH.COOH M.W.: 115.13		GB	100 gm	1062		
			GB	500 gm	4491		
Propanal	See Propionaldehyde AR						
Propan-1	-ol See 1-Propanol						
Propan-2	-ol See 2-Propanol						
Propaneo	dioic Acid See Malonic Acid						
028710	1,2-Propanediol Purified 99% for Synthesis	57-55-6	GB	500 ml	504	29053200	18%
	(Propylene glycol)		GB	2.5 L	2016		
	CH ₃ .CH(OH).CH ₂ OH M.W.: 76.10		PR	25 Lit	POR		
010830	1,2-Propanediol 99.5% AR	57-55-6	GB	500 ml	603	29053200	18%
	(Propylene glycol)		GB	2.5 L	2502		
	CH ₃ .CH(OH).CH ₂ OH M.W.: 76.10						
028715	1-Propanol 99% for Synthesis	71-23-8	GB	500 ml	405	29051210	18%
	(n-Propyl alcohol; Propan-1-ol)		GB	2.5 L	1602		
	CH ₃ .CH ₂ .CH ₂ .OH M.W.: 60.10						
010840	1-Propanol 99.5% AR	71-23-8	GB	500 ml	504	29051210	18%
	(n-Propyl alcohol; Propan-1-ol)		GB	2.5 L	2016		
	CH ₃ .CH ₂ .CH ₂ .OH M.W.: 60.10						
GC0710	1-Propanol 99.9% GC Grade	71-23-8	GB	250 ml	486	29051210	18%
	(n-Propyl alcohol; Propan-1-ol)		GB	1 L	1710		
	CH ₃ .CH ₂ .CH ₂ .OH M.W.: 60.10						
HP0227	1-Propanol 99.8% for HPLC & Spectroscopy	71-23-8	GB	1 L	2700	29051210	18%
	(n-Propyl alcohol; Propan-1-ol)						
	CH ₃ .CH ₂ .CH ₂ .OH M.W.: 60.10						
028718	2-Propanol 70%	67-63-0	GB	500 ml	342	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)		GB	2.5 L	1242		
	(CH ₃) ₂ CHOH M.W.: 60.10		РВ	5 L	2241		
			PR	25 Lit	POR		
028720	2-Propanol 99% for Synthesis	67-63-0	GB	500 ml	351	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)		GB	2.5 L	1404		
	(CH ₃) ₂ CHOH M.W.: 60.10		РВ	5 L	2493		
			PR	25 Lit	POR		
			PD	200 L	POR		
010850	2-Propanol 99.5% AR	67-63-0	GB	500 ml	405	29051220	18%

	CHEN	ISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)		GB	2.5 L	1602		
	(CH ₃) ₂ CHOH M.W.: 60.10		PR	25 Lit	POR		
EL0051	2-Propanol 99.8% EL Grade	67-63-0	GB	2.5 L	2349	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)						
	(CH ₃) ₂ CHOH M.W.: 60.10						
GC0700	2-Propanol 99.9% GC Grade	67-63-0	GB	1 L	1440	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)						
	(CH ₃) ₂ CHOH M.W.: 60.10						
HP0228	2-Propanol 99.8% for HPLC & Spectroscopy	67-63-0	GB	1 L	900	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)		GB	2.5 L	1890		
	(CH ₃) ₂ CHOH M.W.: 60.10						
PR0115	2-Propanol 99.8% for Pesticide Residue Trace Analysis	67-63-0	GB	1 L	1755	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)						
	(CH ₃) ₂ CHOH M.W.: 60.10						
DRY036	2-Propanol 99.5% Specially Dried AR	67-63-0	GB	500 ml	522	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)						
	(CH ₃) ₂ CHOH M.W.: 60.10						
MB0135	2-Propanol 99.5% for Molecular Biology	67-63-0	GB	500 ml	1728	29051220	18%
	(iso-Propyl alcohol; propan-2-ol; iso-propanol; sec-Propyl alcohol; IPA)						
	(CH ₃) ₂ CHOH M.W.: 60.10						
SOL374	2-Propanol in Hydrochloric Acid 25% Solution		GB	500 ml	630	38220090	12%
			PB	5 L	4500		
4-Proper	nyl-2-Methoxyphenol See Iso-Eugenol						
036001 *	Propranolol Hydrochloride 98%	13071-11-9	GB	5 gm	9000	29420027	18%
	for Lab Use						
	C ₁₆ H ₂₁ NO ₂ .HCl M.W.: 295.81						
2-Propar	none See Acetone						
910860	Propionaldehyde 98%	123-38-6	GB	500 ml	567	29121990	18%
	(Propanal)		GB	2.5 L	2097		
	C ₃ H ₆ O M.W.: 58.08						
028730	Propionic Acid 99% for Synthesis	79-09-4	GB	500 ml	594	29155000	18%
	(Acid C3; Propanoic acid; Propanyl acid)		GB	2.5 L	2691		
	C ₃ H ₆ O ₂ M.W.: 74.08		PR	25 Lit	POR		
Propioni	c Acid Chloride See Propionyl Chloride						
Propioni	c Acid Ethyl Ester See Ethyl Propionate						
028735	Propionic Anhydride 97% for Synthesis	123-62-6	GB	500 ml	1647	29155000	18%
	(Propanoic anhydride)		GB	2.5 L	7180		
	C ₆ H ₁₀ O ₃ M.W.: 130.14						
028737	Propionyl Chloride 98% for Synthesis	79-03-8	new GB	100 ml	405	29159099	18%
	(Propionic Acid Chloride)		GB	500 ml	1656		
	CH3CH2COCI M. W.: 92.52						

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
n-Propyl	I Alcohol See 1-Propanol						
iso-Prop	oyl Alcohol See 2-Propanol						
iso-Prop	oyl Bromide See Iso-Propyl Bromide						
di-IsoPro	opylamine See Di-iso-propylamine						
iso-Prop	oylamine See Iso-Propylamine						
028740	n-Propylamine 98% for Synthesis	107-10-8	GB	500 ml	846	29211990	18%
	(1-Aminopropane; propanamine)		GB	2.5 L	3393		
	C ₃ H ₉ N M.W. : 59.11						
028745	n-Propyl Bromide 99% for Synthesis	106-94-5	GB	250 ml	873	29033020	18%
	(1-Bromopropane)		GB	500 ml	1494		
	CH ₃ .CH ₂ .CH ₂ Br M.W.: 122.99						
Iso-Prop	pyl Ether See Di-iso-Propyl Ether						
	ne Glycol See 1,2-Propanediol						
028747	Propylene Glycol Monomethyl Ether for Synthesis	107-98-2	GB	500 ml	540	29094990	18%
	(1-Methoxy-2-Propanol)		GB	2.5 L	2061		
	C ₄ H ₁₀ O ₂ M. W.: 90.12		PR	25 Lit	POR		
036009	n-Propyl Gallate (Antioxidant) 98%	121-79-9	PB	100 gm		29182930	18%
	(n-Propyl-3,4,5-trihydroxy benzoate; tenox; PG)		PB	500 gm			- /-
	confirms to IP, BP		PB	5 kg			
	C ₁₀ H ₁₂ O ₅ M.W.: 212.20			29			
036010	Propyl-p-Hydroxy Benzoate 99%	94-13-3	PB	500 gm	1512	29182990	18%
	(Propyl paraben)	200	PB	5 kg			
	C ₁₀ H ₁₂ O ₃ M.W.: 180.20		PD	25 kg			
036012	Propyl-p-Hydroxy Benzoate Sodium Salt 99%	35285-69-9	PB	250 gm		29182990	18%
303012	(Propyl paraben sodium salt; sodium propyl 4-hydroxybenzoate;	33203-03-3	PB	500 gm		20102000	10/0
	Propylis parahydroxybenzoas natricum)		PB	500 giii 5 kg			
	C ₁₀ H ₁₁ NaO ₃ M.W. : 202.20		PD	25 kg			
ico Bron			עץ	∠ə kg	PUR		
	byl Myristate See Iso-Propyl Myristate						
	Paraben See Propyl-p-Hydroxy Benzoate	l t					
	Paraben Sodium Salt See Propyl-p-Hydroxy Benzoate Sodium Sa	ii.					
036016	I-3,4,5-Trihydroxy Benzoate See n-Propyl Gallate Pumic Stone	1332-09-8	PB	500 ~~	2504	25131000	5%
030010		1332-09-8	PD	500 gm	3391	23131000	5%
020047	Granular for elemental analysis	4200.00.0	DD.	F00	040	05404000	F0/
036017	Pumic Stone Powder	1332-09-8	PB	500 gm		25131000	5%
000755	Positilias 000/ for Oscitle	110.00.1	PB	5 kg		00000100	100
028750	Pyridine 99% for Synthesis	110-86-1	GB	250 ml		29333100	18%
	(Azabenzene; Azine)		GB	500 ml			
	C ₅ H ₅ N M.W.: 79.10		GB	2.5 L			
010880	Pyridine 99.5% AR	110-86-1	GB	250 ml		29333100	18%
	(Azabenzene; Azine)		GB	500 ml			
	C ₅ H ₅ N M.W.: 79.10		GB	2.5 L	4194		

	CHEM	ISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036021 *	Pyridoxal-5-Phosphate 99% for Biochemistry	41468-25-1	GB	1 gm	1170	29362500	18%
	C ₈ H ₁₀ NO ₆ PH ₂ O M.W.: 265.16		GB	5 gm	4680		
036031 •	Pyridoxine Hydrochloride 98% for Biochemistry	58-56-0	GB	10 gm	216	29362500	18%
	(Vitamin B6)		GB	25 gm	495		
1-(2-Pyri	dylazo)-2-Naphthol See PAN Indicator Reagent AR						
4-(2-Pyri	dylazo)-Resorcinol Monosodium Salt Hydrate See PAR Indicator A	R					
3-(2-Pyri	dyl)-5,6-Diphenyl-1,2,3-Triazine-4'4''-Disulphonic Acid Sodium Salt	See Ferrozine					
013600	3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine 99% AR	1046-56-6	GB	1 gm	2592	29336990	18%
	(5,6-Diphenyl-3-(2-pyridinyl)-1,2,4-triazine; PDT)		GB	5 gm	12491		
	$C_{20}H_{14}N_4$ M.W.: 310.36						
013601	3-(2-Pyridyl)-5,6-Diphenyl -1,2,4-Triazine 4'- 4"-Disulphonic	69898-45-9	GB	1 gm	6840	29333990	18%
	Acid Disodium Salt 99% AR						
	(PDT disulphonate;ferrozine)						
	$C_{20}H_{13}N_4S_2O_6Na\ M.W.:492.46$						
036041	Pyrocatechol 98% for Synthesis	120-80-9	GB	100 gm	405	29072990	18%
	(1,2-Dihydroxybenzene; catechol; 1,2-benzenediol)		GB	500 gm	1197		
	C _e H ₄ (OH) ₂ M.W.: 110.11		PD	25 kg	POR		
013605	Pyrocatechol 99% AR	120-80-9	GB	100 gm	594	29072990	18%
	(1,2-Dihydroxybenzene; catechol; 1,2-benzenediol)		GB	500 gm	2196		
	C ₆ H ₄ (OH) ₂ M.W.: 110.11						
SOL855	Pyrocatechol Violet Solution		GB	100 ml	432	38220090	12%
	(Reagent for Al,Bi,Sn,V & Ti)						
Pyrogall	ic Acid See Pyrogallol						
036049	Pyrogallol 98% for Synthesis	87-66-1	GB	100 gm	1827	29072990	18%
	(Pyrogallic acid; 1,2,3-trihydroxybenzene)		GB	500 gm	8793		
	C ₆ H ₃ (OH) ₃ M.W.: 126.11		PD	25 kg	POR		
013606	Pyrogallol 99% AR	87-66-1	GB	100 gm	1998	29072990	18%
	(Pyrogallic acid; 1,2,3-trihydroxybenzene)		GB	500 gm	9495		
	C ₆ H ₃ (OH) ₃ M.W.: 126.11						
STA331	Pyrogallol Red AR	32638-88-3	GB	1 gm	1611	29349900	18%
	for detection of rare earth metals						
	C ₁₉ H ₁₄ O ₉ S M.W.: 418.38						
036053*	Pyrrole-2-Carboxaldehyde 98% for Synthesis	1003-29-8	GB	5 gm	2430	29339900	18%
	C ₅ H ₅ NO M.W.: 95.10		GB	25 gm	7200		
			GB	100 gm	23400		
010890	Pyrrolidine 99.5% AR	123-75-1	GB	100 ml	855	29331990	18%
	(Tetrahydropyrrole; Tetramethyleneimine)						
	C ₄ H ₉ N M.W.: 71.12						
Pyruvic A	Acid Sodium Salt See Sodium Pyruvate AR						
	Q						
036085	Quartz Granular	14808-60-7	РВ	250 gm	594	25051020	5%
		7.75					

	RESEARCH & LABORAT				Control (control	S	
000=		STRY BEY				HOM	T. (1)
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Washed and calcined						
	SiO ₂ M.W.: 60.09						
036087	Quartz Sand Acid	7631-86-9	PB	500 gm	1071	25051020	5%
	SiO ₂ M.W.: 60.09						
036090	Quercetin Dihydrate 98%	6151-25-3	GB	25 gm	1841	29329900	18%
	[2-(3,4-Dihydroxyphenyl)-3,5,7-trihydroxy-4H-1-benzopyran-4-one;		GB	100 gm	6498		
	3,3',4',5,7-Pentahydroxyflavone]						
	C ₁₅ H ₁₀ O ₇ .2H ₂ O M.W.: 338.27						
013611	Quinhydrone AR	106-34-3	GB	25 gm	630	29420090	18%
	(Hydroquinone: benzoquinone 1:1 complex)		GB	100 gm	1773		
	C ₆ H ₄ (OH) ₂ .C ₆ H ₄ O ₂ M.W.: 218.21		GB	500 gm	7245		
013615	Quinine Glycero Phosphate AR	146-39-4	GB	5 gm	35991	29392110	18%
	C ₂₃ H ₃₃ N ₂ O ₈ P M.W. : 496.49						
036091	Quinine Sulphate	6119-70-6	GB	25 gm	1449	29392030	18%
	meets USP testing specifications		GB	500 gm	POR		
	$C_{40}H_{48}N_4O_4.H_2SO_4.2H_2O\ M.W.: 782.96$						
013618	Quinine Sulphate 99.5% AR	6119-70-6	GB	25 gm	1674	29392030	18%
	meets USP testing specifications						
	C ₄₀ H ₄₈ N ₄ O ₄ .H ₂ SO ₄ .2H ₂ O M.W.: 782.96						
Quinol S	ee Hydroquinone						
	R						
FDS810	R.B.C. Diluting Fluid (Gower's)		PB	500 ml	423	38220090	12%
	for Erythrocyte count & RBC diluting fluid						
FDS811	R.B.C. Diluting Fluid (Hayem's)		PB	125 ml	144	38220090	12%
	for Erythrocyte count. (R.B.C. diluting fluid)		PB	500 ml	459		
D-Raffing	ose See D-(+)-Raffinose Pentahydrate AR						
013650	D-(+)-Raffinose Pentahydrate AR	17629-30-0	GB	10 gm	1107	29400000	18%
	(Melitose; melitriose)		GB	25 gm	2196		
	for Microbiology & Biochemistry		-	_0 g			
	C ₁₈ H ₃₂ O ₁₆ .5H ₂ O M.W. : 594.52						
Panov Ni	ickel Catalyst Alloy Powder See Nickel Aluminium Alloy Powder						
	sphorous See Phosphorous Red						
	e Salt AR See Ammonium Reineckate Mono Hydrate AR						
	ophenone See 2,4-Dihydroxy Acetophenone in AR See Resazurin Sodium Salt AR						
		60750 40.0	OP	4	4044	22044750	400/
STA333	Resazurin Sodium Salt 75% AR	62758-13-8	GB	1 gm	1341	32041759	18%
	(7-Hydroxy-3H-phenoxazin-3-one-10-oxide sodium salt)		GB	5 gm	5994		
	Solution should be freshly made						
	C ₁₂ H ₆ N.NaO ₄ M.W.: 251.17						
STS241	Resazurin Solution		GB	125 ml	1800	38220090	12%
	for Biological Stain & pH Indicator						

	RESEARCH & LABORA	TORY	CHE	MIC	AL	S	
		ISTRY BEYO					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
STS242	Resazurin Strong Solution		GB	125 ml	2700	38220090	12%
036111	Resorcinol 99% for Synthesis	108-46-3	РВ	250 gm	936	29072100	18%
	(1,3-Dihydroxybenzene)		РВ	500 gm	1791		
	C ₆ H ₄ (OH) ₂ M.W.:110.11		PD	25 kg	POR		
013660	Resorcinol 99.5% AR	108-46-3	РВ	100 gm	675	29072100	18%
	(1,3-Dihydroxybenzene)		РВ	500 gm	2025		
	C ₆ H ₄ (OH) ₂ M.W.:110.11						
US3000	Resorcinol 1% TS		РВ	500 ml	648	38220090	12%
FDS815	Reticulocyte Counting Fluid		РВ	125 ml	396	38220090	12%
013662	L-(+)-Rhamnose for Biochemistry AR	10030-85-0	GB	5 gm	945	29400000	18%
	(Iso-dulcite)		GB	25 gm	3321		
	C ₆ H ₁₂ O ₅ H ₂ O M.W.: 182.17						
STA335	Rhodamine B for Microscopy 80% AR C.I.No.45170	81-88-9	GB	25 gm	585	32041399	18%
	(Rhodamine 610, C.I. Pigment Violet 1, Basic Violet 10)		GB	100 gm	1368		
	Rhodamine B is used in biology as a staining fluorescent dye, sometimes						
	in combination with auramine O, as the auramine-rhodamine stain						
	to demonstrate acid-fast organisms, notably Mycobacterium						
	C ₂₈ H ₃₁ N ₂ O ₃ CI M.W.: 479.02						
STA336	Rhodamine 6 G 95% C.I.No.45160	989-38-8	GB	5 gm	540	32041399	18%
	(Basic Red 1)		GB	25 gm	1521		
	C ₂₈ H ₃₁ CIN ₂ O ₃ M.W.: 479.02		GB	100 gm	3843		
			РВ	1 kg	POR		
AAS870	Rhodium AAS Solution		PE	100 ml	20250	38220090	12%
	1000ppm Single Element in HCl						
ICP186	Rhodium ICP Standard Solution		GB	10 ml	9000	38220090	12%
	1000ppm TRISTAR Single Element in HCl						
036115	Rhodium Metal Powder 99%	7440-16-6	GB	100 mgm	16691	71103100	18%
	Rh At. W.: 102.91						
036121	Rhodium Trichloride 40% for Synthesis	20765-98-4	GB	100 mgm	4320	28439019	18%
	(Rhodium (III) chloride hydrate)		GB	1 gm	29907		
	RhCl ₃ .xH ₂ O M.W.: 209.26xH ₂ O						
Rhodizor	nic Acid Sodium Salt AR See Sodium Rhodizonate AR						
Ribitol S	ee Adonitol						
036130	Riboflavin 98% for Biochemistry	83-88-5	GB	10 gm	423	29362310	18%
	(Vitamin B2)		GB	25 gm	891		
	$C_{17}H_{20}N_4O_6$ M.W.: 376.37		РВ	500 gm	POR		
036131 *	Riboflavin-5'-Monophosphate Sodium Salt 99%	130-40-5	GB	5 gm	306	29362310	18%
	(FMN-Na; Flavin mononucleotide)		GB	25 gm	720		
	C ₁₇ H ₂₀ N ₄ NaO ₉ P M.W. : 478.33			-			
RNA005	* Ribonucleic Acid (RNA)	63231-63-0	GB	25 gm	1827	29349900	18%
RNA005	* Ribonucleic Acid (RNA)	63231-63-0	GB	25 gm	1827	29349900	1



CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036141 *	D-Ribose for Biochemistry	50-69-1	GB	5 gm	297	29400000	18%
	Used as a substrate in determination of pentokinase.		GB	25 gm	1035		
	C ₅ H ₁₀ O ₅ M.W.: 150.13						
036857	Rice Starch (Insoluble)	9005-25-8	РВ	500 gm	1008	11081990	12%
	$(C_6H_{10}O_5)n$						
SOL356	Ringer's Solution for Frogs		РВ	125 ml	207	38220090	12%
	Mounting Fluid & Examination of Blood Cell						
SOL357	Ringer's Solution for Mammals		PB	125 ml	252	38220090	12%
	Mounting Fluid & Examination of Blood Cell						
REA250	Robert's Test Reagent		РВ	125 ml	117	38220090	12%
	(Precipitation tests for proteins, albumines)						
Rochelle	Salt See Potassium Sodium-(+)-Tartrate						
p-Rosani	iline See Pararosaniline (Base)						
p-Rosan	iline Hydrochloride See Pararosaniline Hydrochloride						
Rosanilii	ne Hydrochloride See Fuchsin Basic						
STA342	Rose Bengal 85% AR C.I. 45440	632-69-9	GB	25 gm	2088	32041293	18%
	(4,5,6,7-tetrachloro-2',4',5',7'-tetraiodofluorescein,		GB	100 gm	7497		
	Acid Red 94, Bengal Rose B sodium salt)						
	It is commonly used in eye drops to stain damaged conjunctival and						
	corneal cells and thereby identify damage to the eye						
	C ₂₀ H ₂ O ₅ I ₄ CI ₄ Na ₂ M.W.: 1017.6						
STA345	Rosolic Acid 85% (C.I. 43800)	603-45-2	GB	25 gm	882	32129020	18%
	(p-rosolic acid; Aurine)		GB	100 gm	3294		
	C ₁₉ H ₁₄ O ₃ M.W.: 290.32						
036147	Rothera's Mixture Powder		РВ	100 gm	250	38220090	12%
	For detection of Ketone bodies, Acetone in Urine						
Rubeani	c Acid AR See Dithiooxamide AR						
AAS873	Rubidium AAS Solution		PE	100 ml	2520	38220090	12%
	1000ppm Single Element in HNO ₃						
ICP187	Rubidium ICP Standard Solution		PE	100 ml	5400	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃						
ICP191	Ruthenium ICP Standard Solution		PE	100 ml	16200	38220090	12%
	1000ppm TRISTAR Single Element in HCI						
ICP192	Ruthenium ICP Standard Solution		PE	100 ml	18000	38220090	12%
	10000ppm TRISTAR Single Element in HCI						
036148	Ruthenium Metal Powder 99.9% AR	7440-18-8	GB	1 gm	9540	71104100	3%
	Ru M.W.: 101.07		GB	5 gm	POR		
036149	Ruthenium Red 34%	11103-72-3	GB	1 gm	5697	28439019	18%
	(Ammoniated ruthenium oxychloride)		GB	5 gm	27990		

	CHE	EMISTRY BEY	OND C	HEIVIICA	ALS.		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	saccharides.						
	$Ru_3O_2(NH_3)_{14}CI_6.4H_2O$ M.W.: 858.42						
US3015	Ruthenium Red TS		GB	100 ml	1800	38220090	12%
036151	Ruthenium Trichloride 38-40%	10049-08-8	GB	1 gm	4410	28439019	18%
	(ruthenium (III) chloride)		GB	5 gm	POR		
	Used as catalyst in ruthenium tetraoxide catalysed oxidations		GB	10 gm	POR		
	RuCl ₃ M.W.: 207.43						
036159	Rutin 90% (C.I. 75730)	153-18-4	GB	25 gm	1332	29381000	18%
	(Vitamin P)		GB	100 gm	4140		
	$C_{27}H_{30}O_{16}.3H_2O$ M.W.: 664.55						
	s						
036500	Saccharin Insoluble 98%	81-07-2	РВ	500 gm	3492	29251100	18%
	(2-sulfobenzoic acid imide; o-benzoic sulfimide)						
	C ₇ H ₅ NO ₃ S M.W.: 183.18						
036501	Saccharin Sodium Dihydrate 98% for Synthesis	6155-57-3	РВ	500 gm	2691	29251100	18%
	(o-Sulfobenzimide sodium salt, Saccharin sodium		PD	50 kg	POR		
	salt dihydrate, Saccharin soluble)						
	C ₇ H ₄ NNaO ₃ S.2H ₂ O M.W. : 241.19						
Sacchar	ose See Sucrose						
STS251	Safranine Aqueous Staining Solution		РВ	125 ml	171	38220090	12%
	Use for staining bacterial spores , Negri bodies						
STA360	Safranine O for Microscopy 90% (C.I. 50240)	477-73-6	GB	25 gm	738	32041399	18%
	(Basic Red 2; Cotton Red; Gossypimine; Safranin; Safranin T;		GB	100 gm	2592		
	Safranin Y or A)		РВ	1 kg	23940		
	Used as a counter stain in some staining protocols, coloring all cell						
	nuclei red.						
	C ₂₀ H ₁₉ CIN ₄ M.W.: 350.85						
STS245	Safranine Staining Solution		РВ	125 ml	171	38220090	12%
			GB	250 ml	306		
036511	Salicin for Microbiology	138-52-3	GB	5 gm	1494	29389090	18%
	(2-(Hydroxymethyl)phenyl- β-D-glucopyranoside)		GB	10 gm	2799		
	C ₁₃ H ₁₈ O ₇ M.W.: 286.28						
028805	Salicylaldehyde 99% for Synthesis	90-02-8	GB	100 ml	774	29122990	18%
	(2-Hydroxybenzaldehyde)		GB	250 ml	1791		
	C ₇ H ₆ O ₂ M.W.: 122.12						
010950	Salicylaldehyde 99.5% AR	90-02-8	GB	100 ml	1080	29122990	18%
	(2-Hydroxybenzaldehyde)		-				
	C ₇ H ₆ O ₂ M.W.:122.12						
036512	Salicylamide 98%	65-45-2	PB	500 gm	1692	29182330	18%
-	(2-Hydroxybenzamide)	30 .0 =		230 9/11			
	C ₇ H ₇ NO ₂ M.W.: 137.14						

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 036513 Salicylic Acid 99% for Synthesis 69-72-7 PΒ 500 gm 972 29182110 18% РΒ 9081 (2-Hydroxybenzoic acid) 5 kg Confirms to IP,BP ΡD POR 50 kg C₇H₆O₃ M.W.: 138.12 РΒ **1035** 29182110 013701 Salicylic Acid 99% AR 69-72-7 500 gm 18% PD 25 kg POR (2-Hydroxybenzoic acid) Confirms to IP,BP C7H6O3 M.W.: 138.12 STANDARD BIOLOGICAL TEST DITES 036516 Salt Mixture Bernhart Tommarelli РΒ 500 gm **1260** 28510090 12% (a modified NRC salt mixture) PΒ 1 kg 2430 036517 Salt Mixture H.M.W. PΒ 500 gm **1260** 28510090 12% (acc.to Hubbel Mendal & Wakeman, Journal of РΒ 1 kg 2430 Nutrition 14,273-1937) 036518 Salt Mixture XIV РΒ **1530** 28510090 12% 500 gm (as per USP XIV (1950)) PΒ 2880 1 kg **Samarium AAS Solution** PΕ 125 ml **3600** 38220090 12% 1000ppm Single Element in HClO₄ RR0052 Samarium Metal Powder 99.9% 7440-19-9 GB **6300** 28469090 18% 1 gm Sm At. W.: 150.35 GR POR 5 gm RR0553 Samarium (III) Chloride Hexahydrate 99.9% 13465-55-9 GB 25 gm **9300** 28469090 18% (Samarium trichloride hydrate) $SmCl_3.6(H_2O)$ M.W.: 364.80 13759-83-6 RR5570 Samarium Nitrate 99.9% GR 25 gm **13491** 28469090 18% $Sm(NO_3)_3 \cdot 6H_2O M.W. : 444.47$ GB 100 gm 30501 RR0555 Samarium Oxide 99.9% 12060-58-1 GB 10 gm **2421** 28469090 18% Sm₂O₃ M.W.: 348.72 **Scandium AAS Solution** 12% AAS880 PF 100 ml **3330** 38220090 1000ppm Single Element in HNO₃ **Scandium ICP Standard Solution** PΕ **CP199** 100 ml 9000 38220090 12% 1000 ppm TRISTAR Single Element in HNO₃ Scarlet Red See Sudan IV **KIT101** Schaeffer & Fulton's Spore Stains Kit **KIT** Kit **396** 38220090 12% Contains Schaeffer & Fulton's Spore Stain A STS248 -100 ml and Schaeffer & Fulton's Spore Stain B STS249-100 ml PΒ STS248 Schaeffer & Fulton's Spore Stain A 100 ml **252** 38220090 12% **STS249** Schaeffer & Fulton's Stain B PB 100 ml 207 38220090 12% STS250 Schaudinn's Fluid PR 12% 100 ml 2394 38220090 (Fixative for protozoa)

500 ml

495 38220090

12%

GR

Schiff's Reagent

REA275

	CHE	MISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	For detection of aldehyde and use in microscopy,						
	used as stain for glycoproteins						
REA276	Schweitzer's Reagent		РВ	125 ml	225	38220090	12%
	for dissolving cellulose						
036519	Sea Sand Purified	7631-86-9	РВ	1 kg	1998	25051019	5%
	SiO ₂ M.W.: 60.08						
013702	Sea Sand AR	7631-86-9	PB	1 kg	3006	25051019	5%
	(Purified by acid and calcined)						
	SiO ₂ M.W.: 60.08						
036522	Sebacic Acid 98% for Synthesis	111-20-6	PB	500 gm	1494	29171300	18%
	(Decanedioic acid)		PD	50 kg	POR		
	$C_{10}H_{18}O_4$ M.W.: 202.25						
Seleniou	s Acid See Selenous Acid						
AAS054	Selenium AAS Solution		PE	250 ml	2340	38220090	12%
	1000ppm Single Element in HNO ₃						
ICP201	Selenium ICP Standard Solution		PE	100 ml	4500	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃						
ICP202	Selenium ICP Standard Solution		PE	100 ml	15300	38220090	12%
	10000ppm TRISTAR Single Element in HNO3						
036531	Selenium Metal Powder 99%	7782-49-2	PB	100 gm	2997	28049000	18%
	Se At. W.: 78.96		РВ	500 gm	12996		
013705	Selenium Metal Powder Black 99.5% AR	7782-49-2	РВ	25 gm	846	28049000	18%
	Se At. W.: 78.96		РВ	100 gm	3195		
036533	Selenium Metal Pellets 99.999% AR	7782-49-2	GB	100 gm	9540	28049000	18%
	Se At. W.: 78.96						
036536	Selenium Dioxide (Sublimed) 98% for Synthesis	7446-08-4	GB	100 gm	1773	28112990	18%
	SeO ₂ M.W.: 110.96		GB	500 gm	7992		
036537	Selenium Disulphide 52-55.5%	7488-56-4	GB	100 gm	3060	28309010	18%
	SeS ₂ M.W.: 143.09		GB	250 gm	7290		
036541	Selenous Acid 98%	7783-00-8	GB	100 gm	5400	28111990	18%
	(Selenious acid)		РВ	1 kg	35100		
	H ₂ SeO ₃ M.W.: 128.97						
REA300	Seliwan Off's Reagent		РВ	125 ml	243	38220090	12%
	For detection of fructose.						
FDS906	Semen Diluting Fluid		РВ	125 ml	153	38220090	12%
036546	Semicarbazide Hydrochloride 98% for Synthesis	563-41-7	PB	100 gm	594	29280090	18%
	(Hydrazine carboxamide hydrochloride; N-aminourea hydrochloride)		РВ	500 gm	2799		
	NH ₂ .NH.CO.NH ₂ .HCI M.W.: 111.53		PD	25 kg	POR		
013706	Semicarbazide Hydrochloride 99.5% AR	563-41-7	РВ	100 gm	675	29280090	18%
	(Hydrazine carboxamide hydrochloride; N-aminourea hydrochloride)		РВ	500 gm	2997		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE HSN TAX NH₂.NH.CO.NH₂.HCI M.W.: 111.53

	NH ₂ .NH.CO.NH ₂ .HCI M.W.: 111.53						
036558	L-Serine 98.5-101% for Biochemistry	56-45-1	GB	5 gm	216	29225090	18%
	[(S)-2-Amino-3-hydroxypropionic acid]		GB	25 gm	693		
	CH ₂ (OH)CH(NH ₂)COOH M.W.: 105.1		GB	100 gm	2250		
036561	Shellac Flakes (Arsenic free)	9000-59-3	РВ	500 gm	3391	13011010	5%
STA362	Shorr Staining Solution for Microscopy		РВ	125 ml	216	38220090	12%
	For hormonal cytodiagnosis						
036566	Silica Gel Blue Self Indicating (coarse)	112926-00-8	РВ	500 gm	531	38249925	18%
	Active drying and adsorption agent with moisture indicator		РВ	1 kg	963		
	SiO ₂ M.W.: 60.08		РВ	5 kg	4527		
			PD	50 kg	POR		
036567	Silica Gel Blue Self Indicating	112926-00-8	РВ	500 gm	513	38249925	18%
	(about 6-20 mesh)		РВ	1 kg	936		
	Active drying and adsorption agent with moisture indicator		РВ	5 kg	4230		
	SiO ₂ M.W.: 60.08						
036568	Silica Gel White Self Indicating (coarse)	112926-00-8	РВ	500 gm	396	38249925	18%
	Active drying and adsorption agent with moisture indicator		РВ	1 kg	720		
	SiO ₂ M.W.: 60.08		РВ	5 kg	3321		
036569	Silica Gel 60-120 Mesh	112926-00-8	РВ	500 gm	603	38249925	18%
	for Column Chromatography		PD	50 kg	POR		
	SiO ₂ M.W.: 60.08			·			
036570	Silica Gel 60-200 Mesh	112926-00-8	РВ	500 gm	963	38249925	18%
	SiO ₂ M.W.: 60.08			· ·			
036573	Silica Gel 100-200 Mesh	112926-00-8	PB	500 gm	648	38249925	18%
	for Lipid Chromatography		PD	25 kg	POR		
	SiO ₂ M.W.: 60.08			ŭ			
036572	Silica Gel 230-400 Mesh for TLC	112926-00-8	PB	500 gm	801	38249925	18%
	SiO ₂ M.W.: 60.08		PD	25 kg	POR		
036575	Silica Gel for TLC (with Binder)	112926-00-8	РВ	500 gm		38249925	18%
	SiO ₂ M.W.: 60.08						
036576	Silica Gel for TLC (without Binder)	112926-00-8	РВ	500 gm	657	38249925	18%
000010	SiO ₂ M.W.: 60.08	112020 00 0	. 5	000 g.m	00.	00210020	1070
036577	Silica Gel Davison 923	112926-00-8	РВ	500 gm	5038	38249925	18%
000011	Suitable for testing of petroleum product by I.P. & ASTM methods	112020 00 0		ooo giii	0000	00240020	1070
	SiO ₂ M.W.: 60.08						
036578	Silica Gel G for TLC	112926-00-8	PB	250 gm	186	38249925	18%
030376		112920-00-0	PB	-	882	30249923	10 /0
	for analysis of proteins, lipids, amino acids SiO ₂ M.W.: 60.08			500 gm			
000570		440000 00 0	PB	1 kg	1593	20040005	400/
036579	Silica Gel GF 254 for TLC	112926-00-8	PB	500 gm		38249925	18%
	SiO ₂ M.W.: 60.08		PD	25 kg	POR	0001000	1000
036580	Silica Gel H for TLC	112926-00-8	PB	500 gm	846	38249925	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS HSN CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE TAX 013707 Silica Gel H for TLC AR 112926-00-8 PΒ **4590** 38249925 18% 500 gm SiO₂ M.W.: 60.08 036581 Silica Gel HF 254 for TLC 112926-00-8 PΒ **4194** 38249925 18% 500 gm SiO₂ M.W.: 60.08 Silica Gel HF 254 for TLC AR 013709 PΒ 112926-00-8 500 gm **4800** 38249925 18% SiO₂ M.W.: 60.08 SS1800 PΕ 12% Silica Standard 10 mg/L Solution 250 ml **1602** 38220090 SS1802 Silica Standard Solution 1000 ppm PΕ 250 ml 12% 1602 38220090 **AAS985 Silicate AAS Solution** PΕ 250 ml **2250** 38220090 12% 1000 ppm Single Element in H₂O REA305 Silicate Reagent No.1 GB 125 ml **270** 38220090 12% **REA306** Silicate Reagent No. 2 GB 125 ml **252** 38220090 12% 036591 Silicic Acid Precipitated Dried 99.5% 1343-98-2 PΒ 500 gm 38249925 18% H₂SiO₃ M.W.: 79.11 **AAS055 Silicon AAS Solution** PΕ 100 ml **1800** 38220090 12% 1000ppm Single Element in HNO3 +HF PΕ 250 ml 2250 GB 500 ml 3780 **CP211 Silicon ICP Standard Solution** PΕ 100 ml 9000 38220090 12% 1000ppm TRISTAR Single Element in HNO3+HF **CP214 Silicon ICP Standard Solution** ΡF 100 ml **27000** 38220090 12% 10000ppm TRISTAR single element in HNO3+HF 036593 Silicon Metal Powder 200 Mesh 98.5% 7440-21-3 РΒ **1890** 28046900 18% 500 gm Si M.W.: 28.09 028810 **Silicon Antifoaming Agent Nonionic** GB 100 ml **495** 39100090 18% 500 ml 1890 An aqueous emulsion containing 30% W/W silicon GB GB 2.5 L 8208 036596 Silicon Carbide 220 Mesh 409-21-2 PΒ 250 gm **477** 28492010 18% PR SiC M.W.: 40.1 1440 1 kg **711** 28492010 Silicon Carbide 400 Mesh РΒ 036598 250 gm 18% РΒ SiC M.W.: 40.1 1 kg 1260 Silicon Defoamer 25% Liquid See Silicon Antifoaming Agent Nonionic Silicon High Vaccum Grease (Lab) See High Vaccum Silicon Grease 028820 Silicon Oil 63148-62-9 **846** 39100020 18% GB 250 ml For Oil Baths up to 250°C GB 500 ml 1602 GB 2.5 L 7470 Silicon Tungstic Acid 99.5% AR 12027-38-2 GB 25 gm **1089** 28111990 18% GR (Tungstosilicic acid hydrate) 100 gm 3996 $H_4O_{40}SiW_{12}.XH_2O\ M.W.:2878.17$ AAS056 Silver AAS Solution PΕ 100 ml **1800** 38220090 12% 1000ppm Single Element in HNO₃ PΕ 250 ml 3780

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
ICP221	Silver ICP Standard Solution	CAS NO	PE	100 ml		38220090	12%
101 221	1000ppm TRISTAR single Element in HNO3		r L	100 1111	3000	30220030	12 /0
ICP224	Silver ICP Standard Solution		PE	100 ml	14580	38220090	12%
01 224	10000ppm TRISTAR single Element in HNO3			100 1111	14000	00220000	12/0
SS1850	Silver 100 mg/L Standard Solution		PE	125 ml	2790	38220090	12%
036611	Silver Metal Powder 99.9%	7440-22-4	GB	25 gm		71061000	18%
000011	Ag At. W.: 107.87	1440-22-4	GB	100 gm		71001000	10 /0
036612	Silver Metal Wire (Abt. 1mm) 99.9%	7440-22-4	PB	25 gm		71061000	18%
700012	Ag At. W.: 107.87	7440 22 4	1.5	20 gm	17000	71001000	1070
036613	Silver Acetate 98% for Synthesis	563-63-3	GB	25 gm	11106	28432900	18%
000010	C ₂ H ₃ AgO ₂ M.W.: 166.91	300 00 0	GB	100 gm	38079	20102000	1070
US3050	Silver Ammonium Nitrate TS		GB	125 ml	5400	38220090	12%
036615	Silver Carbonate 98% Purified	534-16-7	GB	25 gm		28432900	18%
000010	[Silver(I) carbonate]	304-10-7	OB	20 9111	11037	20402500	10 /0
	Ag ₂ CO ₃ M.W.: 275.75						
036616	Silver Chloride 99%	7783-90-6	GB	25 gm	14355	28432900	18%
	[Silver(I) chloride; Cerargyrite; Chlorargyrite; Hom silver]		GB	100 gm	51804		.0,0
	AgCI M.W.: 143.32			3			
013715	Silver Chloride 99% AR	7783-90-6	GB	25 gm	15300	28432900	18%
	[Silver(I) chloride; Cerargyrite; Chlorargyrite; Hom silver]		GB	100 gm	52200		
	AgCI M.W.: 143.32						
013716 *		1470-61-7	GB	5 gm	1989	28432900	18%
	(DETC; Diethyldithiocarbamic acid silver salt)		GB	25 gm	8706		
	for the spectrophotometric determination of As						
	C ₅ H ₁₀ AgNS ₂ M.W.: 256.13						
036617	Silver lodate 98%	7783-97-3	GB	25 gm	7200	28432900	18%
	AgIO ₃ M.W.: 282.77		GB	100 gm	25200		
036618	Silver lodide 98%	7783-96-2	GB	25 gm	10107	28432900	18%
	AgI M.W.: 234.77						
936619	Silver Nitrate Tech. 98%	7761-88-8	GB	25 gm	8820	28432100	18%
	[Nitric acid silver (I) salt]		GB	100 gm	33300		
	AgNO ₃ M.W.: 169.87		GB	500 gm	POR		
036619	Silver Nitrate 99.8%	7761-88-8	GB	10 gm	4005	28432100	18%
	[Nitric acid silver (I) salt]		GB	25 gm	9108		
	AgNO ₃ M.W.: 169.87		GB	100 gm	34740		
			GB	500 gm	POR		
013717	Silver Nitrate 99.9% AR/ACS	7761-88-8	GB	10 gm	4050	28432100	18%
	[Nitric acid silver (I) salt]		GB	25 gm	9540		
	AgNO ₃ M.W.: 169.87		GB	100 gm	35100		
			GB	500 gm	POR		

		Allen					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
SOL377	Silver Nitrate N/10 Solution		GB	125 ml	1080	38220090	12%
			GB	500 ml	3186		
SOL378	Silver Nitrate N/50 (0.02N) Solution		GB	500 ml	1260	38220090	12%
AMP091	Silver Nitrate 0.1 mol/l (0.1N) Solution		AMP	3 amp	9855	38220090	12%
VMS811	Silver Nitrate 1mol/I (1N) Solution		GB	500 ml	22500	38220090	12%
VMS813	Silver Nitrate 0.01mol/l (0.01N) Solution		GB	500 ml	1350	38220090	12%
VMS815	Silver Nitrate 0.05mol/l (0.05N) Solution		GB	500 ml	1800	38220090	12%
VMS816	Silver Nitrate 0.5mol/I (0.5N) Solution		GB	500 ml	14400	38220090	12%
SOL379	Silver Nitrate 0.2906% Solution		GB	125 ml	270	38220090	12%
SOL380	Silver Nitrate 0.5814% Solution		GB	125 ml	360	38220090	12%
036620	Silver Oxide 98% Purified	20667-12-3	GB	25 gm	12060	28432900	18%
	Ag ₂ O M.W.: 231.74		GB	500 gm	POR		
013720	Silver Oxide 99% AR	20667-12-3	GB	25 gm	12870	28432900	18%
	Ag ₂ O M.W.: 231.74						
036622	Silver Sulphate 98.5% Purified	10294-26-5	GB	10 gm	4608	28432900	18%
	Ag ₂ SO ₄ M.W.: 311.79		GB	25 gm	10215		
			GB	100 gm	38700		
013718	Silver Sulphate 99% AR/ACS	10294-26-5	GB	10 gm	4905	28432900	18%
	Ag ₂ SO ₄ M.W.: 311.79		GB	25 gm	10710		
			GB	100 gm	41841		
SOL373	Silver Sulphate 10000 mg/L Solution in H2SO4		GB	1 L	4500	38220090	12%
SOL375	Silver Sulphate 60000 mg/L Solution in H2SO4		GB	1 L	18000	38220090	12%
036623	Silver Sulphide 98%	21548-73-2	GB	25 gm	12600	28432900	18%
	Ag ₂ S M.W.: 247.80						
036625	Silver Vanadate (V) 98%	13497-94-4	GB	5 gm	5400	28432900	18%
	(Silver metavanadate; silver orthovanadate)		GB	25 gm	25200		
	AgVO ₃ M.W.: 206.81						
990140*	Skim Milk Powder For Microbiology		PB	500 gm	1098	04021010	5%
	High protein Thermophile free						
REA301	Simon's Reagent A		GB	25 ml	999	38220090	12%
REA303	Simon's Reagent B		GB	25 ml	999	38220090	12%
REA302	Smith's Reagent		РВ	125 ml	225	38220090	12%
	For bile pigment detection in urine						
Soda Asl	n See Sodium Carbonate Anhydrous						
036628	Sodalime Granules	8006-28-8	PB	500 gm	333	38249090	18%
	CaO.NaOH M.W.: 96.07		РВ	5 kg	2790		
013730	Sodalime (with Indicator) AR	8006-28-8	РВ	1 kg	594	38249090	18%
	for absorbing Carbon dioxide		РВ	5 kg	3006		
	CaO.NaOH M.W.: 96.07						
AAS057	Sodium AAS Solution		PE	100 ml	1800	38220090	12%

CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
AAS886	Sodium AAS Solution		PE	250 ml	2250	38220090	12%
	1000ppm Single Element in HCl						
ICP232	Sodium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in Water in H2O		GB	500 ml	7650		
ICP231	Sodium ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HNO3		GB	500 ml	7650		
SS1903	Sodium 1000ppm TRISTAR Single		PE	100 ml	1602	38220090	12%
	Element Standard for Ion Chromatography						
SS1905	Sodium 1000 mg/L Standard Solution		PE	100 ml	1602	38220090	12%
SS1908	Sodium 10000 mg/L Standard Solution		PE	100 ml	1602	38220090	12%
SS1900	Sodium 10 mg/L Standard Solution		PE	100 ml	1602	38220090	12%
036630	Sodium Metal 98% for Synthesis	7440-23-5	РВ	100 gm	459	28051100	18%
	Pieces in Liquid Paraffin		РВ	250 gm	821		
	Na At. W. : 22.99		РВ	500 gm	1395		
013735	Sodium Metal 99% AR	7440-23-5	РВ	250 gm	1035	28051100	18%
	Pieces in Liquid Paraffin		РВ	500 gm			
	Na At. W. : 22.99						
036632	Sodium Acetate Anhydrous 98%	127-09-3	PB	500 gm	405	29152990	18%
	(Acetic acid sodium salt)		PB	5 kg	2880		
	CH ₃ COONa M.W.: 82.03		PD	50 kg	POR		
013737	Sodium Acetate Anhydrous 99% AR/ACS	127-09-3	PB	250 gm	360	29152990	18%
	(Acetic acid sodium salt)		PB	500 gm	540		
	CH ₃ COONa M.W.: 82.03		РВ	5 kg	3780		
HP0250	Sodium Acetate Anhydrous 99.5% for HPLC	127-09-3	GB	500 gm	1341	29152990	18%
	(Acetic acid sodium salt)						
	CH ₃ COONa M.W.: 82.03						
MB0151	Sodium Acetate Anhydrous 99.5% for Molecular Biology	127-09-3	GB	250 gm	900	29152990	18%
	(Acetic acid sodium salt)						
	CH ₃ COONa M.W.: 82.03						
036633	Sodium Acetate Trihydrate Crystals 99%	6131-90-4	РВ	500 gm	297	29152990	18%
	(Sodium acetate, Sodium ethanoate)		PB	5 kg	1998		
	CH ₃ COONa.3H ₂ O M.W.: 136.08		PD	50 kg	POR		
013738	Sodium Acetate Trihydrate Crystals 99.5% AR	6131-90-4	PB	500 gm	358	29152990	18%
	(Sodium acetate, Sodium ethanoate)		РВ	5 kg	2880		
	CH ₃ COONa.3H ₂ O M.W.: 136.08		PD	50 kg	POR		
HP0251	Sodium Acetate Trihydrate Crystals 99.5% for HPLC	6131-90-4	new GB	500 gm	1530	29152990	18%
	(Sodium acetate, Sodium ethanoate)			-			
	· ·						

CH₃COONa.3H₂O M.W.: 136.08

	RESEARCH & LABORAT					<u>.s</u>	
	CHEMIST	RY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
VMS814	Sodium Acetate (1.5 M) Solution		РВ	500 ml	270	38220090	12%
US3100	Sodium Acetate 1N TS		PB	500 ml	333	38220090	12%
Sodium A	Acid Phosphate See Sodium Dihydrogen Orthophosphate Dihydrate						
036635	Sodium Alginate	9005-38-3	РВ	500 gm	2970	39131010	18%
	(Sodium polymannuronate, Algin, Alginic acid sodium salt)		РВ	5 kg	25200		
			PD	25 kg	POR		
Sodium /	Alizarine Sulphonate See Alizarin Red S						
US3110	Sodium Aminoacetate TS		РВ	500 ml	405	38220090	12%
913734	Sodium Arsenite 98%	7784-46-5	GB	100 gm	1800	28429010	18%
	(Sodium meta arsenite)		GB	250 gm	4500		
	NaAsO ₂ M.W.: 129.91		GB	500 gm	7920		
			РВ	5 kg	POR		
013734	Sodium Arsenite 98.5% AR	7784-46-5	GB	25 gm	1980	28429010	18%
	(Sodium meta arsenite)		GB	100 gm	1989		
	NaAsO ₂ M.W.: 129.91		GB	250 gm	4743		
SOL402	Sodium Arsenite 0.05 mol/l (0.1N) Solution		GB	500 ml	729	38220090	12%
036638	Sodium Azide 99% for Synthesis	26628-22-8	РВ	100 gm	801	28500030	18%
	(Hydrazoic acid sodium salt)		РВ	500 gm	3204		
	NaN ₃ M.W.: 65.01						
013740	Sodium Azide 99.5% AR	26628-22-8	РВ	100 gm	882	28500030	18%
	(Hydrazoic acid sodium salt)		РВ	500 gm	3600		
	NaN ₃ M.W.: 65.01						
036640	Sodium Benzoate 99%	532-32-1	РВ	500 gm	540	29163140	18%
	(Benzoic acid sodium salt)		РВ	5 kg	4500		
	C ₆ H ₅ COO.Na M.W.: 144.11						
013741	Sodium Benzoate 99.5% AR	532-32-1	РВ	500 gm	693	29163140	18%
	(Benzoic acid sodium salt)						
	C ₆ H ₅ COO.Na M.W.: 144.11						
Sodium I	Bicarbonate See Sodium Hydrogen Carbonate						
Sodium I	Biphosphate Dihydrate See Sodium Dihydrogen Ortho PhosphateDihyd	drate					
036642	Sodium Biselenite 98%	7782-82-3	РВ	100 gm	4347	28419000	18%
	(Sodium hydrogen selenite)		PB	1 kg	34740		
	NaHSeO ₃ M.W.: 150.96						
036644	Sodium Bismuthate 80%	12232-99-4	GB	25 gm	601	28419000	18%
	(Sodium bismuth oxide)		GB	100 gm	1944		
	NaBiO ₃ M.W.: 279.97			,			
013742	Sodium Bismuthate 85% AR	12232-99-4	GB	100 gm	2097	28419000	18%
	(Sodium bismuth oxide)						
	NaBiO ₃ M.W.: 279.97						
036645		7631-90-5	PB	500 am	A1A	28321010	18%
U36645	Sodium Bisulphite 58.5% for Synthesis	7637-90-5	PB	500 gm	414	28321010	18%

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
	CHE	MISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Sodium hydrogen sulphite)		РВ	5 kg	3114		
	NaHSO ₃ M.W.: 104.07		PD	25 kg	POR		
013743	Sodium Bisulphite 58.5% AR	7631-90-5	РВ	500 gm	540	28321010	18%
	(Sodium hydrogen sulphite)		PD	25 kg	POR		
	NaHSO ₃ M.W.: 104.07						
SOL720	Sodium Bisulphite 39% Solution in water	7631-90-5	РВ	500 ml	594	38220090	12%
	NaHSO ₃ M.W.: 104.07		РВ	1 L	1098		
			РВ	2.5 L	2196		
Sodium I	Bisulphate Monohydrate See Sodium Hydrogen Sulphate Mono	ohydrate					
036649	Sodium-m-Borate Tetrahydrate 98%	10555-76-7	РВ	500 gm	441	28403000	18%
	(Boric acid sodium salt tetrahydrate)						
	NaBO ₂ .4H ₂ O M.W.: 137.86						
036650	Sodium Borohydride 98% for Synthesis	16940-66-2	GB	25 gm	603	28500010	18%
	(Sodium tetrahydridoborate)		GB	100 gm	1791		
	NaBH ₄ M.W.: 37.83		GB	500 gm	8487		
			РВ	5 kg	POR		
036651	Sodium Bromate 99% for Synthesis	7789-38-0	РВ	500 gm	1341	28299020	18%
	(Sodium bromate(V); Bromic acid sodium salt)		PD	50 kg	POR		
	NaBrO ₃ M.W.: 150.89						
036652	Sodium Bromide 99% Pure	7647-15-6	РВ	500 gm	990	28275110	18%
	NaBr M.W.: 102.89		PD	50 kg	POR		
013744	Sodium Bromide 99.5% AR	7647-15-6	РВ	500 gm	1485	28275110	18%
	NaBr M.W.: 102.89						
036653	Sodium Cacodylate 97%	6131-99-3	GB	25 gm	8001	29319090	18%
	(Cacodylic acid sodium salt trihydrate)						
	(CH ₃) ₂ AsO ₂ Na.3H ₂ O M.W. : 214.03						
Sodium (Caprylate See Caprylic Acid Sodium Salt						
036654	Sodium Carbonate Anhydrous 99.5%	497-19-8	РВ	500 gm	306	28362010	18%
	(Calcined soda; Carbonic acid disodium salt; Soda ash)		РВ	5 kg	2241		
	Na ₂ CO ₃ M.W.: 105.99		PD	50 kg	POR		
013745	Sodium Carbonate Anhydrous 99.5-% AR	497-19-8	PB	500 gm	459	28362010	18%
	(Calcined soda; Carbonic acid disodium salt; Soda ash)		РВ	5 kg	3150		
	Na ₂ CO ₃ M.W.: 105.99		PD	50 kg	POR		
036655	Sodium Carbonate Monohydrate 99%	5968-11-6	РВ	500 gm	396	28362010	18%
	(Calcined soda; Carbonic acid disodium salt; Soda ash)		РВ	5 kg	2844		
	Na ₂ CO ₃ .H ₂ O M.W.: 124.00		PD	50 kg	POR		
AMP101	Sodium Carbonate N/10		AMP	6 amp	585	38220090	12%
US3115	Sodium Carbonate 2N TS		PB	500 ml	270	38220090	12%
SOL381	Sodium Carbonate 0.05 mol/l (0.1N) Solution		PB	500 ml	180	38220090	12%
VMS790	Sodium Carbonate 0.5M (1N) Standardized Solution		PB	1 L	1260	38220090	12%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE TAX 036656 Sodium Chloride 99.5% Pure 7647-14-5 **225** 25010090 NII PR 500 gm РΒ 1 kg 396 (Common salt; Halite; Rock salt sodium chlorict; Table salt) NaCl M.W.: 58.44 PΒ 972 5 kg PΠ 50 kg POR 013746 Sodium Chloride 99.9% AR/ACS 7647-14-5 PB 500 gm **261** 25010090 NIL PR 5 kg 1098 (Common salt; Halite; Rock salt sodium chlorict; Table salt) NaCl M.W.: 58.44 PD POR 50 kg **Sodium Chloride 99.5% for HPLC** HP0255 7647-14-5 РΒ 990 25010090 NIL 500 gm (Common salt: Halite: Rock salt sodium chlorict: Table salt) NaCl M.W.: 58.44 MB0156 Sodium Chloride 99.9% for Molecular Biology 7647-14-5 500 gm 900 25010090 NIL (Common salt; Halite; Rock salt sodium chlorict; Table salt) NaCl M.W.: 58.44 **180** 38220090 12% SOL382 Sodium Chloride (0.9% w/v) Solution PR 500 ml PR 5 L concentrated saline Solution for prepairing Isotonic 900 MB0157 Sodium Chloride 4M Solution for Molecular Biology GB 125 ml 360 38220090 12% US3120 PΒ 500 ml 12% **Sodium Chloride TS Alkaline** 630 38220090 VMS794 **Sodium Chloride 0.1N Solution** PB 500 ml **180** 38220090 12% РΒ 225 1 L PΒ 2.5 L 450 VMS795 Sodium Chloride 0.5N Solution PB 500 ml **144** 38220090 12% PB 1 L 126 PR 251 405 VMS797 Sodium Chloride 1N Solution PR 500 ml 126 38220090 12% РΒ 1 L 232 PB 2.5 L 410 AMP106 Sodium Chloride 0.1M (0.1N) Solution **AMP** 6 amp **954** 38220090 12% VMS793 Sodium Chloride 0.1M (0.1N) Standardized Solution 1 L 900 38220090 12% VMS796 Sodium Chloride 1M (1N) Standardized Solution PB 900 38220090 11 12% VMS791 Sodium Chloride 0.05M (0.05N) Standardized Solution PΒ 1 L 900 38220090 12% VMS798 **Sodium Chloride 5M Solution** PB 900 38220090 12% 036657 **Sodium Chlorite 80%** 7758-19-2 GB 500 gm **1260** 28289030 18% NaCIO₂ M.W.: 90.44 РΒ 2034 1 kg PD 25 kg POR

(Chromic acid disodium salt; Chromium disodium oxide; Rachromate)

(Chromic acid disodium salt; Chromium disodium oxide; Rachromate)

Sodium Chromate Tetrahydrate 99%

Sodium Chromate Tetrahydrate 99% AR

Na₂CrO₄.4H₂O M.W.: 234.03

Na₂CrO₄.4H₂O M.W.: 234.03

013747

500 gm

50 kg

500 gm

720 28415010

810 28415010

POR

18%

18%

10034-82-9

10034-82-9

PB

PD

PB

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 036660 tri-Sodium Citrate Dihydrate 99% 6132-04-3 PΒ 500 gm **405** 29181520 18% (Citric acid trisodium salt dihydrate; Sodium citrate tribasic dihydrate) PR 1 kg 648 Na₃C₆H₅O₇.2H₂O M.W.: 294.10 PB 5 kg 2592 PΠ 25 kg POR PD 50 kg POR 013748 tri-Sodium Citrate Dihydrate 99% AR/ACS 6132-04-3 **450** 29181520 18% PΒ 500 gm (Citric acid trisodium salt dihydrate; Sodium citrate tribasic dihydrate) PD 50 kg POR meets analytical specification of IP, B.P., U.S.P., N.F., E.P. Na₃C₆H₅O₇.2H₂O M.W.: 294.10 HP0256 tri-Sodium Citrate 99.5% for HPLC 6132-04-3 new GB 500 gm **1350** 29181520 18% (Citric acid trisodium salt dihydrate; sodium citrate tribasic dihydrate) meets analytical specification of IP, B.P., U.S.P., N.F., E.P. Na₃C₆H₅O₇.2H₂O M.W.: 294.10 MB0159 tri-Sodium Citrate 99.5% for Molecular Biology 6132-04-3 GB 500 gm **1710** 29181520 18% (Citric acid trisodium salt dihydrate; sodium citrate tribasic dihydrate) Na₃C₆H₅O₇.2H₂O M.W.: 294.10 SOL383 Sodium Citrate 3.8% w/v Solution РΒ 12% 500 ml 38220090 207 VMS817 tri-Sodium Citrate 0.66M Solution PB 500 ml 180 38220090 12% US3126 tri Sodium Citrate TS Alkaline РΒ 500 ml 38220090 12% 270 US3125 tri Sodium Citrate TS РΒ 500 ml 252 38220090 12% **Sodium Cobaltinitrite 90%** 13600-98-1 036661 PΒ 100 gm **2493** 28429090 18% [Sodium hexanitrocobaltate (III)] Na₃Co(NO₂)₆ M.W.: 403.94 013749 Sodium Cobaltinitrite 95% AR 13600-98-1 PB 100 gm **2745** 28429090 18% [Sodium hexanitrocobaltate (III)] Na₃Co(NO₂)₆ M.W.: 403.94 **US3130 Sodium Cobaltinitrite TS** РΒ 125 ml 720 38220090 12% 036665 Sodium Cyanide 95% 143-33-9 PB 500 gm 1782 28371100 18% (Sold against Poison Licence only) PB 1 kg 2979 NaCN M.W.: 49.01 036668 Sodium Cyano Borohydride 95% 25895-60-7 GB 990 28500010 18% 5 gm (Sodium cyano trihydrido borate) GB 25 gm 3240 Sensitive to gradually degradation on storage CH₃BNNa M.W.: 62.84 036671 Sodium Dichromate Dihydrate 99% for Synthesis 7789-12-0 900 28413000 18% PB 500 gm PD 50 kg (Sodium bichromate) POR Na₂Cr₂O₇.2H₂O M.W.: 298.0 013750 Sodium Dichromate Dihydrate 99.5% AR 7789-12-0 **1170** 28413000 PB 500 gm 18% PD POR 50 kg (Sodium bichromate) Na₂Cr₂O₇.2H₂O M.W.: 298.0

	RESEARCH & LABORA	TORY ISTRY BEY			-C	_S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
013751	Sodium Diethyl Dithiocarbamate 98.5% AR/ACS	20624-25-3	РВ	100 gm	702	29302000	18%
	Sensitivity to Cu: 1:50,000,000		РВ	500 gm	2790		
	$(C_2H_5)_2$ N.CS.SNa.3 H_2 O M.W.: 225.30						
913752	Sodium Dihydrogen Ortho Phosphate Anhydrous 98% AR	7558-80-7	РВ	500 gm	666	28352200	18%
	(Dihydrogen sodium phosphate anhydrous; Sodium phosphate monobasic)						
	NaH ₂ PO ₄ M.W.: 119.98						
HP0259	Sodium Dihydrogen Ortho Phosphate Anhydrous for HPLC	7558-80-7	new GB	500 gm	1233	28352200	18%
	(Dihydrogen sodium phosphate anhydrous; Sodium phosphate monobasic)						
	NaH ₂ PO ₄ M.W.: 119.98						
036672	Sodium Dihydrogen Ortho Phosphate Dihydrate 98%	13472-35-0	РВ	500 gm	504	28352200	18%
	(Sodium phosphate monobasic dihydrate)		РВ	5 kg	4050		
	NaH ₂ PO ₄ .2H ₂ O M.W.: 156.01		PD	50 kg	POR		
013752	Sodium Dihydrogen Ortho Phosphate Dihydrate 98% AR	13472-35-0	РВ	500 gm	801	28352200	18%
	(Sodium phosphate monobasic dihydrate)		РВ	5 kg	6597		
	NaH ₂ PO ₄ .2H ₂ O M.W.: 156.01		PD	50 kg	POR		
HP0260	Sodium Dihydrogen Ortho Phosphate Dihydrate for HPLC	13472-35-0	GB	500 gm	1188	28352200	18%
	(Sodium phosphate monobasic dihydrate)						
	NaH ₂ PO ₄ .2H ₂ O M.W.: 156.01						
013753	Sodium Dihydrogen Ortho Phosphate Monohydrate 98% AR	10049-21-5	РВ	500 gm	1044	28352200	18%
	(Sodium phosphate monobasic dihydrate)		PD	50 kg	POR		
	Na.H ₂ PO ₄ . H ₂ O M.W.: 137.99						
VMS820	Sodium Dihydrogen Ortho Phosphate 4M Solution		РВ	500 ml	270	38220090	12%
013754	Sodium Diphenylamine Sulphonate AR/ACS	6152-67-6	GB	5 gm	333	29214490	18%
	[4-(Phenylamino)benzenesulfonic acid sodium salt]		GB	25 gm	1197		
	C ₁₂ H ₁₀ NNaO ₃ S M.W.: 271.27						
STS255	Sodium Diphenylamine Sulphonate Indicator Solution		GB	100 ml	306	29214490	18%
	(Redox indicator)						
Sodium l	Disulphite Purified See Sodium Metabisulphite						
036673	Sodium Dithionite Tech. 80%	7775-14-6	РВ	500 gm	774	28311010	18%
	(Sodium hydrosulphite)						
	Na ₂ S ₂ O ₄ M.W.: 174.13						
036674	Sodium Dithionite 87% Purified	7775-14-6	РВ	500 gm	792	28311010	18%
	(Sodium hydrosulphite)						
	Na ₂ S ₂ O ₄ M.W.: 174.13						
Sodium I	Dodecyl Sulphate See Sodium Lauryl Sulphate						
036675	Sodium Fluoride 97%	7681-49-4	РВ	500 gm	900	28261990	18%
	(Florocid)		PD	50 kg	POR		
	NaF M.W.: 41.99						
013755	Sodium Fluoride 99% AR	7681-49-4	РВ	500 gm	1440	28261990	18%
	(Florocid)		PD	50 kg	POR		

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
0022	NaF M.W.: 41.99	0 /10/110		Triordino	7702		,,,,,
JS3135	Sodium Fluoride TS		PB	500 ml	360	38220090	12%
SOL784	Sodium Fluoride 1gm/lit Solution		PB	1 L		38220090	12%
SOL785	Sodium Fluoride 40gm/lit Solution		PB	1 L		38220090	12%
036677	Sodium Formaldehyde Sulphoxylate 95%	149-44-0	PB	500 gm		28311020	18%
330011	(Sodium hydroxymethanesulphinate)	140-44-0	PB	2.5 kg	POR	20011020	1070
	CH ₃ NaO ₃ S.2H ₂ O M.W.: 118.09(ANHY)		1.5	2.5 kg	TOR		
936677	Sodium Formaldehyde Sulphoxylate AR	149-44-0	PB	500 gm	1350	28311020	18%
330077	(Sodium hydroxymethanesulphinate)	149-44-0	гь	300 giii	1330	20311020	10 /0
	CH ₃ NaO ₃ S.2H ₂ O M.W.: 118.09(ANHY)						
036678	Sodium Formate 98%	141-53-7	PB	500 gm	333	29151210	18%
30070	(Formic acid sodium salt)	141-00-7	PB	5 kg		23131210	10 /0
	HCOONa M.W.: 68.01		PD	50 kg	POR		
013756	Sodium Formate 99% AR/ACS	141-53-7	PB	500 gm		29151210	18%
010700	(Formic acid sodium salt)	141-00-1	PD	25 kg	POR	23131210	1070
	HCOONa M.W.: 68.01			20 109	1011		
VMS799	Sodium Formate 0.01N Solution		PB	500 ml	218	38220090	12%
VIII 0 7 0 0	Codiani i officia di Si i Columbia		PB	1 L	378	00220000	12/0
			PB	2.5 L	603		
VMS801	Sodium Formate 0.5N Solution		PB	500 ml		38220090	12%
			PB	1 L		0022000	,
			PB	2.5 L			
VMS800	Sodium Formate 0.1N Solution		PB	500 ml		38220090	12%
			PB	1 L	396		
			РВ	2.5 L	612		
di-Sodiu	m Fumarate See Sodium Fumarate						
036679	Sodium Fumarate 99% for Synthesis	17013-01-3	PB	500 gm	1231	29171990	18%
	(di-Sodium fumarate; fumaric acid disodium salt)						
	C ₄ H ₂ O ₄ Na ₂ M.W.: 160.04						
013757	Sodium Fumarate 99.5% AR	17013-01-3	PB	100 gm	540	29171990	18%
	(di-Sodium fumarate; fumaric acid disodium salt)						
	C ₄ H ₂ O ₄ Na ₂ M.W.: 160.04						
036680	Sodium Gluconate 98% for Synthesis	527-07-1	РВ	500 gm	306	29181690	18%
	(D-gluconate sodium salt; D-gluconic acid mono sodium salt;		PD	50 kg	POR		
	sodium D-gluconate)						
	CH ₂ (OH) (CH.OH) ₄ .COONa M.W. : 218.14						
036681	Sodium-L-Glutamate Monohydrate 99%	6106-04-3	РВ	100 gm	243	29224220	18%
	(I-Glutamic acid monosodium salt monohydrate)		РВ	500 gm	630		
	NH ₂ CH(COOH).CH ₂ CH ₂ COONa.H ₂ O M.W.: 187.13		РВ	5 kg	4500		

	RESEARCH & LABORAT	TRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036682	Sodium Hexametaphosphate Powder 60% Pract.	10124-56-8	РВ	500 gm	603	28352940	18%
	(NaPO ₃) ₆ M.W.: 612.0						
036683	Sodium Hexametaphosphate Powder 68%	10124-56-8	РВ	500 gm	648	28352940	18%
	(NaPO ₃) ₆ M.W.: 612.0		РВ	5 kg	5193		
			PD	50 kg	POR		
036684	Sodium Hydride 60% for Synthesis	7646-69-7	GB	25 gm	360	38249090	18%
	(moistened with Paraffin Oil)		GB	100 gm	801		
	HNa M.W.: 24.00		GB	500 gm	3051		
			РВ	5 kg	POR		
036685	Sodium Hydrogen Carbonate 99% Purified	144-55-8	РВ	500 gm	277	28363000	18%
	(Sodium bicarbonate)		РВ	1 kg	441		
	NaHCO ₃ M.W.: 84.01		РВ	5 kg	1791		
			PD	50 kg	POR		
013759	Sodium Hydrogen Carbonate 99.7% AR	144-55-8	РВ	500 gm	324	28363000	18%
	(Sodium bicarbonate)		РВ	5 kg	2097		
	NaHCO ₃ M.W.: 84.01		PD	50 kg	POR		
HP0262	Sodium Hydrogen Carbonate 99.7% for HPLC	144-55-8	GB	500 gm	720	28363000	18%
	(Sodium bicarbonate)						
	NaHCO ₃ M.W.: 84.01						
MB0166	Sodium Hydrogen Carbonate 99.7% for Molecular Biology	144-55-8	GB	500 gm	1350	28363000	18%
	(Sodium bicarbonate)						
	NaHCO ₃ M.W.: 84.01						
036686	di-Sodium Hydrogen Citrate 99%	144-33-2	РВ	500 gm	900	29181590	18%
	(Citric acid disodium salt, Sodium citrate dibasic)						
	$Na_2C_6H_6O_7.1\frac{1}{2}H_2O\ M.W.: 263.11$						
036687	di-Sodium Hydrogen Ortho Phosphate Anhydrous 98%	7558-79-4	РВ	500 gm	630	28352200	18%
	(Sodium phosphate dibasic)		РВ	5 kg	5202		
	Na ₂ HPO ₄ M.W. : 141.96		PD	50 kg	POR		
013760	di-Sodium Hydrogen Ortho Phosphate Anhydrous 99% AR	7558-79-4	РВ	500 gm	720	28352200	18%
	(Sodium phosphate dibasic)		PD	50 kg	POR		
	Na ₂ HPO ₄ M.W. : 141.96						
HP0264	di-Sodium Hydrogen Ortho Phosphate Anhydrous for HPLC	7558-79-4	new GB	500 gm	1800	28352200	18%
	(Sodium phosphate dibasic)			· ·			
	Na ₂ HPO ₄ M.W. : 141.96						
MB0169	di-Sodium Hydrogen Ortho Phosphate Anhydrous 99%	7558-79-4	GB	500 gm	2061	28352200	18%
0.00	for Molecular Biology	.00010 T	05	500 giii	_501		1370
	(Sodium phosphate dibasic)						
	Na ₂ HPO ₄ M.W.: 141.96						
036688	di-Sodium Hydrogen Ortho Phoenhate Dibydrate 99%	10028 24 7	DD	500 ~~	50/	ეგვნეეიი	190/
036688	di-Sodium Hydrogen Ortho Phosphate Dihydrate 99% (Sodium phosphate dibasic dihydrate)	10028-24-7	PB PB	500 gm 5 kg		28352200	18%

	СНЕМ						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
013761	di-Sodium Hydrogen Ortho Phosphate Dihydrate 99.5% AR	10028-24-7	РВ	500 gm	702	28352200	18%
	(Sodium phosphate dibasic dihydrate)		РВ	5 kg	5607		
	Na ₂ HPO ₄ .2H ₂ O M.W.: 177.99		PD	50 kg	POR		
MB0171	di-Sodium Hydrogen Ortho Phosphate Dihydrate 99%	10028-24-7	GB	500 gm	1620	28352200	18%
	for Molecular Biology						
	(Sodium phosphate dibasic dihydrate)						
	Na ₂ HPO ₄ .2H ₂ O M.W.: 177.99						
HP0263	di-Sodium Hydrogen Ortho Phosphate Dihydrate 99%	10028-24-7	GB	500 gm	1170	28352200	18%
	for HPLC						
	(Sodium phosphate dibasic dihydrate)						
	Na ₂ HPO ₄ .2H ₂ O M.W.: 177.99						
036689	di-Sodium Hydrogen Ortho Phosphate Dodecahydrate 98%	10039-32-4	РВ	500 gm	603	28352200	18%
	(Sodium phosphate dibasic dodecahydrate)						
	Na ₂ HPO ₄ .12H ₂ O M.W.: 358.14						
US3175	di-Sodium Hydrogen Ortho Phosphate TS		PB	500 ml	270	38220090	12%
Sodium	Hydrogen Selenite See Sodium Biselenite						
036690	Sodium Hydrogen Sulphate Monohydrate 98%	10034-88-5	РВ	500 gm	396	28331910	18%
	(Sodium bisulphate monohydrate)		PD	50 kg	POR		
	NaHSO ₄ .H ₂ O M.W.: 138.07						
013762	Sodium Hydrogen Sulphate Monohydrate 99% AR	10034-88-5	PB	500 gm	486	28331910	18%
	(Sodium bisulphate monohydrate)						
	NaHSO ₄ .H ₂ O M.W.: 138.07						
Sodium	Hydrogen Sulphite See Sodium Bisulphite						
036691	Sodium Hydroxide Flakes 96%	1310-73-2	РВ	500 gm	270	28151110	18%
	(Caustic soda)		РВ	1 kg	495		
	NaOH M.W.: 40.00		РВ	5 kg	1953		
			PD	50 kg	POR		
036692	Sodium Hydroxide Pellets 97% Purified	1310-73-2	РВ	500 gm	324	28151110	18%
	(Caustic soda)		РВ	5 kg	2250		
	NaOH M.W.: 40.00		PD	50 kg	POR		
013763	Sodium Hydroxide Pellets 98% AR	1310-73-2	РВ	500 gm	369	28151110	18%
	(Caustic soda)		РВ	5 kg	2700		
	NaOH M.W.: 40.00		PD	50 kg	POR		
936693	Sodium Hydroxide Powder 97.0%	1310-73-2	РВ	500 gm	396	28151110	18%
	(Caustic soda)		РВ	5 kg	2700		
	NaOH M.W.: 40.00		PD	25 kg	POR		
936694	Sodium Hydroxide Prills	1310-73-2	РВ	500 gm	504	28151110	18%
	(Caustic soda)		РВ	5 kg	POR		
	NaOH M.W.: 40.00		PD	25 kg			
AMP111	Sodium Hydroxide N/1 Solution		AMP	6 amp		38220090	12%
	(1 mol/l, 20g NaOH for 500 ml solution 1N)		,	3 cp	2.3		, 5

PB 1L 459 PB 2.5 L 783 VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% O28830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR			A STATE OF THE STA					
	CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
SOL334 Sodium Hydroxide N/1 Solution P8 S00 ml 153 3820000 12%	AMP115	Sodium Hydroxide N/10 Solution		AMP	6 amp	504	38220090	12%
SOLISE Solium Hydroxide Nº10 Solution PB 500 ml 153 38220090 12%		(0.1 mol/l, 2g NaOH for 500 ml solution 0.1N)						
VMS827 Sodium Hydroxide 0.02 mol/1 Solution PB 500 ml 216 38220090 12% VMS828 Sodium Hydroxide (0.1 N) Solution Alcoholic PB 500 ml 306 38220090 12% VMS828 Sodium Hydroxide 0.25 mol/1 Solution PB 500 ml 135 38220090 12% VMS831 Sodium Hydroxide 0.25 mol/1 Solution PB 500 ml 133 38220090 12% VMS833 Sodium Hydroxide 0.35 mol/1 Solution PB 500 ml 133 38220090 12% VMS835 Sodium Hydroxide 0.5 mol/1 Solution PB 500 ml 130 38220090 12% VMS835 Sodium Hydroxide 0.5 mol/1 Solution PB 500 ml 130 38220090 12% VMS837 Sodium Hydroxide 4 mol/1 (4N) Solution PB 500 ml 216 38220090 12% VMS837 Sodium Hydroxide 5 mol/1 (6N) Solution PB 500 ml 216 38220090 12% VMS837 Sodium Hydroxide 5 mol/1 (6N) Solution PB 500 ml 216 38220090 12% VMS841 Sodium Hydroxide 6 mol/1 (6N) Solution PB 500 ml 243 38220090 12% VMS845 Sodium Hydroxide 6 mol/1 (6N) Solution PB 500 ml 243 38220090 12% VMS845 Sodium Hydroxide 8 mol/1 (6N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 1 mol/1 (10N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 1 mol/1 (10N) Solution PB 500 ml 130 38220090 12% VMS845 Sodium Hydroxide 21% w/v Solution 1310/73-2 PB 500 ml 130 38220090 12% VMS845 Sodium Hydroxide 38% w/v Solution 1310/73-2 PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 50% w/v Solution 1310/73-2 PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 0.057M (1/2.8N) Solution PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 0.057M (1/2.8N) Solution PB 500 ml 25 38220090 12% VMS845 Sodium Hydroxide 0.057M (1/2.8N) Solution PB 500 ml 25 38220090 12% VMS845 Sodium Hydro	SOL384	Sodium Hydroxide N/1 Solution		РВ	500 ml	153	38220090	12%
VMS825 Sodium Hydroxido (0.1 N) Solution Alcoholic PB 500 ml 136 38220090 12% VMS826 Sodium Hydroxido 0.2 mol/I Solution PB 500 ml 135 38220090 12% VMS831 Sodium Hydroxido 0.33 mol/I Solution PB 500 ml 153 38220090 12% VMS833 Sodium Hydroxido 0.35 mol/I Solution PB 500 ml 153 38220090 12% VMS835 Sodium Hydroxido 2.5 mol/I Solution PB 500 ml 153 38220090 12% VMS837 Sodium Hydroxido 2.5 mol/I Solution PB 500 ml 153 38220090 12% VMS837 Sodium Hydroxido 2.5 mol/I (2N) Solution PB 500 ml 216 38220090 12% VMS837 Sodium Hydroxido 4 mol/I (4N) Solution PB 500 ml 216 38220090 12% VMS841 Sodium Hydroxido 5 mol/I (5N) Solution PB 500 ml 216 38220090 12% VMS843 Sodium Hydroxido 5 mol/I (5N) Solution PB 500 ml 217 38220090 12% VMS845 Sodium Hydroxido 6 mol/I (6N) Solution PB 500 ml 218 38220090 12% VMS845 Sodium Hydroxido 6 mol/I (6N) Solution PB 500 ml 219 38220090 12% VMS845 Sodium Hydroxido 10 mol/I (10N) Solution PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 32% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 32% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 50% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 50% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 50% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 50% w/v Solution 1310/732 PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 10% Solution PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 0.05M (0.05N) Standardized Solution PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 0.05M (0.05N) Standardized Solution PB 500 ml 120 38220090 12% VMS845 Sodium Hydroxido 0.05M (0.05N) Standardized Solution PB 500 ml 1	SOL385	Sodium Hydroxide N/10 Solution		РВ	500 ml	153	38220090	12%
VMS829 Sodium Hydroxide 0.2 mol/I Solution PB 500 ml 135 38220090 12% VMS831 Sodium Hydroxide 0.25 mol/I Solution PB 500 ml 153 38220090 12% VMS833 Sodium Hydroxide 0.3 mol/I Solution PB 500 ml 216 38220090 12% VMS833 Sodium Hydroxide 0.5 mol/I Solution PB 500 ml 180 38220090 12% VMS833 Sodium Hydroxide 0.5 mol/I Solution PB 500 ml 180 38220090 12% VMS833 Sodium Hydroxide 4 mol/I (4N) Solution PB 500 ml 216 38220090 12% VMS833 Sodium Hydroxide 5 mol/I (6N) Solution PB 500 ml 243 38220090 12% VMS843 Sodium Hydroxide 6 mol/I (6N) Solution PB 500 ml 246 38220090 12% VMS843 Sodium Hydroxide 6 mol/I (6N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 6 mol/I (6N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 8 mol/I (6N) Solution PB 500 ml 247 38220090 12% VMS847 Sodium Hydroxide 8 mol/I (6N) Solution 1310-73-2 PB 500 ml 180 38220090 12% VMS847 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB 500 ml 180 38220090 12% VMS848 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 247 38220090 12% VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 10% Solution PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 248 38220090 12% VMS859 Sodiu	VMS827	Sodium Hydroxide 0.02 mol/l Solution		РВ	500 ml	216	38220090	12%
VMS833 Sodium Hydroxide 0.25 mol/l Solution PB S00 ml 153 38220090 12% VMS833 Sodium Hydroxide 0.33 mol/l Solution PB S00 ml 153 38220090 12% VMS833 Sodium Hydroxide 2 mol/l (2N) Solution PB S00 ml 153 38220090 12% VMS833 Sodium Hydroxide 2 mol/l (2N) Solution PB S00 ml 169 38220090 12% VMS833 Sodium Hydroxide 6 mol/l (2N) Solution PB S00 ml 216 38220090 12% VMS834 Sodium Hydroxide 6 mol/l (SN) Solution PB S00 ml 216 38220090 12% VMS834 Sodium Hydroxide 6 mol/l (SN) Solution PB S00 ml 216 38220090 12% VMS835 Sodium Hydroxide 6 mol/l (SN) Solution PB S00 ml 217 38220090 12% VMS845 Sodium Hydroxide 6 mol/l (SN) Solution PB S00 ml 217 38220090 12% VMS845 Sodium Hydroxide 1 mol/l (10N) Solution PB S00 ml 218 38220090 12% VMS845 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB S00 ml 180 38220090 12% VMS845 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB S00 ml 180 38220090 12% VMS845 Sodium Hydroxide 25% w/v Solution 1310-73-2 PB S00 ml 126 38220090 12% VMS857 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB S00 ml 126 38220090 12% VMS858 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB S00 ml 126 38220090 12% VMS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB S00 ml 126 38220090 12% VMS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB S00 ml 126 38220090 12% VMS859 Sodium Hydroxide 50% w/v Solution PB S00 ml 126 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB S00 ml 127 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB S00 ml 270 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB S00 ml 270 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB S00 ml 270 38220090 12% VMS859 Sodium Hydroxide 0.05M (0.05N) Solution PB S00 ml 270 38220090 12%	VMS825	Sodium Hydroxide (0.1 N) Solution Alcoholic		РВ	500 ml	306	38220090	12%
VMS833 Sodium Hydroxide 0.35 mol/l Solution PB 500 ml 216 38220090 12% VMS835 Sodium Hydroxide 0.5 mol/l Solution PB 500 ml 153 38220090 12% VMS837 Sodium Hydroxide 4 mol/l (4N) Solution PB 500 ml 180 38220090 12% VMS837 Sodium Hydroxide 4 mol/l (4N) Solution PB 500 ml 216 38220090 12% VMS831 Sodium Hydroxide 5 mol/l (5N) Solution PB 500 ml 243 38220090 12% VMS841 Sodium Hydroxide 6 mol/l (6N) Solution PB 500 ml 243 38220090 12% VMS845 Sodium Hydroxide 6 mol/l (6N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 10 mol/l (10N) Solution PB 500 ml 247 38220090 12% VMS845 Sodium Hydroxide 10 mol/l (10N) Solution PB 500 ml 267 38220090 12% VMS845 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB 500 ml 180 38220090 12% VMS855 Sodium Hydroxide 22% w/v Solution 1310-73-2 PB 500 ml 180 38220090 12% VMS856 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 243 38220090 12% VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 60% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 60% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 60% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS859 Sodium Hydroxide 60% w/v Solution 1310-73-2 PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.357M (12.8N) Solution PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.05M (0.5N) Solution PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.05M (0.5N) Solution PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.05M (0.5N) Solution PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.05M (0.5N) Solution PB 500 ml 248 38220090 12% VMS850 Sodium Hydroxide 0.05M (0.5N) Solution PB 500 ml 248 382	VMS829	Sodium Hydroxide 0.2 mol/l Solution		РВ	500 ml	135	38220090	12%
VMS835 Sodium Hydroxide 0.5 mol/l Solution PB 500 ml 153 38220090 12% 128837 Sodium Hydroxide 2 mol/l (2N) Solution PB 500 ml 160 38220090 12% 128837 Sodium Hydroxide 4 mol/l (4N) Solution PB 500 ml 216 38220090 12% 128838 Sodium Hydroxide 5 mol/l (5N) Solution PB 500 ml 234 38220090 12% 128838 Sodium Hydroxide 5 mol/l (5N) Solution PB 500 ml 234 38220090 12% 128838 Sodium Hydroxide 6 mol/l (5N) Solution PB 500 ml 237 38220090 12% 128838 Sodium Hydroxide 6 mol/l (5N) Solution PB 500 ml 237 38220090 12% 128838 Sodium Hydroxide 2 mol/l (5N) Solution PB 500 ml 237 38220090 12% 128838 Sodium Hydroxide 10 mol/l (10N) Solution 1310-73-2 PB 500 ml 198 38220090 12% 128838 Sodium Hydroxide 23% w/v Solution 1310-73-2 PB 500 ml 198 38220090 12% 128838 Sodium Hydroxide 35% w/v Solution 1310-73-2 PB 500 ml 237 38220090 12% 128838 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 238 38220090 12% 128838 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 239 38220090 12% 128838 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 239 38220090 12% 128838 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 239 23920090 12% 128838 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 239 23920090 23820090 23820900 23820900 23820900 23820900 23820900 23	VMS831	Sodium Hydroxide 0.25 mol/l Solution		РВ	500 ml	153	38220090	12%
VMIS837 Sodium Hydroxide 2 mol/i (2N) Solution PB 500 ml 180 38220090 12% VMIS839 Sodium Hydroxide 4 mol/i (4N) Solution PB 500 ml 216 38220090 12% VMIS841 Sodium Hydroxide 5 mol/i (5N) Solution PB 500 ml 243 38220090 12% VMIS843 Sodium Hydroxide 6 mol/i (5N) Solution PB 500 ml 243 38220090 12% VMIS845 Sodium Hydroxide 6 mol/i (5N) Solution PB 500 ml 270 38220090 12% VMIS845 Sodium Hydroxide 10 mol/i (10N) Solution PB 500 ml 270 38220090 12% VMIS845 Sodium Hydroxide 10 mol/i (10N) Solution PB 500 ml 180 38220090 12% VMIS845 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB 500 ml 180 38220090 12% VMIS855 Sodium Hydroxide 32% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% VMIS855 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% VMIS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% VMIS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 50% w/v Solution PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 50% w/v Solution PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 0.05M (1.2.8N) Solution PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 226 38220090 12% VMIS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 226 28220090 12% VMIS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 226 28220090 12% VMIS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 226 28220090 12% VMIS859 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 226 28220090 226 226 226 226 226 226 226 226 226 226 226	VMS833	Sodium Hydroxide 0.33 mol/l Solution		РВ	500 ml	216	38220090	12%
VMS841 Sodium Hydroxide 4 mol/l (4N) Solution PB 500 ml 216 38220090 12% 1	VMS835	Sodium Hydroxide 0.5 mol/l Solution		РВ	500 ml	153	38220090	12%
VMS841 Sodium Hydroxide 5 molf (5N) Solution PB 500 ml 234 38220090 12% 288	VMS837	Sodium Hydroxide 2 mol/l (2N) Solution		РВ	500 ml	180	38220090	12%
VMS845 Sodium Hydroxide 6 mol/l (6N) Solution PB 500 ml 243 3822090 128 VMS847 Sodium Hydroxide 8 mol/l (8N) Solution PB 500 ml 270 3822090 128 VMS848 Sodium Hydroxide 10 mol/l (10N) Solution PB 500 ml 297 3822090 128 VMS855 Sodium Hydroxide 21% w/v Solution 1310-73-2 PB 500 ml 180 3822090 128 VMS857 Sodium Hydroxide 32% w/v Solution 1310-73-2 PB 500 ml 198 3822090 128 VMS858 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 198 3822090 128 VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 3822090 128 VMS851 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 234 3822090 128 VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 235 3822090 128 VMS861 Sodium Hydroxide 10% Solution PB 500 ml 126 3822090 128 VMS862 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 3822090 128 VMS863 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 51 459 VMS864 Sodium Hydroxide 0.05M (0.05N) Standardized Solution PB 51 500 ml 252 3822090 128 VMS865 Sodium Hydroxide 0.05M (0.05N) Standardized Solution PB 51 500 ml 252 3822090 128 VMS866 Sodium Hydroxide 0.05M (0.05N) Standardized Solution PB 51 500 ml 252 3822090 128 VMS866 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS867 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS868 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS869 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS860 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS861 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 3822090 128 VMS862 Sodium Hydroxide 0.05M (0.05N) Solution PB 51 500 ml 252 382209	VMS839	Sodium Hydroxide 4 mol/l (4N) Solution		РВ	500 ml	216	38220090	12%
VMS845 Sodium Hydroxide 8 mol/I (8N) Solution PB 500 ml 270 38220090 12W VMS857 Sodium Hydroxide 21W wlv Solution 1310-73-2 PB 500 ml 297 38220090 12W VMS857 Sodium Hydroxide 32W wlv Solution 1310-73-2 PB 500 ml 198 38220090 12W VMS858 Sodium Hydroxide 32W wlv Solution 1310-73-2 PB 500 ml 198 38220090 12W VMS859 Sodium Hydroxide 45W wlv Solution 1310-73-2 PB 500 ml 225 38220090 12W VMS859 Sodium Hydroxide 50W wlv Solution 1310-73-2 PB 500 ml 234 38220090 12W VMS861 Sodium Hydroxide 50W wlv Solution 1310-73-2 PB 500 ml 234 38220090 12W VMS861 Sodium Hydroxide 10W Solution 1310-73-2 PB 500 ml 235 38220090 12W VMS862 Sodium Hydroxide 10W Solution PB 500 ml 255 38220090 12W VMS863 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 255 38220090 12W VMS864 Sodium Hydroxide 0.05M (0.05N) Solution PB 1L 855 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 855 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 855 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 855 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS865 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS866 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS866 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS867 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS868 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS868 Sodium Hydroxide 0.05M (0.05N) Solution PB 51L 356 38220090 12W VMS868 Sodium Hydroxide 0.05M	VMS841	Sodium Hydroxide 5 mol/l (5N) Solution		РВ	500 ml	234	38220090	12%
VMS857 Sodium Hydroxide 10 mol/1 (10N) Solution PB 500 ml 297 38220090 12%	VMS843	Sodium Hydroxide 6 mol/l (6N) Solution		РВ	500 ml	243	38220090	12%
NaOH M.W.: 40.00 1310-73-2 PB 500 ml 180 38220090 128	VMS845	Sodium Hydroxide 8 mol/l (8N) Solution		РВ	500 ml	270	38220090	12%
NaOH M.W.: 40.00 VMS857 Sodium Hydroxide 32% w/v Solution 1310-73-2 PB 500 ml 198 38220090 12% NaOH M.W.: 40.00 VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% NaOH M.W.: 40.00 VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 234 38220090 12% NaOH M.W.: 40.00 SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS805 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 459 PB 2.5 L 783 VMS808 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Standardized Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Standardized Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Standardized Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Standardized Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.11N) Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 855 38220090 12% VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 396 VMS808 Sodium Hydroxide 0.01M (0.01N) Solution PB 1L 300 Ml 3	VMS847	Sodium Hydroxide 10 mol/l (10N) Solution		РВ	500 ml	297	38220090	12%
NaOH M.W.: 40.00 1310-73-2 PB 500 ml 198 38220090 12%	VMS855	Sodium Hydroxide 21% w/v Solution	1310-73-2	РВ	500 ml	180	38220090	12%
NaOH M.W.: 40.00 VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% NaOH M.W.: 40.00 VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 234 38220090 12% NaOH M.W.: 40.00 SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 1L 225 VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS805 Sodium Hydroxide 0.05M (0.05N) Solution PB 1L 459 PB 1L 459 PB 2.5 L 783 VMS802 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 1L 855 38220090 12% SSOdium Hydroxide 0.011M (0.111N) Standardized Solution PB 1L 855 38220090 12% SSOdium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS866 Sodium Hypochronite (0.1N) Solution PB 500 ml 225 2828090 12% 4% w/v available Chlorine PB 1L 396 NaClO M.W.: 74.44 PB 5L 990 PR 25 Lit POR 1880 Sodium Hypophosphite Hydrate 98% 1039-56-2 PB 500 gm 1548 2835109 18%		NaOH M.W.: 40.00						
VMS859 Sodium Hydroxide 45% w/v Solution 1310-73-2 PB 500 ml 225 38220090 12% NaOH M.W.: 40.00 VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 234 38220090 12% NaOH M.W.: 40.00 PB 500 ml 126 38220090 12% SOLT83 Sodium Hydroxide 10% Solution PB 500 ml 126 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1 85 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.05M (0.05N) Solution PB 1 85 88220090	VMS857	Sodium Hydroxide 32% w/v Solution	1310-73-2	РВ	500 ml	198	38220090	12%
NaOH M.W.: 40.00 VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 234 38220090 12% NaOH M.W.: 40.00 SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 1L 459 PB 2.5 L 783 VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1L 855 38220090 12% SSODIUM Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 12% SSODIUM Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS858 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1L 396 NaCIO M.W.: 74.44 PB 5L 990 PR 25 Lit POR		NaOH M.W.: 40.00						
VMS861 Sodium Hydroxide 50% w/v Solution 1310-73-2 PB 500 ml 234 38220090 12% NaOH M.W.: 40.00 SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 38220090 12% VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 855 38220090 12% VMS803 Sodium Hydroxide 0.01M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1L 855 38220090 12% VMS856 Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 2828090 18% VMS856 Sodium Hypochlorite Solution 4% </td <td>VMS859</td> <td>Sodium Hydroxide 45% w/v Solution</td> <td>1310-73-2</td> <td>РВ</td> <td>500 ml</td> <td>225</td> <td>38220090</td> <td>12%</td>	VMS859	Sodium Hydroxide 45% w/v Solution	1310-73-2	РВ	500 ml	225	38220090	12%
NaOH M.W.: 40.00 SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 3822009 12% PB 1L 225 VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% PB 1L 459 PB 2.5 L 763 VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% VMS8583 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% A% w/v available Chlorine PB 5L 990 PB 50 ml 225 2828909 18% A% w/v available Chlorine PB 5L 990 PR 25 Lit POR NaClO M.W.: 74.44 PB 5L 990 PR 25 Lit POR		NaOH M.W.: 40.00						
SOL783 Sodium Hydroxide 10% Solution PB 500 ml 126 38220000 12%	VMS861	Sodium Hydroxide 50% w/v Solution	1310-73-2	РВ	500 ml	234	38220090	12%
PB		NaOH M.W.: 40.00						
VMS805 Sodium Hydroxide 0.357M (1/2.8N) Solution PB 500 ml 252 38220090 12% VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1 L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1 L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypochlorite (0.1N) Solution GB 100 ml 6300 38220090 12% VMS856 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	SOL783	Sodium Hydroxide 10% Solution		РВ	500 ml	126	38220090	12%
PB 1L 459 PB 2.5 L 783 VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% VMS856 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1L 396 NaCIO M.W.: 74.44 PB 5L 990 PR 25 Lit POR VMS856 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%				РВ	1 L	225		
PB 2.5 L 783	VMS805	Sodium Hydroxide 0.357M (1/2.8N) Solution		РВ	500 ml	252	38220090	12%
VMS802 Sodium Hydroxide 0.01M (0.01N) Standardized Solution PB 1 L 855 38220090 12% VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1 L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% 028830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 NaClO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%				РВ	1 L	459		
VMS803 Sodium Hydroxide 0.05M (0.05N) Solution PB 500 ml 270 38220090 12% VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1 L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% 028830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 390 48 NaCIO M.W.: 74.44 PB 5 L 990 990 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%				РВ	2.5 L	783		
VMS804 Sodium Hydroxide 0.111M (0.111N) Standardized Solution PB 1 L 855 38220090 12% Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% 028830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 390 390 48 NaCIO M.W.: 74.44 PB 5 L 990 990 90	VMS802	Sodium Hydroxide 0.01M (0.01N) Standardized Solution		РВ	1 L	855	38220090	12%
Sodium Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde Sulfoxylate VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% 028830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	VMS803	Sodium Hydroxide 0.05M (0.05N) Solution		РВ	500 ml	270	38220090	12%
VMS856 Sodium Hypobromite (0.1N) Solution GB 100 ml 6300 38220090 12% 028830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	VMS804	Sodium Hydroxide 0.111M (0.111N) Standardized Solution		РВ	1 L	855	38220090	12%
D28830 Sodium Hypochlorite Solution 4% 7681-52-9 PB 500 ml 225 28289090 18% 4% w/v available Chlorine PB 1 L 396 NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	Sodium I	Hydroxy Methane Sulphinate Dihydrate See Sodium Formaldehyde	Sulfoxylate					
4% w/v available Chlorine NaClO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	VMS856	Sodium Hypobromite (0.1N) Solution		GB	100 ml	6300	38220090	12%
NaCIO M.W.: 74.44 PB 5 L 990 PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%	028830	Sodium Hypochlorite Solution 4%	7681-52-9	РВ	500 ml	225	28289090	18%
PR 25 Lit POR 036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%		4% w/v available Chlorine		РВ	1 L	396		
036693 Sodium Hypophosphite Hydrate 98% 10039-56-2 PB 500 gm 1548 28351090 18%		NaCIO M.W.: 74.44		РВ	5 L	990		
				PR	25 Lit	POR		
(Sodium phosphinate monohydrate) PD 25 kg POR	036693	Sodium Hypophosphite Hydrate 98%	10039-56-2	РВ	500 gm	1548	28351090	18%
		(Sodium phosphinate monohydrate)		PD	25 kg	POR		

	RESEARCH & LABORA	TORY IISTRY BEY				_5	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	As reagent for arsenic and iodates.						
	NaH ₂ PO ₂ .H ₂ O M.W.: 105.99						
013764	Sodium Hypophosphite Hydrate AR	10039-56-2	PB	500 gm	1692	28351090	18%
	(Sodium phosphinate monohydrate)			-			
	NaH ₂ PO ₂ .H ₂ O M.W.: 105.99						
036694	Sodium Iodate 98%	7681-55-2	PB	100 gm	2844	28299030	18%
	(lodic acid sodium salt)			-			
	NaIO ₃ M.W.: 197.90						
013765	Sodium Iodate AR	7681-55-2	PB	100 gm	3042	28299030	18%
	(lodic acid sodium salt)						
	NaIO ₃ M.W.: 197.90						
036695	Sodium Iodide 99% Pure	7681-82-5	PB	25 gm	990	28276020	18%
	Nal M.W.: 149.89		PB	100 gm			
			РВ	250 gm			
			PD	25 kg	POR		
013766	Sodium Iodide 99.5-100.5% AR/ACS	7681-82-5	PB	100 gm	3834	28276020	18%
	Nal M.W.: 149.89		PB	250 gm	8442		
SOL423	Sodium Iodide Saturated Solution		PB	125 ml	540	38220090	12%
028840	Sodium Lactate 60% Solution	72-17-3	GB	500 ml	693	29181190	18%
	60% solution in water a variable mixture of		GB	2.5 L	2790		
	(Sodium D-Lactate)						
	CH₃CHOH.COONa M.W.: 112.06						
036696 •	Sodium Lauryl Sulphate Powder 90%	151-21-3	РВ	500 gm	918	29209099	18%
	(Sodium dodecyl sulphate)		PB	5 kg	8190		
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W. : 288.38		PD	25 kg			
013767 •	Sodium Lauryl Sulphate 99% AR For SDS Electrophoresis	151-21-3	PB	100 gm		29209099	18%
	(Sodium dodecyl sulphate)		PB	500 gm	4495		
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W. : 288.38		РВ	5 kg	POR		
HP0265 •	Sodium Lauryl Sulphate 99% for HPLC	151-21-3	GB	10 gm	702	29209099	18%
	(Sodium dodecyl sulphate)		GB	25 gm	1800		
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W. : 288.38						
MB0176 •	Sodium Lauryl Sulphate 99% for Molecular Biology	151-21-3	GB	100 gm	1980	29209099	18%
	(Sodium dodecyl sulphate)		GB	500 gm	6480		
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W. : 288.38			J			
MB0177 •	Sodium Lauryl Sulphate 10% Solution	151-21-3	GB	100 ml	1800	38220090	12%
	for Molecular Biology						
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W. : 288.38						
SOL790	Sodium Lauryl Sulphate 10% Solution		PB	100 ml	1470	38220090	12%
			GB	250 ml		38220090	12%
	Sodium Lauryl Sulphate 90% (Needle Shape)	151-21-3	PB	500 gm		29209099	18%

	RESEARCH & LABOR	MISTRY BEY			Control or	_5	
0005							- 41/
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Sodium dodecyl sulphate)		РВ	5 kg	6498		
	CH ₃ (CH ₂) ₁₀ CH ₂ O SO ₃ .Na M.W.: 288.38		PD	25 kg	POR		
036698	Sodium Malonate 98.5% for Microbiology	141-95-7	GB	25 gm		29181990	18%
	(Malonic acid disodium salt)		GB	100 gm			
	C ₃ H ₂ Na ₂ O ₄ M.W.: 148.03		GB	500 gm	5994		
036699	Sodium Metabisulphite 95% Purified	7681-57-4	PB	500 gm	306	28321090	18%
	(Sodium disulphite; sodium pyrosulphite)		PB	1 kg	540		
	Na ₂ S ₂ O ₅ M.W.: 190.11		PB	5 kg	1971		
			PD	50 kg	POR		
013768	Sodium Metabisulphite 98% AR/ACS	7681-57-4	PB	500 gm	342	28321090	18%
	(Sodium disulphite; sodium pyrosulphite)		PB	5 kg	2340		
	meets analytical specification of IP, B.P., U.S.P., N.F., E.P.		PD	50 kg	POR		
	Na ₂ S ₂ O ₅ M.W.: 190.11						
Sodium I	Meta Borate See Sodium-m-Borate Tetrahydrate						
Sodium I	Meta Periodate See Sodium-m-Periodate						
036700	Sodium Meta Silicate Nonahydrate 95%	13517-24-3	PB	500 gm	288	28391100	18%
	Na ₂ SiO ₃ .9H ₂ O M.W.: 284.20		PB	1 kg	459		
			PD	50 kg	POR		
036701	Sodium Meta Silicate Pentahydrate 97%	10213-79-3	РВ	500 gm	432	28391100	18%
	Na ₂ SiO ₃ .5H ₂ O M.W.: 212.14		РВ	5 kg	3159		
			PD	50 kg	POR		
036702	Sodium Methoxide 97.5%	124-41-4	GB	500 gm	765	29051990	18%
	(Sodium methylate)		РВ	5 kg	6633		
	NaOCH ₃ M.W.: 54.02		PD	25 kg	POR		
SOL386	Sodium Methoxide 25% Solution	124-41-4	GB	250 ml	666	38220090	12%
	NaOCH ₃ M.W.: 54.02						
VMS807	Sodium Methoxide (0.5N) Solution in Methanol		GB	500 ml	342	38220090	12%
SOL418	Sodium Methoxide 30% Solution in Methanol		GB	500 ml	711	38220090	12%
VMS806	Sodium Methoxide (0.1N) Solution in Toluene		GB	500 ml	720	38220090	12%
036703	Sodium Molybdate 98% Pure	10102-40-6	PB	100 gm		28417020	18%
	(Molybdic acid sodium salt dihydrate)		PB	250 gm			
	Na ₂ MoO ₄ .2H ₂ O M.W.: 241.95		PB	500 gm			
	- 1 -		PD	25 kg	POR		
013769	Sodium Molybdate 99% AR	10102-40-6	PB	100 gm	1548	28417020	18%
	(Molybdic acid sodium salt dihydrate)		PB	250 gm			
	Na ₂ MoO ₄ .2H ₂ O M.W.: 241.95		PB	500 gm			
013770 *	Sodium-1-Napthyl Phosphate Monohydrate 99% AR	81012-89-7	GB	5 gm		29190090	18%
3.3170	(1-Naphthyl phosphate mono sodium salt monohydrate)	01012-03-1	95	o giii	2-700	_0100000	10/0
	C ₁₀ H ₈ NaPO ₄ .H ₂ O M.W. : 264.15						
036704	Sodium Nitrate 98% Purified	7631-99-4	РВ	500 gm	400	28342990	18%

	RESEARCH & LABOR					S	
		EMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(Chile salpeter)		РВ	5 kg	2898		
	NaNO ₃ M.W.: 84.99		PD	50 kg	POR		
013771	Sodium Nitrate 99.5% AR/ACS	7631-99-4	РВ	500 gm	531	28342990	18%
	(Chile salpeter)		РВ	5 kg	3897		
	NaNO ₃ M.W.: 84.99		PD	50 kg	POR		
036705	Sodium Nitrite 98% Purified	7632-00-0	РВ	500 gm	468	28341010	18%
	NaNO ₂ M.W.: 69.00		РВ	5 kg	4086		
			PD	50 kg	POR		
013772	Sodium Nitrite 98% AR	7632-00-0	PB	500 gm	558	28341010	18%
	NaNO ₂ M.W.: 69.00		PD	50 kg	POR		
VMS866	Sodium Nitrite (0.1M) Solution		PB	500 ml	216	38220090	12%
VMS808	Sodium Nitrite 0.2mol/I (0.4N) Solution		PB	500 ml	243	38220090	12%
			РВ	1 L	441		
			PB	2.5 L	693		
VMS809	Sodium Nitrite 0.5mol/I (1N) Solution		PB	500 ml	243	38220090	12%
			РВ	1 L	441		
			РВ	2.5 L	693		
VMS810	Sodium Nitrite 1mol/I (2N) Solution		РВ	500 ml	261	38220090	12%
			РВ	1 L	486		
			РВ	2.5 L	693		
VMS812	Sodium Nitrite 4 mol/l (8N) Solution		PB	500 ml	297	38220090	12%
			РВ	1 L	531		
			PB	2.5 L	792		
036706	Sodium Nitroprusside 98% Purified	13755-38-9	PB	100 gm	1143	28372050	18%
	(Nitroprusside sodium; SNP; Sodium nitroferricyanide;		РВ	500 gm	5391		
	Sodium pentacyanonitrosylferrate)						
	Na ₂ [Fe(CN) ₅ NO].2H ₂ O M.W. : 297.95						
013773	Sodium Nitroprusside 99% AR/ACS	13755-38-9	РВ	100 gm	1287	28372050	18%
	(Nitroprusside sodium; SNP; Sodium nitroferricyanide;		РВ	500 gm	5742		
	Sodium pentacyanonitrosylferrate)						
	Na ₂ [Fe(CN) ₅ NO].2H ₂ O M.W.: 297.95						
Sodium I	Nitroso Pentacyno Ferrate (III) See Sodium Nitroprusside						
036711	tri-Sodium Ortho Phosphate Dodecahydrate 98%	10101-89-0	РВ	500 gm	450	28352690	18%
	Na ₃ PO ₄ .12H ₂ O M.W.: 380.13		PB	1 kg	801		
			PB	5 kg	3600		
			PD	50 kg	POR		
913775	tri-Sodium Ortho Phosphate Dodecahydrate 98% AR	10101-89-0	РВ	500 gm	630	28352690	18%
	Na ₃ PO ₄ .12H ₂ O M.W.: 380.13		РВ	5 kg	5040		
			PD	50 kg	POR		
036713	Sodium Oxalate 99.5% Purified	62-76-0	PB	500 gm	603	29171190	18%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	BACKING	PRICE	LICAL	TAX
CODE		CAS NO		PACKING		HSN	TAX
	(Ethanedioic acid sodium salt, Oxalic acid disodium salt) (COONa) ₂ M.W.: 134.00		PD	50 kg	POR		
013774	Sodium Oxalate 99.9% AR	62-76-0	РВ	500 gm	702	29171190	18%
013/74	(Ethanedioic acid sodium salt, Oxalic acid disodium salt)	02-70-0	PD	50 gm		23171130	10 /0
	(COONa) ₂ M.W.: 134.00		,,,	oo kg	1011		
VMS868	Sodium Oxalate 0.05mol/I (0.1N) Solution		PB	500 ml	360	38220090	12%
	Committee Commit		PB	1 L		0022000	,
			PB	2.5 L			
036714	Sodium Pentachlorophenate 80%	131-52-2	PB	500 gm		38082020	18%
	(Pentachlorophenol sodium salt)			· ·			
	Used in preservation of wood & also as fungicide in textile, guargum,						
	adhesive, as Algaecide in cooling inner system. Soluble in water.						
	C ₆ Cl ₅ .NaO M.W.: 288.32						
036715	Sodium Perborate Tetrahydrate 96%	10486-00-7	РВ	1 kg	792	28403000	18%
	NaBO ₃ .4H ₂ O M.W. : 153.86		PD	25 kg	POR		
036716	Sodium Perborate Trihydrate 96%	13517-20-9	РВ	1 kg	855	28403000	18%
	BH ₆ NaO ₆ M.W. : 135.85		PD	25 kg	POR		
936717	Sodium Percarbonate	15630-89-4	РВ	500 gm	396	28369990	18%
	(Hydrogen peroxide sodium carbonate adduct)		PD	25 kg	POR		
	Na ₂ CO ₃ .1.5H ₂ O ₂ M.W.: 157.01						
113774	Sodium Perchlorate Monohydrate 98% AR	7791-07-3	GB	250 gm	4059	28299010	18%
	(Hyperchloric acid sodium salt)		GB	500 gm	7785		
	NaClO ₄ .H ₂ O M.W.: 140.46						
VMS870	Sodium Perchlorate 1M Solution		GB	100 ml	691	38220090	12%
			GB	250 ml	1101		
			GB	500 ml	1476		
			GB	1 L	1972		
036717	Sodium-m-Periodate 98%	7790-28-5	GB	100 gm	2394	28299030	18%
	[Sodium tetraoxoiodate (VII)]		GB	500 gm	10998		
	NaIO ₄ M.W.: 213.89						
013775	Sodium-m-Periodate 99% AR/ACS	7790-28-5	GB	100 gm	2646	28299030	18%
	[Sodium tetraoxoiodate (VII)]		GB	500 gm	11997		
	NaIO ₄ M.W.: 213.89						
036719	Sodium Peroxide Granular	1313-60-6	new GB	500 gm	20790	28153000	18%
	(Sodium superoxide)						
	For Wurzschmitt decomposition						
	Na ₂ O ₂ M.W. 77.98						
936719	Sodium Peroxide Granular 95% AR/ACS	1313-60-6	GB	100 gm	4887	28153000	18%
	(Sodium superoxide)		GB	500 gm	21960		
	For Wurzschmitt decomposition						

	RESEARCH & LABORA	ATORY MISTRY BEY			Company of the company	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Peroxydisulphate See Sodium Persulphate						77.00
036718	Sodium Persulphate 95%	7775-27-1	PB	500 gm	648	28334000	18%
	(Sodium peroxy disulphate)	7.7.0 2.7.7	PD	50 kg			.070
	Na ₂ S ₂ O ₈ M.W.: 238.09			22.19			
013776	Sodium Persulphate 98% AR	7775-27-1	PB	500 gm	727	28334000	18%
	(Sodium peroxy disulphate)	7.7.0 2.7.7		000 g		2000.000	.070
	Na ₂ S ₂ O ₈ M.W.: 238.09						
Sodium	Phosphate Dibasic Dihydrate See di-Sodium Hydrogen Orthoph	osphate Dihvdrate	Purified				
	Phosphate Dibasic Dodecahydrate See di-Sodium Hydrogen Or	•					
	Phosphate Monobasic Dihydrate See Sodium Dihydrogen Ortho	•	•				
	Im Phospate 12-Hydrate See tri-Sodium Ortho Phosphate	•					
013777	Sodium Polyanethole Sulphonate AR	55963-78-5	GB	1 gm	648	39119090	18%
	10,000 anticoagulant U/g		GB	5 gm			
	To inhibit blood coagulation in vitro and as diagnostic reagent to promote			- 3			
	the growth of pathogens in blood.						
Sodium	Polyphosphate Powder Pract See Sodium HexametaphosphateP	Powder Pract					
	Potassium Tartrate See Potassium Sodium-(+)-Tartrate						
036720	Sodium Propionate 99%	137-40-6	PB	500 gm	855	29155000	18%
	(Propionic acid sodium salt)		PD	25 kg			
	CH ₃ .CH ₂ .COONa M.W.: 96.06			9			
036721	tetra-Sodium Pyro Phosphate Anhydrous 97.5%	7722-88-5	PB	500 gm	846	28353900	18%
	(Tetrasodium diphosphate)	00 0	PD	25 kg			
	Na ₄ P ₂ O ₇ M.W.: 265.90			9			
036722	tetra-Sodium Pyro Phosphate Decahydrate 98.5%	13472-36-1	РВ	500 gm	1080	28353900	18%
	(Tetrasodium diphosphate)			g			
	Na ₄ P ₂ O ₇ .10H ₂ O M.W. : 446.06						
013778	tetra-Sodium Pyro Phosphate Decahydrate 99% AR	13472-36-1	РВ	500 gm	1791	28353900	18%
	(Tetrasodium diphosphate)			3			
	Na ₄ P ₂ O ₇ .10H ₂ O M.W. : 446.06						
013779*	Sodium Pyruvate 99% AR	113-24-6	GB	25 gm	504	29183090	18%
	(a-ketopropionic acid sodium salt; 2-oxopropanoic acid sodium salt;		GB	100 gm			
	Pyruvic acid sodium salt)		GB	500 gm			
	C ₃ H ₃ O ₃ Na M.W.:110.04			ŭ			
013780	Sodium Rhodizonate 98.5% AR	523-21-7	GB	1 gm	540	29143990	18%
	(Sodium rhodizonate dibasic; 3,4,5,6-Tetraoxocyclohexene-1,2-diol		GB	5 gm			
	disodium salt; Rhodizonic acid disodium salt)			- g			
	C ₆ Na ₂ O ₆ M.W. : 214.04						
036723	Sodium Salicylate 99%	54-21-7	РВ	500 gm	1296	29182120	18%
	(2-Hydroxybenzoic acid sodium salt; Salicylic acid sodium salt)	0.2.7	PD	25 kg		20.02.120	. 5 70
	C ₆ H ₄ (OH).COONa M.W.: 160.10		. 2				
	-04/ · /·						18%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(2-Hydroxybenzoic acid sodium salt; Salicylic acid sodium salt)		PB	500 gm	4491		
	C ₆ H ₄ (OH).COONa M.W.: 160.10						
013782	Sodium Selenate 98% AR	13410-01-0	GB	100 gm	3492	28429090	18%
	Na ₂ SeO ₄ M.W.: 188.94		РВ	1 kg	29745		
013783	Sodium Selenite Anhydrous 99% AR	10102-18-8	РВ	25 gm	1044	28429010	18%
	Additive for Nutrient media & Alkaloidal reagent		РВ	100 gm	3492		
	Na ₂ SeO ₃ M.W.: 172.94		РВ	1 kg	27990		
036724	Sodium Sesquicarbonate Dihydrate	6106-20-3	РВ	500 gm	369	28362010	18%
	Na ₂ CO ₃ .NaHCO ₃ .2H ₂ O M.W. : 226.00						
Sodium-	m-Silicate See Sodium Meta Silicate Nonahydrate						
036725	Sodium Silicate Solution 25.5-28.5%	1344-09-8	PB	5 L	1197	28391100	18%
	(Sodium trisilicate solution water glass)						
	Na ₂ Si ₃ O ₇ M.W.: 242.2						
036726	Sodium Stannate 40%	12209-98-2	РВ	500 gm	5139	28419000	18%
	(Sodium stannate(IV); disodium hexahydroxyltin)		PD	25 kg	POR		
	Na ₂ SnO ₃ .3H ₂ O M.W. : 266.71						
036727	Sodium Starch Glycolate	9063-38-1	PB	500 gm	747	29181990	18%
	(Sodium carboxy methyl starch)		РВ	5 kg	6741		
036728	Sodium Succinate Hexahydrate 99%	6106-21-4	PB	100 gm	358	29171990	18%
	(Succinic acid disodium salt; butanedioic acid disodium salt)		PB	500 gm	977		
	C ₄ H ₄ Na ₂ O ₄ .6H ₂ O M.W.: 270.14		PD	25 kg	POR		
013784	Sodium Succinate Hexahydrate 99% AR	6106-21-4	PB	100 gm		29171990	18%
	(Succinic acid disodium salt; butanedioic acid disodium salt)		РВ	500 gm	2181		
	C ₄ H ₄ Na ₂ O ₄ .6H ₂ O M.W.: 270.14			Ü			
036729	Sodium Sulphate Anhydrous 99% Purified	7757-82-6	PB	500 gm	297	28331100	18%
	Na ₂ SO ₄ M.W.: 142.04		PB	1 kg	486		
	2.14		PB	5 kg	2079		
			PD	50 kg	POR		
013785	Sodium Sulphate Anhydrous 99.5% AR/ACS	7757-82-6	PB	500 gm		28331100	18%
	Na ₂ SO ₄ M.W.: 142.04		PD	50 kg	POR		.070
336730	Sodium Sulphide Flakes 52% Pract.	27610-45-3	PB	500 gm		28301000	18%
000.00	Na ₂ S.XH ₂ O M.W. : 78.04+H ₂ O	21010 10 0	. 5	ooo g	000	20001000	1070
036730	Sodium Sulphide Fused Flakes 55-60%	27610-45-3	PB	500 gm	396	28301000	18%
000700	(Iron Free)	21010 40 0	PD	50 kg	POR	20001000	1070
	Na ₂ S.XH ₂ O M.W. : 78.04+H ₂ O			00 Ng			
036731	Sodium Sulphite Anhydrous 96% Purified	7757-83-7	PB	500 gm	342	28321090	18%
200101	Na ₂ SO ₃ M.W.: 126.04	1131-00-1	PB	500 gili 5 kg	2772	2002 1000	10/0
			PD	50 kg	POR		
013787	Sodium Sulphite Anhydrous 97% AR	7757-83-7	PB	500 gm		28321090	18%
. 10101	Na ₂ SO ₃ M.W.: 126.04	1131-00-1	PD	ŭ		2002 1030	10 /0
	1402003 IVI.VV 120.04		עץ	50 kg	POR		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE HSN TAX [CHOH.COONa]2.2H₂O M.W.: 230.08 PΒ 10350 5 ka PD 50 kg POR 013788 di-Sodium Tartrate 99% AR 6106-24-7 РΒ 250 gm **846** 29181390 18% [CHOH.COONa]2.2H₂O M.W.: 230.08 PΒ 500 gm 1494 036733 Sodium-DL-Tartrate Anhydrous 99% PR **1296** 29181390 868-18-8 500 gm 18% Not Suitable for Karl Fischer C₄H₄Na₂O₆ M.W.: 194.05 **Sodium Tartrate 1N TS** РΒ 500 ml **360** 38220090 US3180 12% di-Sodium Tetraborate Decahydrate See Borax Decahydrate Sodium Tetraphenyl Boron AR See Sodium Tetra Phenyl Borate AR Sodium Tetra Phenyl Borate 99.5% AR 143-66-8 GB **1096** 29319090 18% 10 gm GB 100 gm 9495 (Tetraphenylboron sodium; kalignost; sodium tetraphenyl boron) C₂₄H₂₀BNa M.W.: 342.23 Sodium Tetra Phenyl Borate (0.02 M) Solution VMS874 GB 125 ml **504** 38220090 12% US3185 Sodium Tetra Phenyl Borate TS 125 ml GB **702** 38220090 12% 036734 Sodium Thiocyanate 98% 540-72-7 18% GB 500 gm 28380030 NaSCN M.W.: 81.07 PD 50 kg POR 013790 Sodium Thiocyanate 99% AR/ACS 540-72-7 GB 500 gm 999 28380030 18% NaSCN M.W.: 81.07 **VMS875** Sodium Thiocyanate 0.1M (0.1N) Standardized Solution PR 1 L **720** 38220090 12% 036735 * Sodium Thioglycolate 98% for Bacteriology 367-51-1 GB 100 gm 1017 29309070 18% C₂H₃NaO₂S M.W.: 114.09 GR 500 gm 4495 **675** 28323010 013791 Sodium Thiosulphate Anhydrous 98% AR 7772-98-7 PR 1 kg 18% POR Na₂S₂O₃ M.W.: 158.11 PΠ 50 kg 036736 Sodium Thiosulphate Pentahydrate 99% Purified 10102-17-7 PR 500 gm **216** 28323010 18% (Sodium thiosulphate-5-hydrate; HYPO) PΒ 1 kg 396 Na₂S₂O₃ .5H₂O M.W.: 248.17 PB 1818 5 kg PΠ 50 kg POR 013792 Sodium Thiosulphate Pentahydrate 99.5% AR/ACS 10102-17-7 500 gm **405** 28323010 18% PB PΒ 2862 meets analytical specification of IP, B.P., U.S.P., N.F., E.P. 5 kg Na₂S₂O₃ .5H₂O M.W.: 248.17 50 kg PΠ POR VMS883 Sodium Thiosulphate 1N Solution PB 500 ml **205** 38220090 12% PR 1 L 376 PΒ 2.5 L 572 VMS877 Sodium Thiosulphate 0.01N Solution PB 500 ml **216** 38220090 12% VMS879 Sodium Thiosulphate 0.05N Solution PΒ 500 ml **216** 38220090 12% **AMP121** Sodium Thiosulphate 0.1mol/I (0.1N) Solution AMP 6 amp **513** 38220090 12% (12.409g $Na_2S_2O_35H_2O$ for 500 ml Solution) VMS881 **Sodium Thiosulphate 0.2N Solution** PB 500 ml **216** 38220090 12%

500 ml

180 38220090

12%

PR

Sodium Thiosulphate N/10 Solution

SOL387

				HEMICA			
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036737	Sodium Tripolyphosphate Anhydrous	7758-29-4	РВ	1 kg	594	28353100	18%
	(STPP; sodium triphosphate pentabasic)						
	Na ₅ O ₁₀ P ₃ M.W.: 367.86						
036738	Sodium Tungstate Hydrated 98% Purified	10213-10-2	РВ	100 gm	1098	28418010	18%
	Na ₂ WO ₄ .2H ₂ O M.W.: 329.86		РВ	250 gm	2331		
			РВ	5 kg	POR		
013793	Sodium Tungstate Hydrated 99% AR/ACS	10213-10-2	РВ	100 gm	1233	28418010	18%
	Reagent for determination of Uric Acid		РВ	250 gm	2889		
	Na ₂ WO ₄ .2H ₂ O M.W.: 329.86						
SOL388	Sodium Tungstate 10% w/v Solution		GB	100 ml	306	38220090	12%
	(Folin & WV)		GB	500 ml	1089		
036739	Sodium-meta-Vanadate 98%	13718-26-8	РВ	100 gm	2097	28419000	18%
	(Sodium mono vanadate)		РВ	500 gm	9495		
	NaVO ₃ M.W.: 121.93						
Solochro	ome Black T See Eriochrome Black T						
Solochro	ome Cyanine R See Eriochrome Cyanine R AR						
STA363	Solochrome Dark Blue (C.I. 15705)	2538-85-4	GB	5 gm	342	32041264	18%
	(Mordant black 17; palatine chrome black 6BN; calcon;		GB	25 gm	1098		
	eriochrome blue black R)		GB	100 gm	3780		
	$C_{20}H_{13}N_2NaO_5S$ M.W.: 416.39						
Soluble I	Blue See Aniline Blue						
Solvent I	Ether See Diethyl Ether						
Solvent I	Red See Sudan IV						
036801	Sorbic Acid 98.5% Mould Yeast Inhibitor	110-44-1	РВ	500 gm	1674	29161960	18%
	(2,4-Hexadienoic acid; acidum sorbicum)		РВ	5 kg	14490		
	C ₆ H ₈ O ₂ M.W.: 112.13		PD	25 kg	POR		
Sorbitan	e Monolaurate See SPAN®20						
Sorbitan	e Monopalmitate See SPAN® 40						
Sorbitan	e Monostearate See SPAN® 60						
Sorbitan	e Tristearate See SPAN® 65						
Sorbitan	e Monooleate See SPAN® 80						
Sorbite F	Powder See D-Sorbitol						
036811	D-Sorbitol 98% for Biochemistry	50-70-4	РВ	250 gm	495	29054400	18%
	(D-glucitol; D-sorbite)		PB	1 kg	1593		
	C ₆ H ₁₄ O ₆ M.W.: 182.17						
028850	Sorbitol Liquid 70%		GB	500 ml	336	29054400	18%
			GB	2.5 L	1395		
036813	L-(-)-Sorbose	87-79-6	GB	25 gm	6543	29400000	18%
	for biotechnological purposes		GB	100 gm	22500		
	C ₆ H ₁₂ O ₆ M.W.: 180.16						



	RESEARCH & LABOR	EMISTRY BEY			Control of the contro		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036815	Soyabean Meal Defattered		РВ	500 gm	342	23040030	18%
013810	SPADNS AR/ACS	23647-14-5	GB	1 gm	405	29270090	18%
	[2-(4-sulfophenylazo)-1,8-dihydroxy naphthalene-3,		GB	5 gm	1593		
	6-disulphonic acid trisodium salt]		GB	25 gm	4392		
	$C_{16}H_9N_2Na_3O_{11}S_3\ M.W.:570.4$						
028860	SPAN®20	1338-39-2	GB	500 ml	792	29159099	18%
	(Sorbitane monolaurate)						
	C ₁₈ H ₃₄ O ₆ M. W.: 346.46						
036821	SPAN®40	26266-57-9	PB	500 gm	873	29321990	18%
	(Sorbitane monopalmitate)						
	C ₂₂ H ₄₂ O ₆ M. W.: 402.57						
036826	SPAN®60	1338-41-6	PB	500 gm	981	29321990	18%
	(Sorbitane monostearate)			-			
	C ₂₄ H ₄₆ O ₆ M.W. : 430.62						
036829	SPAN®65	26658-19-5	PB	500 gm	990	29321990	18%
	(sorbitane tristearate)			· ·			
	C ₆₀ H ₁₁₄ O ₈ M. W.: 963.55						
028865	SPAN®80	1338-43-8	GB	500 ml	1044	29321990	18%
	(Sorbitane monooleate)		GB	2.5 L	4194		
	C ₂₄ H ₄₄ O ₆ M. W.: 428.60						
SOL424	Stannated Hydrochloric Acid Saturated Solution		PB	500 ml	360	38220090	12%
036836	Stannic Chloride Pentahydrate 97.5%	10026-06-9	GB	500 gm	4194	28273990	18%
	(Tin (IV) chloride)			-			
	SnCl ₄ .5H ₂ O M.W.: 350.58						
VMS890	Stannic Chloride 1M Solution in Dichloromethane		GB	100 ml	990	38220090	12%
			GB	500 ml			
036839	Stannic Oxide 99%	18282-10-5	РВ	500 gm		28259010	18%
	(Tin (IV) oxide)			· ·			
	SnO ₂ M.W.: 150.69						
036846 •	Stannous Chloride Dihydrate 97%	10025-69-1	GB	100 gm	1296	28273990	18%
	(Tin (II) chloride)		GB	250 gm			
	SnCl ₂ .2H ₂ O M.W.: 225.63		GB	500 gm			
			PD	25 kg			
013815 •	Stannous Chloride Dihydrate 98% AR/ACS	10025-69-1	GB	100 gm		28273990	18%
	(Tin (II) chloride)	.5025 55 1	GB	250 gm			
	SnCl ₂ .2H ₂ O M.W.: 225.63		GB	500 gm			
			PD	25 kg			
VMS20F	Stannous Chlorida (4.5M) Solution		GB	500 ml		38220090	12%
	Stannous Chloride (1.5M) Solution	24664 40 4					
036847	Stannous Oxide 90%	21651-19-4	PB	250 gm	5130	28259010	18%

500 gm

9891

РΒ

(Tin (II) oxide)

SnO M.W.: 134.69

	RESEARCH & LABOR	MISTRY BEY			Control or		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
036848	Stannous Sulphate 50%	7488-55-3	GB	100 gm	1314	28332990	18%
	(Tin (II) sulphate)		GB	500 gm	4599		
	SnSO ₄ M.W.: 214.75						
013818	Stannous Sulphate AR	7488-55-3	GB	250 gm	3006	28332990	18%
	(Tin (II) sulphate)						
	SnSO ₄ M.W.: 214.75						
036851	Starch Corn (Maize)	9005-25-8	РВ	500 gm	297	11081200	12%
	(Insoluble)		РВ	5 kg	2421		
	(C ₆ H ₁₀ O ₅)n M.W. (162.14)n						
036853	Starch Hydrolysed for Biochemistry	9005-25-8	GB	100 gm	1031	35051090	12%
	from potatoes for electrophoresis		GB	500 gm	4852		
	$(C_6H_{10}O_5)n$						
PH0101	Starch Iodide Paper		РВ	200 lvs	342	38220090	12%
036856	Starch Potato	9005-25-8	РВ	500 gm	387	11081300	12%
	(Insoluble)		РВ	5 kg	3294		
	$(C_6H_{10}O_5)n\ M.W.\ (162.14)n$		PD	50 kg	POR		
036859	Starch Soluble (Ex Potato) Extra Pure	9005-84-9	РВ	500 gm	1242	35051090	18%
	$C_{12}H_{22}O_{11}$ M.W.: 342.30		PD	25 kg	POR		
013825	Starch Soluble (Ex Potato) AR		РВ	500 gm	1440	35051090	18%
	$C_{12}H_{22}O_{11}$ M.W.: 342.30		PD	25 kg	POR		
SOL405	Starch Solution		РВ	100 ml	252	38220090	12%
	(Indicator for Iodine)		РВ	500 ml	900		
SOL798	Starch Indicator 0.05% Solution Aqueous		РВ	100 ml	230	38220090	12%
SOL799	Starch Indicator 0.5% Solution Aqueous		РВ	100 ml	288	38220090	12%
	in Saturated Salt Solution APHA Stabilized						
036866*	Stearic Acid 98% for Synthesis	57-11-4	РВ	500 gm	774	38231190	18%
	(1-Heptadecanecarboxylic acid; Cetylacetic acid;						
	Octadecanoic acid; Stearophanic acid)						
	CH ₃ .(CH ₂) ₁₆ .COOH M.W.: 284.49						
Stearyl A	Icohol See 1-Octadecanol						
STS252	Stevenel's Blue		GB	100 ml	540	38220090	12%
	(Pepine's stain for virus) Rapid maleria stain						
REA309	Stoke's Reagent		GB	100 ml	432	38220090	12%
	(As reducing agent-blood examination)						
036877 *	Streptomycin Sulphate 95%	3810-74-0	GB	5 gm	441	29412090	18%
	for Lab use		GB	25 gm			
	2(C ₂₁ H ₃₉ N ₇ O ₁₂).3(H ₂ SO ₄) M.W.: 1457.38			ŭ			
Strong C	arbol Fuschin AFB Stain See Carbol Fuchsin Strong						
AAS058	Strontium AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
	•		GB	500 ml	3780		

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS HSN CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE TAX 12% CP240 **Strontium ICP Standard Solution** PΕ 100 ml **5220** 38220090 1000ppm TRISTAR Single Element in HNO3 GB 500 ml 8100 **CP241 Strontium ICP Standard Solution** PΕ 100 ml **15300** 38220090 12% 10000ppm TRISTAR Single Element in HNO3 GB 500 ml 46800 SS1950 Strontium 10 mg/L Standard Solution PΕ 250 ml **1602** 38220090 12% SS2000 Strontium 100 mg/L Standard Solution PE 250 ml 1602 38220090 12% SS2001 Strontium 1000 mg/L Standard Solution PE 250 ml **1602** 38220090 12% 036881 **Strontium Carbonate 99% Purified** 1633-05-2 PR 250 gm 747 28369200 18% РΒ 1368 Strontianite Precipitated by ammonia 500 gm SrCO₃ M.W.: 147.63 036882 Strontium Chloride 98% Hexahydrate 10025-70-4 РΒ **792** 28273930 18% 500 gm PD 50 kg POR (Strontium(II) chloride hexahydrate) SrCl₂.6H₂O M.W.: 266.62 013830 Strontium Chloride 99% AR/ACS 10025-70-4 PB 500 gm 891 28273930 18% (Strontium(II) chloride hexahydrate) SrCl₂.6H₂O M.W.: 266.62 **Strontium Nitrate Anhydrous 99%** 10042-76-9 PΒ 500 gm 18% 036883 828 28342910 Sr(NO₃)₂ M.W.: 211.63 PD 50 kg POR 500 gm 013835 Strontium Nitrate 99% AR/ACS 10042-76-9 РΒ **1080** 28342910 18% Sr(NO₃)₂ M.W.: 211.63 500 gm 036885 **Strontium Oxalate 97% Purified** 814-95-9 PB **1800** 29171130 18% SrC₂O₄ M.W.: 175.64 036886 Strontium Oxalate 98% Monohydrate 6160-36-7 PR 500 gm **3204** 29171130 18% SrC₂O₄.H₂O M.W.: 193.65 Strontium Sulphate 98% Anhydrous 036888 7759-02-6 PB 500 gm **675** 28332950 18% (Celestite) SrSO₄ M.W.: 183.68 036890 Suberic Acid 98% for Synthesis 505-48-6 PR 18% **2790** 29171990 100 gm РΒ (Octanedioic acid) 13005 500 gm C₈H₁₄O₄ M.W.: 174.20 Succinic Acid Cryst. 99% Pure 110-15-6 036891 PR 250 gm **414** 29171930 18% PΒ 500 gm 693 (Butanedioic acid) C₄H₆O₄ M.W.: 118.09 PD 50 kg POR 013840 Succinic Acid 99.5% AR 110-15-6 PΒ **396** 29171930 18% 100 gm (Butanedioic acid) PR 500 gm 1395 C₄H₆O₄ M.W.: 118.09 Succinic Acid 2,2-Dimethyl Hydrazide AR See Alar(B-9) AR Succinic Acid Disodium Salt Hexahydrate See Sodium Succinate Hexahydrate 036893 Succinic Anhydride 99% for Synthesis 108-30-5 PB 100 gm **448** 29171990 18%

РΒ

500 gm

1746

(Dihydro-2,5-furandione) For succinylation of proteins.)

	CHEMISTRY BEYOND CHEMICALS							
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX	
	(CH ₂ CO) ₂ O M.W.: 100.07		PD	50 kg	POR			
036896	Succinimide 98.5% Purified	123-56-8	PB	100 gm	711	29251900	18%	
	(2,5-Pyrrolidinedione)		РВ	500 gm	2925			
	C ₄ H ₅ NO ₂ M.W.: 99.09							
036901	Sucrose Purified	57-50-1	РВ	500 gm	288	17019910	18%	
	(a-D-Glucopyranosyl ß-D-fructofuranoside; ß-DFructofuranosyl-		РВ	1 kg	531			
	a-D-glucopyranosid; D(+)-Saccharose; Sugar)		РВ	5 kg	2250			
	$C_{12}H_{22}O_{11}$ M.W.: 342.30		PD	50 kg	POR			
013845	Sucrose 99.5% AR/ACS	57-50-1	РВ	500 gm	414	17019910	18%	
	(a-D-Glucopyranosyl ß-D-fructofuranoside; ß-DFructofuranosyl-		РВ	1 kg	792			
	a-D-glucopyranosid; D(+)-Saccharose; Sugar)		PD	50 kg	POR			
	$C_{12}H_{22}O_{11}$ M.W.: 342.30							
MB0191	Sucrose 99.5% for Molecular Biology	57-50-1	GB	500 gm	801	17019910	18%	
	(a-D-Glucopyranosyl ß-D-fructofuranoside; ß-DFructofuranosyl-							
	a-D-glucopyranosid; D(+)-Saccharose; Sugar)							
	C ₁₂ H ₂₂ O ₁₁ M.W.: 342.30							
STA367	Sudan I (C.I.12055)	842-07-9	GB	25 gm	360	32041971	18%	
	(1-Phenylazo-2-naphthol; Solvent Yellow 14)		GB	100 gm	747			
	$C_{16}H_{12}N_2O$ M.W.: 248.29							
STA368	Sudan III 85% for Microscopy C.I.No.26100	85-86-9	GB	10 gm	207	32041973	18%	
	(1-((4-(phenyldiazenyl)phenyl) azonaphthalen-2-ol)		GB	25 gm	405			
	Sudan III is a dye used for Sudan staining		GB	100 gm	1170			
	$C_{22}H_{16}N_4O\ M.W.: 352.40$							
STS253	Sudan III Solution		PB	125 ml	234	38220090	12%	
STA369	Sudan IV for Microscopy C.I.No.26105	85-83-6	GB	10 gm	180	32041973	18%	
	(Sudan R; Solvent Red 24; Lipid Crimson; Oil Red; Oil Red BB;		GB	25 gm	387			
	Fat Red B; Oil Red IV; Scarlet Red; Scarlet Red Scharlach; Scarlet R)		GB	100 gm	1161			
	$C_{24}H_{20}N_4O\ M.W.:380.45$							
STS256	Sudan IV Stainning Solution		PB	100 ml	342	38220090	12%	
	(Fat stain)							
US3190	Sudan IV TS		PB	125 ml	360	38220090	12%	
STA371	Sudan Black B 60% for Microscopy C.I.No. 26150	4197-25-5	GB	10 gm	549	32041978	18%	
	(Sudan Black; Fat Black HB; Solvent Black 3)		GB	25 gm	1062			
	$C_{29}H_{24}N_6$ M.W.: 456.55							
STS254	Sudan Black (Alcoholic) Solution		PB	100 ml	648	38220090	12%	
STS259	Sudan Black (P.G) Solution		РВ	100 ml	675	38220090	12%	
STA373	Sudan Yellow 97% (C.I.12055)	4197-25-5	GB	25 gm	207	32041971	18%	
	$C_{16}H_{12}N_2O$ M.W.: 248.29							
036904	Sulphamic Acid 99%	5329-14-6	РВ	500 gm	457	28111990	18%	
	(Amido sulphonic acid)		РВ	5 kg	3499			
	NH ₂ SO ₃ H M.W.: 97.09		PD	50 kg	POR			

	RESEARCH & LABORA	TORY			-0.00	S	
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
013850	Sulphamic Acid 99.5% AR	5329-14-6	PB	100 gm		28111990	18%
010000	(Amido sulphonic acid)	3023 11 0	PB	500 gm		20111000	1070
	NH ₂ SO ₃ H M.W. : 97.09			000 g			
036909	Sulphanilamide 98% Purified	63-74-1	PB	500 gm	3546	29350090	18%
	(p-Aminobenzenesulphonamide)		PD	25 kg			
	C ₆ H ₈ N ₂ O ₂ S M.W. : 172.20			J			
936909	Sulphanilamide 99% AR	63-74-1	PB	100 gm	1035	29350090	18%
	(p-Aminobenzenesulphonamide)		РВ	500 gm	4194		
	$C_6H_8N_2O_2S$ M.W.: 172.20						
036911	Sulphanilic Acid 98.5% for Synthesis	121-57-3	РВ	100 gm	207	29214234	18%
	(p-Aminobenzenesulphonic acid)		РВ	500 gm	702		
	NH ₂ .C ₆ H ₄ SO ₃ H M.W.: 173.19						
013851	Sulphanilic Acid 99% AR/ACS	121-57-3	РВ	100 gm	522	29214234	18%
	(p-Aminobenzenesulphonic acid)		РВ	500 gm	2214		
	Sensitivity for Nitrate 1:100,000,000 Parts						
	NH ₂ .C ₆ H ₄ SO ₃ H M.W.: 173.19						
SOL389	Sulphanilic Acid Solution		РВ	100 ml	126	38220090	12%
US3196	Sulphanilic Acid TS		РВ	500 ml	441	38220090	12%
SS8070	Sulphate 1000 mg/L Standard Solution		PE	100 ml	4050	38220090	12%
SS3051	Sulphate 100 mg/L Standard Solution		PE	100 ml	3600	38220090	12%
SS2051	Sulphate 10 mg/L Standard Solution		PE	250 ml	1800	38220090	12%
SOL802	Sulphomolybdic Acid Solution		РВ	100 ml	504	38220090	12%
	(Reagent for Glucosides)						
US3200	Sulphomolybdic Acid TS		РВ	125 ml	540	38220090	12%
2-(p-Sulp	phophenylazo)-1,8-Dihydroxynaphthalene-3,6-Disulphonic Acid Tri	sodium Salt AR S	See SPADNS	AR			
036916	5-Sulpho Salicylic Acid Dihydrate 99% for Synthesis	5965-83-3	PB	100 gm	387	29182190	18%
	(2-Hydroxy-5-sulphobenzoic acid)		РВ	500 gm	1143		
	C ₆ H ₃ (OH) (COOH).SO ₃ H.2H ₂ O M.W.: 254.21		PD	50 kg	POR		
013870	5-Sulpho Salicylic Acid 99.5% AR	5965-83-3	РВ	250 gm	693	29182190	18%
	(2-Hydroxy-5-sulfobenzoic acid)		PB	500 gm	1296		
	Reagent for iron, aluminium and titanium.						
	Suitable for detection of protein in Urine.						
	C ₆ H ₃ (OH) (COOH).SO ₃ H.2H ₂ O M.W.: 254.21						
SOL390	5-Sulpho Salicylic Acid 3.0% Solution		РВ	125 ml	144	38220090	12%
SOL391	5-Sulpho Salicylic Acid 10.0% Solution		РВ	125 ml	153	38220090	12%
SOL392	5-Sulpho Salicylic Acid 20.0% Solution		РВ	125 ml	162	29182990	18%
	For detection of protein in urine.						
SOL993	5-Sulpho Salicylic Acid 30% Solution for Biochemistry		GB	250 ml	504	29182990	18%
Sulphur	Dioxide Solution AR See Sulphurous Acid Solution 5-6% AR						
Sulphuri	c Acid 0.02 N Solution See Sulphuric Acid N/50 Solution						



CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
ACID41	Sulphuric Acid 98% (1.835)	7664-93-9	GB	500 ml		28070010	18%
		1001000	GB	16 x 500 ml	5200	20070070	1070
			GB	2.5 L			
			GB	4 x 2.5 L			
			PB	5 L			
			РВ	2 x 5 L			
			PR	20 L	POR		
ACID42	Sulphuric Acid 98% AR (1.84)	7664-93-9	GB	500 ml	414	28070010	18%
	(Hydrogen sulfate; Oil of vitriol; Vitriol brown oil; Mattling acid; Battery Acid)		GB	16 x 500 ml	5967		
	Shelf life for 5 Lit packing : 3 year from the date of packing.		GB	2.5 L	1404		
	30 Lit packing: 3 year from the date of packing		GB	4 x 2.5 L	4689		
	H ₂ SO ₄ M.W.: 98.07		РВ	5 L	2520		
			РВ	2 x 5 L	4275		
SOL422	Sulphuric Acid 90-91% Solution	7664-93-9	GB	500 ml	369	28070010	18%
	(Hydrogen sulfate; Oil of vitriol; Vitriol brown oil; Mattling acid; Battery Acid)		GB	2.5 L	1332		
	For Gerber fat determination of nitrates in milk.						
	H ₂ SO ₄ M.W.: 98.07						
US3205	Sulphuric Acid 94.5-95.5% TS Solution		GB	500 ml	378	28070010	18%
SOL421	Sulphuric Acid 62% w/v Solution	7664-93-9	PB	5 L	1503	38220090	12%
	For Determination of Fat in Cheese						
SOL420	Sulphuric Acid 40% w/v Solution	7664-93-9	GB	500 ml	1098	38220090	12%
	(For Determination of Gas Metabolism according to Knipping)		GB	2.5 L	3195		
SOL396	Sulphuric Acid 20% v/v Solution		РВ	500 ml	144	38220090	12%
SOL397	Sulphuric Acid 25% v/v Solution		РВ	500 ml	151	38220090	12%
SOL419	Sulphuric Acid 10% w/v Solution Extra Pure		РВ	500 ml	135	38220090	12%
			РВ	2.5 L	540		
SOL393	Sulphuric Acid 2/3 N Solution		РВ	500 ml	234	38220090	12%
SOL394	Sulphuric Acid N/1 Solution		РВ	500 ml	160	38220090	12%
SOL395	Sulphuric Acid N/50 Solution		РВ	500 ml	144	38220090	12%
AMP123	Sulphuric Acid 0.005 mol/l (0.01N) Solution		AMP	6 amp	831	38220090	12%
AMP131	Sulphuric Acid 0.1N (0.05 mol/l)		AMP	6 amp	534	38220090	12%
SOL398	Sulphuric Acid N/10 (0.1N) Solution		РВ	500 ml	221	38220090	12%
	Sulphuric Acid 0.25 mol/l (0.5N) Solution		РВ	500 ml	261	38220090	12%
	Sulphuric Acid 0.5 mol/l (1.0N) Solution		AMP	6 amp		38220090	12%
	Sulphuric Acid (0.5 N) Solution in Alcohol		PB	500 ml		38220090	12%
	Sulphuric Acid 1.0 mol/l (2.0N) Solution		PB	500 ml		38220090	12%
	Sulphuric Acid 2.5 mol/l (5N) Solution		PB	500 ml		38220090	12%
	Sulphuric Acid 5 mol/l (10N) Solution		PB	500 ml		38220090	12%
			PB	1 L	702		
			PB	2.5 L	1089		

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
VMS902	Sulphuric Acid 0.02N Solution		PB	500 ml	261	38220090	12%
VMS903	Sulphuric Acid 0.1M (0.2N) Standardized Solution		PB	500 ml	243	38220090	12%
			PB	1 L	448		
			PB	2.5 L	677		
VMS904	Sulphuric Acid 0.5M (1N) Standardized Solution		PB	500 ml	261	38220090	12%
			PB	1 L	477		
			PB	2.5 L	711		
SOL399	Sulphurous Acid 5-6% Solution AR	7782-99-2	GB	500 ml	396	38220090	12%
	(Sulphur dioxide)		GB	2.5 L	1593		
028823	Super Lab Clean ® MA 01 (Alkaline)		PB	500 ml	340	34022090	18%
	For Industrial & Laboratory Cleaning		PB	5 L	1593		
028824	Super Lab Clean ® MA 02 (Neutral)		PB	500 ml	340	34022090	18%
	For Cleaning Laboratory Glassware Instruments		PB	5 L	1593		
028825	Super Lab Clean ® MA 03		РВ	500 ml	471	34022090	18%
	(Phosphate Free)		PB	5 L	2196		
	For Specific Cleaning work in Laboratories						
028835	Super Lab Clean ® MA 04 (Neutral)		PB	500 ml	360	34022090	18%
	Specific cleaning work for Oils & Polymers		РВ	5 L	2250		
STS258	Susa Fixative		РВ	50 ml	2394	38220090	12%
	Т						
037001	Talcum Powder Pract	14807-96-6	РВ	500 gm	225	25262000	5%
	(Hydrous magnesium silicate; Talcum Powder)		PD	25 kg	POR		
	$3MgO\cdot 4SiO_2\cdot H_2O$ M.W.: 379.27						
037005	Tannic Acid 90%	1401-55-4	РВ	100 gm	972	32019030	18%
	(Gallotannic Acid; Tannin)		РВ	250 gm	2097		
	C ₇₆ H ₅₂ O ₄₆ M.W.: 1701.23		РВ	500 gm	3996		
014001	Tannic Acid 90% AR	1401-55-4	РВ	100 gm	1098	32019030	18%
	(Gallotannic Acid; Tannin)		РВ	250 gm	2295		
	C ₇₆ H ₅₂ O ₄₆ M.W.: 1701.23		РВ	500 gm	4194		
SOL860	Tannic Acid Solution		РВ	100 ml	666	38220090	12%
	(Reagent for Albumin & Gelatin)						
BF0501	TAPS Buffer 99% for Biochemistry	29915-38-6	GB	25 gm	1971	29221990	18%
	[N-tris(hydroxymethyl)-methyl-3-aminoethanesulphonic acid]		GB	100 gm	7182		
	C ₇ H ₁₇ NO ₆ S M.W.: 243.28						
037011	D-(-)-Tartaric Acid 99%	147-71-7	GB	25 gm	270	29181200	18%
	[(2S,3S)-(-)-tartaric acid; D-threaric acid]		GB	100 gm	603		
	$C_4H_6O_6$ M.W. : 150.09		GB	250 gm	1305		
037019	DL-Tartaric Acid 99%	133-37-9	РВ	500 gm	711	29181200	18%
	(DL-2,3-Dihydroxybutanedioic acid)		PD	50 kg	POR		
	(This is not D-Tartaric Acid)						

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX C₄H₆O₆ M.W.: 150.09 87-69-4 PR **720** 29181200 18% 037016 L-(+)-Tartaric Acid Cryst. 99% Pure 500 gm 5 kg (Dextro-rotatory-(+)-tartaric acid) РΒ 5994 (CHOH.COOH)₂ M.W.: 150.09 PΠ 50 kg POR 014005 L-(+)-Tartaric Acid 99.5% AR **1098** 29181200 87-69-4 500 gm 18% (Dextro-rotatory-(+)-tartaric acid) PΒ 5 kg 8991 (CHOH.COOH)₂ M.W.: 150.09 PD 50 kg POR Tartrazine 85% for Microscopy (C.I. 19140) 1934-21-0 **405** 32041982 STA380 GR 25 gm 18% GB 100 gm 1107 (Tartar vellow) $C_{16}H_9N_4Na_3O_9S_2$ M.W.: 534.37 PB 1 ka 5850 037021 **Taurine 98% for Synthesis** 107-35-7 GB 25 gm **486** 29211990 18% (2-Aminoethanesulphonic acid) GB 100 gm 1440 C₂H₇NO₃S M.W.: 125.15 028956 **Teepol®** PB 500 ml 279 34021900 18% PΒ 5 L 1935 **AAS061 Tellurium AAS Solution** PΕ 100 ml 2070 38220090 12% 1000ppm Single Element in HNO₃ PΕ 250 ml 3060 GB 500 ml 3969 ICP251 **Tellurium ICP Standard Solution** PΕ 100 ml **5400** 38220090 12% 1000ppm TRISTAR Single Element in HNO₃ GB 500 ml 8802 RR0560 **Tellurium Metal Powder 99%** 13494-80-9 GB 100 gm **8181** 28045020 18% Te M.W.: 127.60 Temed See N,N,N',N'-Tetramethyl Ethylenediamine **Terbium AAS Solution** 100 ml **2880** 38220090 12% 1000ppm Single Element in HNO₃ **CP253 Terbium ICP Standard Solution** PΕ 100 ml **18000** 38220090 12% 1000ppm TRISTAR Single Element in HNO₃ RR6550 Terbium Chloride 99.9% 13798-24-8 GB 9990 28469030 18% 10 gm TbCl₃· 6H₂O M.W.: 373.38 GB 50 gm 39951 RR6551 Terbium Chloride 99.99% AR 13798-24-8 GB 10 gm 10917 28469030 18% TbCl₃· 6H₂O M.W.: 373.38 GR 50 gm 36621 RR6581 57584-27-7 GB 18% **Terbium Nitrate 99.9%** 5 gm **5200** 28469090 $Tb(NO_3)_3 \cdot 5H_2O M.W. : 435.02$ GR 50 gm POR RR6582 Terbium Nitrate 99.99% AR 57584-27-7 GB POR 28469090 18% 10 gm $Tb(NO_3)_3 \cdot 5H_2O M.W. : 435.02$ RR0576 12036-41-8 GB 3987 28469010 18% Terbium Oxide 99.9% AR 1 gm (Terbium (III) oxide; diterbium trioxide) GB 10 gm 22491 Tb₂O₃ M.W.: 365.85 037029 Terephthalic Acid 98% for Synthesis 100-21-0 **522** 29173600 18% 500 gm

(Benzene-1,4-dicarboxylic acid)

CODE Col	CHEMIS	RESEARCH & LABORATORY CHEMICALS							
	CHEVII	STRY BEY	OND C	HEMICA	ALS				
Cal	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX		
J ₈ i	H ₆ O ₄ M.W.: 166.14								
028958 Te	erpineol 80% Anhydrous	8006-39-1	GB	500 ml	1242	29061990	18%		
(m	nixture of isomers)		GB	2.5 L	4590				
C ₁₀	₀ H ₁₈ O M.W.: 154.25								
Tertiary But	tyl Alcohol See tert-Butanol								
Tertiary But	tylamine See tert-Butylamine								
Test Chlorin	ne See Chlorine Test Reagent								
BF0505 TE	ES Buffer 99% for Biochemistry	7365-44-8	GB	25 gm	2808	29221990	18%		
(N·	l-Tris (hydroxymethyl) methyl-2-amino methane sulphonic acid)		GB	100 gm	9351				
C ₆ !	H ₁₅ NO ₆ S M.W.: 229.25								
037030* Te	estosterone 98%	58-22-0	GB	5 gm	3195	29372900	18%		
(17	7ß-Hydroxy-3-oxo-4-androstene; trans-Testosterone)		GB	25 gm	12789				
C _{1!}	₉ H ₂₈ O ₂ M.W.: 288.43								
037031 Te	estosterone Propionate 98%	57-85-2	GB	5 gm	2142	29372900	18%		
(71.	ß-Hydroxy-4-androsten-3-one 17-propionate;Testosteron4-Androsten-		GB	25 gm	9090				
17	የß-ol-3- one 17-propionate; 17ß- Propionyloxy-4-androsten-3-one)								
C_2	₂₂ H ₃₂ O ₃ M.W. : 344.49								
3,3',5,5'-Tet	rabromophenolsulphonapthalein See Bromophenol Blue AR								
Tetrabutylar	mmonium Bisulphate See Tetrabutyl Ammonium Hydrogen Sulph	nate							
037032* Те	etrabutyl Ammonium Bromide 99%	1643-19-2	РВ	250 gm	873	29239000	18%		
C ₁₀	₆ H ₃₆ BrN M.W.: 322.37		РВ	1 kg	3195				
			PD	25 kg	POR				
037034 Te	etrabutyl Ammonium Hydrogen Sulphate 98%	32503-27-8	GB	100 gm	693	29239000	18%		
(Te	etrabutylammonium bisulfate)		GB	500 gm	2502				
Α \	Versatile phase transfer catalyst.			000 9	2592				
A \			PD	25 kg	POR				
	:H ₃ (CH ₂) ₃) ₄ NHSO ₄ M.W.: 339.54		PD	_					
(CI	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol		PD PE	_	POR	38220090	12%		
(CI				25 kg	POR	38220090	12%		
(CIVMS937 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol		PE	25 kg	POR 630	38220090	12%		
(CI VMS937 Te Thi	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use.		PE	25 kg	630 1845	38220090	12%		
(CI VMS937 Te Thi	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium.		PE PE	25 kg 100 ml 500 ml	630 1845				
VMS937 Te Thi Su VMS935 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium.		PE PE PE	25 kg 100 ml 500 ml	630 1845 630 1845				
VMS937 Te Thi Su VMS935 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol		PE PE PE	25 kg 100 ml 500 ml 100 ml	630 1845 630 1845	38220090 38220090	12%		
VMS937 Te Thi Su VMS935 Te SOL425 Te VMS928 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR		PE PE PE PE	25 kg 100 ml 500 ml 100 ml 500 ml	630 1845 630 1845 1746 3510	38220090 38220090	12%		
VMS937 Te Thi Su VMS935 Te SOL425 Te VMS928 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR etrabutyl Ammonium Hydroxide 0.4M Solution in Water		PE PE PE PE	25 kg 100 ml 500 ml 100 ml 500 ml 500 ml	630 1845 630 1845 1746 3510	38220090 38220090 38220090	12% 18% 12%		
VMS937 Te Thi Su VMS935 Te SOL425 Te VMS928 Te VMS929 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR etrabutyl Ammonium Hydroxide 0.4M Solution in Water		PE PE PE PE PE	25 kg 100 ml 500 ml 500 ml 500 ml 500 ml 100 ml	POR 630 1845 630 1845 1746 3510 2340 5283	38220090 38220090 38220090	12% 18% 12%		
(Ci VMS937 Te Thi Su VMS935 Te VMS928 Te VMS929 Te VMS929 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol his solution should be standardised immediately before use. his solution in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR etrabutyl Ammonium Hydroxide 0.4M Solution in Water etrabutyl Ammonium Hydroxide 1M Solution in Methanol	2052-49-5	PE PE PE PE PE PE	25 kg 100 ml 500 ml 500 ml 500 ml 500 ml 100 ml 250 ml	630 1845 630 1845 1746 3510 2340 5283 1890	38220090 38220090 38220090 38220090	12% 18% 12% 12%		
(CF) VMS937 Te Thi Su VMS935 Te SOL425 Te VMS928 Te VMS929 Te VMS920 Te SOL426 Te	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol nis solution should be standardised immediately before use. uitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR etrabutyl Ammonium Hydroxide 0.4M Solution in Water etrabutyl Ammonium Hydroxide 1M Solution in Methanol etrabutyl Ammonium Hydroxide 1M Solution in Water	2052-49-5	PE PE PE PE PE PE	25 kg 100 ml 500 ml 500 ml 500 ml 500 ml 250 ml 100 ml 100 ml	630 1845 630 1845 1746 3510 2340 5283 1890	38220090 38220090 38220090 38220090 38220090	12% 18% 12% 12%		
(CI VMS937 Te Thi Su VMS935 Te SOL425 Te VMS928 Te VMS929 Te VMS929 Te SOL426 Te C16	etrabutyl Ammonium Hydroxide 0.1 N Solution in Methanol his solution should be standardised immediately before use. hitable for titration in non-aqueous medium. etrabutyl Ammonium Hydroxide 0.1 N Solution in 2-Propanol etrabutyl Ammonium Hydroxide 0.1N Water Solution AR etrabutyl Ammonium Hydroxide 0.4M Solution in Water etrabutyl Ammonium Hydroxide 1M Solution in Methanol etrabutyl Ammonium Hydroxide 1M Solution in Water etrabutyl Ammonium Hydroxide 1M Solution in Water etrabutyl Ammonium Hydroxide 10% Solution in water	2052-49-5	PE PE PE PE PE PE	25 kg 100 ml 500 ml 500 ml 500 ml 500 ml 250 ml 100 ml 100 ml	630 1845 630 1845 1746 3510 2340 5283 1890	38220090 38220090 38220090 38220090 38220090	12% 18% 12% 12%		



	RESEARCH & LABORA				Committee or the committee of the commit	S	
	СНЕМ	ISTRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Methanol						
SOL431	Tetrabutyl Ammonium Hydroxide 20% Solution in	2052-49-5	PE	100 ml	1980	29239000	12%
	Methanol/Toluene						
SOL427	Tetrabutyl Ammonium Hydroxide 20% Solution in water	2052-49-5	PE	100 ml	1692	29239000	12%
SOL432	Tetrabutyl Ammonium Hydroxide 25% Solution in Methanol	2052-49-5	PE	100 ml	2232	29239000	12%
			PE	250 ml	5040		
SOL433	Tetrabutyl Ammonium Hydroxide 40% Solution in	2052-49-5	PE	100 ml	3969	29239000	12%
	Methanol AR		PE	250 ml	8820		
SOL428	Tetrabutyl Ammonium Hydroxide 40% Solution in water	2052-49-5	PE	100 ml	3960	29239000	12%
014009	Tetrabutyl Ammonium Iodide 99% AR	311-28-4	GB	25 gm	1692	29239000	18%
	C ₁₆ H ₃₆ IN M.W. : 369.38		GB	100 gm	6030		
2.3.5.6-T	etrachloro-1,4-Benzoquinone See p-Chloranil						
	oro-p-Benzoquinone See p-Chloranil						
028960	1,1,2,2-Tetra Chloroethane 97% for Synthesis	79-34-5	GB	500 ml	2394	29031910	18%
	(Acetylene tetrachloride)		GB	2.5 L	10989		
	CHCl ₂ .CHCl ₂ M.W. : 167.85						
011000	1,1,2,2-Tetra Chloroethane 98% AR	79-34-5	GB	500 ml	2592	29031910	18%
	(Acetylene tetrachloride)		GB	2.5 L	12492		
	CHCl ₂ .CHCl ₂ M.W. : 167.85						
028965	Tetrachloroethylene 99% for Synthesis	127-18-4	GB	500 ml	936	29032300	18%
	(Perchloroethylene)		GB	2.5 L	3996		
	CCI ₂ :CCI ₂ M.W. : 165.83		PR	25 Lit	POR		
011006	Tetrachloroethylene 99.5% AR	127-18-4	GB	500 ml	1098	29032300	18%
	(Perchloroethylene)		GB	2.5 L	4320		
	CCI ₂ :CCI ₂ M.W.: 165.83						
HP0301	Tetrachloroethylene 99.8% for Spectroscopy	127-18-4	GB	1 L	3780	29032300	18%
	(Perchloroethylene)						
	CCI ₂ ·CCI ₂ M.W. : 165.83						
Tetradeo	canoic Acid See Myristic Acid						
	cyl Trimethyl Ammonium Bromide See Cetrimide						
037039	Tetraethyl Ammonium Bromide 98% for Synthesis	71-91-0	GB	100 gm	432	29239000	18%
	Phases transfer catalyst.		GB	500 gm	954		
	C ₈ H ₂₀ NBr M.W. : 210.16			ŭ			
028970	Tetrahydrofuran (Stabilized) 99.5% for Synthesis	109-99-9	GB	500 ml	630	29321100	18%
	(THF; Butylene Oxide; Cyclotetramethylene oxide; 1,4- Epoxybutane)	<u> </u>	GB	2.5 L	2970		
	C ₄ H ₈₀ M.W.: 72.11		PR	25 Lit	POR		
			PD	200 L	POR		
011010	Tetrahydrofuran (Stabilized) 99.5% AR	109-99-9	GB	500 ml		29321100	18%
	(THF; Butylene Oxide; Cyclotetramethylene oxide; 1,4- Epoxybutane)		GB	2.5 L	3960		
	C ₄ H ₈₀ M.W.: 72.11						

	CHEMIS	STRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
DRY043	Tetrahydrofuran 99.5% DRY	109-99-9	GB	1 L	1890	29321100	18%
	(THF; Butylene Oxide; Cyclotetramethylene oxide; 1,4- Epoxybutane)		GB	2.5 L	4500		
	C ₄ H ₈₀ M.W.: 72.11						
HP0302	Tetrahydrofuran 99.7% for HPLC & Spectroscopy	109-99-9	GB	1 L	1800	29321100	18%
	(THF; Butylene Oxide; Cyclotetramethylene oxide; 1,4- Epoxybutane)		GB	2.5 L	4500		
	C ₄ H ₈₀ M.W.: 72.11						
Tetrahydı	ropyrrole See Pyrrolidine						
1,2,3,4-T€	etrahydronaphthalene See Tetralin						
014012	Tetrahydroxy-p-Benzoquinone 97% AR	5676-48-2	GB	1 gm	6192	29146990	18%
	(Tetrahydroxy-1,4-benzenequinone; tetrahydroxyquinone)		GB	5 gm	27135		
	Indicator for sulphate titration.						
	C ₆ H ₄ O ₆ .2H ₂ O M.W.: 208.12						
028975	Tetralin® 98% for Synthesis	119-64-2	GB	500 ml	1512	29029090	18%
	(1,2,3,4-Tetrahydronaphthalene)		GB	2.5 L	6696		
	C ₁₀ H ₁₂ M.W.: 132.21						
VMS942	Tetramethyl Ammonium Bromide (0.1 M) Solution		РВ	500 ml	4500	38220090	12%
037041	Tetramethyl Ammonium Chloride 98% for Synthesis	75-57-0	GB	100 gm	711	29239000	18%
	C ₄ H ₁₂ CIN M.W.: 109.60		GB	500 gm	3231		
VMS945	Tetramethyl Ammonium Chloride 0.1M Solution		РВ	500 ml	1260	38220090	12%
SOL436	Tetramethyl Ammonium Hydroxide Solution 10% in H2O		PE	50 ml	792	29239000	18%
			PE	250 ml	2898		
SOL437	Tetramethyl Ammonium Hydroxide Solution 25% in Aqueous		PE	100 ml	2592	29239000	18%
			PE	250 ml	5490		
SOL438	Tetramethyl Ammonium Hydroxide Solution 25% in Methanol		GB	100 ml	2790	38220090	12%
VMS931	Tetramethyl Ammonium Hydroxide 0.1N Solution in		GB	250 ml	1746	38220090	12%
	2-Propanol AR		GB	500 ml	3375		
VMS932	Tetramethyl Ammonium Hydroxide 1M Solution in Methanol		GB	100 ml	1197	38220090	12%
			GB	250 ml	2799		
VMS933	Tetramethyl Ammonium Hydroxide Solution 1M in H2O		GB	100 ml	999	29239000	12%
			GB	250 ml	2394		
037044*	3,3',5,5'-Tetra Methyl Benzidine 99% (TMB)	54827-17-7	GB	1 gm	1458	29215990	18%
	(BM blue; Sure Blue TMB; TMB Blotting Plus; TMB substrate; TMB)		GB	5 gm	6084		
	C ₁₆ H ₂₀ N ₂ M.W.: 240.34						
Tetramet	hyleneimine See Pyrrolidine						
028980	N,N,N',N'-Tetramethyl Ethylenediamine 98%	110-18-9	GB	100 ml	864	29212990	18%
	for Biochemistry		GB	250 ml	1791		
	(1,2-Bis(dimethylamino)ethane,;TEMED; TMEDA)		GB	500 ml	2790		
	C ₆ H ₁₆ N ₂ M.W.: 116.21						
011018	N,N,N',N'-Tetramethyl Ethylenediamine 99% AR	110-18-9	GB	25 ml	450	29212990	18%
	(1,2-Bis(dimethylamino)ethane,;TEMED; TMEDA)		GB	100 ml	1080		•

	RESEARCH & LABOR	ATORY	CHE	EMIC	AL	S	
		MISTRY BEY			C-0-26-1		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TA)
	Catalyst for cyanogum and acrylamide Polymerisation		GB	250 ml	2070		
	C ₆ H ₁₆ N ₂ M.W.: 116.21						
037045	N,N,N',N'-Tetramethyl-p-Phenylenediamine	637-01-4	GB	1 gm	531	29215190	18%
	Dihydrochloride 98%		GB	5 gm	1593		
	(TMPPD; Wurster's reagent)		GB	25 gm	6993		
	C ₁₀ H ₁₈ Cl ₂ N ₂ M.W.: 237.17						
037046	Tetramethyl Thiuram Disulphide 97%	137-26-8	РВ	100 gm	1350	38089230	18%
	[Bis (dimethylthiocarbamoyl) disulphide]		РВ	500 gm	4140		
	$C_6H_{12}N_2S_4$ M.W.: 240.44						
Tetraphe	enyl Boron Sodium Salt AR See Sodium Tetra Phenyl Borate AF	R					
Tetrapho	osphoric Acid See Polyphosphoric Acid						
Tetrapot	assium Diphosphate See tetra-Potassium Pyrophosphate						
Tetra-So	dium Diphosphate Anhydrous See tetra-Sodium Pyro Phospha	ate Anhydrous					
Tetra-So	dium Diphosphate Decahydrate See tetra-Sodium Pyro Phosph	hate Decahydrate					
Tetra-So	dium Pyrophosphate Anhydrous See tetra-Sodium Pyro Phosp	ohate Anhydrous					
Tetrazoli	ium Blue AR See Blue Tetrazolium AR						
Tetrazoli	ium Red See 2,3,5-Triphenyl Tetrazolium Chloride AR						
Tetrazoli	ium Salt AR (TTC) See 2,3,5-Triphenyl Tetrazolium Chloride AR						
014014 *	2-Thenoyl Trifluoro Acetone 99% AR	326-91-0	GB	10 gm	1359	29349900	18%
	(4,4,4-Trifluoro-1-(2-thienyl)-1,3-butanedione, TTA (extractant), TTB, TTFA)		GB	100 gm	10890		
	$C_8H_5F_3O_2S$ M.W.: 222.19						
037049	Thiamine Hydrochloride 98.5% for Biochemistry	67-03-8	GB	10 gm	405	29362210	18%
	(Vitamin B1; Aneurine hydrochloride)		GB	25 gm	810		
	C ₁₂ H ₁₇ N ₄ OSCI.HCI M.W.: 337.27		GB	250 gm	6300		
Thiazoly	l Blue Tetrazolium Bromide See MTT Tetrazolium						
Thimero	sal See Thiomersal						
037051	Thioacetamide 98% Pract.	62-55-5	PB	100 gm	1530	29309070	18%
	(Ethanethioamide)		РВ	500 gm	7000		
	C ₂ H ₅ NS M.W. : 75.13						
037052	Thioacetamide 98.5%	62-55-5	РВ	100 gm	1593	29309070	18%
	(Ethanethioamide)		РВ	500 gm	7497		
	C ₂ H ₅ NS M.W.: 75.13		РВ	5 kg	POR		
014020	Thioacetamide 99% AR	62-55-5	РВ	25 gm	576	29309070	18%
	(Ethanethioamide)		РВ	100 gm	1998		
	C ₂ H ₅ NS M.W.: 75.13		РВ	500 gm	8793		
US3501	Thioacetamide TS		РВ	100 ml	581	38220090	12%
	(Reagent for As, Bi, Cd, Sb, Co, Pb, Ni & Zn)						
037054	2-Thiobarbituric Acid 99% AR	504-17-6	GB	25 gm	1269	29335200	18%
	(4,6-Dihydroxy-2-mercaptopyrimidine; 4,6- Dihydroxypyrimidine-2-thiol;		GB	100 gm	4788		
	TBA Reagent for Sorbic Acid.)						

	RESEARCH & LABOR	IEMISTRY BEY			Control of the control		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
Thiocart	bamide Pract See Thiourea Pract						
028985	1-Thioglycerol 90%	96-27-5	GB	100 ml	3609	29309099	18%
	(α-Monothioglycerol; α-thioglycerol; 3-mercapto-1,2-propanediol)		GB	500 ml	17001		
	C ₃ H ₈ O ₂ S M.W. : 108.16						
028986	1-Thioglycerol 98%	96-27-5	GB	100 ml	4500	29309099	18%
	(α-Monothioglycerol; α-thioglycerol; 3-mercapto-1,2-propanediol)		GB	500 ml	18550		
	C ₃ H ₈ O ₂ S M.W. : 108.16						
028990	Thioglycollic Acid Abt. 80% for Synthesis	68-11-1	GB	500 ml	1980	29309099	18%
	(Mercaptoacetic acid)		GB	2.5 L	9000		
	CH ₂ (SH).COOH M.W.: 92.11						
Thiogly	colic Acid Sodium Salt See Sodium Thioglycolate						
037055	Thiomalic Acid 99%	70-49-5	GB	100 gm	2385	29171990	18%
	(Mercaptosuccinic acid)		РВ	1 kg	22491		
	C ₄ H ₆ O ₄ S M.W. : 150.15						
037056	Thiomersal 97%	54-64-8	GB	10 gm	9243	28521000	18%
	(Sodium ethyl mercurithio salicylate; thimerosal)		GB	25 gm	22086		
	Used as a Preservative		GB	100 gm			
	2-(C ₂ H ₅ HgS)C ₆ H ₄ CO ₂ Na M.W.: 404.81			-			
028992	Thionyl Chloride 99% for Synthesis	7719-09-7	GB	500 ml	693	28121700	18%
	(Sulfurous dichloride; Thionyl dichloride; Sulfurous oxychloride;						
	sulfinyl dichloride; Dichlorosulfoxide; Sulfinyl chloride; Sulfur						
	monoxide dichloride; Sulfur oxide dichloride; Sulfuryl(IV) chloride)						
	SOCI ₂ M.W.: 118.97						
011035	Thionyl Chloride 99.5% AR	7719-09-7	GB	500 ml	810	28121700	18%
	(Sulfurous dichloride; Thionyl dichloride; Sulfurous oxychloride;						
	sulfinyl dichloride; Dichlorosulfoxide; Sulfinyl chloride; Sulfur						
	monoxide dichloride; Sulfur oxide dichloride; Sulfuryl(IV) chloride)						
	SOCI ₂ M.W.: 118.97						
037060	Thiosemicarbazide 97%	79-19-6	GB	25 gm	531	29309070	18%
	(Thiocarbamoyl hydrazide)		GB	100 gm	1593		
	As reagent for detection of metals		GB	500 gm	POR		
	CH ₅ N ₃ S M.W.: 91.13						
014025	Thiosemicarbazide 98% AR	79-19-6	GB	25 gm	648	29309070	18%
	(Thiocarbamoyl hydrazide)		GB	100 gm	1791		
	As reagent for detection of metals			-			
	CH₅N₃S M.W.: 91.13						
037061	Thiourea 97% Pract.	62-56-6	РВ	500 gm	657	29309010	18%
	(Sulpfourea; thiocarbamide)		PD	50 kg	POR		
	CH ₄ N ₂ S M.W. : 76.12			J			
037062	Thiourea 98% Purified	62-56-6	PB	500 gm	855	29309010	18%
		== 53 0		3			- 70

50 kg

POR

PD

(Sulpfourea; Thiocarbamide)

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	CH ₄ N ₂ S M.W.: 76.12						
014029	Thiourea 99% AR	62-56-6	PD	500 gm	1188	29309010	18%
	(Sulfourea; Thiocarbamide)		PD	50 kg	POR		
	Masking and colorimetric reagent for various metal ions						
	precipitation reagent for lead,cadmium, selenium and tellurium)						
	CH ₄ N ₂ S M.W.: 76.12						
SOL865	Thiourea Solution		РВ	100 ml	306	38220090	12%
	(Reagent for Sb,Bi,Cd & Sn)						
014032	Thorium Nitrate 99% AR	14767-04-5	GB	5 gm	4500	28443023	18%
	Reagent for determination of Fluorine		GB	25 gm	18000		
	Th(NO ₃) ₄ .5H ₂ O M.W.: 570.13						
037058	L-Threonine 99% for Biochemistry	72-19-5	GB	5 gm	153	29225090	18%
	[(2S,3R)-2-Amino-3-hydroxybutyric acid]		GB	10 gm	270		
	allo free, pyrogen free for bacteriology and tissue culture		GB	25 gm			
	CH ₃ .CH(OH).CH(NH ₂).COOH M.W.: 119.12			· ·			
037063	Thymidine 99% for Biochemistry	50-89-5	GB	1 gm	378	29349900	18%
	[1-(2-Deoxy-ß-D-ribofuranosyl)-5-methyluracil; 1-(2- Deoxy-ß-D-		GB	5 gm	1512		
	ribofuranosyl)thymine; 2'-Deoxythymidine; Thymine deoxyriboside; dT]		GB	25 gm	6165		
	$C_{10}H_{14}N_2O_5$ M.W.: 242.23			· ·			
037064	Thymol Crystal 99%	89-83-8	PB	100 gm	576	29071930	18%
	[5-Methyl-2-(1- methylethyl)phenol: 5-Methyl-2-isopropylphenol:		РВ	250 gm	1296		
	IPMP; 2-Isopropyl-5-methylphenol]		РВ	500 gm	2304		
	C ₁₀ H ₁₄ O M.W.: 150.22						
014039	Thymol Crystal 99.5% AR	89-83-8	PB	100 gm	900	29071930	18%
	[5-Methyl-2-(1- methylethyl)phenol; 5-Methyl-2-isopropylphenol;		РВ	500 gm	4050		
	IPMP; 2-Isopropyl-5-methylphenol]						
	C ₁₀ H ₁₄ O M.W.: 150.22						
STA383	Thymol Blue (pH Indicator) AR	76-61-9	GB	5 gm	378	29349900	18%
	(Thymolsulfonphthalein)		GB	25 gm	1296		
	C ₂₇ H ₃₀ O ₅ S M.W. : 466.60						
STS260	Thymol Blue Indicator Solution	76-61-9	PB	125 ml	216	38220090	129
	C ₂₇ H ₃₀ O ₅ S M.W. : 466.60						
US3505	Thymol Blue TS		PB	125 ml	270	38220090	129
STA387	Thymolphthalein (pH Indicator) AR	125-20-2	GB	5 gm	342	29322090	18%
	pH range 9.3-10.5		GB	25 gm	1197		
	(5',5"-Diisopropyl-2',2"-dimethylphenolphthalein)		РВ	1 kg	POR		
	C ₂₈ H ₃₀ O ₄ M.W.: 430.55			3			
STA388	Thymolphthalein Complexone	1913-93-5	GB	1 gm	1980	29322090	18%
	(3,3'-Bis(N,N- di[carboxymethyl]aminomethyl)thymolphthalein; TPC)		GB	5 gm	7488		
	the state of the s			. 5			

	CHEN	ISTRY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	C ₃₈ H ₄₄ N ₂ O ₁₂ M.W.: 720.78						
STS263	Thymolphthalein Indicator Solution		PB	125 ml	306	38220090	12%
	C ₃₈ H ₄₄ N ₂ O ₁₂ M.W.: 720.78						
AAS065	Tin AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HCl		PE	250 ml	2250		
			GB	500 ml	3780		
ICP257	Tin ICP Standard Solution		PE	100 ml	4680	38220090	12%
	1000ppm TRISTAR Single Element in HCl		GB	500 ml	7650		
ICP258	Tin ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000ppm TRISTAR Single Element in HCl		GB	500 ml	11520		
014042	Tin Metal Powder 99.5% AR	7440-31-5	PB	100 gm	1800	80011090	18%
	Sn At. W.: 118.69		PB	250 gm	3780		
014046	Tin Metal Powder 99.9% AR	7440-31-5	GB	10 gm	990	80011090	18%
	Sn At. W.: 118.69		GB	25 gm	2185		
037071	Tin Metal Foil 99.5%	7440-31-5	РВ	50 gm	999	80011090	18%
	Sn At. W.: 118.69		РВ	250 gm	2943		
037072	Tin Metal Granulated 99.5%	7440-31-5	PB	100 gm	1989	80011090	18%
	Sn At. W.: 118.69		РВ	500 gm	7992		
014048	Tin Metal Granulated 99.7% AR	7440-31-5	РВ	100 gm	2440	80011090	18%
	Sn At. W. : 118.69		РВ	500 gm	9792		
Tin (II) C	hloride See Stannous Chloride						
Tin (II) S	ulphate See Stannous Sulphate						
STA390	TIRON Indicator	149-45-1	GB	10 gm	981	29089990	18%
	(4,5-Dihydroxy-1,3-benzenedisulphonic acid disodium salt monohydrate)		GB	25 gm	2241		
	Metal (pM) indicator (Yoe's reagent or titanium and iron indicator in the						
	titration of iron with EDTA).						
	C ₆ H ₄ Na ₂ O ₈ S ₂ M.W.: 314.20						
Titanium	ı (IV) Oxide See Titanium Dioxide						
SS2200	Titanium 100 mg/L Standard Solution		GB	125 ml	3600	38220090	12%
037076	Titanium Dioxide 98%	13463-67-7	РВ	500 gm	846	32061110	18%
	[Titanium (IV) oxide;Titania]		PB	1 kg	1593		
	TiO ₂ M.W.: 79.89		PB	5 kg	7497		
			PD	50 kg	POR		
014050	Titanium Dioxide 99% AR	13463-67-7	PB	500 gm	1170	32061110	18%
	[Titanium (IV) oxide;Titania]						
	TiO ₂ M.W.: 79.89						
928995	Titanium Tetrachloride 98%	7550-45-0	GB	500 ml	1494	28273990	18%
	(Titanium(IV) chloride; TTC fuming liquid)		GB	2.5 L	5940		
	TiCl ₄ M.W.:189.68						
STA392	Titan Yellow (pH Indicator) AR (C.I. 19540)	1829-00-1	GB	10 gm	414	32041969	18%
	(Thiazole Yellow G; Clayton Yellow; Direct Yellow 9)		GB	50 gm	1584		

RESEARCH & LABORATORY CHEMICALS

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX $C_{28}H_{19}N_5Na_2O_6S_4$ M.W.: 695.73 **STS265 Titan Yellow Solution** РΒ 100 ml **315** 38220090 12% (Reagent for Mg) PΒ 500 ml 1107 DL- α -Tocopherol Acetate 96% for Biochemistry 7695-91-2 PΒ **1260** 29362800 18% 50 gm PΒ (Vitamin E acetate; all-rac-a-Tocopheryl acetate) 1 kg 18000 Confirming to Ph.Eur, USP. C₃₁H₅₂O₃ M.W.: 472.75 SOL444 o-Tolidine Reagent 119-93-7 GB 500 ml **351** 38220090 12% for residual Chlorine estimation 014053 o-Tolidine Hydrochloride 99% AR 612-82-8 GB **882** 29215990 18% 25 gm GB 2763 100 gm (3,3'-Dimethylbenzidine dihydrochloride) C₁₄H₁₈N₂CI₂ M.W.: 285.22 REA326 Tollen's Reagent GB 100 ml **3699** 38220090 12% for detection of reducing sugars and aldehydes GB 500 ml 16200 028995 **Toluene Rectified 99% for Synthesis** 108-88-3 GB 500 ml **360** 29023000 18% GB 2.5 L 1404 (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 PR 25 Lit POR PD 200 L POR 029000 **Toluene Sulphur Free 99%** 108-88-3 GB 500 ml **405** 29023000 18% GB 2.5 L 1647 (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 PR 25 Lit POR PΠ 200 L POR 011040 Toluene 99.5% AR 108-88-3 GB 500 ml **450** 29023000 18% GB 2.5 L 1701 (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 PR 25 Lit POR GC0800 Toluene 99.9% GC Grade 108-88-3 GB **1593** 29023000 18% (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 DRY050 Toluene Specially Dried 99.5% AR 108-88-3 GB 500 ml **594** 29023000 18% (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 Toluene 99.7% for HPLC & Spectroscopy HP0303 108-88-3 GR 1 L 900 29023000 18% (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 **Toluene 99.8% for Pesticide Residue Trace Analysis** 108-88-3 GB 1 L **3006** 29023000 18% (Methyl benzene) C₆H₅.CH₃ M.W.: 92.14 014054 Toluene-3,4-Dithiol Zinc Derivative AR 29726-21-4 GB **5391** 29310090 18% 1 gm (Zinc dithiol; [3,4-toluenedithiolato(2-)] zinc hydrate) C₇H₆S₂Zn M.W.: 219.62 α-Toluene Sulphonyl Fluoride See Phenyl Methane Sulphonyl Fluoride AR

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX 037086 p-Toluene Sulphonamide 98% for Synthesis 70-55-3 GB 100 gm 603 29350090 18% C7H9NO2S M.W.: 171.22 GB 500 gm 1782 Toluene-4-Sulphonic Acid Monohydrate See p-Toluene Sulphonic Acid p-Toluene Sulphonic Acid 96% Pract 6192-52-5 **342** 29041090 18% PB 500 gm PΒ 3141 (4-Methylbenzenesulfonic acid; Tosylic acid; Tosic acid; PTSA) 5 kg $CH_3.C_6H_4.SO_3H.H_2O\ M.W.: 190.22$ PΠ 25 kg POR p-Toluene Sulphonic Acid Monohydrate 98% for Synthesis 6192-52-5 РΒ **468** 29041090 18% 037088 500 gm (4-Methylbenzenesulfonic acid; Tosylic acid; Tosic acid; PTSA) PΒ 3798 5 kg CH₃.C₆H₄.SO₃H.H₂O M.W.: 190.22 PD 25 kg POR 014055 p-Toluene Sulphonic Acid Monohydrate 99% AR 6192-52-5 **360** 29041090 18% GR 100 gm GB (4-Methylbenzenesulfonic acid; Tosylic acid; Tosic acid; PTSA) 500 gm 1269 CH₃.C₆H₄.SO₃H.H₂O M.W.: 190.22 p-Toluene Sulphonic Acid TS 500 ml US3525 GB 207 38220090 12% 037091 p-Toluene Sulphonyl Chloride 98% for Synthesis 98-59-9 GB 500 gm 1044 29049090 18% (4-Methylbenzenesulfonyl chloride; Tosyl chloride; p-TsCl; TsCl; p toluenesulfonyl chloride) C7H7CIO2S M.W.: 190.65 037100 m-Toluic Acid 99% 99-04-7 PΒ 500 gm **1395** 29163990 18% (3-Methylbenzoic acid) C₈H₈O₂ M.W.: 136.15 037102 o-Toluic Acid 98% 118-90-1 PΒ 500 gm **1170** 29163990 18% (2-Methylbenzoic acid) C₈H₈O₂ M.W.: 136.15 037103 99-94-5 PΒ p-Toluic Acid 99% 500 gm **1170** 29163990 18% (4-Methylbenzoic acid) C₈H₈O₂ M.W.: 136.15 029005 o-Toluidine 99% for Synthesis 95-53-4 GB 500 ml **783** 29214330 18% (2-Aminotoluene; 2-methylaniline) GB 2.5 L 3582 C7H9N M.W.: 107.16 011047 o-Toluidine 99.5% AR 95-53-4 500 ml **873** 29214330 GB 18% for determination of blood sugar GB 2.5 L 3789 (2-Aminotoluene; 2-methylaniline) C7H9N M.W.: 107.16 REA329 GB **513** 38220090 12% o-Toluidine Reagent 500 ml (for Colorimetric determination of Glucose) 037105 p-Toluidine 98% for Synthesis 106-49-0 GB 500 gm 918 29214350 18% (4-Aminotoluene; 4-methylaniline) May discolour to brown on storage or on exposure to air & light C7H9N M.W.: 107.16 014056 p-Toluidine 99% AR 106-49-0 GB 100 gm 918 29214350 18% (4-Aminotoluene; 4-methylaniline)

	RESEARCH & LABORAT	ORY	CHE	EMIC	AL	S	
	CHEMIST	RY BEY	OND C	HEMICA	ALS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	May discolour to brown on storage or on exposure to air & light						
	C ₇ H ₉ N M.W.: 107.16						
STA395	Toluidine Blue 85% for Microscopy (C.I. 52040)	92-31-9	GB	25 gm	846	32041359	18%
	(Basic Blue 17; Tolonium chloride; Blutene chloride; Gabilin; Menodin)		GB	100 gm	3186		
	It is used for staining chromosomes in plant or animal tissues.						
	C ₁₅ H ₁₆ CIN ₃ S M.W.: 305.83						
m-Toluni	itrile ; (3-methylbenzonitrile) See m-Cyano Toluene						
o-Tolunii	trile ; (2-methylbenzonitrile) See o-Cyano Toluene						
p-Tolunit	trile ; (4-methylbenzonitrile) See p-Cyano Toluene						
Tolylene	Red See Neutral Red						
REA333	Topfer's Reagent		GB	100 ml	243	38220090	12%
	Free HCl in Gastric Juice						
037108	Total Hardness Indicator Powder		GB	25 gm	153	38220090	12%
TPTZ AR	See 2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine AR			•			
	nth Powder See Gum Tragacanth Powder						
Trans-3-l	Phenyl-2-Propenal See Cinnamaldehyde						
037111	D-(+)-Trehalose for Biochemical	6138-23-4	GB	5 gm	432	29400000	18%
	(α,α-Trehalose; α-D-glucopyranosyl-α-D-glucopyranoside)		GB	10 gm	792		
	C ₁₂ H ₂₂ O ₁₁ .2H ₂ O M.W. : 378.33		GB	25 gm	1798		
Tri-Amm	onium Citrate See tri-Ammonium Citrate			<u> </u>			
037116	1,2,4-Triazole 98% for Synthesis	288-88-0	PB	100 gm	594	29339900	18%
	(1,2,4-triazole pyrrodiazole; 1H-1,2,4-triazole)		РВ	500 gm	2799		
	C ₂ H ₃ N ₃ M.W.: 69.07			3			
Tributyl I	Benzyl Ammonium Chloride See Benzyl Tributyl Ammonium Chloride						
	o Methane See Bromoform						
029025	Tri-n-Butyl Phosphate 97% for Synthesis	126-73-8	GB	500 ml	1791	29199090	18%
	(n-Butyl phosphate)		GB	2.5 L			
	C ₁₂ H ₂₇ O ₄ P M.W.: 266.32		-	2.0 2			
Tri- Calci	ium Citrate Extra Pure See Calcium Citrate Tetrahydrate Pure						
	um Phosphate See tri-Calcium Phosphate						
037121	Trichloroacetic Acid 99% for Synthesis	76-03-9	GB	100 gm	324	29154030	18%
007121	CCI ₃ .COOH M.W.: 163.39	70 00 0	GB	500 gm		25104000	1070
	5013.55511 M.W 105.55		PD	25 kg			
014059	Trichloroacetic Acid 99.5% AR	76-03-9	GB	100 gm		29154030	18%
014039		70-03-9	GB			29134030	10 /0
	for determination of Serum-iron protein. Fixative and general solvent CCI ₃ .COOH M.W.: 163.39		GB	500 gm	1143		
VM0040	·		00	405 - 1	070	2000000	400
	Trichloroacetic Acid 10% w/v Solution		GB	125 ml		38220090	12%
SUL446	Trichloroacetic Acid 20% Solution		GB	250 ml	720	29154030	18%
00005=	It is used for protein precipitation & gel detaining	400.00				0000000	
029027	1,2,4-Trichloro Benzene 99% for Synthesis	120-82-1	GB	500 ml		29039990	18%
	C _e H ₃ Cl ₃ M.W.: 181.45		GB	1 L	1188		

www.hplcindia.com

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			GB	2.5 L	2691		
029030	Trichloroethylene 99% for Synthesis	79-01-6	GB	500 ml	504	29032200	18%
	CHCI:CCI ₂ M.W.: 131.39		GB	2.5 L	2070		
			PR	25 Lit	POR		
			PD	200 L	POR		
011053	Trichloroethylene 99.5% AR	79-01-6	GB	500 ml	630	29032200	18%
	CHCI:CCI ₂ M.W.: 131.39		GB	2.5 L	2502		
			PR	25 Lit	POR		
EL0071	Trichloroethylene 99.7% EL Grade	79-01-6	GB	2.5 L	3240	29032200	18%
	CHCI:CCI ₂ M.W.: 131.39						
HP0304	Trichloroethylene 99.5% for Spectroscopy	79-01-6	GB	500 ml	1197	29032200	18%
	CHCI:CCI ₂ M.W.: 131.39		GB	1 L	2304		
Trichlor	omethane See Chloroform						
037126	2,4,6-Trichloro Phenol 97% for Synthesis	88-06-2	GB	100 gm	1499	29081900	18%
	C ₆ H ₃ CI ₃ O M.W.: 197.45		GB	500 gm	2500		
α,2,4-Tri	chlorotoluene See 2,4-Dichloro Benzyl Chloride						
037131	Tricine Biological Buffer 99%	5704-04-1	GB	25 gm	1548	29225090	18%
	[N-Tris (hydroxymethyl) methyl glycine]		GB	100 gm	5580		
	C ₆ H ₁₃ NO ₅ M.W.: 179.17						
037129	Triclosan 98%	3380-34-5	GB	100 gm	1150	29095090	18%
	[5-Chloro-2-(2,4-dichlorophenoxy) phenol;irgasan]		РВ	1 kg	POR		
	C ₁₂ H ₇ Cl ₃ O ₂ M.W.: 289.54						
029040	Tricresyl Phosphate	1330-78-5	GB	500 ml	1796	29199050	18%
	(Tritolyl phosphate; tri-p-cresyl phosphate)		GB	2.5 L	8496		
	C ₂₁ H ₂₁ O ₄ P M.W.: 368.37						
N29042	n-Tridecane	629-50-5	GB	25 ml	2349	29012990	18%
	C ₁₃ H ₂₈ M. W.: 184.36		GB	100 ml	3096		
			GB	500 ml	4599		
Triethan	ol Ammonium Chloride See Triethanolamine Hydrochloride						
029045	Triethanolamine 85% Pract.	102-71-6	GB	500 ml	450	29221310	18%
	(Trolamine, Tris(2-hydroxyethyl)amine, Triethylolamine,		GB	2.5 L	1800		
	2,2',2"-Trihydroxy-triethylamine)						
	C ₆ H ₁₅ NO ₃ M.W.: 149.19						
029050	Triethanolamine 98% for Synthesis	102-71-6	GB	500 ml	603	29221310	18%
	(Trolamine, Tris(2-hydroxyethyl)amine, Triethylolamine,		GB	2.5 L	2592		
	2,2',2"-Trihydroxy-triethylamine)						
	C ₆ H ₁₅ NO ₃ M.W.: 149.19						
011060	Triethanolamine 99% AR	102-71-6	GB	500 ml	765	29221310	18%
	(Trolamine, Tris(2-hydroxyethyl)amine, Triethylolamine,		GB	2.5 L	2997		
	2,2',2"-Trihydroxy-triethylamine)						
	C ₆ H ₁₅ NO ₃ M.W.: 149.19						

	RESEARCH & LABORAT	ORY	CHE	MIC	AL	S	
	CHEMIS	STRY BEY	OND C	HEMICA	LS		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
014062	Triethanolamine Hydrochloride 99.5% AR	637-39-8	GB	100 gm	396	29221390	18%
	(Tris(2- hydroxyethyl)amine hydrochloride;						
	2,2',2"-Nitrilotriethanol hydrochloride)						
	C ₆ H ₁₅ NO ₃ .HCI M.W.: 185.65						
029055	Triethylamine 99% for Synthesis	121-44-8	GB	500 ml	630	29211990	18%
	[TEN; N,N-Diethylethanamine; (Diethylamino)ethane]		GB	2.5 L	2520		
	C _e H ₁₅ N M.W.: 101.19		PR	25 Lit	POR		
011070	Triethylamine 99.5% AR	121-44-8	GB	500 ml	702	29211990	18%
	[TEN; N,N-Diethylethanamine; (Diethylamino)ethane]		GB	2.5 L	3006		
	C ₆ H ₁₅ N M.W.: 101.19						
DRY055	Triethylamine 99.5% for DRY	121-44-8	GB	1 L	3600	29211990	18%
	[TEN; N,N-Diethylethanamine; (Diethylamino)ethane]		GB	2.5 L	8100		
	C ₆ H ₁₅ N M.W.: 101.19						
HP0305	Triethylamine 99.5% for HPLC & Spectroscopy	121-44-8	GB	1 L	3393	29211990	18%
	[TEN; N,N-Diethylethanamine; (Diethylamino)ethane]		GB	2.5 L	7200		
	C ₆ H ₁₅ N M.W.: 101.19						
029060	Triethylene Glycol 95% for Synthesis	112-27-6	GB	500 ml	603	29094900	18%
	(Trigol; triethylene glycol)		GB	2.5 L	2430		
	C ₆ H ₁₄ O ₄ M.W.: 150.17						
029070	Triethylene Tetramine 97% for Synthesis	112-24-3	GB	500 ml	1773	29212990	18%
	(DEH 24; EPH 92)		GB	2.5 L	7992		
	C ₆ H ₁₈ N ₄ M.W.: 146.24						
029075	Trifluoro Acetic Acid 98%	76-05-1	GB	100 ml	1584	29159090	18%
	(2,2,2-Trifluoroethanoic acid Hygroscopic)		GB	500 ml	6192		
	C ₂ F ₃ HO ₂ M.W.:114.02		GB	2.5 L	26487		
Trigol Se	ee Triethylene Glycol						
1,2,3-Tril	hydroxy Benzene See Pyrogallol						
1,3,5-Tril	hydroxy Benzene AR See Phloroglucinol AR						
3,4,5-Tril	hydroxy Benzoic Acid Monohydrate See Gallic Acid Monohydrate						
2,4,6-Tril	nydroxy Pyrimidine See Barbituric Acid						
014065	2,3,5-Tri Iodo Benzoic Acid 99% AR	88-82-4	GB	5 gm	891	29163990	18%
	(TIBA)		GB	10 gm	1692		
	C ₇ H ₃ I ₃ O ₂ M.W. : 499.81						
029080	Trimethylamine 30% Solution for Synthesis	75-50-3	GB	500 ml	396	29211990	18%
	(N,N-Dimethyl Methylamine)		GB	2.5 L			
	C ₃ H ₉ N M.W.: 59.11						
3,5,5-Trir	methyl-2-Cyclohexen-1-One See Iso-Phorone						
	methyl Pentane See Iso-Octane						
029084	Trimethyl Silyl Cyanide 98% for Synthesis	7677-24-9	GB	25 ml	3735	29310090	18%
	(Cyanotrimethylsilane; TMSCN; Trimethylsilanecarbonitrile)		GB	100 ml	13608		
	C ₄ H ₉ NSi M.W.: 99.21						
I							

	RESEARCH & LABOR	ATORY MISTRY BEY			Cherry Street	S	
2005						HOM	TAY
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
037133	Trimethyl Sulphoxonium Iodide 98% for Synthesis	1774-47-6	GB	100 gm	2583	28276090	18%
	C ₃ H ₉ IOS M.W.: 220.07		GB	500 gm	10980		
029020	Tri-n-Butylamine 99% for Synthesis	102-82-9	GB	500 ml	765	29211990	18%
	[Tributylamine; N,N-Dibutyl-1-butanamin]		GB	2.5 L	3492		
	C ₁₂ H ₂₇ N M.W.: 185.35						
2,4,6-Trir	nitrophenol See Picric Acid						
014068	Tri-n-Octyl Phosphine Oxide 99% AR	78-50-2	GB	10 gm	2808	29310090	18%
	(TOPO; Trioctylphosphine oxide)						
	C ₂₄ H ₅₁ OP M.W.: 386.64						
037134	Triphenyl Ethyl Phosphonium Bromide 98%	1530-32-1	GB	25 gm	477	29319090	18%
	(Ethyltriphenylphosphonium bromide)		GB	100 gm	1494		
	C ₂₀ H ₂₀ BrP M.W. 371.27			-			
037139	Triphenyl Phosphate 99% for Synthesis	115-86-6	РВ	500 gm	1548	29199090	18%
	C ₁₈ H ₁₅ O ₄ P M.W.∶326.29		PD	25 kg	POR		
037142	Triphenyl Phosphine 98% for Synthesis	603-35-0	GB	100 gm		29319090	18%
007142	(Phosphorous triphenyl)	000 00 0	GB	250 gm	1791	20010000	1070
	C ₁₈ H ₁₅ P M.W.: 262.29		OB	200 giii	1731		
04.4070*	10 10	4000.00.0	0.0	4	0040	0000000	400/
014070*	2,3,5-Triphenyl Tetrazolium Bromide 98% AR	1096-80-6	GB	1 gm	6840	29339900	18%
	[2H-Tetrazolium; 2,3,5-triphenyl-, bromide (1:1)]						
	C ₁₉ H ₁₅ BrN ₄ M.W.: 379.26						
014072 •	2,3,5-Triphenyl Tetrazolium Chloride 99% AR	298-96-4	GB	10 gm	1998	29339900	18%
	(TTC; tetrazolium red; Tetrazolium Salt)		GB	25 gm	4698		
	C ₁₉ H ₁₅ CIN ₄ M.W. : 334.81						
US3540 •	2,3,5-Triphenyl Tetrazolium Chloride TS		GB	25 ml	1800	38220090	12%
037145	Triphosgene 98% for Synthesis	32315-10-9	GB	100 gm	720	29209099	18%
	[Bis(trichloromethyl) carbonate]		GB	500 gm	2070		
	C ₃ Cl ₆ O ₃ M.W. : 296.75						
014069	2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 99% AR	3682-35-7	GB	1 gm	2097	29339900	18%
	(2,4,6-Tri(2-pyridyl)-s-triazine; TPTZ)		GB	5 gm	9495		
	C ₁₈ H ₁₂ N ₆ M.W.: 312.33			- 3			
2 4 6-Trir	pyridyl-S-Triazine AR (TPTZ) See 2,4,6-Tri-(2-Pyridyl)-1,3,5-Triaz	ine AR					
	er See Tris (Hydroxymethyl) Aminomethane	ine Aix					
	er Acetate See Tris (Hydroxymethyl) Aminomethane Acetate						
	er Hydrochloride See Tris (Hydroxymethyl) Aminomethane Hydrochloride See Tris (Hydroxymethyl) Aminomethane Hyd	lrooblorido					
		liocilioride	DD.	400	700	20000000	400/
BF0508	Tris Buffer 1.5M Solution		PB	100 ml		38220090	12%
BF0511	Tris (Hydroxymethyl) Aminomethane 99%	77-86-1	GB	100 gm	900	29221990	18%
	(2-Amino-2-(hydroxymethyl)-1,3-propanediol; THAM; Tris base;		GB	500 gm	4050		
	Tris(hydroxymethyl)aminomethane; Trometamol)		РВ	5 kg	36000		
	Suitable for preparation purpose.		PD	25 kg	POR		
	C ₄ H ₁₁ NO ₃ M.W.: 121.14						
BF0512	Tris (Hydroxymethyl) Aminomethane 99.8% AR	77-86-1	GB	100 gm		29221990	18%

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE PRODUCT DESCRIPTION CAS NO PKG. TYPE PACKING PRICE **HSN** TAX (2-Amino-2-(hydroxymethyl)-1,3-propanediol; THAM; Tris base; GB 500 gm 4491 Tris(hydroxymethyl)aminomethane; Trometamol) Suitable for preparation purpose. C₄H₁₁NO₃ M.W.: 121.14 MB0206 Tris (Hydroxymethyl) Aminomethane 99.8% 77-86-1 GB **1242** 29221990 100 gm 18% for Molecular Biology (2-Amino-2-(hydroxymethyl)-1,3-propanediol; THAM; Tris base; Tris(hydroxymethyl)aminomethane; Trometamol) Suitable for preparation purpose. C₄H₁₁NO₃ M.W.: 121.14 MB0210 Tris (Hydroxymethyl) Aminomethane pH 8.0 Solution GB 125 ml 900 38220090 12% for Molecular Biology SOL448 Tris (Hydroxymethyl) Aminomethane pH 8.5 Solution PΒ 500 ml 1800 38220090 12% GB BF0516 Tris (Hydroxymethyl) Aminomethane Acetate 99% 6850-28-8 100 gm **4230** 29221990 18% (tris-Acetate Buffer) GB 500 gm 20430 C₄H₁₁NO₃.C₂H₄O₂ M.W.: 181.2 MB0211 Tris (Hydroxymethyl) Aminomethane Borate EDTA PR 125 ml **1620** 38220090 12% Buffer (TBE) 1 X Concentrate Molecular Biology MB0212 Tris (Hydroxymethyl) Aminomethane Borate EDTA GB 125 ml **1620** 38220090 12% Buffer (TBE) 10 X Concentrate Molecular Biology MB0213 Tris (Hydroxymethyl) Aminomethane Borate EDTA GB 125 ml **1620** 38220090 12% Buffer (TBE) 20 X Concentrate Molecular Biology MB0214 Tris (Hydroxymethyl) Aminomethane EDTA Buffer GB 125 ml **1620** 38220090 12% (TE) Molecular Biology 100 gm BF0518 Tris (Hydroxymethyl) Aminomethane Hydrochloride 99.5% 1185-53-1 GB **1296** 29221990 18% AR (Tris HCI) GB 5994 500 gm (TRIS HCI; TRIS hydrochloride) PD POR 25 kg C₄H₁₂NO₃CI M.W.: 157.60 MB0208 Tris (Hydroxymethyl) Aminomethane Hydrochloride 99.5% 1185-53-1 GB 100 gm **1710** 29221990 18% GB 500 gm 7992 for Molecular Biology (TRIS HCI; TRIS hydrochloride) C₄H₁₂NO₃CI M.W.: 157.60 N-Tris(Hydroxymethyl) Methyl-2-Amino-Methane Sulphonic Acid See TES Buffer N-Tris(Hydroxymethyl) Methyl-3-Amino-Methane Sulphonic Acid See TAPS Buffer N-Tris(Hydroxymethyl) Methyl Glycine See Tricine Biological Buffer Tri-Sodium Orthophosphate See tri-Sodium Ortho Phosphate Tritolyl Phosphate See Tricresyl Phosphate Triton® X-100 98% 9002-93-1 500 ml **810** 34021300

	RESEARCH & LABORA	ISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	(iso-Octyl phenoxy polyethoxy ethanol)		GB	2.5 L	3492		
	C ₃₄ H ₆₂ O ₁₁ M.W.: 646.87						
SG0110	Triton® X-100 98% Scintillation Grade	9002-93-1	GB	500 ml	1116	34021300	18%
	(4-(1,1,3,3-Tetramethylbutyl)phenyl-polyethylene glycol; tert-octylphenyl						
	ether; iso-octyl phenoxy polyethoxy ethanol; Polyethylene glycol)						
	Suitable for electronic count of milk cells						
	C ₃₄ H ₆₂ O ₁₁ M.W.: 646.87						
SOL450	Triton® X-100 Stock Solution 10%		РВ	500 ml	450	38220090	12%
Trometar	mol See Tris (Hydroxymethyl) Aminomethane						
037153	Tropaeolin O C.I.No.14270	547-57-9	GB	25 gm	711	32041212	18%
	(Resorcinol yellow)						
	It is used as a food colouring agent.						
	C ₁₂ H ₉ N ₂ NaO ₅ S M.W.: 316.27						
037154	Tropaeolin OO C.I.No.13080	554-73-4	GB	25 gm	846	32129090	18%
	(ORANGE IV)		GB	100 gm			
	It is used as a dye			-			
	C ₁₈ H ₁₄ N ₃ NaO ₃ S M.W. : 375.38						
Tropaeol	lin OOO See Orange II 85%						
STA398	Trypan Blue 60% for Microscopy (C.I. 23850)	72-57-1	GB	25 gm	936	32041439	18%
	[Congo Blue 3B; Direct Blue 14, Niagara Blue 3B; 3,3'- [(3,3'-Dimethyl		GB	100 gm	3492		
	[1,1'-biphenyl]-4,4'-diyl) bis(azo)]bis[5- amino-4-hydroxy-						
	2,7-naphthalenedisulfonic acid] tetrasodium salt]						
	Trypan blue is a vital stain used to selectively colour						
	dead tissues or cells blue						
	C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ M.W. : 960.82						
STS267	Trypan Blue 0.4% Solution		РВ	125 ml	396	38220090	12%
037159 *	Trypsin 1:250 for Biochemistry	9002-07-7	GB	25 gm	1710	35079099	18%
	From porceine pancrease		GB	100 gm	5490		
037161 *	Trypsin 2000 U/mg	9002-07-7	GB	100 gm	990	35079099	18%
	Ex: Pancreas		GB	500 gm	4491		
CMB191	Tryptone for Bacteriology	91079-40-2	РВ	500 gm	1692	35019000	18%
	Peptone from casein						
037171	L-Tryptophan 99% for Biochemistry	73-22-3	GB	5 gm	216	29339900	18%
	[(S)-2-Amino-3-(3-indolyl)propionic acid; L-a-Amino-3- indolepropionic Acid]		GB	25 gm	693		
	Used as a substrate in determination of tryptophanase.		GB	500 gm	9450		
	C ₁₁ H ₁₂ N ₂ O ₂ M.W.: 204.23			-			
REA336	Tungstate-Molybdate Reagent		GB	100 ml	774	38220090	12%
	for Blood analysis						
AAS066	Tungsten AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in H ₂ O		PE	250 ml	2250		
			GB	500 ml	3780		

	RESEARCH & LABO	HEMISTRY BEY					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
ICP261	Tungsten ICP Standard Solution		PE	100 ml	9900	38220090	12%
	1000ppm TRISTAR Single Element in HNO ₃						
037181	Tungsten Metal Powder 99%	7440-33-7	GB	100 gm	2493	81011000	18%
	W At. W. : 183.85		GB	500 gm	11493		
937181	Tungsten Carbide 98%	12070-12-1	GB	100 gm	1890	28499020	18%
	WC M.W.: 195.9		GB	500 gm	6903		
037182	Tungsten (VI) Oxide 99%	1314-35-8	GB	100 gm	3051	28259090	18%
	(Tungsten trioxide; tungstic anhydride)		GB	250 gm	7191		
	WO ₃ M.W.: 231.84						
Tungstei	n Trioxide See Tungsten (VI) Oxide						
014080	Tungstic Acid 98% AR	7783-03-1	GB	100 gm	1395	28111990	18%
	(Orthotungstic acid; Dihydroxy-dioxotungsten)		GB	500 gm	6507		
	Catalyst for oxidation of sulphides to sulphones.						
	H ₂ WO ₄ M.W.: 249.86						
Tungstic	: Anhydride See Tungsten (VI) Oxide						
Tungstic	Oxide See Tungsten (VI) Oxide						
Tungsto	phosphoric Acid See Phosphotungstic Acid Hydrate						
STS268	Turk's Solution for Hematology,		GB	250 ml	243	38220090	12%
	For leucocyte Counting chamber						
PH0111	Turmeric Paper		PB	200 lvs	441	38220090	12%
990200	Turpentine Oil	8006-64-2	GB	500 ml	693	38051010	18%
			GB	2.5 L	2963		
029087	Tween® 20 for Synthesis	9005-64-5	GB	500 ml	1080	34021300	18%
	(Polyoxy ethylene sobitan monolaurate; polysorbate 20)						
	C ₅₈ H ₁₁₄ O ₂₆ M.W. 1227.72						
029089	Tween® 60 for Synthesis	9005-67-8	GB	500 ml	961	34021300	18%
	(Poly ethylene glycol sobitan monostearate; polysorbate 60)						
029090	Tween® 80 for Synthesis	9005-65-6	GB	100 ml	297	34021300	18%
	(Polyoxy ethylene sobitan monooleate; polysorbate 80)		GB	500 ml	945		
			GB	2.5 L	4095		
037191	L-Tyrosine 98.5% for Biochemistry	60-18-4	GB	25 gm	270	29225015	18%
	[L-3-(4-Hydroxyphenyl) alanine disodium salt hydrate]		GB	100 gm			
	C ₉ H ₁₁ NO ₃ M.W.: 181.19		РВ	500 gm	3843		
	U						
REA339	Uffelmann's Reagent		GB	50 ml	504	38220090	12%
	(Reagent for Lactic acid)						
Universa	al Cleaning Detergent See Super Lab Clean						
	al Indicator Papers See Indicator pH Paper						
PH0097			PB	1 Box	351	38220090	12%
	(10 bks:200 LVS) Plastic Box			. 23%			
	(

RESEARCH & LABORATORY CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
			РВ	500 ml	405		
STS271	Universal Indicator Solution pH range 1-14		РВ	125 ml	801	38220090	12%
STS270	Universal Indicator Solution pH range 4-11		РВ	125 ml	135	38220090	12%
			РВ	500 ml	324		
037211	Uracil 98% for Biochemistry	66-22-8	GB	5 gm	207	29335990	18%
	(Pyrimidine-2,4(1H,3H)-dione; 2-oxy-4-oxy pyrimidine;		GB	25 gm	495		
	2,4(1H,3H)-pyrimidinedione; 2,4-dihydroxypyrimidine; 2,4-pyrimidinediol)		РВ	1 kg	16992		
	C ₄ H ₄ N ₂ O ₂ M.W.: 112.09						
Uranin (A	A.I. & M.S.) See Fluorescein Sodium						
037212	Uranyl Acetate Dihydrate 98% For Microscopy	6159-44-0	GB	5 gm	20844	28444000	18%
	(Uranyl ethanoate)		GB	10 gm	38898		
	C ₄ H ₆ O ₆ U.2H ₂ O M.W.: 424.15		GB	100 gm	POR		
037213	Uranyl Nitrate Hexahydrate 99%	13520-83-7	GB	5 gm	13770	28443029	18%
	UO ₂ (NO ₃) ₂ .6H ₂ O M.W.: 502.13		GB	10 gm	26100		
937214	Uranyl Zinc Acetate	10138-94-0	GB	5 gm	16560	28443010	18%
	$C_4H_6O_6$ UZn M.W.: 571.59		GB	10 gm	30600		
037214	Urea Crystal Pure 99% for Biochemistry	57-13-6	РВ	500 gm	396	31021000	18%
	(Carbamide, Carbonyldiamide)		РВ	5 kg	2736		
	CH ₄ N ₂ O M.W.: 60.06		PD	50 kg	POR		
014200	Urea 99-101% AR	57-13-6	РВ	500 gm	567	31021000	18%
	(Carbamide, Carbonyldiamide)		PD	50 kg	POR		
	Confirming to BP/USP specification.						
	CH ₄ N ₂ O M.W.: 60.06						
MB0311	Urea 99.5% for Molecular Biology	57-13-6	GB	500 gm	1260	31021000	18%
	(Carbamide, Carbonyldiamide)						
	CH₄N ₂ O M.W.:60.06						
SOL451	Urea 0.25% Stock Standard Solution		GB	125 ml	135	38220090	12%
MB0312	Urea Solution for Molecular Biology		GB	125 ml	405	38220090	12%
037216	Urea Phosphate 98% Purified	4861-19-2	РВ	500 gm	1089	29241900	18%
	H ₂ NCONH ₂ .H ₃ PO ₄ M.W.: 158.05		PD	25 kg	POR		
037219 *	Urease Active Meal	9002-13-5	GB	10 gm	3240	35079069	18%
014205	Uric Acid 99% AR	69-93-2	GB	25 gm	3213	29335990	18%
	(2,6,8-Trioxypurine)		GB	100 gm	12492		
	Used as substrate in determination of Uricase						
	C ₅ H ₄ N ₄ O ₃ M.W.: 168.11						
REA340	Uric Acid Reagent		GB	125 ml	342	38220090	12%
	(Folin/Newton)						
	For the quantitative determination of Uric Acid in serum and urine						
SOL452	Uric Acid 0.1% Stock Standard Solution		РВ	125 ml	207	38220090	12%
ENZ179 *	* Uricase from Bacillus sp	9002-12-4	GB	100 units	2250	35079099	18%

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	Lyophilized powder, Activity 3-7 U/mg						
037231	Uridine 98% for Biochemistry	58-96-8	GB	1 gm	594	29335990	18%
	(1-ß-D-Ribofuranosyluracil, Uracil-1-ß-D-ribofuranoside)		GB	5 gm			
	C ₉ H ₁₂ N ₂ O ₆ M.W.: 244.20			ŭ			
	V						
Vacuum	Grease See High Vaccum Silicon Grease						
037262	L-Valine 99% for Biochemistry	72-18-4	GB	25 gm	342	29224990	18%
	[(S)-a-Aminoisovaleric acid, L-2-Amino-3-methylbutanoic acid]		GB	500 gm	4374		
	C ₅ H ₁₁ NO ₂ M.W.: 117.15						
AAS071	Vanadium AAS Solution		PE	100 ml	1800	38220090	12%
	1000ppm Single Element in HNO ₃		PE	250 ml	2250		
			GB	500 ml	3780		
ICP271	Vanadium ICP Standard Solution		PE	100 ml	5040	38220090	12%
	1000ppm TRISTAR Single Element in HNO3		GB	500 ml	8298		
ICP272	Vanadium ICP Standard Solution		PE	100 ml	7020	38220090	12%
	10000ppm TRISTAR Single Element in HNO3		GB	500 ml	11520		
037266	Vanadium Pentoxide 98% Purified	1314-62-1	PB	100 gm	1413	28253010	18%
	(Divanadium pentaoxide; divanadium pentoxide; vanadium (V) oxide)		РВ	500 gm	6489		
	V ₂ O ₅ M.W.: 181.88		РВ	5 kg	POR		
			PD	50 kg	POR		
014251	Vanadium Pentoxide 99.5% AR	1314-62-1	РВ	100 gm	1593	28253010	18%
	(Divanadium pentaoxide; divanadium pentoxide; vanadium (V) oxide)		РВ	500 gm	7497		
	V ₂ O ₅ M.W.: 181.88						
REA375	Vanado Molybdate Reagent		GB	125 ml	540	38220090	12%
037271	Vanadyl Sulphate Hydrate 96%	12439-96-2	GB	100 gm	2843	28332990	18%
	(Vanadium oxide sulphate; vanadium sulphate)		GB	500 gm	13185		
	VOSO ₄ .5H ₂ O M.W.: 253.08						
Vanden I	Bergh's Reagent A See Diazo Reagent A						
	Bergh's Reagent B See Diazo Reagent B						
STS276	Van Gieson II Solution for Microscopy		GB	100 ml	288	38220090	12%
	(Differential stain for Collagen)						
037277	Vanillin 99% for Synthesis	121-33-5	PB	100 gm	846	29124100	18%
	(4-Hydroxy-3-methoxybenzaldehyde)		PB	500 gm	3978		
	C ₈ H ₈ O ₃ M.W.: 152.15						
014255	Vanillin 99.5% AR	121-33-5	PB	25 gm	513	29124100	18%
	(4-Hydroxy-3-methoxybenzaldehyde)		РВ	100 gm	1440		
	C ₈ H ₈ O ₃ M.W.: 152.15						
037279	Veratraldehyde 98%	120-14-9	GB	25 gm		29124991	18%
	(3,4-dimethoxybenzaldehyde; vanillin methyl ether)		GB	100 gm	1170		
	C ₉ H ₁₀ O ₃ M.W.: 166.17						

	RESEARCH & LABOR	ATORY	CHE	MIC	AL	S	
		MISTRY BEY			District Color		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
STA405	Victoria Blue B 85% for Microscopy (C.I. 44045)	2580-56-5	GB	25 gm	369	32041352	18%
	(Basic Blue 26, Basic Blue B)		GB	100 gm	1251		
	Dyeing Acrylic, Paper, Moisquito Coils, Leather, Silk, and can be used						
	to for Paint and drawing						
	C ₃₃ H ₃₂ CIN ₃ M.W.: 506.10						
029100*	Vinyl Acetate Monomer 99% for Synthesis	108-05-4	GB	500 ml	522	29153200	18%
	(Acetoxyethylene)		GB	2.5 L	2394		
	C ₄ H ₆ O ₂ M.W.: 86.09						
Vinyl Cya	anide See Acrylonitrile						
037281 •	Vitamin A Acetate for Biochemistry	127-47-9	GB	25 gm	2493	29362100	18%
	(Retinol acetate; Retinyl acetate)		GB	100 gm	9500		
	C ₂₂ H ₃₂ O ₂ M.W.: 328.50						
Vitamin I	B1 See Thiamine Hydrochloride						
Vitamin I	B2 See Riboflavin						
Vitamin I	B6 See Pyridoxine Hydrochloride						
Vitamin I	B12 See Cyanocobalamin						
Vitamin (C See L-Ascorbic Acid						
037283	Vitamin D3 98%	67-97-0	GB	1 gm	1701	29362940	18%
	(Cholecalciferol; calciol)						
	C ₂₇ H ₄₄ O M.W.: 384.64						
Vitamin I	E Acetate See DL- α -Tocopherol Acetate						
Vitamin I	H See D-Biotin						
Vitamin F	P See Rutin						
	W						
FDS972	W.B.C. Diluting Fluid (Truck's)		PB	125 ml	126	38220090	12%
	Bluish Violet Coloured Clear Solution		РВ	500 ml	324		
	For determination of W.B.C.Count in blood samples.						
REA383	Wagner's Reagent		GB	125 ml	160	38220090	12%
	For the detection of alkaloids		GB	500 ml	520		
STS290	Wagner's Solution		GB	125 ml	135	38220090	12%
			GB	500 ml	450		
SOL475	Wanklyn's Solution		GB	500 ml	486	38220090	12%
	1 ml = 1 mg CaCO3		GB	2.5 L	2088		
029126	Water Distilled	7732-18-5	РВ	5 L	540	28539010	18%
	pH: 5.5-7.5						
	H ₂ O M.W.: 18.015						
029127	Water Double Distilled	7732-18-5	РВ	5 L	810	28539010	18%
	H ₂ O M.W.: 18.015						
011097	Water AR	7732-18-5	PB	1 L	360	28539010	18%
	H ₂ O M.W.: 18.015						
EL1501	Water EL Grade	7732-18-5	РВ	1 L	990	28539010	18%

		212.11					
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
	H ₂ O M.W.: 18.015						
HP0351	Water for HPLC & Spectroscopy	7732-18-5	PB	1 L	450	28539010	18%
	H ₂ O M.W.: 18.015						
MB0350	Water for Molecular Biology	7732-18-5	РВ	5 L	3096	28539010	18%
	H ₂ O M.W.: 18.015						
	Water with 0.1% Acetic Acid for LCMS		РВ	2.5 L		38220090	12%
SOL471	Water with 0.1% Formic Acid for LCMS		PB	2.5 L	3600	38220090	12%
SOL472	Water/2-Propanol 50/50 (v/v)		РВ	1 L	990	38220090	12%
SOL473	Water with 0.1% Trifluoro Acetic Acid for LCMS		GB	2.5 L	3582	38220090	12%
KIT020	Water Testing Kit		KIT	2 x 200 Test	1278	38220090	12%
	(For the estimation of Total Alkalinity & pH)						
KIT022	Water Testing Kit		KIT	25 Test	3087	38220090	12%
	(For the estimation of Arsenic)						
KIT024	Water Testing Kit		KIT	100 Test	2205	38220090	12%
	(For the estimation of Calcium Hardness)						
KIT026	Water Testing Kit		KIT	200 Test	558	38220090	12%
	(For the estimation of Residual Chlorine)						
KIT028	Water Testing Kit		KIT	25 Test	4230	38220090	12%
	(For the estimation of Dissolved Oxygen)						
KIT030	Water Testing Kit		KIT	200 Test	1152	38220090	12%
	(For the estimation of Total Hardness)						
Water GI	ass See Sodium Silicate Solution						
SOL476	Wij's & Iodine Solution		GB	500 ml	612	38220090	12%
SOL480	Winkler's Solution 1		GB	100 ml	180	38220090	12%
	Determination of Dissolved Oxygen						
SOL481	Winkler's Solution 2		GB	100 ml	180	38220090	12%
	Determination of Dissolved Oxygen						
014301	Wood's Metal AR	76093-98-6	РВ	100 gm	1881	81060090	18%
	Lipowitz's alloy ,Low melting alloy.		РВ	250 gm	3564		
	Bi ₅₀ Cd ₁₂ Pb ₂₅ Sn ₁₂ M.W.: 18402.22						
Wright E	osin Methylene Blue See Wright's Stain						
STA410	Wright's Stain for Microscopy	68988-92-1	GB	25 gm	828	32041359	18%
	(Wright's eosin methylene blue)		GB	100 gm	2898		
	Eosin Methylene blue according to Wright It is used primarily to stain						
	peripheral blood smears and bone marrow aspirates which are						
	examined under a light microscope. In cytogenetics it is used to stain						
	chromosomes to facilitate diagnosis of syndromes and diseases.						
STS280	Wright's Staining Solution for Microscopy		GB	125 ml	207	38220090	12%
	(Wright's eosin methylene blue Solution)		GB	250 ml	342		

RESEARCH & LABORATORY CHEMICALS

CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
037360	Xanthan Gum	11138-66-2	РВ	100 gm	360	13019019	18%
			PB	500 gm	1125		
			PB	1 kg	1845		
037401	Xanthine 98% for Biochemistry	69-89-6	GB	5 gm	792	29335990	18%
	(1H-Purine-2,6-diol)		GB	25 gm	3294		
	Used as a substrate in determination of Xanthine Oxidase						
	C ₅ H ₄ N ₄ O ₂ M.W.: 152.11						
ENZ201 *	* Xylanase for Biochemstry	37278-89-0	GB	25 gm	1260	35079099	18%
	Activity > 100000 EXU/g		GB	100 gm	4005		
029150	Xylene Rectified 98.5% for Synthesis	1330-20-7	GB	500 ml	333	29024400	18%
	mixture of isomers		GB	2.5 L	1395		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
029155	Xylene Sulphur Free 98.5% for Synthesis	1330-20-7	GB	500 ml	441	29024400	18%
	(Xylol ; Dimethyl Benzene ; Methyl Toluene)		GB	2.5 L	1593		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
011150	Xylene 99.8% AR	1330-20-7	GB	500 ml	441	29024400	18%
	(Xylol ; Dimethyl Benzene ; Methyl Toluene)		GB	2.5 L	1647		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
SG0117	Xylene 99% Scintillation Grade	1330-20-7	GB	2.5 L	1800	29024400	18%
	(Xylol ; Dimethyl Benzene ; Methyl Toluene)						
	C ₈ H ₁₀ M.W.: 106.17						
029165	m-Xylene 99% for Synthesis	108-38-3	GB	500 ml	747	29024200	18%
	(1,3-Dimethylbenzene; meta-Xylene; m-Xylol)		GB	2.5 L	3096		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
029160	o-Xylene 98% for Synthesis	95-47-6	GB	500 ml	432	29024100	18%
	(1,2-Dimethylbenzene)		GB	2.5 L	1890		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
029168	p-Xylene 98.5% for Synthesis	106-42-3	GB	500 ml	666	29024300	18%
	(1,4-Dimethylbenzene)		GB	2.5 L	2880		
	C ₈ H ₁₀ M.W.: 106.17		PR	25 Lit	POR		
011156	p-Xylene 99% AR	106-42-3	GB	500 ml	801	29024300	18%
	(1,4-Dimethylbenzene)						
	C ₈ H ₁₀ M.W.: 106.17						
STA415	Xylene Cyanol FF 75% (C.I. 42135)	2650-17-1	GB	10 gm	2790	32041979	18%
	(Acid blue 147; cyanol FF;xylene cyanole FF)		GB	25 gm	6489		
	Xylene cyanol is often used as a tracking dye during agarose or			J			
	polyacrylamide gel electrophoresis.						
	C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ M.W.: 538.61						
STS330	Xylene Cyanol Indicator Solution		PB	100 ml	477	38220090	12%
	(Color change - Green to Orange)			.00 1111			/0
STA418	p-Xylenol Blue Indicator AR	125-31-5	GB	1 am	603	32049000	18%
31A410	p-Aylellol Blue Illulcator AK	120-01-0	GB	1 gm	003	JZU43UUU	1070

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS										
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX				
	(p-Xylenolsulfonephthalein; p-Xylenol blue)		GB	5 gm	2520						
	C ₂₃ H ₂₂ O ₅ S M.W.: 410.49										
014351	Xylenol Orange Tetrasodium Salt AR	3618-43-7	GB	5 gm	594	29349900	18%				
	(o-Cresolsulfonphthalein-3'-3-bis(methyliminodiacetic acid sodium salt)		GB	10 gm	1098						
	Suitable for use in EDTA zinc titration. This substance has been										
	specifically tested for its Suitability in EDTA-zinc titrations.										
	$C_{31}H_{28}N_2O_{13}SNa_4\ M.W.:760.6$										
STS350	Xylenol Orange Aqueous Solution		РВ	125 ml	342	38220090	12%				
US3701	Xylenol Orange TS		РВ	125 ml	405	38220090	12%				
STA421	Xylidine Ponceau 75% for Microscopy C.I.No.16150	3761-53-3	GB	25 gm	540	32041213	18%				
	(Ponceau 2R; Ponceau G; Red R; Acid Red 26; Food Red 5)										
	$C_{18}H_{14}N_2Na_2O_7S_2$ M.W.: 480.42										
037407	Xylitol 99%	87-99-0	GB	100 gm	720	21069099	18%				
	C ₅ H ₁₂ O ₅ M.W.: 152.15		GB	500 gm	3510						
037411	D-(+)-Xylose	58-86-6	PB	25 gm	243	29400000	18%				
	((+)-Xylose; Wood sugar)		PB	100 gm	549						
	Reactant for biochemical identification and culture media additive.		РВ	500 gm	2196						
	$C_5H_{10}O_5$ M.W.: 150.13										
	Υ										
CMB304	Yeast Extract Paste for Bacteriology		GB	500 gm	846	35040010	18%				
CMB301	Yeast Extract Powder for Bacteriology		РВ	500 gm	1098	35040010	18%				
	Water soluble fraction of yeast autolysate, Standard material		РВ	5 kg	9990						
	for culture media-rich in B-Vitamins and growth factors										
RR7525	Ytterbium Nitrate 99.9%		GB	10 gm	3267	28469090	18%				
	$Yb(NO_3)_3 \cdot XH_2O M.W.: 359.05(Anhy.)$		GB	100 gm	21996						
RR7526	Ytterbium Nitrate 99.99% AR		GB	10 gm	7650	28469090	18%				
	$Yb(NO_{3})_{3} \cdot XH_{2}O M.W.: 359.05(Anhy.)$		GB	50 gm	23382						
RR7533	Ytterbium Oxide 99.9%	1314-37-0	GB	25 gm	4698	28469010	18%				
	Yb ₂ O ₃ M.W.: 394.08		GB	100 gm	12483						
			РВ	1 kg	POR						
RR7534	Ytterbium Oxide 99.99% AR	1314-37-0	GB	10 gm	7056	28469010	18%				
	Yb ₂ O ₃ M.W.: 394.08		GB	50 gm	18513						
ICP284	Yttrium ICP Standard Solution		PE	50 ml	5400	38220090	12%				
	1000ppm TRISTAR Single Element HNO ₃		PE	100 ml	8802						
RR0601	Yttrium Metal Powder 99.9% AR	7440-65-5	GB	5 gm	9261	28469090	18%				
	Y At. W.: 88.91										
RR0604	Yttrium (III) Chloride Hexahydrate 99.9%	10025-94-2	GB	50 gm	13491	28469030	18%				
	(Yttrium trichloride hexahydrate)		GB	250 gm	POR						
	YCI ₃ .6H ₂ O M.W.: 303.36										

RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS CODE **PRODUCT DESCRIPTION** CAS NO PKG. TYPE PACKING PRICE **HSN** TAX (Yttrium trichloride hexahydrate) GB 7686 25 gm YCI3.6H2O M.W.: 303.36 GB 100 gm 26082 RR0605 Yttrium (III) Nitrate Hexahydrate 99.9% 13494-98-9 GB 25 gm **3402** 28469090 18% N₃O₉Y .6H₂O M.W.: 383.01 GB 100 gm 8298 Yttrium (III) Nitrate Hexahydrate 99.99% AR RR9605 13494-98-9 GB **2205** 28469090 5 gm 18% N₃O₉Y .6H₂O M.W.: 383.01 GR 25 gm 8883 RR0606 Yttrium (III) Oxide 99.9% 1314-36-9 **693** 28469010 18% GB 10 gm (Yttrium(III) oxide; Yttria; diyttrium trioxide; yttrium sesquioxide) GB 1494 25 gm Y₂O₃ M.W.: 225.81 PΒ 1 kg POR RR0607 Yttrium (III) Oxide 99.99% AR 1314-36-9 GB 10 gm **2502** 28469010 18% 4905 (Yttrium(III) oxide; Yttria; diyttrium trioxide; yttrium sesquioxide) GB 25 gm Y₂O₃ M.W.: 225.81 **STS397 Zenker's Fixing for Microscopy** GB 100 ml 549 38220090 12% (Fixing system for animal tissue) **Ziehl Neelsen Carbol Fuchsin Solution Acid Fast** PR STS400 125 ml **270** 38220090 12% REA400 **Zimmermann Reinhardt Reagent** GB 125 ml **585** 38220090 12% For the determination of iron **AAS091 Zinc AAS Solution** ΡF **1800** 38220090 100 ml 12% 1000ppm Single Element in H₂O PΕ 250 ml 2250 GB 500 ml 3780 **CP292 Zinc ICP Standard Solution** 100 ml **4680** 38220090 12% 1000ppm TRISTAR Single Element in HCI 500 ml GB **CP291 Zinc ICP Standard Solution** PE 100 ml 4680 38220090 12% 1000 ppm TRISTAR Single Element in HNO3 GB 500 ml 7650 **CP294 Zinc ICP Standard Solution** PE 100 ml **7020** 38220090 12% 10000ppm TRISTAR Single Element in HNO3 GB 500 ml 11520 **1602** 38220090 Zinc 100 mg/L Standard Solution GB 250 ml SS2500 12% 037502 **Zinc Foil 99.5%** 7440-66-6 PΒ **1197** 79050040 100 gm 18% Zn At. W.: 65.37 Zinc Metal Dust 98% 7440-66-6 500 gm 037503 PR **1089** 79031000 18% 325 mesh PΒ 5 kg POR Zn At. W.: 65.37 PD 50 kg POR 014406 Zinc Metal Dust 99.5% AR 7440-66-6 PB 500 gm **1323** 79031000 18% Zn At. W.: 65.37 Zinc (Metal) Filings For Arsenic Test See Zinc Metal Granular 037501 Zinc Metal Granular 99% 7440-66-6 РΒ 1494 79039000 18% 500 gm

50 kg

500 gm

POR

1647 79039000

18%

PD

PB

7440-66-6

Zinc Metal Granular 99.7% AR

Arsenic free

014401

Zn At. W.: 65.37

	RESEARCH & LABORATORY CHEMICALS CHEMISTRY BEYOND CHEMICALS										
	CHE	MISTRY BEY	OND C	HEMICA	ALS						
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX				
	Suitable for arsenic estimation.		PD	50 kg	POR						
	Zn At. W.: 65.37										
014407	Zinc Metal Powder 99.9% AR	7440-66-6	PB	100 gm	810	79031000	18%				
	Zn At. W.: 65.37										
Zinc Met	al Powder See Zinc Metal Dust										
037504	Zinc Acetate 98.5% Pure	5970-45-6	PB	500 gm	873	29152990	18%				
	(Acetic acid Zinc salt; Acetic acid, Zinc(II) salt; Dicarbomethoxyzinc;		PD	50 kg	POR						
	Zinc diacetate)										
	C ₄ H ₆ O ₄ Zn.2H ₂ O M.W.: 219.50										
014408	Zinc Acetate 99.5% AR	5970-45-6	PB	500 gm	1089	29152990	18%				
	(Acetic acid Zinc salt; Acetic acid, Zinc(II) salt; Dicarbomethoxyzinc;										
	Zinc diacetate)										
	$C_4H_6O_4Zn.2H_2O\ M.W.: 219.50$										
037509	Zinc Borate	10361-94-1	PB	500 gm	2295	28402090	18%				
	Zn ₃ (BO ₃) ₂ M.W. : 313.76										
037510	Zinc Bromide 98% For Synthesis	7699-45-8	GB	500 gm	2691	28275990	18%				
	(Zinc dibromide; Zinc(II) bromide)										
	ZnBr ₂ M.W.: 225.20										
037511	Zinc Carbonate Basic 58%	5263-02-5	PB	500 gm	1323	28369990	18%				
	(Zinc hydroxide carbonate)		РВ	5 kg	POR						
	[ZnCO _{3]2} [Zn(OH) ₂] ₃ M.W. : 549.02		PD	25 kg	POR						
037512	Zinc Chloride (Dry) 97% Purified	7646-85-7	PB	500 gm	774	28273990	18%				
	(Zinc(II) chloride; Zinc dichloride; Butter of zinc)		PB	5 kg	POR						
	ZnCl ₂ M.W.: 136.29		PD	25 kg	POR						
014412	Zinc Chloride (Dry) 98% AR	7646-85-7	РВ	500 gm	945	28273990	18%				
	(Zinc(II) chloride; Zinc dichloride; Butter of zinc)										
	ZnCl ₂ M.W.: 136.29										
VMS971	Zinc Chloride 0.02M Solution		РВ	500 ml	342	38220090	12%				
VMS968	Zinc Chloride 0.1M Solution		РВ	500 ml	360	38220090	12%				
VMS961	Zinc Chloride 0.5M Solution in THF		GB	250 ml	2646	38220090	12%				
VMS966	Zinc Chloride 1M Solution in Ether		GB	250 ml	5400	38220090	12%				
037513	Zinc Chromate 98%	13530-65-9	PB	500 gm	1296	28412010	18%				
	CrO ₄ Zn M.W.: 181.40										
Zinc Dith	iol See Toluene-3,4-Dithiol Zinc Derivative										
037515	Zinc lodide 98% for Synthesis	10139-47-6	GB	100 gm	3879	28276090	18%				
	ZnI ₂ M.W.: 319.20										
SOL495	Zinc lodide Starch Solution		GB	100 ml	306	38220090	12%				
037519	Zinc Nitrate Hexahydrate 98%	10196-18-6	PB	500 gm		28342990	18%				
-	Zn(NO ₃) ₂ .6H ₂ O M.W.: 297.49			3							
014421	Zinc Nitrate Hexahydrate 99% AR	10196-18-6	PB	500 gm	1440	28342990	18%				

	CHEN	IISTRY BEY	ONDC	CHEMISTRY BEYOND CHEMICALS									
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX						
	Zn(NO ₃) ₂ .6H ₂ O M.W.: 297.49												
014420	Zincon 98% AR	62625-22-3	GB	1 gm	945	29280090	18%						
	(2-[5-(2-Hydroxy-5-sulfophenyl)-3-phenyl-1-formazyl]		GB	5 gm	3996								
	benzoic acid monosodium salt, 2-Carboxy-2'hydroxy-5'-sulfoformazyl-												
	benzene monosodium salt;Zincon monosodium salt)												
	for photometric determination of Copper and Zinc												
	$C_{20}H_{15}N_4O_6SNa\ M.W.: 462.41(Anhy.)$												
037520	Zinc Oxalate Dihydrate 99%	547-68-2	РВ	250 gm	680	29171190	18%						
	ZnC ₂ O ₄ .2H ₂ O M.W.: 189.41												
037521	Zinc Oxide 99% Pure	1314-13-2	РВ	500 gm	855	28170010	18%						
	(Zinc white, Calamine, philosopher's wool, Chinese white, flowers of zinc)		РВ	5 kg	7491								
	Confirming to IP		PD	50 kg	POR								
	ZnO M.W.: 81.39												
014422	Zinc Oxide 99-100.5% AR	1314-13-2	РВ	500 gm	1143	28170010	18%						
	(Zinc white)												
	ZnO M.W.: 81.39												
014423	Zinc Perchlorate Hexahydrate 99-101% AR	10025-64-6	GB	100 gm	3101	28299010	18%						
	Zn(ClO ₄) ₂ . 6H ₂ O M.W. : 372.36												
037522	Zinc Phosphate 98%	7779-90-0	РВ	500 gm	846	28353900	18%						
	Soluble in acids and ammonium hydroxide Insoluble in water												
	Zn ₃ (PO ₄) ₂ M.W.: 386.11												
037529	Zinc Stearate Pure	557-05-1	РВ	500 gm	711	29157090	18%						
	(Stearic acid zinc salt)												
	Confirming to IP												
	C ₃₆ H ₇₀ O ₄ Zn M.W.: 632.33												
037531	Zinc Sulphate Heptahydrate 99% Purified	7446-20-0	РВ	500 gm	396	28332990	18%						
	(Zinc sulphate-7-hydrate; White vitriol; Goslarite)		РВ	5 kg									
	ZnSO ₄ .7H ₂ O M.W.: 287. 54		PD	50 kg	POR								
014429	Zinc Sulphate Heptahydrate 99.5% AR	7446-20-0	PB	500 gm	522	28332990	18%						
	(Zinc sulphate-7-hydrate; White vitriol; Goslarite)		РВ	5 kg									
	ZnSO ₄ .7H ₂ O M.W.: 287. 54		PD	50 kg									
037532	Zinc Sulphate Monohydrate 99% (Dried)	7446-19-7	PB	500 gm		28332990	18%						
	(White vitriol; Goslarite)		PD	25 kg									
	Confirming to USP		PD	50 kg									
	ZnSO ₄ .H ₂ O M.W.: 179.45			9									
VMS975	Zinc Sulphate 0.05 M Solution		PB	500 ml	709	38220090	12%						
	Zinc Sulphate 0.1 M Solution		PB	500 ml		38220090	12%						
	Zinc Sulphate 0.1M for 500 ml Solution		AMP	3 amp		38220090	12%						
MIT ZU I	Zino Salphate C. In 101 000 III Colution		AMP	6 amp		JUZZUUJU	14/0						
037534	7ine Sulphide 97% for Synthesis	1314-98-3	PB	500 gm		28309010	18%						
131 334	Zinc Sulphide 97% for Synthesis ZnS M.W.: 97.46	1314-90-3	PD	ouu gm	3144	203030 IU	1070						

	RESEARCH & LABORA	ATORY	СНЕ	MIC	ΔΙ	5	
		MISTRY BEY			Control -		
CODE	PRODUCT DESCRIPTION	CAS NO	PKG. TYPE	PACKING	PRICE	HSN	TAX
US3900	Zinc Uranyl Acetate TS		GB	25 ml	10800	38220090	12%
037536	Zirconium (IV) Carbonate Basic 40%	57219-64-4	РВ	100 gm	846	28362090	18%
	(Zirconium(IV) carbonate hydroxide oxide ; Zirconium basic carbonate)		РВ	500 gm	3492		
	Zr(OH) ₂ .CO ₃ .ZrO ₂ M.W.: 308.47						
037537	Zirconium Dioxide 98.5%	1314-23-4	РВ	500 gm	3195	28256020	18%
	(zirconium (IV) oxide; zirconia)						
	ZrO ₂ M.W.: 123.2						
Zirconiu	m (IV) Oxide See Zirconium Dioxide						
037541	Zirconium Oxychloride 96%	13520-92-8	GB	100 gm	522	28274900	18%
	(Zirconium(IV) oxychloride octahydrate; Zirconium(IV) oxide chloride;		GB	500 gm	2358		
	Zirconyl chloride octahydrate)						
	for fluoride determination						
	ZrOCl ₂ .8H ₂ O M.W.: 322.25						
Zirconiu	m (IV) Oxynitrate Hydrate Pract See Zirconyl Nitrate Hydrate Prac	ct					
Zirconyl	Chloride See Zirconium Oxychloride						
037546	Zirconyl Nitrate Hydrate 27% Pract.	14985-18-3	GB	100 gm	3240	28342990	18%
	(Zirconium (IV) oxynitrate hydrate)		GB	250 gm	7497		
	ZrO(NO ₃) ₂ .XH ₂ O M.W.: 231.23+X H ₂ O						
KIT151	ZN Acid Fast Stain Kit		KIT	Kit	720	38220090	12%



Code & Cas No.	Name	Pkg	Price	HSN	GST
	: METAL NANOPARTICLES				
NM0010	Aluminum Nanopowder (AI, 99.9%, metal basis)	5 gm	10487	76032000	18%
	APS: 100 nm (80-125nm), SSA: 10.84 m²/g Morphology: Sphere	10 gm	18878	76032000	18%
	, , , , , , , , , , , , , , , , , , , ,	25 gm	33980	76032000	18%
		100 gm	POR	76032000	18%
NM0011	Aluminum Nanopowder (AI, 99.9%, metal basis)	5 gm	10487	76032000	18%
7440-22-5	APS: 70 nm (50-80nm), SSA: 10.84 m²/g Morphology: Sphere	10 gm	18878	76032000	18%
		25 gm	33980	76032000	18%
		100 gm	POR	76032000	18%
NM0012	Aluminum Nanopowder (AI, 99.9%, metal basis)	5 gm	10487	76032000	18%
7440-22-5	APS: 40 nm, SSA: 10.84 m²/g Morphology: Sphere	10 gm	18878	76032000	18%
		25 gm	33980	76032000	18%
		100 gm	POR	76032000	18%
NM0030	Boron Nanopowder (B, 99+%)	1 gm	6865	28045010	18%
7429-90-5	(APS: 70nm)	5 gm	17161	28045010	18%
		10 gm	30891	28045010	18%
		25 gm	POR	28045010	18%
NM0040	Carbon NanoFibers >96%	5 gm	13002	68151090	18%
99685-96-8	OD: 500nm	10 gm	23403	68151090	18%
		25 gm	42126	68151090	18%
		100 gm	POR	68151090	18%
NM0046	Carbon Super Activated Nanopowder (C, 99%)	5 gm	1213	38021000	18%
7440-44-0	(Coconut Shell Based Carbon Powder)	10 gm	2185	38021000	18%
	APS:<80nm	25 gm	3931	38021000	18%
		100 gm	POR	38021000	18%
NM0070	Cobalt Nanopowder (Co, 99%)	5 gm	11823	81052020	18%
7440-48-4	APS: 40-80nm, SSA: 40-60 m²/g Morphology: Sphere	10 gm	21282	81052020	18%
		25 gm	38306	81052020	18%
		100 gm	POR	81052020	18%
NM0081	Copper Nanopowder (Cu, 99%, metal basis)	5 gm	8581	74061000	18%
7440-50-8	APS : 80-100 nm, SSA : >12.90m²/g Morphology : Spherical	10 gm	15447	74061000	18%
		25 gm	27801	74061000	18%
		100 gm	POR	74061000	18%
NM0083	Copper Nanopowder (Cu, 99%, metal basis)	5 gm	10487	74061000	18%
7440-50-8	APS : <20 nm, SSA : >12.01m²/g Morphology : Spherical	10 gm	18878	74061000	18%
		25 gm	33980	74061000	18%
NM0086	Copper Nanopowder (Cu, 99.8%) Carbon Coated	1 gm	5491	74061000	18%
7440-50-8	APS: ~25 nm, SSA: 20-30 m²/g Morphology : Spherical	5 gm	13730	74061000	18%
		10 gm	24715	74061000	18%
		25 gm	POR	74061000	18%
		100 gm	POR	74061000	18%
NM0101	Diamond Nanopowder (C, >87.5%)	5 gm	6674	71051000	5%

Code & Cas No.	Name	Pkg	Price	HSN	GST
7440-44-0	APS : 3-10 nm	10 gm	12014	71051000	5%
		25 gm	21623	71051000	5%
NM0116	Graphite Nanopowder (C, 99.9%,metal basis)	5 gm	7627	38011000	18%
7429-90-3	(Natural Graphite, Hydrophobic)	10 gm	13730	38011000	18%
	APS : <100nm ,Morphology : flaky	25 gm	24715	38011000	18%
NM0119	Graphite Nanopowder surface modified (C, 99.9%, metal basis)	5 gm	11442	38011000	18%
7782-42-3	(Natural Graphite)	10 gm	20594	38011000	18%
	APS : 1-2um ,Morphology : flaky	25 gm	37069	38011000	18%
		100 gm	POR	38011000	18%
NM0120	Graphitized Carbon Nano Fibers >99%,	1 gm	6026	28030090	18%
99685-96-8	OD: 500nm	5 gm	15066	28030090	18%
		10 gm	27117	28030090	18%
		25 gm	POR	28030090	18%
NM0130	Iron Nanopowder (Fe, 99+%, metal basis)	5 gm	8199	72052910	18%
7439-89-6	APS: 60-80 nm, SSA: 40-60 m²/g Morphology : Spherical	10 gm	14760	72052910	18%
		25 gm	26566	72052910	18%
NM0132	Iron Nanopowder (Fe, 99%, Matal basis) NP	5 gm	12395	72052910	18%
7439-89-6	carbon coated	10 gm	22311	72052910	18%
	APS: 25 nm (20-30nm), SSA: 40-60 m²/g Morphology : Spherical	25 gm	40159	72052910	18%
		100 gm	POR	72052910	18%
NM0155	Nickel Nanopowder (Ni, 99%, metal basis)	5 gm	6674	75040000	18%
7440-02-0	APS : <80 nm, SSA : >12m²/g Morphology : Spherical	10 gm	12014	75040000	18%
NM0156	Nickel Nanopowder (Ni, 99%, metal basis)	5 gm	7438	75040000	18%
7440-02-0	APS : 40-70nm, SSA : >12m²/g Morphology : Spherical	10 gm	13387	75040000	18%
		25 gm	24094	75040000	18%
		100 gm	POR	75040000	18%
NM0202	Silver Nanopowder (Ag, 99.99%)	1 gm	5265	71061000	5%
7440-22-4	APS : 30-50nm (Metal Basis), SSA : 5.37 m²/g	5 gm	13159	71061000	5%
	Morphology : Spherical, Crystallographic Structure : Cubic	10 gm	23684	71061000	5%
		25 gm	POR	71061000	5%
NM0203	Silver Nanopowder (Ag, 99.99%)	1 gm	6026	71061000	5%
7440-22-4	APS : 20nm (Metal Basis), SSA : 5.37 m²/g	5 gm	15066	71061000	5%
	Morphology : Spherical, Crystallographic Structure : Cubic	10 gm	27117	71061000	5%
		25 gm	POR	71061000	5%
NM0225	Tin Nanopowder (Sn, 99.99%, metal basis)	5 gm	7438	80070090	18%
7440-31-5	APS : 60-80nm (SEM), SSA : 12~14m²/g (60~80nm) Morphology : Spherical	10 gm	13387	80070090	18%
		25 gm	24094	80070090	18%
		100 gm	POR	80070090	18%
NM0230	Titanium Nanopowder (Ti, 99.9%, metal basis)	5 gm	12967	81082000	18%
7440-32-6	APS: <70nm	10 gm	23339	81082000	18%
		25 gm	42012	81082000	18%
_		100 gm	POR	81082000	18%

Code & Cas No.	Name	Pkg	Price	HSN	GST
NM0235	Tungsten Nanopowder (W, 99.95+%, metal basis)	5 gm	12395	81011000	18%
7440-33-7	APS : <70nm, SSA : 25m²/g Morphology : Spherical	10 gm	22311	81011000	18%
		25 gm	40159	81011000	18%
		100 gm	POR	81011000	18%
NM0237	Tungsten Nanopowder (W, 99.5%, metal basis)	5 gm	12395	81011000	18%
7440-33-7	APS: 40nm	10 gm	22311	81011000	18%
		25 gm	40159	81011000	18%
NM0251	Zinc Nanopowder (Zn, high purity, 99.9+%, metal basis)	5 gm	10228	79031000	18%
7440-66-6	APS : 30-60 nm (Metal Basis), SSA : 30-50 m²/g Morphology : Spherical	10 gm	18410	79031000	18%
		25 gm	33140	79031000	18%
	COMPOUND NANOPARTICLES				
NC0020	Antimony Tin Oxide Nanopowder	5 gm	5932	28259090	18%
1309-64-4	(ATO, high purity,>99% SnO ₂ .Sb ₂ O ₃ =90:10)	10 gm	11124	28259090	18%
	OPS : 30nm, SSA : >95m²/g	25 gm	19775	28259090	18%
	Appearance Bluish Grey				
NC0061	Barium Titanate Nanopowder (Tetragonal)	5 gm	7025	28419000	18%
12047-27-7	(BaTiO ₃ , >99%)	10 gm	10536	28419000	18%
	APS: 300 nm, (200-400nm)	25 gm	24142	28419000	18%
		100 gm	POR	28419000	18%
NC0056	Barium Titanate Nanopowder	5 gm	7025	28419000	18%
12047-27-7	(BaTiO ₃ , >99%)	10 gm	10536	28419000	18%
	APS: 100 nm, Cubic	25 gm	24142	28419000	18%
		100 gm	POR	28419000	18%
NC0057	Barium Titanate Nanopowder	5 gm	7025	28419000	18%
12047-27-7	(BaTiO ₃ , >99%)	10 gm	10536	28419000	18%
	APS: 50 nm, Cubic	25 gm	24142	28419000	18%
		100 gm	POR	28419000	18%
NC0070	Boron Nitride Nano Powder (Bn >99.8%)	5 gm	6610	38019000	18%
10043-11-5	APS: 800nm	10 gm	12395	38019000	18%
	Crystal Form: BN, Hexagonal	25 gm	22035	38019000	18%
		100 gm	POR	38019000	18%
NC0130	Erbium Oxide Nanopowder (Er2O3,99.9%)	5 gm	8100	29071200	18%
12061-16-4	APS: 40-55 nm	10 gm	13500	29071200	18%
		25 gm	27000	29071200	18%
NC0185	Indium Oxide Nanopowder (In2O3,99.9%)	5 gm	33030	29071200	18%
1312-43-2	APS: 30-50 nm	10 gm	55125	29071200	18%
		25 gm	110250	29071200	18%
NC0190	Indium Tin Oxide Nanopowder	5 gm	14916	28259090	18%
1312-43-2	(ITO 99.99+%,In ₂ O ₃ :SnO ₂ =90:10)	10 gm	27968	28259090	18%
	APS: 20-70nm	25 gm	49719	28259090	18%
NC0250	Manganese Iron oxide Nanopowder	5 gm	6610	28419000	18%
1344-43-0	(MnFe ₂ O ₄ , 98.5%)	10 gm	12395	28419000	18%

Code & Cas No.	Name	Pkg	Price	HSN	GST
	APS: 60nm				
NC0280	Nickel Iron Oxide Nanopowder	5 gm	6610	28254000	18%
12168-54-6	(NiFe ₂ O ₄ , 98%)	10 gm	12395	28254000	18%
	APS: 30 nm				
NC0340	Samarium Oxide Nanopowder (Sm2O3,99.9%)			29071200	18%
12060-58-1	APS: 40-55 nm	10 gm	10800	29071200	18%
		25 gm	21600	29071200	18%
NC0370	Stannic Oxide Nanopowder (SnO2, 99.9%)	5 gm	4230	29071200	18%
18282-10-5	APS: 100 nm	10 gm	7002	29071200	18%
		25 gm	14004	29071200	18%
NC0375	Strontium Iron Oxide Nanopowder	5 gm	19550	28429090	18%
12023-91-5	(SrFe ₁₂ O ₁₉ , 99.5%)	10 gm	33949	28429090	18%
	APS : 60 nm	25 gm	78084	28429090	18%
		100 gm	POR	28429090	18%
NC0380	Strontium Titanate Nanopowder	5 gm	11707	28419000	18%
12060-59-2	(SrTiO ₃ , 99.95%)	10 gm	21073	28419000	18%
	APS :100 nm, Cubic Phase	25 gm	41628	28419000	18%
		100 gm	POR	28419000	18%
NC0400	Tantalum Carbide Nanoparticles	5 gm	19901	28499090	18%
12070-06-3	(TaC, 99%)	10 gm	35121	28499090	18%
	APS: 1-5 MICRONS, FSSS: 1.3 MICRONS	25 gm	78084	28499090	18%
	Appearance : White Crystalline	100 gm	POR	28499090	18%
NC0430	Tungsten Carbide Nano Powder	5 gm	23392	28499020	18%
12070-12-1	(WC, High purity, 99.95%)	10 gm	43859	28499020	18%
	APS: 30-100nm	25 gm	77970	28499020	18%
NC0440	Tungsten (VI) Sulfide Nano Powder	5 gm	19550	28309010	18%
12138-09-9	(WS ₂ 99.9+%, Amorphous)	10 gm	36291	28309010	18%
	APS: 40-80nm	25 gm	77265	28309010	18%
	Crystal Amorphous	100 gm	POR	28309010	18%
NC0475	Yttrium Aluminate Nanopowder	5 gm	11707	28419000	18%
12005-21-9	(Y ₃ Al ₅ O ₁₂ , YAG, high purity, 99.5+%,)	10 gm	19901	28419000	18%
	APS:30 nm	25 gm	41676	28419000	18%
NC0493	Zinc Iron Oxide Nanopowder	5 gm	18731	28419000	18%
12063-19-3	(ZnFe ₂ O ₄ , 98.5%,)	10 gm	32522	28419000	18%
	APS: 10- 30 nm	25 gm	65558	28419000	18%
		100 gm	POR	28419000	18%
	CLAY NANO POWDERS / SHAPE MEMORY POLYMER	S			
NP0050	Montmorillonite Nano Clay >99%	5 gm	3249	25084090	5%
	APS: <80nm, SSA (BET) : 150-170m²/g	10 gm	4873	25084090	5%
		25 gm	9746	25084090	5%
		100 gm	POR	25084090	5%
NP0110	Shape Memory Polymer Pellet	5 gm	1993	29126000	18%
		J		1	

Code & Cas No.	Name	Pkg	Price	HSN	GST
25038-59-9	PMM (Injection Extrusion)	10 gm	2991	29126000	18%
		25 gm	5981	29126000	18%
		100 gm	POR	29126000	18%
		1 kg	POR	29126000	18%
NP0300	Zeolite Nanopowder >99%	5 gm	2769	38249022	18%
1332-58-7	APS: <80nm, SSA (BET) : 150-170m²/g	10 gm	4154	38249022	18%
		25 gm	8307	38249022	18%
		100 gm	POR	38249022	18%
		1 kg	POR	38249022	18%
	OXIDE NANOPOWDER				
NX0015	Alumina Powder Nano Grade (Alpha) (Al ₂ O ₃ 99.99%)	25 gm	6934	28182090	18%
1344-28-1	APS: <80nm , SSA, m²/g 15-20	100 gm	17336	28182090	18%
		500 gm	52007	28182090	18%
		1 kg	POR	28182090	18%
NX0021	Alumina Powder Nano Grade (Gamma) (Al2O3, 99.0%)	25 gm	12600	28182090	18%
1344-28-1	APS 50nm, SSA m2/g 130-150	100 gm	25200	28182090	18%
NX0030	Aluminum Hydroxide Nanopowder (Al(OH) ₃ 99.5%)	25 gm	12904	28183000	18%
21645-51-2	APS: <20nm, Hydrophilic	100 gm	32262	28183000	18%
		500 gm	96789	28183000	18%
NX0100	Cerium Oxide Nanopowder (CeO ₂ , 99%)	25 gm	37079	28461010	18%
1306-38-3	APS: <80nm), SSA: (m²/g) ≥10	100 gm	92696	28461010	18%
		500 gm	POR	28461010	18%
		1 kg	POR	28461010	18%
NX0115	Chromium Oxide Nanopowder (Cr ₂ O ₃ , 99+%)	25 gm	47673	28199000	18%
1308-38-9	APS: 20-30nm	100 gm	119182	28199000	18%
		500 gm	POR	28199000	18%
		1 kg	POR	28199000	18%
NX0120	Copper Oxide Nanopowder (CuO, 99.95%)	25 gm	9535	28259090	18%
1317-38-0	APS : 25-55nm, SSA: >13 m²/g	100 gm	23837	28259090	18%
		500 gm	71509	28259090	18%
		1 kg	POR	28259090	18%
NX0125	Copper Oxide Nanopowder (CuO, 99%)	25 gm	8477	28259090	18%
1317-38-0	APS: <80nm,SSA: >13 m²/g	100 gm	21188	28259090	18%
		500 gm	63562	28259090	18%
		1 kg	POR	28259090	18%
NX0250	Gadolinium Oxide Nanopowder (Gd ₂ O ₃ , 99.9%)	25 gm	68860	28469090	18%
	APS: 10-100nm (BET)	100 gm	172151	28469090	18%
		500 gm	POR	28469090	18%
		1 kg	POR	28469090	18%
NX0325	Iron Oxide Nanopowder (Fe ₂ O ₃ , 98.5+%)	25 gm	8477	28211010	18%
	APS: <30nm, SSA: 40-60m²/g Morphology: spherical	100 gm	21188	28211010	18%
	· · · · ·	500 gm	63562	28211010	18%

0-4-0								
Code & Cas No.	Name	Pkg	Price	HSN	GST			
		1 kg	POR	28211010	18%			
NX0465	Magnesium Oxide Nanopowder (MgO, 99.9%)	25 gm	5201	28332100	18%			
1309-48-4	APS : 20nm, SSA : ~40m²/g Morphology : Polyhedral	100 gm	13002	28332100	18%			
		500 gm	POR	28332100	18%			
NX0650	Silicon Oxide Nanopowder (SiO ₂ , 99.5+%)	25 gm	3757	28112200	18%			
7631-86-9	APS : 15-20nmSpherical particles SSA : 170-200 m²/g	100 gm	9391	28112200	18%			
		500 gm	POR	28112200	18%			
NX0705	Tin Oxide Nanopowder (SnO ₂ , 99.5%)	25 gm	13966	28259090	18%			
18282-10-5	APS : 35-55 nm,SSA : 18.55 m²/g	100 gm	34912	28259090	18%			
	Morphology : spherical	500 gm	104735	28259090	18%			
		1 kg	POR	28259090	18%			
NX0715	Titanium Oxide Nanopowder (TiO ₂ , anatase, 99 %)	25 gm	7415	28230090	18%			
13463-67-7	Grain size (nm) : 10-25nm, SSA : (m²/g) : >30	100 gm	18539	28230090	18%			
		500 gm	55619	28230090	18%			
		1 kg	POR	28230090	18%			
NX0725	Titanium Oxide Nanopowder (TiO ₂ , rutile, 99%)	25 gm	8477	28230090	18%			
13463-67-7	Grain size (nm) : 30nm, SSA: (m²/g) : >30	100 gm	21188	28230090	18%			
		500 gm	63562	28230090	18%			
		1 kg	POR	28230090	18%			
NX0750	Tungsten Oxide Nanopowder (WO ₃ , 99+%)	25 gm	79453	28259090	18%			
1314-35-8	(orthorhombic crystal)	100 gm	198635	28259090	18%			
	Grain size (nm) : 35nm (23-65nm), SSA (m²/g) : >5-20	500 gm	POR	28259090	18%			
	Crystal : Nearly Spherical	1 kg	POR	28259090	18%			
NX0850	Zinc Oxide Nanopowder (ZnO, 99.9+%)	25 gm	4238	28170010	18%			
1314-13-2	Grain size (nm): 80 - 200nm, SSA: (m²/g): >90	100 gm	10593	28170010	18%			
		500 gm	31781	28170010	18%			
		1 kg	POR	28170010	18%			
NX0855	Zinc Oxide Nanopowder (ZnO, 99.9+%)	25 gm	3852	28170010	18%			
1314-13-2	Grain size (nm): 35-45 nm, SSA: (m²/g): >110	100 gm	9631	28170010	18%			
		500 gm	28892	28170010	18%			
		1 kg	POR	28170010	18%			
NX0860	Zinc Oxide Nanopowder (ZnO, 99.9+%)	25 gm	3852	28170010	18%			
1314-13-2	Grain size (nm) : 10-30nm, SSA: (m²/g) : >120	100 gm	9631	28170010	18%			
		500 gm	28892	28170010	18%			
		1 kg	POR	28170010	18%			
NX0865	Zirconium Oxide Nanopowder (ZrO ₂ , 99%)	25 gm	16950	28256020	18%			
1314-23-4	APS: 80 nm, BET SSA : 15-40 (m²/g)Crystal : Monoclinic	100 gm	42376	28256020	18%			
	, ,,,	500 gm	POR	28256020	18%			

Code & Cas No.		Name	Pkg	Price	HSN	GST	
		SINGLE WALL CARBON NANOTUBES Long Length (SWCN)	TL)				
NT0130	SWCNTL - Type 6	-OH, Long Length > 98 wt%	500 mgm	21317	28030090	18%	
99685-96-8		Avg. Diameter 1-2+nm, Length 15-30µm	1 gm	31974	28030090	18%	
		OH Surface Modified: 3 – 6wt%	5 gm	POR	28030090	18%	
		SSA: 350-450* m²/g	25 gm	POR	28030090	18%	
		SINGLE WALL CARBON NANOTUBES Short Length (SWCN)	ΓS)				
NT0315	SWCNTS - Type 8	-COOH, Short Length > 90 wt%	500 mgm	22601	28030090	18%	
99685-96-8		Avg. Diameter 1-2+nm, Length 3-8µm	1 gm	33900	28030090	18%	
		COOH Surface Modified: 2 – 5wt%	5 gm	POR	28030090	18%	
		SSA: 350-450* m²/g	25 gm	POR	28030090	18%	
		MULTI-WALLED CARBON NANOTUBES (MWCNT)					
NT0350	MWCNT - Electrical	Multi Walled Carbon Nanotubes >98% Electrical Grade	5 gm	18731	28030090	18%	
99685-96-8		Diameter 20-30nm, Length 30-50µm	10 gm	25521	28030090	18%	
		I D: 0.34nm, SSA: 90-300* m²/g	25 gm	58534	28030090	18%	
NT0355	MWCNT - Graphitize	Multi Walled Carbon Nanotubes >98%	5 gm	20085	28030090	18%	
99685-96-8		Diameter 20-30nm, Length 50-90µm	10 gm	25105	28030090	18%	
		I D: 0.34nm, SSA: 90-270* m²/g	25 gm	57762	28030090	18%	
		MULTI-WALLED CARBON NANOTUBES LONG LENGTH (MWC	NTL)				
NT0405	MWCNTL - Type 2	Long Length >65%, > 90 wt%	5 gm	11614	28030090	18%	
99685-96-8		Diameter 20-30nm, Length 15-30µm	10 gm	14517	28030090	18%	
		I D: 0.34nm, SSA: 90-350* m²/g	25 gm	33399	28030090	18%	
			100 gm	POR	28030090	18%	
	N	MULTI-WALLED CARBON NANOTUBES MEDIUM LENGTH (MW	CNTM)				
NT0525	MWCNTM - Type 6	-OH, Medium Length > 95 wt%	5 gm	22543	28030090	18%	
99685-96-8		Diameter 20-30nm, Length 5-15µm	10 gm	28179	28030090	18%	
		OH Content %: 3-5Wt%	25 gm	64834	28030090	18%	
		I D: 0.34nm, SSA: 90-350* m²/g					
		MULTI-WALLED CARBON NANOTUBES SHORT LENGTH (MWC	CNTS)				
NT0580	MWCNTS - Type 2	Short Length > 90 wt%	5 gm	12980	28030090	18%	
99685-96-8		Diameter 20-30nm, Length 3-10µm	10 gm	16224	28030090	18%	
		I D: 0.34nm, SSA: 90-350* m²/g	25 gm	37330	28030090	18%	
			100 gm	POR	28030090	18%	
NT0585	MWCNTS - Type 3	Short Length > 95 wt%	5 gm	13389	28030090	18%	
99685-96-8		Diameter 20 20nm Longth 2 10um	10 gm	16738	28030090	18%	
33003-30-0	_	Diameter 20-30nm, Length 3-10µm	10 9111	10/30	20030030	1070	

LABWARE

CODE	PRODUCT NAME	SIZE	PRICE	HSN NO	TAX
TBT010	Teflon Bottles	50 ml	3340	39269099	18%
TBT010	Teflon Bottles	100 ml	3758	39269099	18%
TBT010	Teflon Bottles	250 ml	6262	39269099	18%
TBT010	Teflon Bottles	500 ml	12524	39269099	18%
TBT010	Teflon Bottles	1 L	25047	39269099	18%
TBT010	Teflon Bottles	2 L	50094	39269099	18%
TBK010	Teflon Beaker	50 ml	2088	39269099	18%
TBK010	Teflon Beaker	100 ml	3758	39269099	18%
TBK010	Teflon Beaker	250 ml	5844	39269099	18%
TBK010	Teflon Beaker	500 ml	7723	39269099	18%
TBK010	Teflon Beaker	1 L	15028	39269099	18%
TBK010	Teflon Beaker	2 L	20039	39269099	18%
TBKC10	Teflon Beaker Cover	50 ml	835	39269099	18%
TBKC10	Teflon Beaker Cover	100 ml	835	39269099	18%
TBKC10	Teflon Beaker Cover	250 ml	1393	39269099	18%
TBKC10	Teflon Beaker Cover	500 ml	1670	39269099	18%
TBKC10	Teflon Beaker Cover	1 L	2784	39269099	18%
TBKC10	Teflon Beaker Cover	2 L	5567	39269099	18%
TFWM10	Teflon Flask Wide Mouth	250 ml	8350	39269099	18%
TFWM10	Teflon Flask Wide Mouth	500 ml	16698	39269099	18%
TFWM10	Teflon Flask Wide Mouth	1 L	29223	39269099	18%
TFWC10	Teflon Flask Wide Mouth With Screw Cap	100 ml	6262	39269099	18%
TFWC10	Teflon Flask Wide Mouth With Screw Cap	250 ml	10020	39269099	18%
TFWC10	Teflon Flask Wide Mouth With Screw Cap	500 ml	20039	39269099	18%
TFWC10	Teflon Flask Wide Mouth With Screw Cap	1 L	31726	39269099	18%
TRBF10	Teflon Round Bottom Flask	250 ml	8350	39269099	18%
TRBF10	Teflon Round Bottom Flask	500 ml	16698	39269099	18%
TC0010	Teflon Crucible	25 ml	2226	39269099	18%
TC0010	Teflon Crucible	50 ml	2505	39269099	18%
TC0010	Teflon Crucible	100 ml	2784	39269099	18%
TS0010	Teflon Spatula Length	150 mm	1670	39269099	18%
TF0010	Teflon Forceps Length	100 mm	2784	39269099	18%
TF0010	Teflon Forceps Length	150 mm	3897	39269099	18%
TFL010	Teflon Funnel Inlet Od	25 mm	2226	39269099	18%
TFL010	Teflon Funnel Inlet Od	50 mm	3340	39269099	18%
TFL010	Teflon Funnel Inlet Od	100 mm	9741	39269099	18%

SO 9001:2015 CERTIFIED

Based upon ¹²C. () indicates the mass number of the longest-lived isotope.

Reference: NIST.gov

HIGH PURITY LABORATORY CHEMICALS PVT. LTD.

Chemistry Beyond Chemicals



CONTACT US:-

REGISTERED OFFICE:

320, Gold Mohur Bldg., 174, Shamaldas Gandhi Marg,

Mumbai - 400 002 (India).

TEL.: Tel: +91.22.2203 5835 / 2205 7323

+91.22.4607 9590 / 4607 9591

GSTIN: 27AACCH4739C1ZR

MANUFACTURING UNIT:

FACTORY: Plot No. 1902, Fansa Road, G.I.D.C.,

Sarigam - 396 155, Dist. Valsad, Gujarat (India). GSTIN: 24AACCH4739C1ZX

General Information: info@hplcindia.com Customer Support: Customercare@hplcindia.com Technical Support: Customercare@hplcindia.com Sales Inquiry (Domestic): mumbai@hplcindia.com Sales Inquiry (Export): overseas@hplcindia.com





Chemistry Beyond Chemicals



HIGH PURITY LABORATORY CHEMICALS PVT. LTD.